MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

nn: Report
of Births,
s (Abstracts of 1874)
Sent Reminder Ret^d

MEDICAL LIBRARY

22500766864

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

22318 21935/490 5m(2) 3/27 J.P.D207 Gp.132
MED. LIBRARY I.

Digitized by the Internet Archive
in 2021 with funding from
Wellcome Library

https://archive.org/details/s4677id1397419

38
6

TWENTIETH DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1874.]

Presented to both Houses of Parliament by Command of Her Majesty.



MEDICAL LIBRARY
MINISTRY OF HEALTH

EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1878.

[C.—2118.] *Price* 1*s.* 8*d.*

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. Sev WA

REPORT.

TO THE

RIGHT HON^BLE. R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *July* 13, 1878.

SIR,

On the 21st April 1875, I had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict. cap. 80, to submit to the Secretary of State for the Home Department the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1874, along with some explanation and commentary.

On the same date, my Tenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1874).

It will be observed that the general Birth-rate of 1874 has been the highest hitherto recorded in Scotland; that the Marriage-rate has been well sustained; and that the Death-rate has been high, having been only once surpassed during the last twenty years.

In course of the present Report will be found some Tables illustrative of the degree of density with which the population was, at the period of Census 1871, aggregated in various parts of the country, and particularly in the several Registration Districts of the Eight Principal Towns.

In illustration of the good effected in Scotland by the Vaccination Act, I have in this Report introduced three Supplemental Tables relative to the marked decrease of the mortality from Smallpox among children under five years of age, which has, beyond question, been observed in Scotland since the Vaccination Act became law.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1874 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Density and Proximity of Population, with Illustrative Tables,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1874,	xiv
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1874,	xv
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1874,	xvi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1874,	xvii

BIRTHS.

Births in 1874, and their Proportion to the Population, with relative Tables,	xiv
Tables showing particulars relative to the Births during each of the years 1855 to 1874 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xviii

MARRIAGES.

Number of Marriages in 1874, and their Proportion to the Population,	xix
Influence of Density of Population on the Marriages,	xix
Proportion of Legitimate Children to the Marriages in Scotland and England and in Sweden,	xx
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1874, and 1855–1874, with relative Tables,	xx
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xxii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxiii & xxiv

Page

DEATHS.

Number of Deaths in Scotland in 1874, and their Proportion to the Population, . . xxv

Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1874, with relative Tables, ... xxv

Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1864–1874, ... xxvi

Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1874, ... xxvii

Mortality of Female lower than that of the Male at about every period of life, . . xxix

High Mortality in Towns at every period of life, as compared with that of the Rural Districts, xxx

Causes of Death in 1874, with relative Tables, ... xxxi

Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxxii

Smallpox Deaths in Scotland for twenty years, ... xxxix

Particulars relative to Vaccination in Scotland, with relative Tables, ... xl

Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . . xliii

The Nineteen most fatal Diseases in England and Scotland in 1874, ... xlvi

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1874.

Weather, Weekly and Monthly, and its Influence on the Mortality, ... l

Table showing the Meteorology of Scotland during each month of the year 1874, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . lii

Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1874, . . liii

Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1874, ... liv

Deaths in Scotland compared with the Average Price of Wheat and Potatoes during each of the years 1855 to 1874, ... lvii

Influence of Season, etc., on the Mortality at different Ages, ... lviii

---

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1874, . . . lix

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1874, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Area in Square Miles of each County, ... 1

Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1874, also of the Illegitimate Births in every Registration District, . . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1874; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Page

Table of the Civil Condition of the parties who married in 1874; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1874, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1874 . . 28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1874, together with the Populations in 1861 and 1871, ... 30

Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1874, together with the Male Populations in 1861 and 1871, ... 32

Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1874, together with the Female Populations in 1861 and 1871, ... 34

Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1874, ... 36
Do. Males, ... 38
Do. Females, ... 40

Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland in 1874, ... 42
Do. Males, ... 44
Do. Females, ... 46

Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1874, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59

Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1874, ... 60
Do. Males, ... 62
Do. Females, ... 64

Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1874, ... 66
Do. Males, ... 68
Do. Females, ... 70

Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1874, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83

Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1874, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95

Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1874, ... 96

Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, 98–101
Do. Males, ... 102–105
Do. Females, ... 106–109

Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland different Periods of Life, ... 110–113
Do. Males, ... 114–117
Do. Females, ... 118–121

Page

Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life, ... 122–125
Do. Males, ... 126–129
Do. Females, ... 130–133

Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ... 134–137
Do. Males, ... 138–141
Do. Females, ... 142–145

Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ... 146–149
Do. Males, ... 150–153
Do. Females, ... 154–157

Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ... 158–161
Do. Males, ... 162–165
Do. Females, ... 166–169

Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . . 170–173
Do. Males, ... 174–177
Do. Females, ... 178–181

Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 182–185
Do. Males, ... 186–189
Do. Females, ... 190–193

Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 194–197
Do. Males, ... 198–201
Do. Females, ... 202–205

Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 206–20
Do. Males, ... 210–213
Do. Females, ... 214–217

Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . . 218–221
Do. Males, ... 222–225
Do. Females 226–229

Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . . 230–233

Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 234–237

Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 238–241

Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 242–245

Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1874, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 246

Constitution of the Compound Districts, ... 247

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 248

Index to Districts, ... 249

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

DURING 1874, the commercial reaction which had set in before the end of 1873 made steady progress. The prices of the most important articles used in manufactures were greatly reduced, and in the case of coal and iron the reduction amounted to at least 25 per cent., when compared with the prices obtained in 1873. Corresponding reduction in wages followed as a matter of course, and in some parts of the country strikes and lock-outs embarrassed the employers of labour, and added to the inevitable distress felt by the working classes. Happily the harvest was an abundant one, and the prices of wheat and of potatoes, especially towards the end of the year, were more moderate than usual. During the last few weeks of the year, much rain fell, and the temperature of the air was low beyond all recent precedent. It is not to be wondered at that such unfavourable conditions should have materially affected the public health, and accordingly it may be seen on reference to Table I. that the death-rate of 1874 has only once been surpassed

---

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1874, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1
1874	3,462,916	123,711	10,991	80,720	26,390	42,991	3·5725	2·3310	0·7621	8·9

within the last twenty years. The marriage-rate was less affected by the unsettled condition of trade and commerce than might have been anticipated. Although somewhat below the rate of 1873, the frequency of marriages during 1874 was far above the average of recent years. The birth-rate of 1874 was the highest that has ever been recorded in Scotland.

POPULATION.

The estimates of population used in the course of this Report are calculated to the middle of the year 1874, by means of the Census Enumerations of males and females made in 1861 and 1871. It is assumed that the rates of increase or decrease indicated in each division of the country between these periods have since 1871 been uniformly maintained. The particulars which refer to the Five New Groups of Districts are given in Table II. The constitution of these Groups has been fully explained in former Reports. It is believed that in the Large Towns the population is increasing annually by about 20 per thousand; in the Eight Principal Towns the annual increase is about 19 per thousand; and in the Small Towns about 7 per thousand. In the Mainland-Rural Districts there is an annual diminution of population of about 1 per thousand; and in the Insular-Rural Districts the annual decrease is about 4 per thousand. In All Scotland there is an estimated annual increase of population amounting to about 9·3 per thousand.

The whole population of Scotland, as on 30th June 1874, according to the estimate here used, consisted of 1,656,372 males, and 1,806,544 females, or, in all, of 3,462,916 persons.

DENSITY AND PROXIMITY OF POPULATION.

That human beings, when their habitations are too closely aggregated or overcrowded, are subject to a correspondingly high rate of mortality is well ascertained; and if it were possible exactly to define the degree of aggregation that exists in each Registration District, or Group of Districts, no doubt the comparison of the rates of mortality that prevail in them would lead to interesting results. Unfortunately great precision is unattainable in ascertaining the density of population in any district; not because there is any difficulty in calculating its area, nor because any important error need be feared in estimating the numbers of the population belonging to that area; but because there notoriously exist many great irregularities in the distribution of the popula-

TABLE II.—Population of Scotland, in its Five New Groups of Districts, by the Censuses of 1861 and 1871, and estimated to the middle of 1874.

Five New Groups of Districts.	Census 1861.			Census 1871.			Estimated to 30th June 1874.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns	407,839	477,116	884,955	502,021	566,535	1,068,556	537,090	599,064	1,136,154
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	170,483	183,852	354,335
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	381,172	415,728	796,900
Mainland-Rural	513,554	548,239	1,061,793	508,787	540,327	1,049,114	507,247	537,780	1,045,027
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	60,380	70,120	130,500
SCOTLAND	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,656,372	1,806,544	3,462,916

tion over a given area, and hence it is quite conceivable that the most pernicious overcrowding may exist in some portions of a district, while the mean density of its population may appear to be very moderate. Still it seems desirable to attempt in Scotland some such researches regarding the influence of density of population upon death-rate, as Dr Farr has suggested in his various Reports to the Registrar-General in England, and illustrated very fully in the Supplement to the 35th of these Reports. It seems in

TABLE A.—Areas of Registration Districts of Principal Towns, and Density of their Population, at Census 1871.

Towns.	Acres.	Square Miles.	Census 1871. Population.	Persons per Square Mile.	Acres to each Person.	Proximity in Yards.
GLASGOW—						
Bridgeton	583	·911	31,154	34,198	0·019	10·2
Camlachie	544	·850	32,676	38,442	0·017	9·6
Dennistoun	1064	1·662	31,024	18,667	0·034	13·8
Calton	266	·416	43,654	104,937	0·006	5·8
Blackfriars	208	·325	54,602	167,237	0·004	4·6
St Rollox	715	1·117	38,383	34,354	0·019	10·2
Blythswood	374	·584	44,310	75,873	0·008	6·9
Milton	247	·385	38,223	99,281	0·006	6·0
Kelvin	567	·887	32,516	36,658	0·017	9·9
Anderston	490	·766	40,178	52,452	0·012	8·3
Hutchesontown	293	·458	29,717	64,884	0·010	7·4
Gorbals	206	·322	43,212	134,199	0·005	5·2
Tradeston	252	·394	22,340	56,700	0·011	7·9
Kinning Park	105	·164	9,857	60,101	0·011	7·7
Whole Area	5914	9·241	491,846	53,224	0·012	8·2
EDINBURGH—						
St George	1116	1·744	55,049	31,565	0·020	10·6
St Andrew	931	1·455	39,781	27,341	0·024	11·4
Canongate	625	·977	33,183	33,964	0·019	10·3
(Do. without Landward)	(218)	(·340)	...	(97,597)	(0·007)	(6·1)
St Giles	325	·508	31,960	62,913	0·010	7·5
(Do. without Meadows, &c.)	(231)	(·361)	...	(88,532)	(0·007)	(6·4)
Newington	1183	1·849	41,079	22,217	0·029	12·7
Whole Area	4180	6·533	201,052	30,775	0·021	10·8
DUNDEE—						
St Peter	629	·983	22,894	23,290	0·027	12·4
St Mary	490	·766	23,582	30,786	0·021	10·8
St Clement	301	·470	25,090	53,383	0·002	8·2
St Andrew	892	1·393	38,082	27,338	0·023	11·4
Lochee	1096	1·713	11,076	6,466	0·098	23·5
Whole Area	3408	5·325	120,724	22,671	0·028	12·6
ABERDEEN—						
St Nicholas	879	1·374	47,077	34,263	0·019	10·2
Old Machar (burghal)	4932	7·706	41,104	5,334	0·120	25·9
Whole Area	5811	9·080	88,181	9,712	0·066	19·2
GREENOCK	1509	2·358	59,794	25,358	0·025	11·9
PAISLEY—						
City Parishes	882	1·378	31,910	23,157	0·028	12·4
Part of Abbey	2611	4·080	16,348	4,007	0·163	29·9
Whole Area	3493	5·458	48,258	8,842	0·073	20·1
LEITH	1440	2·250	46,434	20,637	0·031	13·2
PERTH	4336	6·775	26,382	3,894	0·164	30·3
EIGHT PRINCIPAL TOWNS	30093	47·020	1,082,671	23,026	0·0278	12·5

the first instance sufficient to collect reliable data regarding the various Registration Districts of the Eight Principal Towns of Scotland, and such data will, it is hoped, be found in the accompanying Table A. The areas of the several districts have been computed by means of the Ordnance 6-inch scale maps, and Amsler's planimeter, an instrument admirably adapted for the purpose in hand. It must be noted that the mean density of population in every district refers to the period of last Census, viz. April 1871; for there exist no available means for ascertaining the present population of most of the Districts included in the Table. It is probable that the most densely peopled districts of such Towns as Glasgow and Edinburgh, being already packed with inhabitants to saturation, cannot since the Census have materially increased in population; but some of the less densely peopled districts about Glasgow were, at the period of the Census, known to be rapidly increasing in population, and it is certain must still be annually becoming more densely peopled.

In connection with the subject of the distribution of population, Table B may be instructive. If the population of a given district be supposed to be *uniformly* distributed over its area, the distance between person and person is termed their "proximity." In order that this proximity may be uniform, and the least possible, the area is conceived to consist of equilateral triangles, each angle of which represents an inhabitant, while the length of a side represents the proximity. If the density of population, or number of persons per square mile, is known, the proximity may be obtained in yards by the formula $p = \frac{2^{\frac{1}{2}}}{3^{\frac{1}{4}}} \times \frac{1760}{D^{\frac{1}{2}}}$. This formula is

TABLE B.—Proximity and Density. In constructing this Table, p is successively assumed=1, 2, 3, &c. The log. c is=3·2767474, being the log. of $\left(\frac{\sqrt{2}}{\sqrt[4]{3}} \times 1760\right)$, and of course constant. The formula for constructing the Table is:—log. $d = 2$ (log. c − log. p).

p Proximity in Yards.	d Density of Population per Sq. Mile.	p Proximity in Yards.	d Density of Population per Sq. Mile.	p Proximity in Yards.	d Density of Population per Sq. Mile.	p Proximity in Yards.	d Density of Population per Sq. Mile.
1	3576800	26	5291	51	1375	76	619
2	894200	27	4906	52	1323	77	603
3	397422	28	4562	53	1273	78	588
4	223550	29	4253	54	1227	79	573
5	143072	30	3974	55	1182	80	559
6	99356	31	3722	56	1141	85	495
7	72996	32	3493	57	1101	90	442
8	55888	33	3284	58	1063	95	396
9	44156	34	3094	59	1028	100	358
10	35768	35	2920	60	994	150	159
11	29560	36	2760	61	961	200	89
12	24839	37	2613	62	931	300	40
13	21165	38	2477	63	901	400	22
14	18249	39	2352	64	873	500	14
15	15897	40	2236	65	847	600	10
16	13972	41	2128	66	821	700	7
17	12376	42	2028	67	797	800	6
18	11039	43	1934	68	774	900	4
19	9908	44	1848	69	751	1000	3·6
20	8942	45	1766	70	730	1100	3·0
21	8111	46	1690	71	710	1250	2·3
22	7390	47	1619	72	690	1500	1·6
23	6761	48	1553	73	671	1760	1·2
24	6210	49	1490	74	653	1891	1·0
25	5723	50	1431	75	636	2000	0·9

derived from Dr Farr's Report on English Census 1871, vol. iv. p. xxviii. Table B exhibits the relations between density and proximity of population, within such limits as should amply suffice for all practical purposes. These Tables have already appeared in our Twenty-third Annual Report.

Table C, which has been calculated for the present Detailed Annual Report, shows, for All Scotland and for each of its Counties, various particulars in regard to population, area, density, proximity, birth-rate, and death-rate, which it seems convenient to have recorded in a synoptical form. The populations used in computing the birth and death-rates for this tabular view are the enumerated Census populations of 1871, which may without sensible error be regarded as the mean populations of the decennial period 1866-1875 inclusive. As an example of what may be gathered from Table C, it may suffice to mention that by its means it may be easily found that in ten counties of Scotland, the annual death-rate does not exceed 17 per thousand; that the united population of these counties was at last Census 359,782; that their area embraces 8813·2 square miles; that the average density of their population was about 41 per square mile; and that the proximity of person to person would, if the population were spread uniformly over the area, be 296 yards.

TABLE C.—Showing, for each County in Scotland, the Population at Census 1871; the Births and Deaths during the Ten Years, 1866–1875; the Annual Birth-rate and Death-rate per 1000 of Census Population; the Area in Square Miles; the Density of the Population per Square Mile; and the Proximity of Person to Person expressed in yards, on the hypothesis of uniform distribution of Population over Area.

No	COUNTIES.	Population at Census 1871.	Births in Ten Years 1866–1875.	Deaths in Ten Years 1866–1875.	Annual Births to 1000 Living.	Annual Deaths to 1000 Living.	Area in Square Miles.	Density or Persons per Square Mile.	Proximity in Yards.
	SCOTLAND . .	3,360,018	1,173,683	749,829	34·93	22·32	30,532·0	110	180
1	Shetland . . .	31,608	7,640	4,726	24·17	14·95	935·5	67	231
2	Orkney . . .	31,274	7,854	4,759	25·11	15·22			
3	Caithness . . .	41,011	11,299	6,423	27·55	15·66	701·4	58	248
4	Sutherland . . .	23,298	5,104	3,622	21·91	15·55	2093·2	11	570
5	Ross and Cromarty .	82,093	21,122	13,348	25·73	16·26	3150·6	26	371
6	Inverness . . .	84,258	22,586	14,857	26·81	17·63	4255·5	20	423
7	Nairn	8,372	2,366	1,576	28·26	18·83	199·9	42	292
8	Elgin (or Moray) . .	44,549	13,310	7,658	29·88	17·19	488·0	91	198
9	Banff	58,883	18,639	9,657	31·65	16·40	646·5	91	198
10	Aberdeen . . .	246,298	83,271	43,995	33·81	17·86	1972·0	125	169
11	Kincardine . . .	35,097	11,113	5,626	31·66	16·03	387·9	90	199
12	Forfar	240,049	85,265	56,262	35·52	23·43	890·4	270	115
13	Perth	128,550	35,718	25,266	27·79	19·66	2569·8	50	267
14	Fife	160,924	53,456	30,943	33·22	19·23	513·2	314	107
15	Kinross . . .	7,918	2,103	1,346	26·56	17·00	77·8	102	187
16	Clackmannan . .	22,235	7,699	4,579	34·63	20·59	49·8	446	90
17	Stirling . . .	93,345	35,257	20,863	37·77	22·35	466·5	200	134
18	Dumbarton . . .	61,116	22,081	13,907	36·13	22·76	269·8	227	126
19	Argyll	79,661	20,755	14,599	26·05	18·33	3254·9	25	378
20	Bute	16,966	4,059	3,945	23·92	23·25	225·0	75	218
21	Renfrew . . .	195,305	74,989	51,242	38·39	26·40	253·8	770	68
22	Ayr	200,908	77,104	45,184	38·38	22·49	1148·8	175	142
23	Lanark . . .	787,005	324,514	220,413	41·23	28·01	888·9	885	64
24	Linlithgow . . .	41,379	17,450	8,815	42·17	21·30	126·7	327	105
25	Edinburgh . . .	328,138	112,532	78,162	34·29	23·82	367·1	894	63
26	Haddington . .	37,755	11,794	7,170	31·24	18·99	279·9	135	163
27	Berwick . . .	36,382	11,013	5,937	30·27	16·32	464·3	78	217
28	Peebles . . .	12,218	3,889	1,982	31·83	16·22	356·0	34	324
29	Selkirk . . .	19,651	6,277	3,342	31·94	17·01	260·2	76	217
30	Roxburgh . . .	48,241	16,381	9,285	33·96	19·25	669·5	72	223
31	Dumfries . . .	74,842	22,780	15,169	30·44	20·27	1103·0	68	229
32	Kircudbright . .	42,087	12,764	7,892	30·33	18·75	953·7	44	285
33	Wigtown . . .	38,602	11,499	7,279	29·79	18·86	512·4	75	218

BIRTHS.

The Births registered in Scotland during 1874 were 123,711—exceeding by fully 4000 the largest number recorded in any former year. There were consequently 357 births for every ten thousand of estimated population; or in other words, the birth-rate was 3·57 per cent., being considerably higher than even the exceptionally high birth-rate of 1864.

TABLE III.—Births, Deaths, and Marriages in the Five New Groups of Districts in Scotland, 1855–1874.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births	Deaths	Marriages.	Births	Deaths	Marriages.	Births	Deaths	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Sma Towns have from 2000 to 10,000 of population.

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five New Groups of Districts of Scotland, to the Population during each of the Years 1855–1874.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453
1874	3·752	2·827	0·931	4·287	2·830	0·861	3·709	2·204	0·715	3·146	1·801	0·617	2·649	1·681	0·480

The very large number of marriages registered during 1872 and 1873 rendered it probable that the birth-rate would in 1874 be well sustained.

It must be noted that in all calculations regarding birth-rate in Scotland, the live births only are dealt with, for no returns as to still-births are made to the Registrar-General. It is otherwise in several foreign countries, such as Sweden, in which a Register of still-births is carefully kept. In the absence of a similar record in this country and in England, the number of mothers cannot be stated from year to year with such precision as statisticians require for resolving various problems connected with the laws of population, and the mortality connected with the process of child-bearing.

Of the Five New Registration Groups, the Large Towns had the highest birth-rate, the 15,189 registered births being at the rate of 4·287 per cent.—the highest rate that has ever been observed in any of the Scottish Registration Groups. In the Eight Principal Towns, the 42,631 births were at the rate of 3·752 per cent. It appears that the births in the Principal Towns were, in proportion to the population, less frequent than during the average of the last ten years. In the Small Towns, there were 29,557 births, being at the rate of 3·709 per cent.—a proportion which has not been exceeded in the Small Towns since 1865. In the Mainland-Rural Districts, there were 32,877 births, showing a rate of 3·146 per cent.—a proportion slightly exceeding the average of the last ten years. In the Insular-Rural Districts, the births, 3457 in number, were at the rate of 2·649. This proportion is decidedly below the average of recent experience, and a glance at Table IV. shows that a tendency to a decrease in the birth-rate still exists among the inhabitants of the Rural Districts of the Scottish Islands.

Of the 123,711 births that took place in the whole of Scotland, 10,991 were illegitimate. The rate of illegitimacy for the whole country may accordingly be stated as 8·9 per cent. of all registered births. It is the lowest rate recorded in these Tables since 1857. The amount of illegitimacy in various parts of the country is amply illustrated in Tables V*a*. and VI. The Occasional Table headed V*b* is designed to correct any unwarranted inferences regarding the morality of females in certain localities, which the mere examination of the relative numbers of legitimate and illegitimate births might seem to suggest. On the authority of the Census enumeration of 1871, it may be positively stated,

---

TABLE V*a*.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1874, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Estimated Population, 1874.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	508,109	20,039	3·944	1790	8·9	15,845	3·118	4993	0·983
Edinburgh .	211,691	6,838	3·230	595	8·7	5,011	2·367	1903	0·899
Dundee . .	131,777	5,102	3·872	588	11·5	4,170	3·164	1250	0·949
Aberdeen .	93,222	3,222	3·456	392	12·0	2,066	2·216	683	0·732
Greenock .	66,020	2,806	4·250	139	5·0	1,690	2·560	600	0·909
Paisley . .	48,517	1,779	3·667	127	7·1	1,388	2·861	445	0·917
Leith . .	50,341	1,978	3·929	108	5·5	1,254	2·491	468	0·930
Perth . .	26,477	867	3·275	81	9·3	700	2·644	232	0·876

that the numbers of females aged between 15 and 45 years, unmarried or widowed—the numbers, in short, of possible mothers of illegitimate children—vary exceedingly in the Principal Towns of Scotland. In Edinburgh, for instance, the proportion which such females bear to the married females of the same age is far higher than is the case in Greenock or even in Glasgow. This circumstance is no doubt chiefly due to the comparatively large number of females employed as domestic servants in Edinburgh, a class which is continually being recruited by draughts of young females from the country districts. On careful examination of the last two columns of Table V*b*, it will be found that the percentage of illegitimate children to possible mothers is lower in Edinburgh than in any other of the Principal Towns of Scotland, and very decidedly lower than in Glasgow; and yet the relative frequency of illegitimate and legitimate births does not particularly differ in the two cities.

Of the 123,711 births registered in Scotland in 1874, there were 63,602 males and 60,109 females. For every hundred females born there were accordingly 105·8 male births. The preponderance of males did not much differ in the classes of legitimate and illegitimate births, but on the whole was rather more marked among the legitimate.

In England there were during 1874, for every hundred legitimate female births, 103·7 males; for every hundred illegitimate female births, 103·1 males.

In Holland, for every hundred live legitimate female births there were 105·2 males; and for every hundred live illegitimate female births, 103·9 males.

In Austria, for every hundred live legitimate female births there were 105·8 males; while among the live illegitimate births, there were for every hundred females, 107· males.

In Sweden for every hundred live legitimate female births, there

---

Occasional Table V*b*.—Showing the state of Illegitimacy in All Scotland, in the Five New Groups of Registration Districts, in each of the Principal Towns, and in two Counties during 1874.

Localities.	Estimated Number of Unmarried Women and of Widows living between the Ages of 15 and 45 at middle of 1874.	Number of Illegitimate Children born during 1874.	Percentage of Illegitimate Children to the Unmarried and Widowed Women Aged 15–45.	Percentage of Illegitimates in Total Births.
All Scotland . . .	464,906	10,991	2·36	8·88
Principal Towns . . .	164,620	3,820	2·32	9·0
Large Towns . . .	46,555	984	2·11	6·5
Small Towns . . .	100,269	2,451	2·44	8·3
Mainland-Rural . . .	134,110	3,518	2·62	10·7
Insular-Rural . . .	19,352	218	1·13	6·3
Glasgow . . .	68,514	1,790	2·61	8·9
Edinburgh . . .	35,940	595	1·66	8·7
Dundee . . .	22,832	588	2·58	11·5
Aberdeen . . .	13,718	392	2·86	12·0
Greenock . . .	7,063	139	1·97	5·0
Paisley	7,197	127	1·76	7·1
Leith	5,537	108	1·95	5·5
Perth	3,819	81	2·12	9·3
County Elgin . . .	6,191	220	3·55	17·1
County Banff . . .	7,784	320	4·11	17·1

were 105·5 males; and for every hundred live illegitimate female births, 103·8 males.

There were 1512 twin births in Scotland during 1874. There were likewise 13 triplet births. Hence it appears that one in every 81

TABLE VI.—Number of Births, Deaths, and Marriages in 1874, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

Divisions and Counties.		Population Estimated to middle of year 1874.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,462,916	123711	3·5725	10991	8·88	80720	2·3310	26390	0·7621
1.	Principal Town Dists.	1,136,154	42631	3·752	3820	9·0	32124	2·827	10574	0·931
2.	Large Town Districts	354,335	15189	4·287	984	6·5	10026	2·830	3051	0·861
3.	Small Town Districts	796,900	29557	3·709	2451	8·3	17560	2·204	5695	0·715
4.	Mainland-Rural Dists.	1,045,027	32877	3·146	3518	10·7	18816	1·801	6443	0·617
5.	Insular-Rural Dists.	130,500	3457	2·649	218	6·3	2194	1·681	627	0·480
	Divisions.									
I.	Northern	126,163	3170	2·513	256	8·1	1842	1·460	621	0·492
II.	North-Western.	166,063	4317	2·600	294	6·8	2937	1·769	793	0·478
III.	North-Eastern	401,588	12855	3·201	1950	15·2	7176	1·787	2531	0·630
IV.	East-Midland	571,325	19015	3·328	1773	9·3	13003	2·276	4258	0·745
V.	West-Midland	253,624	8650	3·411	637	7·4	5779	2·279	1607	0·634
VI.	South-Western	1,245,073	52782	4·239	3845	7·3	35489	2·850	11473	0·921
VII.	South-Eastern	497,283	16741	3·366	1364	8·1	10578	2·123	3870	0·778
VIII.	Southern	201,797	6181	3·063	872	14·1	3916	1·941	1237	0·613
	Counties.									
1	Shetland	31,588	733	2·321	35	4·8	522	1·653	153	0·484
2	Orkney	30,918	841	2·720	44	5·2	406	1·313	180	0·582
3	Caithness	40,632	1109	2·729	138	12·4	566	1·393	198	0·487
4	Sutherland	23,025	487	2·115	39	8·0	348	1·511	90	0·391
5	Ross and Cromarty	81,985	2060	2·513	96	4·7	1480	1·805	359	0·438
6	Inverness	84,078	2257	2·684	198	8·8	1457	1·733	434	0·516
7	Nairn	8,380	224	2·673	21	9·4	152	1·814	38	0·453
8	Elgin	44,629	1287	2·884	220	17·1	802	1·797	244	0·547
9	Banff	59,713	1874	3·138	320	17·1	936	1·567	361	0·605
10	Aberdeen	253,666	8414	3·317	1239	14·7	4698	1·852	1633	0·644
11	Kincardine	35,200	1056	3·000	150	14·2	588	1·670	255	0·724
12	Forfar	251,430	8889	3·535	936	10·5	6489	2·581	2095	0·833
13	Perth	126,795	3453	2·723	354	10·3	2608	2·057	773	0·610
14	Fife	162,530	5608	3·450	379	6·7	3309	2·036	1203	0·740
15	Kinross	7,653	213	2·783	20	9·4	137	1·790	47	0·614
16	Clackmannan	22,917	852	3·718	84	9·9	460	2·007	140	0·611
17	Stirling	94,893	3826	4·032	284	7·4	2255	2·376	742	0·782
18	Dumbarton	63,416	2396	3·778	150	6·3	1664	2·624	458	0·722
19	Argyll	78,169	2026	2·592	168	8·3	1447	1·851	309	0·395
20	Bute	17,146	402	2·345	35	8·7	413	2·409	98	0·572
21	Renfrew	204,354	8007	3·918	479	6·0	5097	2·494	1724	0·843
22	Ayr	201,060	8282	4·119	652	7·9	4998	2·486	1829	0·910
23	Lanark	839,659	36493	4·346	2714	7·4	25394	3·024	7920	0·943
24	Linlithgow	42,074	1710	4·064	143	8·4	746	1·773	300	0·713
25	Edinburgh	347,096	11642	3·354	927	8·0	7951	2·291	2949	0·852
26	Haddington	37,794	1144	3·027	96	8·4	749	1·982	224	0·593
27	Berwick	36,349	1057	2·908	104	9·8	566	1·557	182	0·501
28	Peebles	12,517	392	3·132	28	7·1	182	1·454	71	0·567
29	Selkirk	21,453	796	3·710	66	8·3	384	1·790	144	0·671
30	Roxburgh	47,817	1534	3·208	170	11·1	760	1·589	300	0·627
31	Dumfries	74,500	2196	2·948	329	15·0	1586	2·129	461	0·619
32	Kirkcudbright	41,896	1281	3·058	189	14·8	798	1·905	243	0·580
33	Wigtown	37,584	1170	3·113	184	15·7	772	2·504	233	0·620

mothers of live children gave birth to twins, and that one in 9398 bore triplets.

TABLE VII.—Births in Scotland, 1855–1874; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	80

TABLE VIII.—Births, 1874. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

Five Groups of Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Bot Sexe	Males.	Fem.	Both Sexes.		
Principal Towns	21859	20772	42631	19895	18916	38811	1964	1856	3820	507	3
Large Towns	7766	7423	15189	7250	6955	14205	516	468	984	172	1
Small Towns	15266	14291	29557	13988	13118	27106	1278	1173	2451	373	4
Mainland-Rural	16898	15979	32877	15127	14232	29359	1771	1747	3518	425	4
Insular-Rural	1813	1644	3457	1700	1539	3239	113	105	218	35	1
Scotland . .	63602	60109	123711	57960	54760	112720	5642	5349	10991	1512	13

TABLE IX.—Proportion of Births in 1874. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1874.

Five Groups of Districts.	Percentage of Births to Population.	Percentage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·752	9·0	105·2	105·2	105·8	83	14039
Large Towns	4·287	6·5	104·6	104·2	110·3	87	15015
Small Towns	3·709	8·3	106·8	106·6	109·0	78	7294
Mainland-Rural	3·146	10·7	105·8	106·3	101·4	76	8111
Insular-Rural	2·649	6·3	110·3	110·5	107·6	98	3420
Scotland . . .	3·5725	8·88	105·8	105·8	105·5	81	9398

MARRIAGES.

The number of Marriages registered in Scotland in 1874 was 26,390. being 358 fewer than the recorded marriages of the preceding year, This number corresponds to a marriage-rate of 76·21 for every ten thousand of estimated population—a rate which far exceeds the average of the last twenty years, and which in fact has only once been surpassed, viz., in 1873. As usual the marriage-rate was highest in the Principal Towns, where it amounted to fully 93 per ten thousand inhabitants. In the Large Towns, the rate was rather above 86 per ten thousand inhabitants, and in the Small Towns, 71½ per ten thousand. In all these urban

TABLE X.—Marriages, 1874. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	11820	3680	1359	2733	3722	276	44·79	34·80	44·55	48·87	57·77	44·02
Free Church . .	5922	2278	578	1114	1699	253	22·44	21·54	18·94	19·56	26·37	40·35
United Presb. Church	3586	1522	466	933	622	43	13·59	14·39	15·27	16·38	9·65	6·86
Roman Catholic Ch. .	2267	1332	367	399	142	27	8·59	12·60	12·03	7·01	2·20	4·30
Episcopal Church .	643	404	72	92	75	–	2·44	3·82	2·36	1·62	1·16	0·00
Other Denominations	1923	1150	202	362	181	28	7·29	10·88	6·62	6·36	2·82	4·47
Denomin. not stated	13	3	2	6	2	–	0·05	0·03	0·07	0·10	0·03	0·00
Irregular Marriages .	216	205	5	6	–	–	0·81	1·94	0·16	0·10	0·00	0·00
Total Marriages .	26390	10574	3051	5695	6443	627	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—Marriages, 1855–1874. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1874.

Years.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216

populations the rate was rather lower than in 1873. In the Mainland-Rural Districts the rate was nearly 62 per ten thousand, thus surpassing even the ample rate recorded in the preceding year. In the Insular-Rural Districts the rate was 48 per ten thousand of estimated population; and this rate, although considerably higher than that of 1873, did not come up to the average rate of the last ten years.

The number of marriages registered during the year having been 26,390, and the number of live legitimate births during the same period, 112,720, the births may be stated to have occurred in the proportion of 4·27 live legitimate births to every marriage. The marriages in England during 1874 were 202,010, the live legitimate births, 811,853; hence, for every marriage there were 4·02 such births—a proportion which is, as usual, somewhat lower than that stated for Scotland. In Sweden, a country with which it is always interesting to contrast Scotland in matters connected with vital statistics, the marriages of 1874 were 31,422, and the live legitimate births, 119,000. Hence for each marriage in Sweden there were about 3·79 live legitimate births—a proportion lower than that recorded for England, and of course still lower when contrasted with the proportion above computed for Scotland. In Table X. will be found the number of marriages celebrated in the whole country, and in its several Groups of Registration Districts, by clergymen of each of the principal religious denominations, and likewise the number registered as *irregular*, *i.e.* registered without previous publication of banns.

Of the 26,390 marriages, 11,820 appear to have been celebrated by ministers of the Established Church, 5922 by ministers of the Free Church, 3586 by clergymen of the United Presbyterian Church, 2267 by priests of the Roman Catholic Church, 643 according to the forms of the Church of England, 1923 according to the practice of other religious

---

TABLE XII.—Proportion of Marriages, 1855–1874. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1874.

Years.	Percentage of Regular Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81

denominations which it is unnecessary to enumerate, 13 according to the rites of unspecified denominations, and 216 in an irregular manner.

Of the whole marriages registered, 44·79 per cent. were celebrated by ministers of the Established Church of Scotland, 22·44 per cent. by ministers of the Free Church, 13·59 per cent. by clergymen of the United Presbyterian Church, 8·59 per cent. by priests of the Romish Church, 2·44 per cent. according to the practice of the Church of England, 7·29 per cent. according to the rites of various denominations which we deem

---

TABLE XIII.—Marriages, 1874. Ages of Men and Women at Marriage.

Ages.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	1	–	–	–	–	–	–	–	1	–	–
15—16	–	9	–	–	–	2	–	5	–	2	–	–
16—17	3	99	1	35	1	14	1	24	–	24	–	2
17—18	25	434	14	178	3	43	3	126	5	83	–	4
18—19	156	1201	67	527	20	165	45	274	23	229	1	6
19—20	735	1922	313	814	109	223	168	473	135	392	10	20
20—21	1257	2334	528	981	143	281	299	535	276	503	11	34
21—25	9249	9675	3699	3785	1133	1123	2146	2109	2170	2436	101	222
25—30	7478	5964	2928	2288	836	663	1589	1193	1910	1615	215	205
30—35	3387	2293	1365	910	327	255	654	461	893	588	148	79
35—40	1656	1234	661	530	182	125	330	239	421	311	62	29
40—45	952	690	403	297	107	86	182	143	228	147	32	17
45—50	594	325	249	137	82	44	106	74	143	66	14	4
50—55	428	130	176	63	53	18	82	25	104	22	13	2
55—60	217	41	84	21	29	4	43	8	56	7	5	1
60—65	150	18	59	7	17	4	30	4	39	3	5	–
65—70	50	2	18	1	4	–	10	–	14	1	4	–
70—75	28	1	8	–	4	–	4	–	9	1	3	–
75—80	7	1	1	–	1	–	1	–	4	1	–	–
80—85	1	1	–	–	–	–	–	–	–	1	1	–
Not stated	17	15	–	–	–	1	2	2	13	10	2	2
Total	26390	26390	10574	10574	3051	3051	5695	5695	6443	6443	627	627

TABLE XIV.—Marriages, 1874. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1874.

Ages.	Men.						Women.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·48	3·74	4·36	3·81	2·53	1·75	13·89	14·70	14·65	15·84	11·35	5·10
20—25	39·81	39·98	41·81	42·93	37·96	17·86	45·51	45·07	46·02	46·43	45·62	40·83
25—30	28·34	27·69	27·40	27·90	29·64	34·29	22·60	21·64	21·73	20·95	25·07	32·70
30—35	12·83	12·91	10·72	11·48	13·86	23·60	8·69	8·61	8·36	8·09	9·13	12·60
35—40	6·28	6·25	5·97	5·79	6·53	9·89	4·68	5·01	4·10	4·20	4·83	4·63
40—45	3·61	3·81	3·51	3·20	3·54	5·10	2·61	2·80	2·82	2·51	2·28	2·71
45—50	2·25	2·35	2·69	1·86	2·22	2·23	1·23	1·30	1·44	1·30	1·02	0·64
50 and above	3·34	3·27	3·54	2·99	3·51	4·94	0·74	0·87	0·85	0·65	0·56	0·48
Not stated	0·06	0·00	0·00	0·04	0·21	0·34	0·05	0·00	0·03	0·03	0·14	0·31
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	1000·0	100·00	100·00	100·00

it unnecessary to enumerate, 0·05 per cent. by ministers of denominations not stated to the Registrars, and 0·81 per cent. without previous proclamation of banns or without religious ceremony.

It must not be supposed that the above numbers afford any just idea of the relative strength of religious denominations in Scotland. Many causes besides the religious persuasions of the contracting parties may determine the choice of a celebrant for a marriage; so that the relative frequency of marriage ceremonies conducted by the clergy of any particular denomination, affords a very rude approximation to the relative number of the adherents of that denomination.

Of the 26,390 men who married in 1874, the age was recorded in all

---

TABLE XV.—Marriages, 1855–1874. Number and Proportion of Men and Women in Scotland at each Quinqennial Period of Age who contracted Marriage during the Years 1855–1874.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each age to Total Marriages.	Number who married at each Age.	Percentage at each age to Total Marriages.
15—20 years	13408	2·98	57657	12·81
20—25	172784	38·39	205091	45·56
25—30	133810	29·73	108089	24·01
30—35	56467	12·54	39344	8·74
35—40	29419	6·54	20137	4·47
40—45	17704	3·93	10432	2·32
45—50	11165	2·48	5119	1·14
50 and above	14734	3·27	3155	0·70
Not stated	618	0·14	1085	0·25
TOTAL	450109	100·00	450109	100·00

TABLE XVI.—Marriages in Scotland, 1855–1874. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855

but 17 instances. In 2176 cases, or in 8·25 per cent. of all marriages that took place, the husband had not attained the age of 21 years. Of the females who married during the year, the ages of 15 were not ascertained, 23 were aged 60 and upwards, and 6000 or 22·73 per cent. had not reached the age of 21 years. One girl under 15 years of age, was married in one of the Midland-Rural Districts.

In 22,291 instances, or in 84·47 per cent. of all marriages, bachelors espoused spinsters; in 2330 cases, or in 8·83 per cent., widowers married spinsters; in 855, or 3·24 per cent., widowers were united to widows; and finally in 840 cases, being 3·18 per cent. of all marriages, bachelors became the husbands of widows.

Table XVIII. exhibits the percentage of men and of women who at the time of their marriage signed the Register, or, in consequence of professed inability to write, adhibited a mark. The Table applies to each of the Groups, Divisions, and Counties of Scotland. It shows that in the Insular-Rural Districts, and in such Counties as Ross, Cromarty, and Inverness, the accomplishment of writing is as yet by no means so common as could be desired, and as it will doubtless ere long become through the operation of the Education Act. In every part of the country it seems that the education of females must have been comparatively little attended to; for the proportion of females who do not sign the Register in writing is about double that of men who use their mark. No very decided change since 1873 is to be traced in Table XVIII., and it must of necessity be several years before the influence of the recent legislative attempts to enforce the education of the young can be expected to become apparent in the Marriage Registers.

Table XVII., as usual, concludes with two lines applicable to the cities of Edinburgh and of Glasgow, from which it appears that the

---

TABLE XVII.—Marriages in Scotland, 1855–1874. Proportions.

Years.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between			
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24

relative amount of education possessed by those who married in these cities during 1874 remains as in former years.

TABLE XVIII.—MARRIAGES, 1874. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1874.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		90·10	82·01	9·10	17 99	8·25	22·74	84·47	3·18	8·83	3·24
	GROUPS.										
	PRINCIPAL TOWNS	89·62	78·61	10·38	21·39	8·73	23·97	82·34	4·23	9·10	4·28
	LARGE TOWNS	89·41	79·29	10·59	20·71	9·05	23·86	82·89	3·18	9·93	3·93
	SMALL TOWNS	90·68	81·95	9·32	18·05	9·06	25·23	85·09	2·99	8·62	3·09
	MAINLAND-RURAL	95·03	90·47	4·97	9·53	6·81	19·15	88·11	1·80	7·88	1·52
	INSULAR-RURAL	79·43	66·35	20·57	33·65	3·51	10·53	84·85	1·59	10·53	1·28
	DIVISIONS.										
I.	NORTHERN	95·81	87·12	4·19	12·88	4·51	15·30	88·08	1·45	8·86	1·13
II.	NORTH-WESTERN	73·90	59·14	26·10	40·86	0·15	8·95	86·89	1·01	10·09	0·88
III.	NORTH-EASTERN	98·14	93·24	1·86	6·76	5·81	20·62	87·00	2·05	8·30	2·53
IV.	EAST-MIDLAND	95·04	87·01	4·96	12·99	8·48	19·40	86·21	2·54	8·50	2·54
V.	WEST-MIDLAND	89·73	82·89	10·27	17·11	6·41	21·03	84·26	2·74	9·52	2·68
VI.	SOUTH-WESTERN	86·75	74·38	13·25	25·62	10·24	27·43	82·86	3·93	8·84	4·23
VII.	SOUTH-EASTERN	95·43	91·52	4·57	8·48	6·56	19·77	83·95	3·59	9·10	3·15
VIII.	SOUTHERN	96·12	93·78	3·88	6·22	7·76	19·08	86·74	2·34	8·41	1·37
	COUNTIES.										
1	Shetland	96·73	78·43	3·27	21·57	2·61	9·15	86·27	0·65	11·11	0·00
2	Orkney	98·33	97·22	1·67	2·78	7·22	18·33	87·22	2·22	8·89	1·67
3	Caithness	95·46	90·40	4·54	9·60	5·05	18·69	88·89	2·02	7·58	1·52
4	Sutherland	80·00	74·44	10·00	25·56	1·11	12·22	91·11	0·00	7·78	1·11
5	Ross & Cromarty	70·19	53·48	29·81	46·52	1·39	8·08	88·30	0·56	9·19	1·67
6	Inverness	76·96	63·82	23·04	36·18	1·61	9·68	85·71	1·38	10·83	0·69
7	Nairn	97·37	73·69	2·63	26·31	0·00	10·53	73·68	10·53	13·16	2·63
8	Elgin	97·13	91·39	2·87	8·61	5·33	16·80	87·30	0·41	11·07	1·23
9	Banff	96·40	84·21	3·60	15·79	7·20	13·30	85·32	1·39	9·42	3·60
10	Aberdeen	98·65	95·59	1·35	4·41	5·88	21·55	87·39	2·27	7·65	2·57
11	Kincardine	98·43	95·69	1·57	4·31	4·71	19·22	88·63	1·96	7·45	1·96
12	Forfar	93·51	80·72	6·49	19·28	9·55	21·19	85·54	2·82	8·50	3·01
13	Perth	97·67	94·44	2·33	5·56	4·66	14·23	86·55	2·59	8·41	1·81
14	Fife	96·76	93·93	3·24	6 07	9·31	19·04	87·12	2·00	8·65	2·24
15	Kinross	97·87	95·74	2·13	4·26	4·26	17·02	85·11	2·13	10·84	2·13
16	Clackmannan	87·86	77·86	12·14	22·14	7·86	25·00	87·14	2·86	7·14	2·14
17	Stirling	90·30	83·69	9·70	16·31	8·63	26·42	83·96	2·83	9·03	2·83
18	Dumbarton	89·52	79·91	10·48	20·09	6·33	20·31	85·81	2·84	8·73	2·62
19	Argyle	88·03	83·50	11·97	16·50	1·67	9·06	84·14	2·27	10·68	1·94
20	Bute	91·84	88·78	8·16	11·22	5·10	21·43	79·59	3·06	13·27	4·08
21	Renfrew	87·53	72·80	12·47	27·20	8·93	25·41	82·83	3·36	8·76	4·81
22	Ayr	89·72	80·21	10·28	19·79	11·15	27·28	84·53	2·79	8·04	4·54
23	Lanark	85·90	73·38	14·10	26·62	10·32	27·90	82·47	4·32	9·04	4·03
24	Linlithgow	90·33	79·00	9·67	21·00	11·67	37·67	89·67	3·00	4·00	1·33
25	Edinburgh	95·73	92·47	4·27	7·53	6·21	18·24	82·30	4·20	9·80	3·66
26	Haddington	92·41	86·61	7·59	13·39	5·80	16·96	84·82	1·34	10·27	3·57
27	Berwick	98·35	96·70	1·65	3·30	6·04	15·38	91·21	1·10	7·14	0·55
28	Peebles	100·00	98·90	0·00	1·10	1·41	16·90	92·96	0·00	7·04	0·00
29	Selkirk	98·61	96·53	1·39	3·47	7·64	25·00	90·97	0·69	6·94	0·69
30	Roxburgh	98·00	96·00	2·00	4·00	8·33	18·67	89·00	2·67	7·67	0·33
31	Dumfries	98·48	95·88	1·52	4·12	6·51	18·44	86·12	2·39	10·63	0·43
32	Kirkcudbright	95·88	93·00	4·12	7·00	9·05	19·75	87·24	2·06	7·00	3·70
33	Wigtown	89·27	87·55	10·73	12·45	8·15	20·17	84·55	2·15	6·44	2·15
	EDINBURGH	96·58	93·43	3·42	6·52	5·62	17·66	80·82	4·41	11·19	3·57
	GLASGOW	85·38	71·64	14·62	28·36	9·93	26·72	81·31	4·65	8·89	4·57

DEATHS.

The Deaths registered in Scotland during 1874 were 80,720, being at the rate of 233 for every ten thousand of estimated population. The average annual rate deduced from the returns of the ten years immediately preceding was 222·6; and the rate for 1873 was about 224. That the deaths during 1874 were unusually numerous is consequently evident; indeed, during the last twenty years the mortality of 1874 seems to have been only once equalled, or slightly surpassed, viz. during the year 1864.

In England, the death-rate of 1874 was 223 per ten thousand of population, exactly the same as the mean rate in 1838–74, but 12 per ten thousand above the rate of 1873. The state of the public health, accordingly appears to have been in 1874 decidedly more satisfactory in England than in this country.

On reviewing the mortality of the Five Groups of Districts into which for registration purposes, Scotland is in these Reports regarded as divided, it is found that the registered deaths numbered 32,124 in the Eight Principal Towns, 10,026 in the Large Towns, 17,560 in the Small Towns, 18,816 in the Mainland-Rural Districts, and 2,194 in the Insular-Rural Districts.

The proportion of deaths to estimated population was in the Principal Towns, 28·27 per thousand; in the Large Towns, 28·3; in the Small Towns, 22·04; in the Mainland-Rural Districts, 18·01; and 16·81 in the Insular-Rural Group. On examining Table IV., it is easy to see that the death-rate was heaviest in the Large Towns, and that in every one of the Five Registration Groups it was in excess of the recorded death-rates of 1873.

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1874.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111

The highest death-rate recorded in any of the Eight Principal Towns was 3·16 per cent., the rate which prevailed in Dundee. The rates in the other Principal Towns were, 3·12 per cent. in Glasgow; 2·86 per cent. in Paisley; 2·64 per cent. in Perth; 2·56 per cent. in Greenock; 2·49 per cent. in Leith; 2·37 per cent. in Edinburgh; and 2·22 per cent. in Aberdeen. This is not the order of mortality observed in these towns during 1873;

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1874.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085		See	Note	
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114		on	p. 28.	
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·661	1·684	1·654
1874	2·456	2·216	3·025	2·651	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584

TABLE XXI.—Town Deaths, 1864–1874. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
Glasgow . . .	13674	13914	12829	12578	13832	15648	13955	15790	14053	14499	15845
Edinburgh . . .	4678	4858	4813	4765	4781	5406	4715	5447	5484	4578	5011
Dundee . . .	3105	3000	3130	2952	2917	3564	3185	3336	3491	3281	4170
Aberdeen . . .	2139	1981	2324	1824	2029	1787	1927	1997	2119	2120	2066
Greenock . . .	1929	1675	1488	1433	1658	1750	1674	1772	1697	2220	1690
Paisley	1521	1410	1345	1335	1221	1449	1352	1453	1430	1589	1388
Leith	928	948	924	1064	973	1169	1059	1081	1338	1084	1254
Perth	871	729	613	569	626	694	641	550	587	637	700

TABLE XXII.—Proportion of Town Deaths, 1864–1874. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

Towns.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	Mean Annual Mortality.	1874.
Glasgow .	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·069	3·12
Edinburgh	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·67	2·20	2·555	2·37
Dundee .	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·80	2·56	2·815	3·16
Aberdeen	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·26	2·35	2·31	2·390	2·22
Greenock	3·97	3·34	2·88	2·69	3·01	3·09	2·87	2·94	2·73	3·47	3·099	2·56
Paisley .	3·19	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·96	3·28	2·933	2·86
Leith . .	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·398	2·49
Perth . .	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·434	2·64

neither is it the order indicated by the mean annual mortality which is given in the twelfth column of Table XXII. The mortality of our Principal Towns varies from year to year, being of course much influenced by any epidemic diseases that may chance to prevail in each, and likewise by local meteorological peculiarities. It is only when the average mortality experienced during ten or more successive years is examined, that the connection between density of population and the frequency of deaths can be fully understood.

The deaths registered in All Scotland were 80,720. Of these deaths 40,678 occurred in males, and 40,042 in females. By means of the estimates of male and female population exhibited in Table II., it may be found that for every thousand inhabitants of Scotland, the deaths amounted to 23·31; for every thousand males, to 24·56; and for every thousand females, to 22·16. The general death-rate, both for males and females, was considerably higher than in 1873, or in any year since 1864. There is nothing exceptional in the circumstances of the male death-rate having been decidedly higher than the female; for it is well known that, although for many years past the annual number of male births has exceeded that of the female births, successive Census enumerations have always shown the numbers of the female population to be larger than that of the male. In 1871 there were enumerated for every hundred males, 109·2 females. In former Reports it has been pointed out that this marked preponderance in the number of the female population of Scotland is mainly effected by the higher death-rate that prevails among the males. On carefully examining Table XX., it is found that so general is this law of a greater mortality among males, that during the last twenty years it has not once occurred in any of the Five Divisions of the country that the female deaths have exceeded the male. By means of Table XXIV. it is easy to trace the periods of life at which the influence of high mortality among the males was in 1874 best

---

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1874.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8692	6755	3629	2826	1160	897	1955	1517	1783	1408	165	107
— 2	3388	3014	1643	1495	479	432	719	595	499	451	48	41
— 3	1831	1710	921	869	242	237	356	333	290	250	22	21
— 4	1297	1236	618	604	199	157	257	263	209	197	14	15
— 5	982	918	486	434	140	138	195	182	152	152	9	12
0– 5	16190	13633	7297	6228	2220	1861	3482	2890	2933	2458	258	196
5–10	2537	2374	1193	1027	348	336	500	503	474	493	22	15
10–15	1097	1110	436	399	143	135	225	279	265	275	28	22
15–20	1307	1257	465	492	162	182	336	266	311	288	33	29
20–30	2787	2904	1104	1186	357	370	623	626	605	639	98	83
30–40	2353	2614	1070	1130	320	317	451	557	465	535	47	75
40–50	2613	2553	1219	1121	303	298	550	543	488	538	53	53
50–60	3031	2834	1240	1203	365	349	655	590	695	616	76	76
60–70	3394	3583	1152	1347	382	415	770	798	986	907	104	116
70–80	3467	4247	814	1186	335	443	827	1000	1317	1399	174	219
80–90	1652	2500	227	501	123	209	386	568	768	1042	148	180
90–100	205	398	27	56	14	26	43	84	98	186	23	46
100 and above	2	17	–	2	–	2	–	2	1	10	1	1
Not stated	43	18	1	1	7	4	4	2	13	11	18	–
ALL AGES	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111

marked in each of the Registration Groups. During the first year of life (in which the average annual mortality is about 15 per cent.) the male death-rate greatly exceeded the female in every division of the country. In the Large Towns, in particular, the male deaths exceeded the female by 4·288 per cent. In the second and third years of life (in which the average annual mortality is about 7·1 and 3·4 per cent. respectively) the male death-rate everywhere preponderated, and was most conspicuous in the Principal and Large Towns. In the fourth year of life, the females

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1874.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	16·476	13·162	19·812	15·944	20·379	16·091	15·524	12·434	12·085	9·785	10·947	7·053
— 2	7·400	6·805	10·811	9·497	9·758	9·139	6·697	5·645	3·684	3·457	3·414	3·166
— 3	3·845	3·714	6·080	5·797	4·836	4·798	3·056	3·009	2·027	1·838	1·445	1·418
— 4	2·795	2·714	4·170	4·863	4·070	3·331	2·271	2·351	1·480	1·447	0·862	0·967
— 5	2·157	2·088	3·457	3·179	2·986	3·018	1·773	1·711	1·086	1·126	0·529	0·780
0– 5	6·789	5·897	9·414	8·247	8·816	7·573	6·078	5·193	4·146	3·607	3·323	2·655
5–10	1·200	1·153	1·880	1·638	1·588	1·367	0·975	1·009	0·711	0·764	0·288	0·205
10–15	0·599	0·593	0·754	0·703	0·715	0·702	0·474	0·613	0·423	0·471	0·361	0·301
15–20	0·756	0·726	0·841	0·817	0·913	1·005	0·836	0·679	0·582	0·585	0·535	0·448
20–30	1·060	0·965	1·077	1·032	1·263	1·179	1·121	0·957	0·861	0·800	1·328	0·814
30–40	1·233	1·131	1·571	1·352	1·594	1·311	1·075	1·081	0·885	0·842	0·729	0·844
40–50	1·717	1·413	2·423	1·821	1·903	1·646	1·582	1·330	1·063	1·015	0·996	0·725
50–60	2·731	2·099	3·770	2·841	3·290	2·707	2·570	1·917	1·855	1·447	1·606	1·222
60–70	4·548	3·719	6·186	4·926	5·681	4·720	4·529	3·595	3·506	2·754	2·775	2·436
70–80	9·727	8·487	12·298	10·029	11·796	10·334	9·928	8·594	8·711	7·381	7·131	7·223
80–90	19·671	18·527	20·508	20·686	22·004	20·232	22·100	19·723	18·670	17·679	19·551	16·057
90–100	34·356	31·476	33·825	27·413	42·683	27·180	34·127	37·433	34·507	31·208	31·944	41·902
100 and above	12·130	31·263	0·000	17·267	0·000	38·052	0·000	25·000	10·000	45·455	50·000	25·000
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
Total	2·456	2·216	3·026	2·649	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1874.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	21·37	16·87	22·34	17·80	22·84	18·13	22·09	17·42	18·93	14·98	15·24	9·63
— 2	8·32	7·53	10·11	9·42	9·43	8·73	8·12	6·83	5·30	4·80	4·43	3·69
— 3	4·50	4·27	5·67	5·47	4·76	4·79	4·02	3·82	3·08	2·66	2·03	1·89
— 4	3·19	3·09	3·80	3·80	3·92	3·17	2·90	3·02	2·22	2·10	1·29	1·35
— 5	2·42	2·29	2·99	2·73	2·75	2·79	2·20	2·09	1·61	1·62	0·83	1·08
0– 5	39·80	34·05	44·91	39·22	43·70	37·61	39·33	33·18	31·14	26·16	23·82	17·64
5–10	6·24	5·93	7·34	6·47	6·85	6·79	5·65	5·78	5·03	5·25	2·03	1·35
10–15	2·70	2·77	2·68	2·51	2·82	2·74	2·54	3·20	2·81	2·93	2·59	1·98
15–20	3·22	3·14	2·86	3·10	3·19	3·68	3·80	3·06	3·30	3·06	3·05	2·61
20–30	6·85	7·25	6·80	7·47	7·03	7·48	7·04	7·19	6·42	6·80	9·05	7·47
30–40	5·78	6·53	6·59	7·12	6·30	6·41	5·09	6·40	4·94	5·69	4·34	6·75
40–50	6·42	6·38	7·50	7·06	5·97	6·02	6·21	6·24	5·19	5·71	4·89	4·77
50–60	7·45	7·08	7·64	7·58	7·19	7·06	7·40	6·79	7·38	6·56	7·02	6·84
60–70	8·34	8·95	7·09	8·48	7·52	8·39	8·70	9·16	10·47	9·65	9·60	10·44
70–80	8·52	10·61	5·01	7·47	6·60	8·95	9·34	11·48	13·98	14·89	16·07	19·72
80–90	4·06	6·24	1·40	3·16	2·42	4·22	4·36	6·52	8·15	11·09	13·67	16·20
90–100	0·50	0·99	0·17	0·35	0·28	0·53	0·49	0·96	1·04	1·98	2·12	4·14
100 and above	0·01	0·04	0·00	0·01	0·00	0·04	0·00	0·02	0·01	0·11	0·09	0·09
Not stated	0·11	0·04	0·01	0·00	0·13	0·08	0·05	0·02	0·14	0·12	1·66	0·00
Total . .	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

in the whole of Scotland still showed a less death-rate than the males; but in the Principal Towns, the Small Towns, and Insular-Rural Districts, the male death-rate was the lesser. In the fifth year of life the mortality of females exceeded that of males in the Large Towns, and in the Rural Districts both of the Mainland and Islands; but in the other districts, and in Scotland regarded as a whole, the male mortality slightly predominated.

At all ages after the fifth year, the male mortality is seen in Table XXIV. to exceed the female. The difference in favour of female life is least marked between the ages of 10 and 15; and, in fact, at this period male life appears to have the advantage in the Small Towns and in the Mainland-Rural Districts.

TABLE XXVI.—Deaths at different Ages in each of the Eight Principal Towns of Scotland during the Year 1874.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3240	910	928	420	346	235	270	106
— 2	1837	369	402	126	125	115	127	37
— 3	986	200	272	83	72	74	67	36
— 4	628	151	228	49	53	38	50	25
— 5	484	107	153	38	36	29	46	27
0– 5	7175	1737	1983	716	632	491	560	231
5–10	1169	239	376	93	100	77	105	61
10–15	436	108	101	58	53	33	31	15
15–20	464	128	131	75	63	52	30	14
20–30	1136	361	257	147	152	112	87	38
30–40	1077	400	219	142	156	79	85	42
40–50	1157	418	280	122	143	98	77	45
50–60	1178	437	268	146	139	136	81	58
60–70	1089	515	283	215	117	126	83	71
70–80	695	483	205	230	87	136	84	80
80–90	247	167	61	104	42	45	23	39
90–100	19	18	6	17	6	3	8	6
100 and above	1	–	–	1	–	–	–	–
Not stated	2	–	–	–	–	–	–	–
ALL AGES . . .	15845	5011	4170	2066	1690	1388	1254	700

TABLE XXVII.—Percentage of Deaths to the Population at each Age in each of the Principal Towns of Scotland in 1874.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19·14	15·00	23·25	14·17	15·12	16·20	15·85	15·92
— 2	13·47	7·30	12·05	4·94	6·42	9·31	8·70	5·79
— 3	7·29	3·84	8·08	3·40	3·80	5·84	4·38	5·65
— 4	4·84	3·04	6·44	1·91	2·80	3·01	3·44	3·88
— 5	3·94	2·22	4·48	1·62	2·00	2·38	3·51	4·59
0– 5	10·35	6·65	11·05	5·56	6·43	7·63	7·51	7·27
5–10	2·02	1·10	2·47	0·85	1·29	2·35	1·75	2·09
10–15	0·85	0·54	0·73	0·60	0·82	0·60	0·60	0·55
15–20	0·90	0·58	0·93	0·81	1·05	0·98	0·66	0·55
20–30	1·11	0·87	1·08	0·95	1·19	1·41	0·94	0·90
30–40	1·54	1·37	1·25	1·23	1·61	1·34	1·19	1·21
40–50	2·31	1·99	2·09	1·38	2·32	2·11	1·59	1·55
50–60	3·68	2·89	3·15	2·13	3·48	3·97	2·53	2·76
60–70	6·05	5·26	5·51	4·38	5·01	5·31	4·45	4·74
70–80	10·84	11·11	10·73	10·11	9·88	12·84	11·29	10·32
80–90	21·82	20·10	18·54	18·87	24·26	21·84	17·16	23·21
90–100	18·13	28·13	19·76	39·53	50·00	25·79	100·00	37·50
100 and above	11·81	0·00	0·00	100·00	0·00	0·00	0·00	0·00

Several of the Tables of the present Report illustrate the important subject of infant mortality, and to Table XXIV. in particular those are referred who are specially interested in this matter. The mortality, probably at a maximum about the period of birth, is seen to decrease annually with great rapidity. This rate of decrease is, however, apt to vary considerably from year to year, as may be seen by comparing Table XXIV. of this Report with the corresponding table for 1873, and with the figures deduced from the experience of 1871 which were given in the Life-Table at page lvii. of last year's Report.

There can be little question of the general correctness of the doctrine which connects the rate of infant mortality with the density of the population. Perhaps it would be more strictly correct to connect it with the figures expressing the birth-rate. Thus, in the Large Towns, where the birth-rate of 1874 was 4·287 per cent., the male infant mortality during the first year of life was 20·379; in the Principal Towns, where the birth-rate was 3·752, the mortality of male infants under one year of age was 19·812; in the Small Towns, the birth-rate was 3·709, and the mortality of males during the first year of life 15·524; in the Mainland-Rural Districts, the birth-rate was 3·146, and the deaths of male infants under one year were 12·085 per cent; and finally, in the sparsely peopled Insular-Rural Districts, where the birth-rate was only 2·649 per cent., the male death-rate at ages below twelvemonths amounted to only 10·947 per cent.

On carefully examining the successive columns of Table XXIV., one can easily trace at every period of life the connection between density of population and the amount of mortality. The gradual decrease of mortality that is met with as we pass from the crowded city districts to the far more thinly peopled rural districts of the Scottish Islands is very remarkable, and suggests explanations not very flattering to modern civilization and to the progress of sanitary science. There is, however, one rather marked exception to the comparative salubrity of the Island Districts, which has been repeatedly, perhaps uniformly, noted in the course of Reports similar to the present. It is that among males between the ages of 20 and 30, and amongst such males alone, a far higher annual mortality prevails in the islands than even in the most densely peopled districts on the mainland. It has been suggested by way of explaining this mortality, that the frequency of death by shipwreck and drowning is of course far greater among our young islanders than among those of the same age residing on the mainland. It must likewise be kept in mind that when a body is thrown ashore by the waves, and receives sepulture on the soil of one of our islands, a registered death is presumed to have taken place among the inhabitants of that island. It is besides well known that the occupation of a young boatman or fisherman is one full of hardship and of danger to life in consequence of the exposure to cold and wet which it involves, that the proportion of our island population which at an early age encounter these hardships and dangers is very large, and that the number of deaths attributed to consumption among our male islanders between the ages of 20 and 35 years is likewise very large, and no doubt connected with the hard life of the sea-faring man.

It is for some statistical purposes important to study the mortality at different ages and in different places, by contrasting the numbers of those who die within certain limits of age, with the total number of deaths at All Ages. Such a comparison is readily made by means of Tables XXIII. and XXV. It appears that it is during the first five

years of life that 45 per cent. of All Deaths of males take place in the Principal Towns; 44 per cent. in the Large Towns; 39 per cent. in the Small Towns; 31 per cent. in the Mainland-Rural Districts; and nearly 24 per cent. in the Insular-Rural Group. In further illustration of the great male mortality between the ages of 20 and 30 among the islanders, Table XXV. shows that it amounts to no less than 9·05 per cent. of the total deaths of males at All Ages; while the corresponding mortality in the Principal Towns does not exceed 6·8 per cent. of the male mortality at All Ages.

By the help of Table XXV. a fair enough approximation may be made to the comparative longevity of the inhabitants of the Five Registration Groups of Districts. It would of course be highly inexpedient to attach implicit credence or give authoritative publication to the mistaken accounts of instances of extraordinary old age which sometimes reach the Registrars in the more remote parts of the country, but which, when carefully inquired into, are generally found to rest on very slender foundation. There is, however, no reason to doubt that the deaths of persons of each sex at the ages of 70 years and upwards are known and registered with great precision. It is notorious that the proportion of females who die at these advanced ages is greater than that of males; and the proportion of such female mortality was during 1874 as follows:—In All Scotland, the females who died aged 70 and upwards constituted nearly 18 per cent. of all the females that died. In the Principal Towns the rate was 11 per cent.; in the Large Towns, about 14 per cent.; in the Small Towns, nearly 19 per cent.; in the Mainland-Rural Districts, 28 per cent.; and in the Insular-Rural Group, 40 per cent.

Causes of Death.

During 1874, the number of Deaths registered in All Scotland was 80,720; but in 1539 instances, or in about 1·9 per cent. of all deaths registered, the cause of death was either unspecified, or specified in such terms as rendered it useless for statistical purposes. The correction rendered necessary by the number of deaths from unspecified causes is applied to each of the columns of Tables XXVIII. and XXIX., and to various other tabular statements to which there will be frequent occasion to refer in the present section of this Report. It must be noted that this correction is not the same for All Scotland, and for each of its Divisions or Towns: on the contrary it varies considerably, and as might be expected, is least negligible in those districts of the country in which the population is widely scattered, and medical attendance difficult to procure. Thus among the inhabitants of the Insular-Rural Districts, 12·2 per cent. of the deaths during 1874 were not referred to any specified cause; while in the city of Edinburgh, the deaths from unspecified causes constituted less than 0·24 per cent. of the whole mortality. It must not, however, be supposed that in every case of death from specified cause a medical certificate of death has been obtained. It very often happens that the only information which the Registrars can procure regarding the causes of deaths rests upon the authority of relatives of the deceased or upon the testimony of other non-medical informants, and to such information effect is given in the absence of a medical certificate. But whenever a medical certificate has been procured, its terms are always used in filling up the entry as to the cause of death.

The deaths from Diseases of the Zymotic Class numbered 18855, and constituted 23·81 per cent. of the deaths from specified causes. Since 1864 so high a population of deaths from Zymotic Diseases has not been

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2331	2456	2216	2827	3025	2651	2830	2979	2691
1. Zymotic Class . .	555	576	535	730	771	693	757	771	745
2. Uncertain Seat . .	85	71	98	93	79	104	93	79	105
3. Tubercular Class .	333	338	328	427	441	415	436	432	440
4. Nervous System .	214	239	190	250	292	212	271	303	242
5. Organs of Circulation	130	138	123	142	156	130	130	137	123
6. Respiratory Organs .	393	435	355	567	613	526	465	540	396
7. Organs of Digestion .	155	165	146	162	172	154	177	191	164
8. Urinary Organs . .	41	56	27	45	59	33	47	64	31
9. Generative Organs .	19	–	37	21	–	39	20	–	39
10. Locomotive Organs .	15	15	15	17	17	17	16	12	19
11. Skin, etc.	3	3	3	3	4	3	2	3	2
12. Malformations . .	8	10	7	8	10	5	10	12	8
13. Premature Debility	108	127	90	133	160	114	148	174	123
14. Atrophy	14	13	15	18	18	19	15	12	18
15. Age	163	127	197	97	65	126	153	118	185
16. Sudden Deaths . .	3	4	2	5	6	4	4	5	3
17. Violent Deaths . .	91	138	48	109	161	62	86	125	49
Small-pox	37	46	28	31	39	24	90	117	64
Measles	32	36	29	42	46	37	47	45	50
Scarlatina	186	201	172	297	326	271	255	262	248
Diphtheria	34	34	34	27	29	26	48	46	50
Hooping-Cough . .	50	46	53	84	77	90	58	56	60
Croup	32	37	27	31	37	26	36	43	30
DIARRHŒA . . .	61	59	62	84	85	83	79	67	90
Dysentery	8	8	8	7	7	7	14	16	12
Cholera	3	3	3	3	3	3	1	2	1
Influenza	4	4	4	2	2	2	4	4	4
All FEVERS, viz.	70	72	68	75	80	71	72	77	69
Typhus . .	21	23	20	33	36	30	22	21	23
Enteric . . .	43	43	42	37	39	36	46	51	42
Relapsing . .	1	1	1	1	1	1	–	–	–
Continued . .	3	3	3	2	2	2	2	2	2
Infantile . .	2	2	2	2	2	2	2	3	2
Metria	11	–	21	11	–	21	18	–	35
Erysipelas	11	11	10	12	13	12	16	15	17
Dropsy	19	18	20	22	22	22	22	24	21
Cancer	48	34	62	48	33	62	51	34	67
Scrofula	20	25	17	24	30	19	21	27	14
Tabes Mesenterica .	28	31	25	42	49	35	38	40	36
PHTHISIS . . .	232	223	239	291	280	301	294	270	316
Hydrocephalus . .	52	58	47	71	82	61	84	95	74
Apoplexy	53	56	50	60	66	54	69	73	66
Paralysis	60	63	57	63	67	59	73	73	74
Epilepsy	7	8	7	8	9	7	12	17	7
Convulsions . . .	29	36	23	45	58	35	33	45	23
BRONCHITIS . .	255	264	246	388	388	388	299	332	269
Pneumonia	101	127	77	138	175	104	132	163	102
Teething	23	27	19	31	35	26	24	32	16
Enteritis	27	31	24	27	29	25	28	34	22
All Liver Diseases .	36	38	34	38	40	36	39	39	38
CHILDBIRTH . .	13	–	25	15	–	29	14	–	26
Burns and Scalds .	9	9	9	11	12	10	9	9	8
Drowning	19	33	6	16	29	4	13	19	7
Fracture & Contusion	30	52	10	37	62	14	32	57	9

recorded in these Reports. It is remarkable that in 1874 these deaths occurred with greater frequency among females than among males, in every division of the country. It must, however, be understood that this

Hundred Thousand Persons of the Population in 1874, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2204	2322	2095	1800	1857	1747	1681	1794	1584
1. Zymotic Class . .	538	561	516	348	354	342	212	226	200
2. Uncertain Seat . .	85	69	99	79	64	94	56	61	52
3. Tubercular Class .	314	316	311	227	230	224	180	188	173
4. Nervous System .	203	225	184	175	184	187	111	138	87
5. Organs of Circulation	135	140	129	121	124	118	71	83	55
6. Respiratory Organs .	322	373	275	256	282	232	191	203	181
7. Organs of Digestion.	159	164	154	142	154	131	110	129	94
8. Urinary Organs . .	37	52	23	39	55	24	26	40	15
9. Generative Organs .	19	–	35	18	–	34	23	–	42
10. Locomotive Organs .	13	13	13	13	14	13	32	34	31
11. Skin, etc.	4	3	4	3	2	3	1	2	–
12. Malformations . .	10	12	8	8	8	8	2	2	2
13. Premature Debility	112	131	93	73	84	63	32	42	24
14. Atrophy	14	14	15	10	9	10	4	4	5
15. Age	147	107	184	212	174	248	536	482	582
16. Sudden Deaths . .	3	3	2	2	2	1	–	–	–
17. Violent Deaths . .	90	139	46	75	117	36	94	161	37
Small-pox	57	71	45	13	14	11	3	2	3
Measles	23	21	25	24	28	19	11	19	5
Scarlatina	157	170	144	81	89	76	24	38	13
Diphtheria	36	35	37	39	39	39	10	9	10
Hooping-Cough . .	32	31	32	26	23	30	23	21	24
Croup	34	39	29	27	31	23	41	49	34
DIARRHŒA . . .	58	57	60	37	36	38	11	9	13
Dysentery	7	6	8	8	8	7	7	8	6
Cholera	4	5	3	2	3	2	–	–	–
Influenza	4	5	4	6	5	7	8	8	8
All FEVERS, viz.	83	83	85	56	57	54	55	54	53
Typhus . .	18	20	17	11	11	10	19	23	16
Enteric . . .	57	55	59	39	40	39	26	23	29
Relapsing . .	1	1	1	1	1	–	–	–	–
Continued .	4	5	4	3	3	3	7	8	6
Infantile . .	3	2	4	2	2	2	1	–	2
Metria	11	–	21	9	–	18	11	–	21
Erysipelas	11	13	9	9	9	8	3	4	3
Dropsy	19	19	20	15	12	17	22	25	19
Cancer	49	35	62	51	36	64	27	23	31
Scrofula	19	23	16	18	21	16	9	9	8
Tabes Mesenterica .	27	29	26	14	14	13	7	11	3
PHTHISIS . . .	215	207	223	168	169	168	159	161	157
Hydrocephalus . .	52	58	47	27	27	27	5	6	5
Apoplexy	51	53	49	46	46	46	15	15	15
Paralysis	58	63	53	56	59	54	44	53	36
Epilepsy	8	6	9	6	7	6	3	6	–
Convulsions . . .	24	28	20	17	19	15	10	17	5
BRONCHITIS . .	201	220	184	153	157	149	100	108	94
Pneumonia . . .	88	111	66	70	88	53	30	34	26
Teething	25	29	13	14	16	13	10	11	8
Enteritis	32	34	30	26	31	21	11	17	6
All Liver Diseases .	37	37	35	35	40	30	27	25	29
CHILDBIRTH . .	13	–	24	10	–	20	16	–	29
Burns and Scalds .	8	9	7	6	7	6	7	6	8
Drowning	23	40	7	17	27	7	57	114	8
Fracture & Contusion	29	50	9	26	46	8	7	11	3

statement applies merely to the relative frequency of deaths from Zymotic and from other diseases among males and among females; for examination of Table XXVIII. will show that the proportion of the female

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . .	2381	2347	2416	2581	2548	2614	2676	2586	2769
2. Uncertain Seat . .	366	290	443	327	262	394	327	265	391
3. Tubercular Class .	1429	1376	1480	1512	1458	1566	1542	1451	1635
4. Nervous System . .	917	975	858	883	966	799	959	1018	898
5. Organs of Circulation	557	561	553	503	516	490	459	459	458
6. Respiratory Organs	1686	1770	1601	2005	2025	1984	1644	1812	1472
7. Organs of Digestion	664	671	657	574	568	580	625	643	608
8. Urinary Organs . .	175	227	123	161	195	126	166	216	115
9. Generative Organs .	83	1	166	74	1	149	71	–	143
10. Locomotive Organs .	66	62	70	61	58	65	56	42	70
11. Skin, etc.	13	13	13	12	14	9	8	10	6
12. Malformations . .	35	40	31	27	35	18	34	40	29
13. Premature Debility .	464	519	408	472	530	412	521	583	458
14. Atrophy	60	53	67	65	59	71	54	42	65
15 Age	700	515	888	343	215	474	541	397	688
16 Sudden Deaths . .	13	15	11	16	19	14	14	16	12
17. Violent Deaths . .	392	564	218	385	533	234	303	421	182
Small-pox	157	186	128	111	130	92	317	393	239
Measles	139	147	132	147	153	141	168	150	186
Scarlatina	798	819	777	1050	1078	1021	900	880	921
Diphtheria	147	140	153	96	96	97	170	156	184
Hooping-Cough . .	213	187	240	296	256	338	205	188	223
Croup	135	150	121	112	124	100	128	146	111
DIARRHŒA . . .	261	241	281	297	281	314	278	224	334
Dysentery	33	33	34	25	25	25	48	54	43
Cholera	11	12	10	9	9	10	5	6	4
Influenza	18	16	20	9	7	10	14	14	14
All FEVERS, viz.	302	298	307	266	266	265	258	260	256
Typhus . . .	92	94	89	116	121	112	79	72	86
Enteric . . .	184	177	191	133	129	136	163	170	156
Relapsing . .	3	4	3	3	3	3	–	–	–
Continued . .	13	14	12	6	7	5	8	8	8
Infantile . .	10	9	12	8	6	9	8	10	6
Metria	48	–	96	38	–	78	65	–	131
Erysipelas	46	46	46	44	42	46	56	50	61
Dropsy	82	74	90	77	72	83	79	80	78
Cancer	208	138	278	170	108	233	180	114	248
Scrofula	87	100	75	87	100	73	73	92	53
Tabes Mesenterica .	121	128	115	147	162	132	135	136	135
PHTHISIS	994	910	1080	1028	925	1134	1038	906	1173
Hydrocephalus . .	224	238	211	250	271	228	296	317	274
Apoplexy	226	226	226	210	218	203	245	243	246
Paralysis	257	258	255	221	220	222	260	243	276
Epilepsy	32	34	30	27	28	26	42	58	27
Convulsions . . .	126	148	105	161	191	130	118	152	84
BRONCHITIS . .	1095	1073	1116	1373	1283	1465	1058	1116	999
Pneumonia	434	544	349	487	577	394	465	547	381
Teething	99	110	88	109	117	100	84	108	59
Enteritis	117	125	108	94	95	94	99	116	82
All Liver Diseases .	154	156	153	134	132	136	136	132	141
CHILDBIRTH . .	56	–	112	54	–	110	49	–	98
Burns and Scalds .	37	37	36	39	40	39	30	30	31
Drowning	81	134	27	56	96	15	45	64	27
Fracture & Contusion	130	213	46	131	207	54	114	192	35

population removed by Zymotic Diseases was everywhere less than the proportion of the male population that succumbed to these diseases.

In Table XXXII., the deaths from each of the principal Zymotic

---

Diseases to the Total Deaths from Specified Causes in 1874.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . .	2441	2417	2466	1932	1906	1957	1262	1258	1265
2. Uncertain Seat . .	386	296	478	440	344	536	332	338	327
3. Tubercular Class .	1423	1360	1486	1259	1237	1282	1070	1047	1092
4. Nervous System . .	923	970	877	972	992	953	659	772	551
5. Organs of Circulation	611	604	617	669	666	672	421	465	378
6. Respiratory Organs .	1459	1605	1311	1422	1518	1325	1137	1131	1143
7. Organs of Digestion	722	707	736	788	828	748	654	719	592
8. Urinary Organs . .	167	225	109	216	294	138	156	222	92
9. Generative Organs .	84	1	169	98	–	197	135	–	265
10. Locomotive Organs .	58	55	60	75	76	74	192	190	194
11. Skin, etc.	17	14	21	14	12	17	5	11	–
12. Malformations . .	45	52	37	46	43	48	10	11	10
13. Premature Debility .	508	563	452	407	454	360	192	233	153
14. Atrophy	66	59	73	53	47	59	26	21	31
15. Age	669	461	880	1180	939	1421	3188	2685	3673
16. Sudden Deaths . .	12	13	12	9	12	7	–	–	–
17. Violent Deaths . .	408	596	218	419	632	206	561	899	235
Small-pox	259	304	213	70	78	63	15	11	20
Measles	127	133	121	129	152	107	67	106	31
Scarlatina	712	734	689	451	468	434	145	211	81
Diphtheria	163	149	177	218	210	223	57	53	61
Hooping-Cough . .	143	132	154	147	123	171	135	116	153
Croup	154	169	139	151	167	134	244	275	214
DIARRHŒA . . .	265	246	284	204	192	216	67	53	81
Dysentery	31	25	37	42	44	40	42	42	41
Cholera	17	21	13	12	14	10	–	–	–
Influenza	19	20	19	32	26	37	47	42	51
All FEVERS, viz.	382	360	406	311	311	313	317	296	337
Typhus . . .	84	88	80	60	62	59	114	127	102
Enteric . . .	259	236	282	217	213	221	156	127	184
Relapsing . .	6	6	7	3	4	2	–	–	–
Continued . .	20	22	19	18	19	18	42	42	41
Infantile . .	13	8	18	13	13	13	5	–	10
Metria	51	–	102	50	–	100	67	–	133
Erysipelas	48	54	41	46	46	46	21	21	20
Dropsy	88	80	97	82	65	99	130	137	122
Cancer	223	151	296	280	196	365	161	127	194
Scrofula	87	97	76	101	111	90	52	53	51
Tabes Mesenterica .	123	124	123	76	75	77	42	63	20
PHTHISIS . . .	977	890	1065	933	905	961	945	899	990
Hydrocephalus . .	236	250	222	150	146	154	31	32	31
Apoplexy	231	228	235	254	246	262	88	85	92
Paralysis	261	269	253	313	319	308	260	296	224
Epilepsy	34	28	41	35	36	33	15	32	–
Convulsions . . .	109	121	97	93	101	86	62	95	31
BRONCHITIS . .	912	947	877	850	848	753	597	603	592
Pneumonia	397	477	316	389	473	305	177	190	163
Teething	115	126	103	79	87	72	57	63	51
Enteritis	145	146	144	145	169	121	67	95	41
All Liver Diseases .	162	157	166	192	213	172	161	137	184
CHILDBIRTH . .	58	–	116	57	–	113	93	–	184
Burns and Scalds .	37	38	35	36	37	34	42	32	51
Drowning	104	173	34	96	152	40	337	634	51
Fracture & Contusion	130	215	44	146	250	43	42	63	20

diseases are so stated as to show the intensity of each cause of death during each of five periods of life. Of every hundred deaths from Zymotics, 57·1 occurred among children during the first five years of life, 72·4 among those under ten years of age, and 77·2 at ages under fifteen.

Children under five years appear to have suffered very severely from Scarlatina during 1874. The deaths from this single cause among such children were 3899, and constituted 61·7 per cent. of the total deaths from Scarlatina registered in Scotland. Hooping-cough caused 1607 deaths among children under five years old; and of every hundred deaths from Hooping-cough, 95·2 occurred at this early age. Diarrhœa caused 1466 deaths at this first stage of life. Measles proved fatal to 973; Croup to 923; Diphtheria to 728; and Small-pox to 291, whereof 177 had not attained the age of six months, and probably were unvaccinated almost without exception. Between the ages of five and ten years there were 1815 deaths from Scarlatina, being 28·7 per cent. of all the deaths attributed to this cause. There were 280 deaths from Diphtheria; 284 from Fevers, including 202 ascribed to Typhoid or Enteric Fever; 173 from Croup; 96 from Measles; and 80 from Hooping-cough. From Small-pox there were 93 deaths, and of these 85 occurred in the Town Districts.

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1874, allowing for Causes not Specified.

Diseases and Classes of Disease.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Total Deaths,	3120	2367	3164	2216	2560	2861	2511	2644
Zymotic Class	817	489	1060	497	558	657	721	724
Tubercular Class	487	362	404	309	401	497	380	368
Brain, etc.,	244	259	260	225	265	281	221	276
Heart, etc.,	128	179	130	148	127	131	149	203
Respiratory Organs	722	416	599	368	409	453	372	310
Organs of Digestion	189	134	115	143	169	208	127	146
Premature Debility	143	90	192	72	143	112	145	138
Old Age	77	91	101	132	101	206	78	215
Violent Deaths	116	104	104	72	162	104	94	73
Small-pox	42	3	4	33	58	125	2	–
Measles	52	43	25	73	9	2	18	4
Scarlatina	331	126	641	74	156	214	384	425
Diphtheria	27	32	37	16	27	25	12	27
Hooping-cough	133	53	40	43	17	54	40	57
Croup	28	29	26	35	29	46	60	57
Diarrhœa	79	73	133	79	90	77	80	46
Dysentery	7	5	11	5	8	15	2	8
Cholera	2	3	1	1	9	–	8	–
Fevers, viz.	69	80	90	78	94	47	74	72
Typhus	22	48	56	31	38	8	30	38
Enteric	42	28	29	39	50	33	42	34
Relapsing	1	–	1	2	–	–	–	–
Continued	2	3	2	–	3	2	–	–
Infantile	2	1	2	6	3	4	2	–
Dropsy	22	14	25	12	29	50	32	11
Cancer	38	76	42	62	32	40	40	61
Phthisis	332	244	286	231	261	339	201	249
Apoplexy	54	63	68	39	98	83	40	73
Paralysis	51	72	62	67	49	104	90	111
Bronchitis	504	248	432	272	247	331	247	207
Pneumonia	170	118	146	67	124	96	94	77
Teething	39	7	18	47	37	69	16	15

Between the ages of ten and fifteen there were 372 deaths from Scarlatina; 252 from Fevers, including 175 from Typhoid; and 133 from Small-pox, of which 113 were registered in Town Districts.

Between the ages of fifteen and sixty, there occurred 1250 fatal cases of Fevers, including 731 of Typhoid and 480 of Typhus; 229 deaths from Scarlatina; 227 from Diarrhœa and Dysentery; and 713 from Small-pox, whereof 637 took place in the Town Districts.

At ages exceeding sixty there occurred 507 deaths from Diarrhœa and Dysentery; 220 from Fevers, including 118 from Typhoid and 79 from Typhus; and 102 from Erysipelas.

For every hundred thousand persons living in the Principal Towns, there were 730 deaths from Zymotic Diseases. In the other Registration Groups, the deaths from this class of diseases were as follows:—757 per hundred thousand in the Large Towns, 538 in the Small Towns, 348 in the Mainland-Rural Districts, and 212 in the Insular-Rural Group. These rates are very high when compared with those recorded for 1873; and it may readily be seen, on examining Table XXVIII., that the unusual number of deaths from Scarlatina in 1874 is more than sufficient to account for the higher Zymotic death-rate of the latter year.

In Tables XXX. and XXXI. will be found full illustration of the

---

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1874.

Diseases and Classes of Disease.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2621	2066	3349	2242	2181	2297	2894	2739
Tubercular Class	1562	1530	1276	1393	1567	1737	1527	1391
Brain, etc.	783	1094	822	1014	1037	981	887	1043
Heart, etc.	412	754	411	670	495	458	600	768
Respiratory Organs	2315	1756	1892	1659	1597	1584	1495	1174
Organs of Digestion	606	566	363	645	662	727	512	551
Premature Debility	457	380	608	422	560	392	584	522
Old Age	247	384	320	597	393	719	312	812
Violent Deaths	371	440	329	325	632	363	376	275
Small-pox	136	14	12	150	226	436	8	–
Measles	166	182	79	330	36	7	72	14
Scarlatina	1061	530	2025	335	608	749	1543	1609
Diphtheria	86	136	115	68	107	87	48	101
Hooping-cough	427	222	127	189	66	189	160	217
Croup	91	124	82	155	113	160	240	217
Diarrhœa	344	308	421	354	352	269	320	174
Dysentery	22	20	34	24	30	51	8	29
Cholera	8	12	2	5	36	–	32	–
Fevers, viz.	222	344	279	355	370	166	296	275
Typhus	72	204	178	141	149	29	120	145
Enteric	134	120	91	175	197	116	168	130
Relapsing	4	2	2	10	–	–	–	–
Continued	6	12	4	–	12	7	–	–
Infantile	6	6	4	29	12	14	8	–
Dropsy	71	58	79	53	113	174	128	43
Cancer	122	322	132	281	125	138	160	232
Phthisis	1066	1032	904	1043	1019	1185	807	942
Apoplexy	173	266	214	175	381	291	160	275
Paralysis	164	300	195	301	191	363	360	420
Bronchitis	1616	1048	1366	1228	965	1156	991	783
Pneumonia	544	500	462	301	483	334	376	290
Teething	124	28	58	213	143	240	64	58

share which each Zymotic Disease had in the mortality of each of our Principal Towns during 1874; and in briefly adverting to this subject, it will be convenient, as on former occasions, to arrange those towns in the order of the mortality experienced in each from Zymotic Diseases.

(1.) In Dundee, Zymotic Diseases were fatal to 1060 out of every hundred thousand of estimated population, constituting 33·49 per cent. of the deaths from all causes. The most destructive epidemic was Scarlatina, which contributed no less than 20·25 per cent. to the list of deaths from all causes. 4·21 per cent. of deaths were due to Diarrhœa, and 2·79 per cent. to Fevers, chiefly of the Typhoid type.

(2.) In Glasgow, 817 per hundred thousand of population perished by Zymotic Diseases, which caused 26·21 per cent. of the gross mortality. Of deaths from all causes, Scarlatina caused 10·61 per cent.; Hooping-cough, 4·27; Diarrhœa, 3·44; and Fevers, chiefly Typhoid, 2·22. In addition, 1·36 per cent of all registered deaths were due to Small-pox.

(3.) In Perth, 724 per hundred thousand of population died of Zymotic Diseases, which caused 27·39 per cent of the gross mortality. Of this last number, 16·09 was contributed by Scarlatina; 2·75 by Fevers; and 2·17 by each of the two diseases, Hooping-cough and Croup.

(4.) In Leith, Zymotic Diseases carried off 721 out of every hundred thousand inhabitants, being 28·94 per cent. of the mortality from all causes. Of all deaths 15·43 per cent. were due to Scarlatina; 3·20 to Diarrhœa; 2·96 to Fevers; 2·40 to Croup; and 1·60 to Hooping-cough.

(5.) In Paisley, 657 out of every hundred thousand of population were cut off by diseases of the Zymotic class, which thus effected 22·97 per cent. of the gross mortality, to which Scarlatina contributed 7·49; Small-pox, 4·36; Diarrhœa, 2·69; Fevers, 1·66; Hooping-cough, 1·89; and Croup 1·60.

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1874.

Diseases.	Number of Deaths at each Age.						Percentage at each Age.					
	0–5 years.	5–10.	10–15.	15–60.	Above 60.	Total.	0–5.	5–10	10–15	15–60	Above 60.	Total.
Small-pox . . .	291	93	133	713	16	1246	23·4	7·5	10·7	57·2	1·2	100
Measles	973	96	11	21	2	1103	88·2	8·7	1·0	1·9	0·2	100
Scarlatina	3899	1815	372	229	6	6321	61·7	28·7	5·9	3·6	0·1	100
Diphtheria . . .	728	280	71	75	9	1163	62·6	24·1	6·1	6·4	0·8	100
Hooping-cough . .	1607	80	1	–	2	1690	95·2	4·7	0·0	0·0	0·1	100
Croup	923	137	8	1	2	1071	86·2	12·8	0·7	0·1	0·2	100
Diarrhœa	1466	39	16	162	383	2066	71·0	1·9	0·8	7·8	18·5	100
Dysentery . . .	68	6	2	65	124	265	25·7	2·3	0·8	24·5	46·7	100
Cholera	46	11	2	17	10	86	53·5	12·8	2·3	19·8	11·6	100
All Fevers, viz. . .	386	284	252	1250	220	2392	16·1	11·9	10·5	52·3	9·2	100
Typhus	60	51	56	480	79	726	8·3	7·0	7·7	66·1	10·9	100
Enteric	229	202	175	731	118	1455	15·7	13·9	12·0	50·2	8·2	100
Relapsing . . .	1	2	9	13	2	27	3·7	7·4	33·3	48·2	7·4	100
Simple Continued	27	18	12	26	21	104	26·0	17·3	11·5	25·0	20·2	100
Infantile . . .	69	11	–	–	–	80	86·3	13·7	0·0	0·0	0·0	100
Syphilis	155	–	–	31	7	193	80·3	0·0	0·0	16·1	3·6	100
Erysipelas . . .	120	6	4	133	102	365	32·9	1·6	1·1	36·4	28·0	100
All Zymotics . . .	10765	2892	903	3290	1005	18855	57·1	15·3	4·8	17·4	5·4	100
All other Diseases, exclud'g Zymotics	19058	2019	1304	20963	18521	61865	30·9	3·3	2·0	33·9	29·9	100
Total Deaths . . .	29823	4911	2207	24253	19526	80720	36·9	6·1	2·7	30·1	24·2	100

(6.) In Greenock, 558 per hundred thousand of population died of Zymotic Disease; consequently 21·81 per cent. of the mortality from all causes was due to diseases of this class. Of the total deaths, 6·08 per cent. were ascribed to Scarlatina; 3·70 to Fevers; 3·52 to Diarrhœa; and 2·26 to Small-pox.

(7.) In Aberdeen, the Zymotic Diseases were fatal to 497 per hundred thousand inhabitants, constituting 22·42 per cent. of the total deaths. Of the gross mortality, 3·55 per cent. was due to Fevers; 3·54 to Diarrhœa; 3·35 to Scarlatina; 3·30 to Measles; 1·89 to Hooping-cough; 1·55 to Croup; and 1·50 to Small-pox.

(8.) In Edinburgh, there died by Zymotic Diseases 489 per hundred thousand of population. Of the gross mortality, 20·65 per cent. was due to diseases of this class. To this mortality, Scarlatina contributed 5·30; Fevers, chiefly Typhus, 3·44; Hooping-cough, 2·22; Measles, 1·82; Diphtheria, 1·36; and Croup, 1·24.

The deaths from Small-pox were 1246, being at the rate of 37 to every hundred thousand of estimated population, and constituting 1·57 per cent. of the deaths from specified causes. Of the fatal cases of Small-pox, fully one half occurred in the county of Lanark; but in the county

---

TABLE XXXIII.—Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

Age.	Number of Deaths.			Percentage of Deaths at each Age from	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	29,823	10,765	19,058	36·1	63·9
5—10	4,911	2,892	2,019	58·9	41·1
10—15	2,207	903	1,304	40·9	59·1
15—60	24,253	3,290	20,963	13·6	86·4
Above 60	19,526	1,005	18,521	5·1	94·9
0—15	36,941	14,560	22,381	39·4	60·6
15 and upwards	43,779	4,295	39,484	9·1	90·9

TABLE XXXIV.— Small-pox Deaths in Scotland.

Year.	Small-pox Deaths.	Year.	Small-pox Deaths.
1855	1,309	1865	383
1856	1,306	1866	200
1857	845	1867	100
1858	332	1868	15
1859	682	1869	64
1860	1,495	1870	114
1861	766	1871	1,442
1862	426	1872	2,448
1863	1,648	1873	1,126
1864	1,741	1874	1,246

of Ayr the deaths from this cause numbered 203, in Dumbartonshire 120, and in Renfrewshire 107. In Aberdeen, Wigtown, Bute, and Dumfries, the deaths from Small-pox were from 39 to 16; in Haddington and in Linlithgow, 13 and 10 respectively. Elsewhere the incidence of the disease was very trifling.

The mortality from Small-pox in the Large Towns amounted to 90 per hundred thousand of estimated population,* in the Small Towns to 57, in the whole of Scotland to 37, in the Principal Towns to 31, in the Mainland-Rural Districts to 13, and in the Insular-Rural Districts to only 3, in a like number of inhabitants. Paisley was the only one of the Eight Principal Towns in which the disease seems to have assumed serious epidemic proportions; but even in Greenock, Glasgow, and Aberdeen, there were from 58 to 33 deaths from Small-pox for every hundred thousand of population.

Of children under five years of age, 291 died of Small-pox. Of these, 206 were under twelve months of age, and of these, again, 177 had not completed their sixth month of life; finally, 101 were under three months old. Notwithstanding the clamour with which our arguments in favour of vaccination are met by some anti-vaccinators, we venture to commend these figures to the attention of any competent inquirer whose faith in the efficacy of vaccination may be shaky. And it is necessary to repeat here that the death by Small-pox of a child under five years of age which

---

SUPPLEMENTAL TABLE A.—Estimated Numbers of those Living in each of the First Five Years of Life in Scotland, during each year from 1855 to 1874.

Year.	0–1	1–2	2–3	3–4	4–5
1855	89493	77458	80544	79368	76961
1856	90025	77919	81022	79840	77418
1857	90522	78349	81470	80281	77845
1858	90983	78748	81885	80690	78242
1859	91408	79116	82267	81067	78607
1860	91797	79452	82617	81412	78942
1861	92237	79833	83013	81802	79320
1862	93067	80552	83760	82538	80034
1863	93965	81329	84568	83334	80806
1864	94840	82086	85356	84110	81559
Average of 10 years.	91834	79484	82650	81444	78973
1865	95732	82858	86159	84902	82326
1866	96624	83620	86961	85693	83093
1867	97523	84408	87771	86490	83866
1868	98434	85197	88590	87298	84649
1869	99352	85991	89417	88112	85439
1870	100278	86793	90250	88933	86235
1871	101208	87568	91087	89758	87035
1872	102149	88382	91934	90593	87844
1873	103101	89206	92791	91437	88663
1874	104072	90046	93665	92298	89498
Average of 10 years.	99847	86407	89863	88551	85865

* Erratum in Detailed Annual for 1873, page xxxv. line 9, for "ten" read "hundred."

has been properly vaccinated *before the invasion of the Small-pox,** is in the experience of most British physicians a very rare event indeed. Had all the children in Scotland been in 1874 protected by vaccination applied before the completion of the third month of life, there seems good reason for believing that at least 180 deaths from Small-pox would during that year have been saved among children under five years of age.

In the Detailed Annual Report for 1873 the subject of Vaccination was illustrated by tables, showing the rates of mortality from Small-pox, both before and after the Vaccination Act came into operation, among children aged from 0 to 6 months, and among those aged from 6 to 12 months. And in a more recent publication of the Registrar-General—his ordinary Annual Report for 1877—a further step in analysing the Act was taken by contrasting the mortality from Small-pox during each of the first five years of life, for each of the ten years preceding the passing of the Act, and for each of the ten years that have elapsed since it became law. In order to do this, and at the same time to supply data available for statisticians who may be engaged in kindred inquiries, the following Supplemental Tables, A, B, and C, were presented. In A are given the estimated numbers of children alive in Scotland in each of the first five years of life, during each of the twenty years 1855–74. In Table B are recorded the numbers of the registered deaths from Small-pox in

---

SUPPLEMENTAL TABLE B.—Deaths from Small-pox during each of the First Five Years of Life, registered in Scotland during each year from 1855 to 1874, a period of 20 years.

Years.	0–1	1–2	2–3	3–4	4–5
1855	431	237	158	92	65
1856	395	246	156	118	67
1857	264	191	94	61	47
1858	113	64	36	26	10
1859	162	120	92	58	41
1860	422	217	156	129	67
1861	228	126	80	58	43
1862	121	72	59	31	22
1863	436	265	153	122	60
1864	413	227	148	103	92
Average of 10 years.	299	177	113	80	51
1865	102	30	32	17	18
1866	64	18	17	12	17
1867	31	17	5	7	2
1868	8	3	0	1	0
1869	17	7	3	3	3
1870	33	6	3	0	4
1871	206	20	27	31	23
1872	378	52	34	42	46
1873	178	25	25	13	22
1874	206	25	19	15	26
Average of 10 years.	122	20	17	14	16

* This reservation it is considered advisable to make, because, during the recent epidemic of Small-pox in Edinburgh, vaccine matter was in some cases liberally applied, to an abraded surface, or even injected into the subcutaneous areolar tissue as a cure for the disease.

the 1st, 2d, 3d, 4th and 5th years of life in each of these twenty years. In Table C the rates of mortality are presented, as experienced by each hundred thousand children living at the five ages mentioned, during each of the years comprised in the tables. Each table is divided into two equal parts; and thus the general results obtained by examining the Small-pox mortality of the period when no vaccination law existed may be very conveniently contrasted with those furnished by the later and equal period during which a good Vaccination Act has existed in the country. While compiling and analysing these vaccination statistics for the Registrar-General, the superintendent has frequently regretted that it is not in his power to furnish an accurate account of the number of cases of Small-pox, and of the number of deaths from Small-pox that have occurred at each age and during each successive year, first among the vaccinated children, second among the unvaccinated, and lastly among those about whose thorough vaccination doubt exists. No materials for such a statement are, however, here available. The death certificates in cases of Small-pox do not in general state whether the deceased had been vaccinated or not; and it is necessarily so long after the event ere such certificates reach this office, that the attempt to obtain, on the above point, additional particulars from the informant is futile. A Register of Vaccinations is no doubt kept in each district; but it is preserved *there*, and not forwarded to Edinburgh at all. To attempt to identify a child as vaccinated when its death has been reported, and when the vaccination register can furnish the only reliable information regarding it, would be

---

Supplemental Table C.—Rate of Mortality from Small-pox during each of First Five Years of Life in Scotland, between the years 1855 and 1874, a period of 20 years, for each hundred thousand living at each age.

Years.	0–1	1–2	2–3	3–4	4–5
1855	482	306	196	116	84
1856	439	316	193	148	86
1857	292	244	115	76	60
1858	124	81	44	32	13
1859	177	152	112	72	52
1860	460	273	189	158	85
1861	247	158	96	71	54
1862	130	89	70	38	27
1863	464	326	181	146	74
1864	435	277	173	122	113
Average of 10 years.	325	222	137	98	65
1865	107	36	37	20	22
1866	66	22	20	14	20
1867	32	20	6	8	2
1868	8	4	–	1	–
1869	17	8	3	3	4
1870	33	7	3	–	5
1871	204	23	30	34	26
1872	370	59	36	46	52
1873	173	28	27	14	25
1874	198	28	20	16	29
Average of 10 years.	122	23	19	16	19

perfectly hopeless. Finally, as to the number of cases of Smallpox that occur and do not proceed to a fatal termination, the Registrar-General is not empowered to call for any returns. In Tables XXXV. and XXXVI. will be found all the usual details regarding the practice of Vaccination in Scotland between 1864 and 1874.

The deaths from Fevers registered in 1874 were 2392, being 70 deaths to every hundred-thousand of estimated population, and 3·02 per cent. of the total deaths from specified causes. It is not many years since Typhus was, at least in the Principal Towns and Urban Districts of Scotland, a far more frequent cause of death than all the other forms of Fever combined; and physicians, whose early experience in the treatment of Fever was obtained in the great hospitals of Glasgow and Edinburgh, are aware that of late years the epidemic occurrence of Typhus has been becoming comparatively rare, while Typhoid or Enteric Fever is now almost everywhere far more common, or more generally recognised than it was less than twenty years ago. The disease termed Relapsing Fever, although it still occupies a separate place in our tables, is now of rare occurrence, causing hardly more than one per cent. of the deaths attributed to Fevers; and there is some reason to believe that the terms Simple Continued Fever and Infantile Fever are not always applied by informants with strict pathological precision, and that they might often be interchanged with the terms Typhoid or Typhus. The relative frequency of Typhus and of Enteric Fever during 1874 in all Scotland was as 21 to 43; in the Principal Towns, as 33 to 37; in the Large Towns, as 22 to 46; in the Small Towns, as 18 to 57; in the Mainland-Rural Districts, as 11 to 39; and in the Insular-Rural Districts, as 19 to 26. In Glasgow, the relative frequency of Typhus and Typhoid was as 22 to 42;

TABLE XXXV.—Vaccinations in Scotland, 1864–74, and Proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination— From Constitutional Insusceptibility.	From having had Small-pox	From previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	9769·9	2620·0	114935·2
1874.	Numbers .	108022	1229	206	33	205	11288	2878	123861
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0 183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
10 Years.	Percentage	88·008	0·706	0·258	0·046	0·202	8·500	2·280	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000

in Edinburgh, as 48 to 28; in Dundee, as 56 to 29; in Aberdeen, as 31 to 39; in Greenock, as 38 to 50; in Paisley, as 8 to 33; in Leith, as 30 to 42; and in Perth, as 38 to 34. The numbers above used express likewise the proportion of deaths from each of the two diseases in one hundred thousand of estimated population in each locality.

Scarlatina proved fatal to 186 out of every hundred thousand of population, and as usual was everywhere more destructive to males than to females. Its influence was most severely felt in the Urban Districts, and especially in the Principal Towns. Of these last, Dundee seems to have been most severely visited; though in Perth, Leith, Glasgow, and Paisley, the deaths were likewise very numerous.

Diarrhœa was the cause assigned for 61 deaths in every hundred thousand of population. These deaths were about equally frequent among males and females. The Urban Districts suffered most from this cause of death; but even in the Principal Towns, the deaths from Diarrhœa do not appear to have been quite so numerous as in some recent years. The mortality in Dundee from Diarrhœa was far more considerable than in any other of the Eight Principal Towns.

Hooping-Cough caused 50 Deaths in every hundred thousand of population. The disease was decidedly more fatal among females than among males, and prevailed chiefly in the Principal and Large Towns. In Glasgow, the mortality from Hooping-Cough amounted to 133 per hundred thousand inhabitants; while in Greenock, it did not exceed 17 in a like number of population,

Diphtheria caused 34 deaths in every hundred thousand of popula-

---

TABLE XXXVI.—Vaccinations in Scotland, 1864–1874, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated	Vaccination Postponed	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	2620·0	105165·3
1874	Numbers .	108022	1229	206	33	205	2878	112573
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
10 Years.	Percentage	96·184	0·772	0·282	0·051	0·220	2·491	100·000
1874	Percentage	95·958	1092	0·183	0·029	0·182	2·556	100·000

tion. These deaths were not more frequent in one than in the other sex. The disease seems to have been least common in the Insular-Rural Districts and in the Principal Towns; most common in the Large Towns.

Measles and Croup each caused 32 deaths per hundred thousand of population. In the case of both diseases, but especially in that of the latter, the males died in higher proportion than the females. The prevalence of Measles, as may be seen in Table XXX., was most remarkable in Aberdeen; while the deaths from Croup were especially common in Leith.

The deaths attributed to Diseases of Uncertain Seat were 2899 in number,—85 per hundred thousand of population, and 3·66 per cent. of the total deaths from Specified Causes. Females suffered from these diseases far more frequently than males, the relative frequency of death per hundred thousand of either sex being 71 males to 91 females.

Cancer accounted for 1646 deaths, being a mortality of 48 per hundred thousand of population, or 2·08 per cent. of all deaths from Specified Causes. The relative frequency of death by Cancer in males and in females during 1874 is expressed by the numbers 34 and 62, which are the death-rates from this one disease per hundred thousand of each sex. The deaths by Cancer were most numerous in Edinburgh, Aberdeen, and Perth; least numerous in Greenock and in Glasgow. They were fully as frequent in the Mainland-Rural as in any of the Urban Districts.

Dropsy caused 651 deaths, of which 354 occurred in females. It is,

---

TABLE XXXVII.—Deaths from Fever in 1874.

Fevers.	Rural Districts.		Town Districts.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus . . .	132	21·0	594	33·7
Enteric . . .	425	67·6	1030	58·4
Relapsing . . .	6	0·9	21	1·2
Simple Continued . .	41	6·5	63	3·6
Infantile . . .	25	4·0	55	3·1
All Fevers . . .	629	100·0	1763	100·0

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Ten Years 1865–1874; specifying those from Typhus and Enteric Fever.

Months.	Total Fever Deaths.	Typhus.	Enteric.	Months.	Total Fever Deaths.	Typhus.	Enteric.
January .	1499	989	360	July . .	1064	689	283
February .	1323	850	333	August .	922	545	297
March .	1424	942	352	September .	921	530	314
April . .	1276	869	305	October .	1101	600	389
May . .	1211	784	323	November .	1278	752	379
June . .	1112	746	287	December .	1314	734	424

of course, very desirable that "Dropsy" should as seldom as possible appear in these Reports as a cause of death, and that it should be replaced by some distinct information as to the pathological cause of the dropsical symptoms. In absence of such information, we must necessarily relegate to the heading Dropsy many deaths from causes so different as Ovarian Tumour, Degeneration of the Kidney, Disease of the Liver, and Valvular Diseases of the Heart. When no medical certificate is forthcoming, it is in vain to expect more precise information than we are in the habit of receiving in cases where dropsical symptoms have been observed about the time of death; but there is reason to fear that the medical certificates are not always so precise as could be desired. In Edinburgh, the deaths attributed to Dropsy were in 1874 only 14 per hundred thousand of estimated population; while in Paisley, the rate was 50 for a like number of inhabitants. It is hardly credible that Dropsy can be 3½ times more common in Paisley than in Edinburgh; and it is not easy to resist the impression, that the certificates of cause of death in the former city were not, in certain cases, drawn up with sufficient care.

236 deaths were attributed to Abscess, 16 to Fistula, and 93 to Ulcer. There were likewise 89 deaths ascribed to Hæmorrhage of unspecified seat, and 149 due to Mortification; the greater number of which were probably cases of Senile Gangrene, as 100 of them occurred in persons whose age exceeded sixty years. There were 19 deaths from Gout, 15 of which occurred after the sixtieth year of age.

The deaths from Tubercular Diseases were 11,303, of which 5485 occurred in males and 5818 in females. These numbers correspond to a mortality of 333 out of every hundred thousand of the estimated population of Scotland, and to 14·29 per cent. of all deaths from Specified

---

TABLE XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1874, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	255	Bronchitis	226
Phthisis	232	Phthisis	219
Scarlatina	186	Atrophy, Debility, and Premature Birth	177
Age	163	Heart, etc., Diseases of	128
Heart, etc., Diseases of	130	Age	122
Atrophy, Debility, and Premature Birth	122	Convulsions	116
Pneumonia	101	Pneumonia	110
All Fevers	70	Scarlatina	106
Diarrhœa	61	Diarrhœa	90
Paralysis	60	All Fevers	59
Apoplexy	53	Apoplexy	55
Hydrocephalus	52	Paralysis	53
Hooping-cough	50	Measles	52
Cancer	48	Cancer	47
Small-pox	37	Hooping-cough	44
Liver Diseases	36	Liver Diseases	41
Diphtheria	34	Hydrocephalus	31
Measles	32	Fractures and Contusions	31
Croup	32	Tabes Mesenterica	29

Causes. Tubercular Diseases were most fatal in the Large Towns; but in the Principal Towns they were almost equally destructive. In the Small Towns, the death-rate due to these causes was decidedly lower; in the Mainland-Rural Districts, it little exceeded half the rate observed in the Large Towns; and in the Insular-Rural Districts, it only amounted to 180 for every hundred thousand of population. Of all deaths, Tubercular Diseases caused 16·42 per cent. in the Large Towns, 15·12 per cent. in Principal Towns, 14·23 per cent. in the Small Towns, 12·59 per cent. in the Mainland-Rural, and 10·70 per cent. in the Insular-Rural Districts. The rates per hundred thousand inhabitants in each of the Eight Principal Towns were in Paisley, 497; in Glasgow, 487; in Dundee, 404; in Greenock, 401; in Leith, 380; in Perth, 368; in Edinburgh, 362; in Aberdeen, 309. Except in Edinburgh and in Leith these rates are considerably lower than those recorded for 1873.

Consumption is, of course, the most common and important disease belonging to the Tubercular class. The deaths ascribed to this single cause in 1874 were 7873. Of these, 1288, or 16·4 per cent., occurred at ages under 15 years; 5232, or 66·5 per cent., between the ages of 15 and 45; and 1353, or 17·1 per cent., at ages believed to exceed 45 years. In All Scotland, and in each of the Urban Groups of Districts, Consumption was as usual more frequent among females than among males; in the Mainland-Rural Districts neither sex can be said to have manifested special liability to the disease; but in the Insular Group, the numerous deaths of young males from Consumption, a circumstance already alluded to in the course of this Report, has the effect of making the male death-rate from this disease higher than the rate that prevails among the female islanders. In the Principal Towns, the deaths from Consumption per hundred thousand of population were as follows:—in Paisley, 339; in Glasgow, 332; in Dundee, 286; in Greenock, 261; in Perth, 249; in Edinburgh, 244; in Aberdeen, 231; and in Leith, 201. In Paisley, Glasgow, and Greenock, the deaths from Phthisis have been decidedly less numerous than during 1873; in Perth, Edinburgh, and Leith, the mortality of 1874 has been the higher. Again it falls to be remarked that Leith seems to suffer less from Consumption than any of the other seven Principal Towns of Scotland.

The deaths from other Tubercular Diseases were 1777 from Hydrocephalus, 962 from Tabes Mesenterica, and 691 from Scrofula. From each of these diseases, males suffered in considerably higher proportion than females, and the Principal and Large Towns had from these causes a mortality about thrice as great as that experienced in the Rural, and especially in the Insular-Rural Districts.

From Diseases of the Brain and Nervous System, there were 7257 deaths, being 214 for every hundred thousand of population, and 9·17 per cent. of all deaths that occurred. It appears that the mortality from diseases of this class was a trifle lower than that experienced in 1873. In Scotland regarded as a whole, in all its Urban Divisions, and in the Islands the incidents of Brain Diseases was most apparent among the males. In the Mainland-Rural Districts, the sexes seem to have suffered in equal proportions. Of the Principal Towns, Paisley, Perth, and Greenock, show in Table XXX. the highest, and Leith the lowest proportion of deaths from Brain Diseases.

Diseases of the Heart and Circulatory System account for 4411 deaths, being at the rate of 130 for every hundred thousand persons living, and thus constituting 5·57 per cent. of all deaths registered. In

every part of the country, males died from Diseases of the Heart in greater proportion than females. It appears from our tables that the Insular-Rural Districts enjoy a marked comparative immunity from these diseases. There is, however, no reason to believe that such immunity really exists; and the low rate which we find attributed to heart complaints among the islanders, is naturally explicable by reference to the paucity of medical certificates of death in these sparsely peopled districts. In the absence of such certificates, the registrars are often obliged to content themselves, and complete the entries of cause of death in their books on the authority of the statements of non-medical, and it may be ignorant informants, who no doubt often attribute to Asthma, Dropsy, Palsy, Apoplexy, Debility, and Old Age, deaths which a medical man would prefer to ascribe to Disease of the Heart or Aorta.

Diseases of the Respiratory System caused 13,351 deaths, being 393 for every hundred thousand of population, and 16·86 per cent. of all deaths from Specified Causes. It must be noted that, in the classification employed in these Reports, Diseases of the Respiratory System do not include Diphtheria, Croup, Hooping-cough, or Consumption. But notwithstanding this limitation of the term, Respiratory Diseases constitute, after Zymotic Diseases, the most important cause of mortality in Scotland, and in the year 1874 this was especially the case. The deaths from this class of diseases were everywhere more numerous among males than among females. An inspection of Table XXVIII. shows that these deaths occurred with greatest frequency in the Principal Towns, and that they were less and less numerous in the several Registration Groups in proportion as these were less densely peopled. The mortality from Chest Diseases was exceedingly high in Glasgow. It was likewise excessive in Dundee; comparatively low in Leith, Aberdeen, and Perth. The deaths in All Scotland attributed to Bronchitis alone were 8667, being 255 to every hundred thousand inhabitants, or 10·95 per cent. of the deaths from all causes. There died of Bronchitis per hundred thousand of population, in the Principal Towns, 388; in the Large Towns, 299; in the Small Towns, 201; in the Mainland-Rural Districts, 153; and in the Insular-Rural 100. In Glasgow, the death-rate from Bronchitis was 504; in Dundee, 432; in Paisley, 331; in Aberdeen, 272; in Edinburgh, 248; in Greencck and in Leith, 247; and in Perth, 207. The deaths from Pneumonia in All Scotland were 3440, and were distributed in the different districts and towns in a manner not particularly differing from that described in our remarks on Bronchitis. To Pleurisy, 287 deaths were ascribed; to Laryngitis 208; and to Disease of the Lungs, of not clearly specified nature, 275. There were likewise 474 deaths attributed to Asthma, by which term, however, pure Spasmodic Asthma is not in general to be understood, but under which a great variety of diseases are probably grouped, *e.g.* Emphysema Pulmonum, some cases of Heart Disease, Chronic Bronchitis, &c. Death from uncomplicated Asthma is, we believe, rather a rare event; but reference to the detailed abstracts which follow this Report will show that where medical informants are presumably scarce, deaths are in accordance with popular medical nomenclature freely attributed to this cause. It is, for example, very often the term employed in recording the deaths of females who die in our Insular-Rural Districts, at ages exceeding 60 years; thus, of 182 females who died in Shetland in 1874, at ages exceeding 60, there died of Bronchitis only 3, or 1·6 per cent., and of Asthma 5, or 2·7 per cent. Of course, it is quite conceivable that in a small population like that of Shetland such an apparent anomaly as the above stated

relative frequency of Bronchitis and of Asthma, might in a single year occur; but on referring to the records of some former years, we find a similar proportion of deaths from Asthma among the inhabitants of the Island Districts, so that we must seek some other cause for the frequent recurrence of the term Asthma. In common parlance, and among the poorer classes in particular, "Asthma" and "Shortness of Breath" are synonymous, and to this circumstance we are inclined to refer the vague and obviously erroneous use of the term Asthma as a cause of death, not only in our islands but also in some of the rural districts on the mainland.

The deaths from Diseases of the Digestive System were 5225, being at the rate of 155 to every hundred thousand of population, and constituting 6·64 per cent. of all deaths from specified causes. Males as usual suffered in greater proportion than females from these diseases; and the deaths were most numerous in the Urban Districts, and especially in the Large Towns. From Teething, there were 782 deaths; from Gastritis, 227; from Enteritis, 927; from Peritonitis, 482; from various Diseases of the Stomach not more particularly specified 763; from various Diseases of the Biliary Organs, 1223; from Ileus and Intussusception, 326. To Hernia 118 deaths were referred. Of these, 56 occurred in males, and 62 in females. Of those that died of Hernia, 9, or about $\frac{1}{13}$th part, were under one year of age; 13, or $\frac{1}{9}$th, under the age of 20 years; while 60, or about 51 per cent., were at least 60 years of age.

Diseases of the Urinary System caused 1388 deaths, of which 906 occurred in males, and 482 in females. The deaths from Nephritis and Nephria combined were 581; from Diseases of the Urinary System of unspecified nature, 445; from Diabetes, 111; from Inflammation of the Bladder, 104; from Ischuria, 67; from Calculus, 64; from Stricture of the Urethra, 13; and from Addison's Disease of the Suprarenal Capsules, 3.

From Diseases of the Generative System there were 656 deaths, of which all except two occurred in females. 442 of these deaths were attributed to Childbirth, and if to these there be added 378 deaths attributed to Metria, the total deaths due to puerperal causes appear to have been 820. The number of children born alive in Scotland in 1874 was 123711. Correcting for the twin and triplet births, we estimate the number of mothers who gave birth to live children as 122173; and of these, 0·67 per cent., or about one in 149, died of diseases or accidents directly referrible to the act of parturition. But in the above calculation no account has been taken of those mothers who gave birth to still-born children. If it be assumed that for every hundred live births there were five still-births in 1874, the total number of mothers may be stated at 128,282, and the mortality due to child-bearing would then appear to be about 0·64 per cent., or about 1 in 156. This mortality is no doubt very serious, and considerably exceeds that recorded in 1873. But it is our duty to point out that it is probably understated. For, as has been frequently pointed out in these Reports, the mortality of mothers after still-births is notoriously far higher than after ordinary labours, and there is reason to believe that the deaths of many such mothers are not communicated to the Registrar with any indication of their having been the consequence of child-bearing. This is most likely to be the case in connection with the deaths of mothers which follow still-births of illegitimate children.

The deaths from Diseases of the Uterus were 101; from Ovarian Tumours, 92; and from various diseases grouped under the heading Paramenia, 19.

The deaths from Diseases of the Organs of Locomotion were 523. Of these, 225 were due to Rheumatism, 223 to Diseases of the Joints, and 75 to Diseases of the Bones.

There were 101 deaths from Diseases of the Skin; of which 52 were of unspecified nature: while 31 were attributed to Carbuncle; and 19 to Phlegmon.

From Malformations there were 281 deaths, of which 161 occurred in males; from Infantile or Premature Debility, 3674 deaths, of which 2070 took place in males. Such deaths appear to have been more frequent in Dundee and elsewhere; while their rarity among the population of the Rural, and especially of the Insular-Rural Groups, may be in great measure explained by reference to the comparatively low birth-rate of these districts.

To Atrophy, 476 deaths are ascribed; and to Old Age 5543, including 3489 females. In the Insular-Rural Districts, nearly 32 per cent. of the deaths from all causes are referred to Old Age, in the Mainland-Rural Districts nearly 12 per cent., but in the Principal Towns only 3·4 per cent. It is hardly necessary to say that the use of the term Old Age as a cause of death must, in the great majority of cases, be held as a mere confession of ignorance on the part of those who give currency to it.

There were 104 Sudden Deaths, for which no more clearly specified cause was assigned.

There were 3103 Violent Deaths, of which 2248 occurred in males. Of the Violent Deaths, 1031 were due to Fractures and Contusions, 642 to Drowning, 312 to Suffocation, 292 to Burns and Scalds, 234 to Intemperance, 199 to Violent Causes of unspecified nature, 134 to Want of Breast-Milk, 71 to Cold, 53 to Hanging, 51 to Poison, 39 to Cuts or Stabs, 19 to Gunshot Wounds, 13 to Privation, 6 to Neglect, and a like number to Poisoned Wounds.

There were registered 109 instances of Suicide, of which 71 were in males, and 38 in females. Self-destruction was accomplished in 49 cases by Hanging, in 25 by Cutting the Throat, in 18 by Drowning, in 7 by Poison, in 4 by Gun-shot, in 2 by Precipitation, and in 4 by other means not communicated to the registrars. In two of the seven cases of Suicidal Poisoning, Opium was used; in other two, Laudanum; in one, Oxalic Acid; and in the remaining two, some poison unknown to the Registrars.

It is customary to conclude this section of each Detailed Report with a list of the deaths at ages exceeding 99 which have been registered during the year, but in doing this we offer no guarantee of the accuracy of the information which has been given to the Registrars. In 1874, one male, a crofter, is stated to have died at the age of 108; and another, who had been a fisherman, died a pauper at the age of 100. Five females died at the age of 100, three at 101; four at 102; one, a domestic servant, at 103; one, a pauper, at 105; one a fisherman's widow, at 106; and one, a pauper, at 107. Thus the total deaths at these extreme ages were 2 males and 17 females, or 19 in all.

Weather and its Influence on the Mortality.

In former Reports it has been deemed right to point out the amount and nature of the illustration which our Death Registers receive from

the recorded meteorological observations throughout the country. At present it is not our intention to repeat what has been already written on this subject. It seems sufficient to remind our readers, that the great meteorological agency which seems to promote an increase in the death-rate of the people of Scotland is a notable, sudden, and long-continued fall of temperature; and that the influence of this agency is increased when it is accompanied with much rain, and with the easterly and northerly gales which popular experience admits as a frequent cause of disease.

The Tables in which it is endeavoured to present all needful details regarding the meteorology of the year 1874 are numbered XL. to XLVII. inclusive. They are in the usual form, and have for the most part already appeared in the Annual Report applicable to the Eight Principal Towns.

By means of Table XL. we attempt to exhibit for every month of 1874 the mean temperature, deduced from observations made at 55 different stations in Scotland, the actual number of deaths which occurred in each month, and the proportion of these which took place in each month, equalized so as to embrace a period of 31 days. In the last two columns of the Table are exhibited the proportion of deaths and the mean monthly temperature, deduced from observations made during the ten years 1855–64. In ordinary years, January and February are our coldest months, their average temperature being 37°·3 and 37°·4 respectively. After these, we may rank December, with a mean temperature of 38°·6; and March, with 39°·8. But in 1874 the month of December was by far the coldest month of the year, the mean temperature being only 30°·9, or more than 9½ degrees below the mean of ten previous Decembers. In order of coldness, February, with a temperature of 38°·8, came next; and was followed by January, with 40°·5; November, with 41°·1; and March, with 43°·3. The month of March then appears to have been unusually warm,—in fact, 3½ degrees warmer than the average of March 1855–64.

The year 1873 had closed with a by no means inclement December.

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1874, compared with the Mean of the Ten Years 1855–1864.

YEAR 1874.					1855–1864.	
MONTHS.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Proportion.	Mean Temperature.
January . . .	40°·5	6933	6933	1011	1134	37°·2
February . . .	38·8	6604	7312	1068	1193	37·4
March	43·3	7238	7238	1056	1145	39·8
April	46·7	6811	7038	1027	1083	44·1
May	47·1	6455	6455	942	1010	49·5
June	54·8	6374	6586	961	956	55·6
July	59·4	6265	6265	914	895	57·6
August . . .	55·9	6044	6044	882	856	57·3
September . .	52·8	5790	5983	873	843	52·8
October . . .	46·5	6166	6166	900	858	47·2
November . .	41·1	6815	7042	1027	954	40·2
December . . .	30·9	9181	9181	1339	1073	38·6
YEAR . .	46·5	80,676	82,243	12,000	12,000	46·7

In fact, the mean temperature of that month had been 42°·5, or 3°·9 above the ten years' average, and deaths had taken place at the rate of 217 per diem.

From the Astronomer-Royal's Notes appended to our Quarterly Returns, we have the means of gleaning the following particulars regarding the meteorological phenomena of each month of 1874, and of the average of the corresponding months of 1856–73:—

January 1874 was characterized by high mean temperature, heavy westerly and southerly winds, and a rainfall not much short of the average. The thermometer stood highest at the Southern and Western stations. The daily number of deaths was 224.

February showed a mean temperature very slightly exceeding the average. There was some frost, with east wind, recorded in the Principal Town stations about the 7th of the month. But, on the whole, the prevailing air-currents were from the south and west, and towards the end of the month a south-east gale caused considerable destruction on our east coast. The rainfall was far short of the average of former seasons. As might have been expected from the increasing cold of winter, the daily deaths rose to 236.

March was an unusually mild month, the mean temperature having exceeded the average by 3°·6, and having been the highest hitherto recorded in Scotland. The barometer stood high, and there was a full rainfall, with general prevalence of W.S.W. winds, and a very fair amount of sunshine. The genial influences indicated by these mean numbers were, however

---

TABLE XLI —Meteorology of Scotland for 1874, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1874, as stated in the Quarterly Reports.

1874.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	55°·5	58°·0	63°·5	79°·0	76°·0	82°·0	87°·3	80°·5	70°·0	65°·0	61°·7	53°·0	87°·3
Lowest Temp. in do.	15°·3	11°·0	13°·0	25°·0	25°·0	26°·0	36°·4	31°·0	31°·0	23°·2	20°·0	−1°·0	−1°·0
Mean Day Temp. . .	45°·4	44°·5	49°·3	54°·4	54°·2	64°·2	67°·3	63°·2	59°·3	53°·1	45°·9	36°·6	53°·1
Mean Night Temp. .	35°·5	33°·2	37°·3	39°·0	40°·0	45°·4	51°·6	48°·7	46°·2	39°·9	36°·4	25°·2	39°·9
Daily Range	9°·9	11°·3	12°·0	15°·4	14°·2	18°·8	15°·7	14°·6	13°·2	13°·2	9°·5	11°·4	13°·3
Mean Temperature .	40°·5	38°·8	43°·3	46°·7	47°·1	54°·8	59°·4	55°·9	52°·8	46°·5	41°·1	30°·9	46°·5
Highest Temperature in sun	87°·1	91°·3	113°·8	121°·0	23°·0	131°·0	129°·0	127°·0	116°·3	110°·0	90°·0	76°·8	131°·0
Lowest on grass at night	21°·8	9°·2	9°·0	18°·2	15°·0	22°·0	29°·5	27°·0	23°·8	18°·2	12°·3	−6°·0	−6°·0
Wet-bulb Temperature	38°·7	36°·7	40°·7	43°·9	44°·4	51°·7	56°·3	53°·0	50°·3	44°·4	39°·3	29°·3	44°·1
Dew-point Temperature	36° 9	34°·8	38°·4	41°·2	41°·4	48°·4	53°·6	50°·6	48°·2	42°·4	37°·5	26°·3	41°·6
Humidity of Air . .	88	88	86	83	81	78	82	84	86	87	89	84	85
Elastic force of Vapour (inches)	0·216	0·202	0·233	0·258	0·262	0·341	0·413	0·370	0·338	0·272	0·225	0·143	0·273
Number of Rainy Days	18	11	16	13	12	9	14	20	19	17	17	13	179
Amount of Rain (inch.)	4·02	1·71	2·82	2·27	1·82	1·42	3·11	5·54	4·18	6·05	4·54	2·69	40·17
Amount of Cloud . .	6·3	5·9	6·2	5·9	6·6	4·9	6·1	6·2	6·6	5·8	6·6	5·4	6·0
Hours of Sunshine .	74	103	138	179	170	277	239	188	145	140	78	84	1815
Mean Barometer (in.)	29·748	29·867	29·988	29·741	30·001	30·075	29·890	29·782	29·717	29·670	29·850	29·781	29·842
Easterly Winds (number of days) . . .	1	6	4	6	15	7	5	5	4	3	8	9	73
Westerly Winds (do.)	25	14	20	18	8	16	18	19	18	21	15	12	204
Births	10339	9040	10458	10772	10712	10811	10780	9916	10006	10642	9890	10429	123795
Deaths	6933	6604	7238	6811	6455	6374	6265	6044	5790	6166	6815	9181	80676
Marriages	3596	1539	1642	1600	1142	3988	2497	1640	1445	1721	2467	2970	26247
Daily Births	334	323	337	359	346	360	348	320	334	343	330	336	339
Daily Deaths. . . .	224	236	233	227	208	212	202	195	193	199	227	296	221

either too partial, or continued for too short a time, materially to affect the daily rate of mortality, which continued to be 233 deaths per diem.

April was likewise a remarkably fine month, with high mean temperature, considerable amount of westerly and southerly wind, average rainfall, and plenty of clear sunny weather. The daily deaths during the month were 227,—still slightly exceeding the death-rate observed in January.

May was far from a genial month. The mean temperature was fully two degrees below the average, there was much fog with cold northerly or north-east winds, a somewhat deficient rainfall, and prevalence of dull cloudy weather. The mortality, however, which had no doubt been influenced by the fine April weather, continued to fall during May, and only amounted to 208 deaths a-day.

The weather in *June* was in no respect remarkable, except that towards the end of the month heavy rains and lightning were recorded at most of the meteorological stations throughout the country. The deaths were 212 per diem.

During *July*, the mean temperature was about 1°·9 above the average of the period 1856–73. There was more than the usual amount of clear sunshine, the rainfall was ample, and the prevailing breezes were from the south and west. The average daily number of deaths was 202.

In *August*, the mean temperature was below the average. The barometer, too, was low, the rainfall large, and the winds strong, without, however, any unusual preponderance of easterly or northerly gales. The mortality continued to fall, the deaths numbering 195 daily.

September, as regards mean temperature, was an average month. There was a full amount of rain. The atmospheric currents were chiefly from the south and west. The month was the most salubrious in the whole year, the daily number of deaths having been only 193.

October presented no marked peculiarity as to mean temperature. It was, however, a very wet month, and it was remarked that the amount

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1874.

1874.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	41°·0	40°·0	44°·1	47°·2	47°·3	55°·7	60°·2	57°·0	53°·9	47°·3	41°·9	31°·5
Highest Temperature	54°·3	56°·5	63°·5	70°·0	67°·5	75°·3	81°·3	80°·0	70°·0	65° 0	61°·7	51°·0
Lowest Temperature	26°·2	21°·0	20°·0	30°·0	25°·0	35°·0	44°·5	38°·6	36°·3	28°·9	25°·0	7°·0
Rainfall in inches	3·07	0·97	2·17	1·57	1·92	1·05	3·16	5·03	3·39	5·57	3·54	2·28
Easterly Winds (days)	2	6	4	6	20	9	6	6	4	4	8	8
Westerly Winds (days)	26	16	24	19	7	18	20	20	23	23	19	16
Total Deaths	2668	2464	2728	2636	2568	2464	2527	2413	2305	2536	2897	3906
Daily Deaths	86	88	88	88	83	82	82	78	77	82	96	126
Zymotic Diseases	612	535	585	522	541	613	667	758	748	881	860	800
Small-pox	70	41	65	60	41	25	14	10	5	4	13	8
Measles	80	49	45	36	41	51	62	32	24	22	20	26
Scarlatina	178	166	176	148	166	214	175	295	402	570	490	360
Diphtheria	36	36	29	35	16	20	21	20	18	34	13	28
Hooping-cough	43	58	73	67	111	107	76	71	56	54	112	147
Croup	45	37	30	24	20	21	16	26	23	25	47	39
All Fevers	78	64	80	81	61	62	77	48	70	59	77	82
Diarrhœa	33	40	41	23	47	64	169	208	108	69	38	45
Dysentery	2	6	3	2	5	11	10	13	1	4	5	4
Cholera	1	1	1	–	1	3	10	6	3	3	–	–
Consumption	266	271	318	320	308	286	259	254	209	190	238	339
Diseases Respiratory Organs	560	528	552	539	527	433	337	276	271	406	657	1258
Heart, etc., Diseases	131	133	126	136	137	144	111	104	100	94	144	179
Brain, etc., Diseases	228	213	255	243	213	197	255	230	221	188	212	277
Debility and Premat. Birth	116	99	135	151	122	121	147	140	141	117	123	179
Age	122	114	105	99	103	106	81	79	88	74	106	202

of rainfall, everywhere great, was on the west coast three to four times that which fell on the east coast. The barometer was low, and fluctuated exceedingly. The winds were high, and at times blew in strong gales from the south-west. The daily number of deaths did not, however, exceed 199.

In *November*, the mean temperature was above the average, the rainfall still excessive, the winds normal both in force and direction. The daily deaths, however, rose to 227.

December was the month which, in its meteorological features, was most exceptional. The mean temperature was only 30°·9, being 7°·5 below the mean of 1856–73, and 2°·5 below the average temperature of any December included within that period. The cold was more remarkable in the southern than in the northern parts of the country. It was associated with moderate north winds, a considerable amount of snow and rain, little cloud, and much clear sunshine. The deaths during this month became greatly increased in frequency, reaching the very high average of 296 per diem.

The influence of season upon the fatality of various diseases in our Eight Principal Towns may be traced by reference to Table XLII.

It is at once made obvious by the Table that the cold of December —unprecedented since the institution of these Reports—was accompanied with a most marked increase in the number of deaths recorded. This increase was more particularly due to the fatality of Diseases of the Respiratory System, and of such complaints as Consumption and Hooping-cough, in which the symptoms immediately referrible to the Respiratory System are of the highest importance. The Diseases of the Brain and Nervous System, Infantile Debility, and Senile Decay, were likewise obviously influenced by the cold of December. Diseases of the Heart (which there is reason to believe were in very many instances associated

---

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1874.

No. of Week.	Week ending		Deaths.	Temperature. Mean.	Temperature. Highest	Temperature. Lowest	Rain, in inches	No. of Week.	Week ending		Deaths.	Temperature. Mean.	Temperature. Highest	Temperature. Lowest	Rain, in inches.
				°	°	°						°	°	°	
1	January	3	615	39·0	51·8	27·0	0·82	27	July	4	517	59·0	75·0	42·0	1·24
2		10	624	40·0	49·0	26·9	0·34	28		11	544	58·9	76·2	44·5	0·08
3		17	645	40·9	53·2	30·1	1·09	29		18	539	61·6	81·4	44·3	0·56
4		24	608	40·9	52·8	28·6	0·86	30		25	643	61·2	81·0	46·1	1·25
5		31	572	43·6	54·0	26·2	0·24	31	August	1	587	58·6	76·0	44·4	0·44
6	February	7	582	41·5	52·6	29·2	0·11	32		8	550	56·7	71·5	42·0	0·97
7		14	621	36·6	56·5	21·0	0·19	33		15	557	56·1	66·2	46·0	3·19
8		21	650	40·6	52·5	27·0	0·36	34		22	549	59·3	78·0	42·0	0·24
9		28	611	41·1	52·3	29·0	0·35	35		29	545	57·6	80·0	38·6	0·60
10	March	7	627	44·2	56·4	28·0	0·28	36	September	5	518	55·4	69·0	37·0	1·26
11		14	613	38·3	55·0	20·0	0·29	37		12	512	52·9	66·0	38·0	1·04
12		21	635	46·4	61·0	32·0	0·94	38		15	546	51·4	65·4	33·0	0·64
13		28	591	47·1	63·5	27·0	0·44	39		26	561	54·9	67·5	41·9	1·28
14	April	4	609	43·7	55·8	30·0	1·77	40	October	3	530	52·1	65·5	42·0	1·25
15		11	638	43·8	55·7	32·0	0·41	41		10	558	47·9	59·3	33·5	1·16
16		18	623	43·9	61·0	31·0	0·26	42		17	567	48·6	63·0	33·3	1·83
17		25	609	53·1	69·0	33·0	0·07	43		24	571	47·0	65·0	32·0	2·01
18	May	2	593	49·9	70·0	32·0	0·03	44		31	628	44·5	58·7	28·9	0·15
19		9	571	44·2	64·5	31·0	0·39	45	November	7	668	45·7	58·1	27·5	0·74
20		16	693	44·1	60·6	25·0	0·29	46		14	645	43·1	61·7	27·0	0·35
21		23	571	48·9	67·5	32·0	0·07	47		21	672	41·8	53·3	31·0	0·53
22		30	631	51·5	66·3	40·0	1·30	48		28	689	37·5	49·0	25·0	1·15
23	June	6	573	57·5	74·4	40·5	0·12	49	December	5	714	37·8	50·0	25·0	1·55
24		13	573	53·6	70·0	35·0	0·16	50		12	759	34·9	50·7	22·5	1·07
25		20	547	56·0	76·2	38·0	0·00	51		19	840	32·2	47·0	16·0	0·33
26		27	535	55·9	71·0	41·0	0·65	52		26	888	29·7	51·0	12·1	0·19
								53	January	2	1096	26·5	45·4	5·0	0·74

with Pneumonia or Bronchitis) likewise carried off victims in larger numbers during December than in any other month.

Turning now to individual diseases, we find that deaths from Small-pox, upon the whole, decreased in frequency from January to December, and that deaths from Measles obeyed a somewhat similar law.

Scarlatina was prevailing rather extensively when the year set in. In January it caused 178 deaths; but by the end of April the mortality from this cause began to decrease. With the approach of autumn the disease again assumed more formidable proportions, and during the last four months of the year caused 1822 deaths, whereof 402 occurred in September, 570 in October, 490 in November, and 360 in December.

Hooping-cough was most fatal in December, though it caused many deaths likewise in November, May, and June. In January, it had not prevailed to any great extent.

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1874, and Proportion at each Age in every hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1874.					Proportion at each Age in every Hundred Deaths per Month.				
	0–5 years.	5–20.	20–60.	60 and above.	Total Deaths.	0–5 years.	5–20.	20–60.	60 and above.	Total.
January . .	1041	285	865	477	2668	39·0	10·7	32·5	17·8	100·0
February .	979	273	750	462	2464	39·7	11·1	30·4	18·8	100·0
March. . .	1061	331	882	454	2728	38·9	12·1	32·3	16·7	100·0
April . . .	1062	319	819	436	2636	40·3	12·1	31·1	16·5	100·0
May . . .	1005	333	791	439	2568	39·1	13·0	30·8	17·1	100·0
June . . .	1045	297	716	406	2464	42·4	12·0	29·1	16·5	100·0
July . . .	1168	315	669	375	2527	46·2	12·5	26·4	14·9	100·0
August . .	1134	300	635	344	2413	47·0	12·4	26·3	14·3	100·0
September .	1037	339	587	342	2305	45·0	14·7	25·5	14·8	100·0
October . .	1185	399	636	316	2536	46·7	15·7	25·1	12·5	100·0
November .	1332	410	717	438	2897	46·0	14·2	24·7	15·1	100·0
December .	1481	397	1198	830	3906	37·9	10·2	30·6	21·3	100·0
YEAR .	13,530	3,998	9,265	5,319	32,112	42·1	12·5	28·8	16·6	100·0

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1874.

MONTHS.	Relative Number of Deaths in 1874.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0–5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	1041	285	865	477	2668	979
February . . .	1084	302	830	512	2728	1000
March . . .	1061	331	882	454	2728	1000
April . . .	1097	330	846	451	2724	999
May . . .	1005	333	791	439	2568	942
June . . .	1080	307	740	419	2546	934
July . . .	1168	315	669	375	2527	927
August . . .	1134	300	635	344	2413	885
September . .	1072	350	607	353	2382	874
October . . .	1185	399	636	316	2536	930
November . .	1376	424	741	453	2994	1098
December . .	1481	397	1198	830	3906	1432
YEAR . .	13,784	4,073	9,440	5,423	32,720	12,000

The mortality from Fevers had its minimum during August, when the deaths were 48. It had fluctuated a good deal from January up to this time, and continued to fluctuate till December, when it attained its maximum, causing 82 deaths.

The influence of warm weather upon the mortality from Bowel Complaints is illustrated by the deaths from Diarrhœa, Dysentery, and Cholera, which were only 25 in April, but 78 in June, 189 in July, 227 in August, and 112 in September, falling to 49 in December.

The deaths from Consumption were 339 in December, when the extreme cold no doubt precipitated the fatal event in many cases, 320 during April, 318 during March, and 308 during the cold, ungenial, foggy month of May.

Diseases of the Respiratory System caused only 271 deaths in September; but, no doubt in consequence of the excessive rainfall of October, they numbered 406 in October, 657 in November, and no less than 1258 in December. It seems needless here to reiterate the trite popular doctrine which attributes to cold and wet the fatality if not the production of Bronchitis, Pneumonia, Pleurisy, etc. On referring to Table XLII., it will be found that the deaths from respirarory disorders during the cold month of December 1874 far exceeded in number the deaths from the same causes during the *whole quarter* from 1st July to 1st October.

By means of Tables XLIV. and XLV., the attempt is made to show how the influence of season during 1874 affected, 1st, children under the age of five; 2d, adolescents between five and twenty years of age; 3d, adults between twenty and sixty; and 4th, aged persons whose years exceeded sixty.

To children under five, the cold December was the most fatal month. From the first column of Table XLV., in which for convenience of comparison the months are equalized to 31 days, and a correction of the death-numbers introduced, it appears that there died 1481 children in December, 1376 in November, 1185 in October. The influence of hot weather in the production of Diarrhœa is traceable in the 1168 deaths which occurred in July, and in the 1134 which took place in August. The health of chil-

---

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January . .	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February . .	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March . .	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April . . .	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May . . .	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June . . .	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July . . .	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August . .	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September .	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October . .	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November .	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December .	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

dren seems to have been best preserved during January, when the deaths were 1041, and during May, when they were only 1005.

Adolescents, or those between the ages of five and of twenty years, suffered in largest proportion during November, when the deaths amounted to 424. It is curious to observe that even October, which though a wet month was not ungenial as regards temperature, was to adolescents more fatal than the unprecedentedly severe December. The deaths were, in November, 424; in October, 399; and in December, 397. January was to persons between the fifth and the twentieth year of life decidedly the most healthy month of the year, the deaths numbering only 285. In August, February, and June, the numbers of deaths registered were 300, 302, and 307 respectively.

TABLE XLVII.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	11066	2305	7033	4337	24711	1164
February . . .	11165	2348	6833	4165	24511	1155
March . . .	10359	2271	6809	3865	23304	1098
April . . .	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June . . .	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August . . .	8889	1929	4988	2698	18504	872
September . .	8649	1932	4724	2536	17841	841
October . . .	9078	2120	4936	2679	18813	886
November . . .	10458	2220	5879	3668	22225	1047
December . . .	10590	2258	6344	3893	23085	1088
TEN YEARS . .	116,968	26,075	70,744	40,868	254,655	12,000

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Twenty Years 1855–1874.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. d.		*s. d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6
1867	64 5	69,068	138 0
1868	63 9	69,416	137 6
1869	48 2	75,875	99 6
1870	46 10	74,165	104 6
1871	56 10	74,712	77 3
1872	57 0	75,794	132 0
1873	58 8	76,946	158 6
1874	55 9	80,720	111 0

Adults, between the ages of twenty and sixty years, died in largest numbers in December, when the deaths were 1198. March, January, April, and February were next in order of fatality, causing from 882 to 830 deaths. The cold easterly winds of May, too, appear to have made their lethal influence felt upon adults, for during this month there were registered 791 deaths among such adults. Next in order of fatality to such persons was November with 741 deaths, and June with 740. September furnished only 607 deaths, and was, as regards adults, the healthiest month of 1874.

Aged persons—that is to say, persons whose age exceed sixty years—seem to have been severely tried by the cold weather in December. During that month the frequency of deaths among aged persons was, indeed, matter of popular remark, and a very cursory glance at the figures in the fourth column of Table XLV. will show that the remark was well founded. The deaths of aged persons in December amounted to 830, while in February, the second month in point of fatality, the deaths were only 512. In January, they numbered 477, and in October, which was for old people the most salubrious month, only 316 deaths were recorded.

In short, the mortality at the four periods of life contrasted in Table XLV., was during 1874 influenced by season in very different ways; and in connection with this subject, no circumstance is more remarkable than the extraordinary havoc which the cold of December seems to have committed, firstly, among those who, from age and consequent exhaustion of vitality, were liable to suffer from extreme diminution of atmospheric temperature; secondly, among the very young, whose delicate frames were not yet inured to the unfavourable influence of hard winter weather; and, thirdly, among the adult members of the population aged from 20 to 60, including, of course, the bulk of the labouring classes and of those whose daily duties and occupations caused them to be much exposed to the cold and wet.

In order to furnish a standard of comparison with which it may be interesting to contrast the observations of 1874, Tables XLVI. and XLVII. are here inserted. It will be seen that they present, in a collected form, the results of observations made during the ten years 1856–65.

In Table XLVIII. the mortality of each of the last twenty years is given, together with the average prices of wheat and of potatoes. This Table seems to lead to no practical conclusion, and is inserted merely in compliance with old custom. In future Reports it will probably be omitted.

I have the honour to be,

Sir,

Your most obedient Servant,

WILLIAM ROBERTSON.

General Registry Office of Births,
Edinburgh, 1*st July* 1878.

VACCINATIONS IN SCOTLAND—1874.

		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Smallpox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
	SCOTLAND, - -	108022	1229	206	33	205	11288	2878	123861
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS, - -	36570	199	57	16	126	4471	1208	42647
2	LARGE TOWNS, - - -	13255	106	21	8	26	1464	322	15202
3	SMALL TOWNS, - - -	25799	366	37	7	28	2652	497	29386
4	MAINLAND-RURAL, - -	29832	380	82	2	21	2420	440	33177
5	INSULAR-RURAL, - -	2566	178	9	0	4	281	411	3449
	DIVISIONS.								
1	NORTHERN, - - -	2591	226	7	0	4	207	132	3167
2	NORTH-WESTERN, - -	3232	280	18	0	2	410	386	4328
3	NORTH-EASTERN, - -	11611	101	27	2	4	1053	79	12877
4	EAST-MIDLAND, - - -	16844	122	33	0	66	1796	162	19023
5	WEST-MIDLAND, - - -	7591	94	8	2	6	761	199	8661
6	SOUTH-WESTERN, - -	45927	197	70	27	101	5025	1484	52831
7	SOUTH-EASTERN, - - -	14727	141	23	1	4	1517	363	16776
8	SOUTHERN, - - - -	5499	68	20	1	18	519	73	6198
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, - - - - - -	554	24	1	0	4	45	93	721
2	Orkney, - - - - - -	755	48	2	0	0	35	4	844
3	Caithness, - - - - -	843	141	3	0	0	104	21	1112
4	Sutherland, - - - - -	439	13	1	0	0	23	14	490
	II. NORTH-WESTERN.								
5	Ross and Cromarty, - -	1574	202	9	0	0	207	76	2068
6	Inverness, - - - -	1658	78	9	0	2	203	310	2260
	III. NORTH-EASTERN.								
7	Nairn, - - - - - -	198	3	0	0	0	22	1	224
8	Elgin (or Moray), - - -	1167	16	2	0	0	96	7	1288
9	Banff, - - - - - -	1711	21	6	0	0	127	11	1876
10	Aberdeen, - - - - -	7587	54	9	2	4	718	53	8427
11	Kincardine, - - - - -	948	7	10	0	0	90	7	1062
	IV. EAST-MIDLAND.								
12	Forfar, - - - - - -	7704	42	22	0	57	998	69	8892
13	Perth, - - - - - -	3125	29	4	0	1	248	48	3455
14	Fife, - - - - - -	5069	36	7	0	8	456	34	5610
15	Kinross, - - - - - -	198	2	0	0	0	12	1	213
16	Clackmannan, - - - - -	748	13	0	0	0	82	10	853
	V. WEST-MIDLAND.								
17	Stirling, - - - - - -	3406	11	0	0	5	359	51	3832
18	Dumbarton, - - - - -	2081	18	4	2	1	219	71	2396
19	Argyll, - - - - - -	1764	61	3	0	0	153	50	2031
20	Bute, - - - - - -	340	4	1	0	0	30	27	402
	VI. SOUTH-WESTERN								
21	Renfrew, - - - - -	6968	39	22	9	34	771	174	8017
22	Ayr, - - - - - -	7432	41	15	3	0	707	103	8301
23	Lanark, - - - - - -	31527	117	33	15	67	3547	1207	36513
	VII. SOUTH-EASTERN.								
24	Linlithgow, - - - - -	1506	9	0	0	0	162	35	1712
25	Edinburgh, - - - - -	10185	105	12	0	1	1074	290	11667
26	Haddington, - - - - -	1008	10	2	1	2	105	20	1148
27	Berwick, - - - - - -	965	9	5	0	1	73	6	1059
28	Peebles, - - - - - -	353	1	1	0	0	33	5	393
29	Selkirk, - - - - - -	710	7	3	0	0	70	7	797
	VIII. SOUTHERN.								
30	Roxburgh, - - - - -	1401	9	3	0	0	122	7	1542
31	Dumfries, - - - - -	1895	39	8	0	10	208	40	2200
32	Kirkcudbright, - - - -	1154	13	5	1	0	95	15	1283
33	Wigtown, - - - - - -	1049	7	4	0	8	94	11	1173

Births, Deaths, and Marriages registered in Scotland during the Year 1874.

	1874.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
		1861.	1871.	Male.	Fem.	Total.	Mal.	Fem	Total.	Male.	Fem.	Total.			
	SCOTLAND, - -	3,062,294	3,360,018	63602	60109	123711	5642	5349	10991	40678	40042	80720	26390	42991	30532·0
	GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWNS .	884,955	1,068,556	21859	20772	42631	1964	1856	3820	16245	15879	32124	10574	10507	
2	LARGE TOWNS † . .	272,540	332,180	7766	7423	15189	516	468	984	5079	4947	10026	3051	5163	
3	SMALL TOWNS . .	700,474	772,229	15266	14291	29557	1278	1173	2451	8852	8708	17560	5695	11997	
4	MAINLAND-RURAL .	1,067,560	1,055,049	16898	15979	32877	1771	1747	3518	9419	9397	18816	6443	14061	
5	INSULAR-RURAL . .	136,765	132,004	1813	1644	3457	113	105	218	1083	1111	2194	627	1263	
	DIVISIONS.														
1	NORTHERN . . .	130,422	127,191	1667	1503	3170	140	116	256	847	995	1842	621	1328	3730·1
2	NORTH-WESTERN . .	167,242	166,351	2257	2060	4317	158	136	294	1419	1518	2937	793	1380	7406·1
3	NORTH-EASTERN . .	366,870	393,199	6582	6273	12855	975	975	1950	3516	3660	7176	2531	5679	3694·3
4	EAST-MIDLAND . .	523,822	559,676	9777	9238	19015	897	876	1773	6451	6552	13003	4258	6012	4101·0
5	WEST-MIDLAND . .	242,487	251,088	4410	4240	8650	314	323	637	2955	2824	5779	1607	2871	4216·2
6	SOUTH-WESTERN . .	1,008,273	1,183,218	27213	25569	52782	2026	1819	3845	18221	17268	35489	11473	17293	2291·5
7	SOUTH-EASTERN . .	413,116	475,523	8503	8238	16741	689	675	1364	5301	5277	10578	3870	6163	1854·2
8	SOUTHERN . . .	210,062	203,772	3193	2988	6181	443	429	872	1968	1948	3916	1237	2265	3238·6
	COUNTIES.														
	I. NORTHERN.														
1	Shetland	31,670	31,608	383	350	733	20	15	35	222	300	522	153	211	935·5
2	Orkney	32,395	31,274	438	403	841	25	19	44	189	217	406	180	435	
3	Caithness	42,200	41,011	581	528	1109	75	63	138	265	301	566	198	543	701·4
4	Sutherland	24,157	23,298	265	222	487	20	19	39	171	177	348	90	139	2093·2
	II. NORTH-WESTERN.														
5	Ross and Cromarty . .	82,427	82,093	1083	977	2060	51	45	96	698	782	1480	359	580	3150·6
6	Inverness	84,815	84,258	1174	1083	2257	107	91	198	721	736	1457	434	800	4255·5
	III. NORTH-EASTERN.														
7	Nairn	8,347	8,372	110	114	224	10	11	21	79	73	152	38	72	199·9
8	Elgin (or Moray) . .	44,305	44,549	633	654	1287	104	116	220	367	435	802	244	485	488·0
9	Banff	56,020	58,883	949	925	1874	151	169	320	465	471	936	361	938	646·5
10	Aberdeen	223,417	246,298	4323	4091	8414	623	616	1239	2312	2386	4698	1633	3716	1972·0
11	Kincardine . . .	34,781	35,097	567	489	1056	87	63	150	293	295	588	255	468	387·9
	IV. EAST-MIDLAND.														
12	Forfar	206,750	240,049	4586	4303	8889	464	472	936	3167	3322	6489	2095	2400	890·4
13	Perth	133,198	128,550	1766	1687	3453	173	181	354	1288	1320	2608	773	845	2569·8
14	Fife	155,021	160,924	2879	2729	5608	204	175	379	1690	1619	3309	1203	2299	513·2
15	Kinross	8,731	7,918	115	98	213	9	11	20	81	56	137	47	76	77·8
16	Clackmannan . . .	20,122	22,235	431	421	852	47	37	84	225	235	460	140	392	49·8
	V. WEST-MIDLAND.														
17	Stirling	88,138	93,345	1966	1860	3826	147	137	284	1168	1087	2255	742	1571	466·5
18	Dumbarton . . .	54,179	61,116	1191	1205	2396	65	85	150	845	819	1664	458	732	269·8
19	Argyll	83,859	79,661	1033	993	2026	85	83	168	742	705	1447	309	579	3254·9
20	Bute	16,311	16,966	220	182	402	17	18	35	200	213	413	98	–11	225·0
	VI. SOUTH-WESTERN.														
21	Renfrew	168,746	195,305	4165	3842	8007	265	214	479	2579	2518	5097	1724	2910	253·8
22	Ayr	199,083	206,908	4313	3969	8282	337	315	652	2524	2474	4998	1829	3284	1148·8
23	Lanark	640,444	787,005	18735	17758	36493	1424	1290	2714	13118	12276	25394	7920	11099	888·9
	VII. SOUTH-EASTERN.														
24	Linlithgow	39,045	41,379	879	831	1710	72	71	143	390	356	746	300	964	126·7
25	Edinburgh	273,792	328,138	5869	5773	11642	466	461	927	3959	3992	7951	2949	3691	367·1
26	Haddington . . .	37,626	37,755	613	531	1144	53	43	96	377	372	749	224	395	279·9
27	Berwick	36,488	36,382	547	510	1057	55	49	104	287	279	566	182	491	464·3
28	Peebles	11,264	12,218	190	202	392	13	15	28	86	96	182	71	210	356·0
29	Selkirk	14,901	19,651	405	391	796	30	36	66	202	182	384	144	412	260·2
	VIII. SOUTHERN.														
30	Roxburgh	49,568	48,241	791	743	1534	86	84	170	390	370	760	300	774	669·5
31	Dumfries	75,904	74,842	1155	1041	2196	164	165	329	812	774	1586	461	610	1103·0
32	Kirkcudbright . . .	42,680	42,087	646	635	1281	96	93	189	390	408	798	243	483	953·7
33	Wigtown	41,910	38,602	601	569	1170	97	87	184	376	396	772	233	398	512·4

* The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,540,416 acres.

† The Distribution of the Population in the Five Groups of Districts does not tally with that given in Table II., but is unavoidably ected here by changes in the Districts, made by authority, since the publication of Census 1871.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay,	915	902	11	10	21	–	1	1	4	15	19	2
	(2) Burra and Quarff	890	952	9	13	22	–	–	–	4	2	6	5
2	Delting, ...	1975	1862	30	16	46	3	–	3	11	15	26	5
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	2113	1970	20	24	44	–	–	–	12	16	28	6
	(2) Sandwick and Cunningsburgh, . .	2337	2326	34	26	60	–	–	–	24	23	47	10
	(3) Fair Isle, . .	380	226	2	8	10	–	2	2	3	3	6	3
4	Fetlar, etc.—												
	(1) Fetlar, . . .	548	517	7	4	11	–	1	1	7	7	14	2
	(2) North Yell, . .	932	893	11	9	20	1	1	2	2	9	11	3
5	LERWICK, . . .	3631	4180	42	45	87	5	–	5	43	50	93	45
6	Mid and South Yell, .	1784	1843	23	21	44	2	1	3	17	16	33	4
7	Nesting, etc.—												
	(1) Nesting, . .	855	868	7	9	16	–	–	–	6	6	12	5
	(2) Lunnasting, . .	880	822	17	12	29	–	2	2	6	7	13	1
	(3) Whalsay & Skerries,	848	989	17	10	27	–	–	–	4	6	10	5
8	Northmavine, . .	2585	2602	24	29	53	3	2	5	22	27	49	15
9	Sandsting and Aithsting,	2670	2806	42	35	77	–	2	2	12	17	29	15
10	Tingwall, etc.— . .												
	(1) Tingwall, . .	1554	1442	17	11	28	1	1	2	11	16	27	9
	(2) Whiteness & Weisdale	1143	1049	13	10	23	2	–	2	4	8	12	4
11	Unst, . . .	3060	2780	27	34	61	3	1	4	17	33	50	7
12	Walls, etc.—(1) Walls, .	1365	1325	13	5	18	–	–	–	5	9	14	7
	(2) Sandness, .	606	646	7	11	18	–	1	1	6	9	15	–
	(3) Papa-Stour, .	366	351	6	5	11	–	–	–	2	4	6	–
	(4) Foula, . .	233	257	4	3	7	–	–	–	–	2	2	–
	Total,	31670	31608	383	350	733	20	15	35	222	300	522	153
	2. ORKNEY.												
†13	Birsay (part of Harry & Birsay)	1774	1597	22	13	35	1	–	1	12	16	28	10
*14	Deerness, . . .	813	863	14	14	28	1	1	2	4	3	7	6
*15	Eday and Pharay, . .	979	905	14	9	23	–	2	2	4	4	8	5
16	Evie and Rendall, . .	1408	1340	14	14	28	2	1	3	6	12	18	7
17	Firth and Stennes, .	1493	1434	21	19	40	2	–	2	9	14	23	11
18	Harray (part of Harray & Birsay)	819	727	4	12	16	–	1	1	4	2	6	5
†19	Holm and Paplay, . .	834	935	14	14	28	1	–	1	6	6	12	7
20	Hoy and Græmsay, .	556	581	6	10	16	–	–	–	2	1	3	–
21	KIRKWALL and St Ola,	4422	4261	69	57	126	3	2	5	31	46	77	26
*22	North Ronaldshay, .	532	539	7	5	12	–	–	–	5	2	7	1
23	Orphir, ...	1133	1040	18	9	27	–	–	–	6	4	10	9
24	Rousay and Egilshay, .	1152	1101	15	10	25	–	–	–	3	6	9	6
†25	St Andrews, . . .	868	870	5	15	20	–	–	–	3	4	7	4
*26	Sanday, ...	2145	2053	27	26	53	3	–	3	11	8	19	10
27	Sandwick, . . .	1225	1153	18	19	37	1	1	2	8	5	13	3
28	Shapinshay, . . .	973	949	15	9	24	1	2	3	5	2	7	8
29	South Ronaldshay and Burray, . . .	3282	3228	48	60	108	5	6	11	15	21	36	14
30	Stromness, . . .	2540	2403	30	25	55	2	1	3	23	33	56	9
†31	Stronsay, . . .	1228	1305	18	16	34	1	2	3	7	6	13	10
32	Walls, etc.—(1) Walls, .	1254	1107	19	13	32	–	–	–	2	7	9	6
	(2) Flotta, .	420	423	9	5	14	–	–	–	1	2	3	4
33	Westray, etc.—(1) Westray	2153	2090	26	23	49	1	–	1	21	10	31	15
	(2) Papa-Westray,	392	370	5	6	11	1	–	1	1	3	4	4
	Total,	32395	31274	438	403	841	25	19	44	189	217	406	180

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

N.B.—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 247.

A dagger "†" is prefixed to those Districts which consist of only a part of the Parish of the same name.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1746	1700	22	16	38	5	5	10	7	14	21	9
35	Canisbay,	2730	2729	40	41	81	8	6	14	16	11	27	13
36	Dunnet,	1861	1661	28	18	46	3	1	4	14	13	27	8
37	Halkirk,	2864	2664	41	38	79	5	4	9	13	16	29	21
38	Latheron,	8571	7400	97	98	195	13	9	22	41	51	92	30
39	Olrig,	2059	2028	28	29	57	3	3	6	12	19	31	14
40	Reay,	2476	2331	22	19	41	–	2	2	14	10	24	11
41	Thurso,	5561	5754	104	77	181	8	8	16	44	46	90	23
42	Watten,	1491	1453	20	15	35	7	3	10	10	6	16	8
43	WICK,	12841	13291	179	177	356	23	22	45	94	115	209	61
	Total,	42200	41011	581	528	1109	75	63	138	265	301	566	198
	4. Sutherland.												
44	Assynt—(1) Kirkton,	553	487	6	7	13	–	1	1	3	4	7	1
	(2) Stoer,	2625	2519	19	20	39	2	1	3	22	19	41	6
45	Clyne,	1886	1733	21	12	33	2	3	5	17	24	41	12
46	Creich—(1) Bonar,	1982	1854	24	22	46	5	2	7	10	14	24	5
	(2) Rosehall,	539	670	7	9	16	–	3	3	4	8	12	2
47	DORNOCH,	2885	2764	28	28	56	5	1	6	16	20	36	13
48	Durness,	1109	1049	10	9	19	1	–	1	4	6	10	2
49	Eddrachillis—(1) Scourie,	727	648	4	4	8	1	–	1	3	3	6	2
	(2) Kinlochbervie,	914	882	10	12	22	1	1	2	5	6	11	7
50	Farr—(1) Kirkton,	1251	1190	18	6	24	–	1	1	6	6	12	3
	(2) Strathy,	852	829	7	4	11	–	–	–	1	4	5	4
51	Golspie,	1615	1804	27	14	41	–	–	–	12	10	22	6
52	Kildonan,	2132	1916	29	21	50	1	1	2	17	18	35	11
53	Lairg,	961	978	19	11	30	1	3	4	9	10	19	3
54	Loth,	610	583	10	10	20	1	–	1	7	1	8	1
55	Rogart,	1439	1341	11	18	29	–	2	2	14	8	22	4
56	Tongue,	2077	2051	15	15	30	–	–	–	21	16	37	8
	Total,	24157	23298	265	222	487	20	19	39	171	177	348	90
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1178	1053	16	11	27	1	3	4	6	13	19	7
58	Applecross—												
	(1) Applecross,	1064	1129	10	11	21	1	–	1	9	9	18	2
	(2) Shieldaig,	1480	1341	15	11	26	3	2	5	11	17	28	5
59*a*	Avoch,	1788	1828	32	19	51	1	1	2	12	18	30	18
*59*b*	Carnoch,	*c.*325	325	3	1	4	–	1	1	3	3	6	–
†60	Contin,	*c.*697	729	6	6	12	–	–	–	3	4	7	2
61	CROMARTY,	2300	2180	29	22	51	2	2	4	23	24	47	7
62	DINGWALL,	2412	2443	23	17	40	4	1	5	20	22	42	13
63	Edderton,	836	860	11	4	15	1	–	1	4	5	9	4
64	Fearn,	2083	2135	29	21	50	1	–	1	9	15	24	5
†65	Fodderty,	2060	1943	17	28	45	1	1	2	13	21	34	6
66	Gairloch—(1) Northern,	1927	1669	27	18	45	–	–	–	12	4	16	10
	(2) Southern,	3522	3379	37	26	63	2	3	5	19	26	45	11
67	Glenshiel,	485	463	5	2	7	–	–	–	4	2	6	1
68	Killearnan,	1494	1272	9	15	24	–	1	1	4	5	9	7
69	Kilmuir-Easter,	1295	1281	16	13	29	1	–	1	7	10	17	5
70	Kiltearn,	1634	1496	13	26	39	2	2	4	9	8	17	4
71*a*	Kincardine—												
	(1) Kincardine,	1746	1273	6	10	16	–	–	–	9	8	17	1
	(2) Strathoykel,		412	6	4	10	1	–	1	1	7	8	–
*71*b*	Kinlochluichart,	*c.* 704	704	7	8	15	–	–	–	4	4	8	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
72	Kintail,	890	753	9	5	14	1	–	1	9	8	17	3
73	Knockbain,	2485	2155	19	20	39	1	3	4	13	18	31	12
74	Lochalsh,	2413	2319	20	25	45	–	–	–	26	26	52	9
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	40	31	71	3	–	3	28	26	54	12
	(2) Coigach,	1285	1239	22	13	35	2	–	2	12	12	24	2
76	Lochcarron,	1592	1629	14	12	26	–	–	–	9	22	31	8
77	Logie-Easter,	932	912	11	12	23	–	1	1	4	8	12	4
78	Nigg,	1253	1201	14	13	27	1	2	3	15	9	24	3
79	Resolis,	1568	1527	18	19	37	2	–	2	14	17	31	7
80	ROSEMARKIE,	1545	1441	21	17	38	2	3	5	16	18	34	3
81	Rosskeen,	3766	3808	46	36	82	1	3	4	27	31	58	18
82	TAIN,	3294	3221	33	34	67	2	3	5	45	41	86	16
83	Tarbat,	2269	2182	28	26	54	1	–	1	33	21	54	7
84	Urquhart & Logie-Wester	3147	2863	26	30	56	1	2	3	14	31	45	8
†85	Urray,	c.2325	2278	33	29	62	3	3	6	10	22	32	14
	Insular.												
86*a*	Barvas,	4609	4950	90	78	168	1	1	2	55	37	92	30
*86*b*	Carloway,	2204	2702	61	42	103	–	2	2	30	29	59	–
*87	Lochs,	3568	4162	81	71	152	3	1	4	33	44	77	30
88	STORNOWAY,	8668	9510	148	160	308	6	2	8	109	125	234	48
†89	Uig,	2007	2159	32	31	63	–	2	2	14	12	26	16
	Total,	82427	82093	1083	977	2060	51	45	96	698	782	1480	359
	6. INVERNESS.												
	Mainland.												
90*a*	Abernethy & Kincardine,	1928	1752	14	22	36	2	10	12	13	8	21	5
90*b*	Alvie,	833	882	10	9	19	1	2	3	5	5	10	7
91	Ardersier,	1239	1284	41	34	75	–	1	1	24	16	40	15
92	Boleskine, etc.—												
	(1) Boleskine,	813	681	8	7	15	–	1	1	5	6	11	1
	(2) Fort-Augustus or Abertarff,	930	897	6	7	13	1	1	2	7	7	14	2
93	Cromdale and Inverallan. (Now 128*b* *infra.*)												
94	Croy and Dalcross,	1873	1841	21	19	40	6	1	7	10	12	22	11
95	Daviot and Dunlichity,	1741	1598	13	18	31	2	–	2	12	16	28	6
96*a*	Dores,	1506	1401	11	16	27	–	–	–	9	5	14	2
96*b*	Duthil, etc.—(1) Duthil,	1609	1530	18	16	34	2	2	4	9	7	16	10
	(2) Rothiemurchus,	319	342	3	–	3	–	–	–	5	1	6	–
97	Glenelg—(1) Glenelg,	800	714	7	4	11	1	1	2	4	5	9	7
	(2) Knoydart,	574	499	3	2	5	–	–	–	4	5	9	1
	(3) North Morar,	469	440	6	13	19	–	1	1	2	2	4	–
98	INVERNESS,	16162	18552	304	254	558	36	17	53	170	195	365	121
99	Kilmonivaig—												
	(1) Glengarry,	625	550	5	14	19	–	–	–	4	4	8	2
	(2) Lochaber,	1651	1417	15	17	32	–	–	–	9	8	17	6
100	Kilmorack,	2852	2728	40	28	68	3	3	6	22	39	61	11
101	Kiltarlity,	2839	2537	31	30	61	4	5	9	12	15	27	8
102	Kingussie and Insh,	2033	2101	22	30	52	2	6	8	12	13	25	11
103	Kirkhill,	1757	1582	14	22	36	1	2	3	8	14	22	7
104	Laggan,	986	950	8	11	19	1	3	4	5	6	11	6
105	Moy and Dalarossie,	1026	1005	8	10	18	–	1	1	6	7	13	5
106	Petty,	1671	1549	10	25	35	1	3	4	6	13	19	7
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	27	15	42	4	1	5	27	21	48	6
	(2) Glenmoriston,	617	565	8	3	11	3	–	3	4	6	10	–
	Insular.												
108	Barra,	1853	1997	32	27	59	–	–	–	29	20	49	12
109	Bracadale,	1335	1113	8	7	15	1	–	1	8	10	18	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	F	Total.	
110	Duirinish, . . .	4775	4422	61	52	113	4	2	6	42	43	85	23
111	Harris—(1) Harris, .	3769	3668	73	54	127	3	10	13	34	22	56	20
	(2) Bernera, .	336	381	12	3	15	2	–	2	3	4	7	1
	(3) St Kilda, .	78	71	3	–	3	–	–	–	3	1	4	1
*112	Kilmuir—(1) Kilmuir, .	1561	1362	18	18	36	3	–	3	18	23	41	5
	(2) Stenscholl,	1311	1228	20	23	43	–	–	–	9	6	15	7
113	North Uist, . . .	3959	4107	67	64	131	4	6	10	36	27	63	20
114	Portree—(1) Portree, .	2579	2328	26	34	60	5	2	7	17	30	47	13
	(2) Raasay, .	580	600	17	2	19	–	–	–	6	1	7	4
115	Sleat, ...	2330	2233	29	28	57	2	3	5	16	9	25	11
116	Small Isles, . . .	567	522	7	6	13	–	–	–	3	3	6	3
117	Snizort—(1) North, .	961	803	12	8	20	2	1	3	11	9	20	–
	(2) South, .	1652	1500	14	24	38	2	1	3	21	21	42	16
118	South Uist—												
	(1) Benbecula, . .	1544	1651	26	19	45	2	–	2	13	14	27	3
	(2) Howmore, . .	1763	1818	26	29	55	2	2	4	22	19	41	13
	(3) Boisdale, . .	2051	2280	29	30	59	1	2	3	15	19	34	6
119	Strath, ...	2664	2562	41	29	70	4	1	5	21	19	40	17
	—— Total,	84815	84258	1174	1083	2257	107	91	198	721	736	1457	434
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1330	1197	14	13	27	1	1	2	9	5	14	5
121	Auldearn, . . .	1328	1279	14	9	23	–	–	–	11	8	19	4
122	Cawdor, . . .	1203	1027	11	21	32	–	2	2	6	8	14	3
123	NAIRN, . . .	4486	4869	71	71	142	9	8	17	53	52	105	26
	Total,	8347	8372	110	114	224	10	11	21	79	73	152	38
	8. Elgin (or Moray).												
124	Abernethy and Kincardine. (Now 90*a supra*).												
125	Alves, ...	1010	1018	19	25	44	–	3	3	4	5	9	4
†126	Bellie, ...	1967	2013	22	27	49	5	4	9	11	23	34	8
127	Birnie, ...	411	375	7	7	14	–	1	1	3	2	5	–
128*a*	Boharm, . . .	1412	1337	14	16	30	2	4	6	5	8	13	7
128*b*	Cromdale, etc.,—												
	(1) Cromdale & Advie,	1308	1295	14	14	28	–	5	5	7	12	19	4
	(2) Inverallan, . .	2635	2522	35	49	84	9	10	19	17	25	42	12
129	Dallas, ...	1102	1060	18	18	36	5	7	12	12	8	20	5
130	Drainie, . . .	3028	3293	59	60	119	5	7	12	26	21	47	29
131	Duffus, ...	3308	3716	53	46	99	5	6	11	51	43	94	14
132	Duthil, etc.–(Now 96*b sup.*)												
133	Dyke, ...	1247	1238	18	16	34	2	4	6	8	10	18	7
134	Edinkillie, . . .	1303	1286	12	24	36	2	3	5	7	9	16	10
*135	ELGIN, . . .	9866	9703	127	143	270	32	25	57	82	114	196	54
†136	New Spynie, . . .	518	573	6	7	13	2	4	6	10	10	20	3
137	FORRES, . . .	4112	4562	55	65	120	8	12	20	43	59	102	21
138	Kinloss, . . .	1315	1112	17	17	34	4	1	5	11	12	23	12
139	Knockando, . . .	1736	1909	27	30	57	4	3	7	14	15	29	8
140	Rafford, . . .	1055	1101	20	13	33	3	1	4	4	8	12	3
141	Rothes, ...	2407	2148	36	31	67	8	6	14	10	19	29	14
†142	St Andrews-Lhanbryde,	1344	1286	25	15	40	–	3	3	10	17	27	6
143	Speymouth, . . .	689	634	7	10	17	1	1	2	7	3	10	7
144	Urquhart, . . .	2532	2368	42	21	63	7	6	13	25	12	37	16
	Total,	44305	44549	633	654	1287	104	116	220	367	435	802	244
	9. Banff.												
†145	Aberlour, . . .	1520	1632	23	25	48	4	3	7	16	15	31	6
146	Alvah, ...	1467	1436	23	30	53	4	6	10	8	6	14	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*147	BANFF,	7740	8425	148	126	274	20	16	36	94	86	180	57
148	Botriphnie,	867	785	8	8	16	2	1	3	7	3	10	3
149	Boyndie,	1711	1854	37	29	66	5	7	12	17	14	31	12
†150	CULLEN,	1821	2056	37	35	72	2	4	6	11	13	24	5
151	Deskford,	1031	972	13	15	28	4	3	7	3	8	11	15
*152	Enzie,	2072	2251	28	45	73	3	5	8	10	21	31	19
153	FORDYCE—												
	(1) FORDYCE,	4145	c.2050	30	30	60	4	4	8	10	10	20	13
	(2) Portsoy,		c.2100	40	44	84	6	7	13	15	19	34	14
154	Forglen,	783	845	10	13	23	1	2	3	4	3	7	1
†155*a*	Gamrie,	3019	3151	58	58	116	7	10	17	21	21	42	19
*155*b*	Glenrinnes,	439	466	7	4	11	1	–	1	2	7	9	3
156	Grange,	1909	1876	33	22	55	7	7	14	8	7	15	14
157	Inveravon—(1) Inveravon,	868	890	13	10	23	1	1	2	16	4	20	2
	(2) Glenlivat,	1771	1718	20	24	44	5	4	9	11	20	31	8
158	Inverkeithny,	880	1000	11	15	26	–	3	3	5	6	11	4
159	Keith,	5943	5891	100	91	191	23	26	49	43	38	81	27
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	6	3	9	4	1	5	2	4	6	1
	(2) Tomintoul,	960	799	11	8	19	4	5	9	8	5	13	2
161	Marnoch,	3289	3294	40	55	95	7	19	26	23	26	49	14
†162	Mortlach,	2801	2737	46	39	85	13	10	23	31	17	48	25
163	Ordiquhill,	764	761	10	10	20	–	2	2	3	2	5	5
164	Rathven,	4922	6659	124	118	242	12	13	25	61	81	142	57
165	Rothiemay,	1414	1370	18	23	41	3	7	10	12	12	24	11
166	St Fergus,	1608	1633	26	21	47	7	3	10	13	7	20	8
*167	SEAFIELD,	1725	1755	29	24	53	2	–	2	11	16	27	11
	Total,	56020	58883	949	925	1874	151	169	320	465	471	936	361
	10. Aberdeen,												
168	ABERDEEN—												
	(1) St Nicholas,	41962	47077	901	903	1804	126	136	262	573	608	1181	358
	(2) Old Machar,	31938	41104	731	687	1418	61	69	130	410	475	885	325
	(3) Do. (Landward),	1298	1373	16	19	35	–	1	1	12	10	22	5
†169	Aberdour,	1837	1945	31	26	57	4	3	7	15	20	35	9
170	Aboyne,	1160	1351	30	17	47	5	3	8	10	12	22	9
171	Alford,	1264	1396	27	21	48	5	3	8	9	9	18	7
172	Auchindoir,	1593	1545	20	21	41	6	3	9	11	17	28	8
†173	Auchterless,	1782	1971	42	36	78	11	4	15	18	13	31	13
174	Belhelvie,	1807	1833	28	24	52	–	2	2	15	8	23	6
175	Birse,	1284	1198	20	24	44	4	6	10	10	8	18	3
176	Bourtie,	547	499	8	6	14	4	–	4	2	4	6	2
177	Cabrach,	794	775	5	10	15	1	1	2	7	6	13	3
178	Cairney,	1490	1525	35	14	49	11	3	14	7	8	15	11
179	Chapel of Garioch,	2023	1928	29	21	50	4	3	7	7	18	25	10
180	Clatt,	511	483	5	5	10	–	1	1	2	2	4	1
181	Cluny,	1254	1366	23	19	42	4	4	8	13	10	23	8
182	Coull,	792	824	12	10	22	3	4	7	10	7	17	5
183	Crathie and Braemar,	1574	1566	18	14	32	3	1	4	8	9	17	8
184	Crimond,	892	887	22	16	38	2	1	3	6	6	12	10
185	Cruden,	2743	3124	46	48	94	10	7	17	20	24	44	20
186	Culsamond,	1165	896	9	16	25	2	3	5	10	6	16	3
187	Daviot,	614	597	8	7	15	–	2	2	2	2	4	2
188	Drumblade,	926	931	7	6	13	1	–	1	10	8	18	1
189	Drumoak,	996	1032	14	10	24	2	1	3	10	3	13	4
190	Dyce,	585	945	24	16	40	4	2	6	7	8	15	7
191	Echt,	1287	1259	26	25	51	7	6	13	16	7	23	10
†192	Ellon,	3239	3036	50	49	99	9	7	16	34	22	56	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
193	Fintray,	1003	1108	16	20	36	3	3	6	3	5	8	2
†194	Forgue,	1397	1332	31	21	52	7	2	9	8	4	12	4
195	Foveran,	1891	1859	34	26	60	3	5	8	11	21	32	16
196	Fraserburgh,	4511	5301	128	123	251	14	15	29	62	52	114	26
†197	Fyvie,	3264	3306	40	43	83	4	9	13	21	20	41	17
198	Gartly,	1029	972	12	12	24	3	4	7	10	5	15	5
199	Glass,	1049	1061	12	16	28	1	6	7	6	5	11	1
200	Glenbucket,	552	570	9	8	17	–	–	–	4	3	7	3
201	Glenmuick, Tullich, and Glengairn,	1668	2160	30	31	61	4	6	10	21	19	40	10
202	Huntly,	4329	4374	75	70	145	18	14	32	53	46	99	21
203	Insch,	1565	1596	21	26	47	6	7	13	18	18	36	4
204	INVERURIE,	2668	2970	64	51	115	16	6	22	31	32	63	21
205	Keig,	811	886	9	16	25	1	–	1	10	7	17	3
206	Keithhall,	933	874	7	9	16	–	1	1	6	3	9	5
207	Kemnay,	832	1300	20	19	39	1	4	5	9	4	13	5
208	Kildrummy,	590	660	8	11	19	–	3	3	6	8	14	3
209	Kincardine O'Neil,	2186	2000	27	21	48	2	1	3	13	12	25	14
210	King-Edward—												
	(1) King-Edward,	1050	1058	12	15	27	–	1	1	7	6	13	7
	(2) New Byth,	1793	2053	44	31	75	15	9	24	13	20	33	13
211	KINNELLAR,	691	601	11	9	20	3	2	5	2	10	12	5
212	Kinnethmont,	1187	1062	17	12	29	4	4	8	8	13	21	5
213	KINTORE,	1895	2158	34	46	80	8	7	15	16	31	47	17
214	Leochel-Cushnie,	1173	1232	15	16	31	2	2	4	8	4	12	5
215	Leslie,	577	532	7	5	12	–	–	–	3	2	5	2
216	Logie-Buchan,	762	808	15	20	35	3	3	6	8	4	12	4
217	Logie Coldstone,	932	900	13	12	25	3	3	6	8	10	18	6
218	Longside,	3008	3321	63	58	121	8	8	16	27	31	58	18
219	Lonmay,	2142	2245	26	29	55	3	3	6	22	20	42	12
220	Lumphanan,	1251	1239	15	18	33	3	3	6	6	6	12	7
221	Methlic,	2157	2084	28	27	55	5	7	12	8	15	23	17
222*a*	Midmar,	1091	1127	16	17	33	1	4	5	6	9	15	3
*222*b*	Millbrex,	1357	1484	34	22	56	8	5	13	9	10	19	14
†223	Monquhitter,	2303	2670	41	45	86	16	13	29	8	18	26	14
224	Monymusk,	988	996	10	20	30	1	1	2	–	6	6	6
225	New Deer,	3736	4147	79	52	131	16	13	29	29	38	67	27
226	Newhills,	3463	4210	75	77	152	8	11	19	35	33	68	37
*227*a*	New Machar,	1556	1520	26	16	42	4	2	6	9	6	15	10
*227*b*	New Pitsligo,	2609	3090	62	67	129	14	10	24	30	35	65	20
228	Old Deer,	4392	4434	89	64	153	8	15	23	46	34	80	24
229	Old Meldrum,	2343	2330	39	42	81	2	12	14	22	19	41	18
230	Oyne,	1127	1050	18	20	38	4	3	7	9	9	18	6
231	Peterculter,	1483	1668	34	24	58	3	3	6	15	7	22	13
232	PETERHEAD,	9796	11506	281	241	522	30	32	62	172	164	336	95
233	Pitsligo,	1890	2218	45	41	86	6	3	9	17	20	37	10
234	Premnay,	916	997	19	14	33	5	2	7	3	3	6	10
235	Rathen,	2554	2850	44	47	91	5	4	9	28	23	51	27
236	Rayne,	1514	1409	18	20	38	3	–	3	9	8	17	12
237*a*	Rhynie,	1061	1195	22	17	39	4	1	5	10	7	17	6
*237*b*	Savoch,	2061	1961	28	44	72	3	9	12	17	16	33	9
238	Skene,	1831	1842	22	24	46	3	3	6	11	13	24	6
239	Slains,	1266	1355	17	18	35	2	5	7	11	6	17	7
*240	Strathdon,	1735	1761	17	24	41	1	5	6	13	17	30	8
†241	Strichen,	2409	2254	41	38	79	5	7	12	24	20	44	18
†242	Tarland,	970	983	10	8	18	4	2	6	7	7	14	6
†243	Tarves,	2377	2288	28	38	66	7	5	12	16	15	31	10
244	Tough,	874	760	8	9	17	1	2	3	6	5	11	4
245	Towie,	839	798	6	7	13	1	3	4	2	8	10	6
246	Tullynessle and Forbes,	957	970	15	17	32	3	1	4	5	8	13	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
247	Turriff,	3693	4348	75	72	147	11	14	25	34	32	66	24
†248	Tyrie,	833	869	23	12	35	6	2	8	6	4	10	10
†249*a*	Udny,	1623	1626	24	25	49	5	5	10	12	14	26	11
*249*b*	Ythan Wells,	1517	1494	27	18	45	4	5	9	9	6	15	7
	Total,	223417	246298	4323	4091	8414	623	616	1239	2312	2386	4698	1633
	11. Kincardine.												
250	Arbuthnott,	932	924	12	6	18	3	–	3	2	5	7	9
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	17	23	40	4	–	4	14	15	29	11
	(2) Portlethen,	1687	1789	24	19	43	4	3	7	16	11	27	12
252	Banchory-Ternan,	2947	2875	43	42	85	3	3	6	21	26	47	11
253	BENHOLM,	1574	1569	29	25	54	6	3	9	10	20	30	10
254	BERVIE,	1561	1843	41	32	73	–	1	1	11	15	26	17
255	Dunnottar,	1828	2102	39	24	63	6	9	15	21	10	31	18
256	Durris,	1109	1021	26	12	38	4	5	9	4	4	8	10
257	Fettercairn,	1700	1539	22	30	52	2	2	4	13	8	21	13
258	Fetteresso—												
	(1) Fetteresso,	3575	3585	49	45	94	11	7	18	56	44	100	19
	(2) Cookney,	1952	2080	35	37	72	4	8	12	19	11	30	17
259	Fordoun,	2297	2113	33	24	57	6	2	8	14	20	34	17
260	Garvock,	458	476	5	7	12	–	1	1	2	2	4	1
261	Glenbervie,	1219	1073	15	14	29	5	1	6	10	5	15	7
262	Kinneff and Catterline,	1054	1062	12	6	18	1	–	1	3	7	10	13
263	Laurencekirk,	2110	2174	34	32	66	7	4	11	27	30	57	9
264	Maryculter,	1055	1110	16	13	29	5	–	5	7	8	15	7
265	Marykirk,	2068	1771	28	25	53	4	6	10	9	18	27	14
266	Nigg,	2074	2348	60	52	112	9	6	15	24	19	43	23
267	St Cyrus,	1552	1585	19	15	34	2	1	3	6	13	19	13
268	Strachan,	870	795	8	6	14	1	1	2	4	4	8	4
	Total,	34781	35097	567	489	1056	87	63	150	293	295	588	255
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1054	1007	17	11	28	–	1	1	7	3	10	7
270	Airlie,	845	778	13	7	20	5	1	6	7	3	10	3
271	Arbirlot,	960	919	14	5	19	1	–	1	4	4	8	8
*272	ARBROATH,	17831	20169	376	349	725	29	29	58	207	271	478	171
273	Auchterhouse,	706	721	16	8	24	–	–	–	12	15	27	2
274	Barry,	2465	3008	41	49	90	1	1	2	27	42	69	19
275	BRECHIN,	8810	9514	172	119	291	30	20	50	81	79	160	59
276	Carmylie,	1286	1309	16	19	35	3	2	5	8	8	16	12
277	Careston,	225	209	6	4	10	1	1	2	1	2	3	1
278	Cortachy and Clova,	653	554	4	6	10	–	1	1	9	5	14	4
†279	Coupar-Angus,	2642	2797	36	41	77	5	7	12	32	14	46	22
280	CRAIG,	2177	2402	46	43	89	3	3	6	28	23	51	14
†281	Dun,	552	565	7	10	17	1	1	2	3	6	9	4
*282	DUNDEE,												
	(1) St Peter,	91664	22,894	464	474	938	31	49	80	355	372	727	214
	(2) St Mary,		23,582	499	503	1002	64	78	142	486	488	974	249
	(3) St Clement,		25,090	549	516	1065	78	84	162	429	416	845	304
	(4) St Andrew,		38,082	839	820	1659	79	80	159	604	670	1274	374
	(5) Lochee,		11,076	227	211	438	19	26	45	185	165	350	109
283	Dunnichen,	1932	1536	27	19	46	4	1	5	14	16	30	12
284	Eassie and Nevay,	748	586	8	8	16	–	–	–	1	5	6	6
285	Edzell,	1025	976	9	12	21	–	2	2	10	3	13	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
286	Farnell,	703	580	4	10	14	–	2	2	7	2	9	5
287	Fearn,	439	348	3	3	6	–	–	–	–	2	2	1
288	FORFAR,	10,838	12,585	230	210	440	26	22	48	130	132	262	104
289	Glamis,	1980	1813	24	23	47	3	2	5	12	16	28	10
290	Glenisla,	1008	925	9	11	20	–	–	–	5	7	12	5
291	Guthrie,	476	404	4	6	10	2	–	2	4	1	5	6
292	Inverarity,	961	888	17	16	33	–	1	1	2	3	5	5
293	Inverkeillor,	1792	1521	28	22	50	4	2	6	14	9	23	13
294	Kettins,	962	855	14	14	28	–	2	2	5	3	8	6
295	Kingoldrum,	473	409	2	4	6	–	1	1	2	1	3	2
296	Kinnell,	816	766	14	7	21	–	1	1	3	5	8	5
297	Kinnettles,	447	405	5	7	12	–	–	–	2	3	5	2
298	Kirkden,	1862	1623	31	28	59	3	2	5	14	13	27	8
299	Kirriemuir,	7359	6420	92	77	169	13	11	24	53	74	127	45
300	Lethnott and Navar,	446	318	5	5	10	2	–	2	2	1	3	2
†301	Liff, Benvie, and Invergowrie,	1430	1357	24	12	36	2	2	4	17	19	36	6
302	Lintrathen,	898	756	14	8	22	3	1	4	3	2	5	8
303	Lochlee,	495	424	4	4	8	–	1	1	4	5	9	–
304	Logie-Pert,	1483	1251	21	16	37	1	2	3	4	11	15	8
305	Lunan,	259	248	2	4	6	1	–	1	–	4	4	1
306	Lundie,	442	400	3	5	8	–	1	1	5	2	7	4
307	Mains, etc.—(1) Mains,	1392	1927	30	39	69	3	2	5	26	26	52	16
	(2) Strathmartine,	789	822	22	8	30	3	2	5	9	13	22	3
308	Marytown,	417	396	7	2	9	1	–	1	6	1	7	4
309	Menmuir,	796	761	10	11	21	–	–	–	3	3	6	1
310	Monifieth,	5052	7252	161	133	294	7	4	11	70	60	130	48
311	Monikie,	1460	1397	23	18	41	1	1	2	9	9	18	8
*312	MONTROSE,	15,668	15,783	230	215	445	22	14	36	165	203	368	99
313	Murroes,	763	751	18	13	31	1	1	2	6	8	14	2
314	Newtyle,	1139	931	15	14	29	–	–	–	15	13	28	9
315	Oathlaw,	399	452	4	8	12	1	–	1	2	4	6	2
316	Panbride,	1299	1331	20	16	36	1	–	1	18	13	31	12
317	Rescobie,	747	748	9	7	16	–	1	1	7	2	9	1
318	Ruthven,	265	247	2	7	9	–	1	1	2	5	7	–
†319	St Vigeans,	2553	2513	52	42	94	4	4	8	12	17	29	20
320	Stracathro,	546	503	9	11	20	1	–	1	2	5	7	2
321	Tannadice,	1438	1286	22	16	38	4	–	4	10	9	19	12
322	Tealing,	883	879	16	17	33	1	2	3	7	6	13	8
	Total,	206750	240049	4586	4303	8889	464	472	936	3167	3322	6489	2095
	13. Perth.												
323	Aberdalgie,	295	342	8	4	12	–	–	–	2	2	4	3
*324	Aberfeldy,	2402	2286	38	20	58	5	3	8	26	18	44	10
325	Aberfoyle,	565	432	4	3	7	–	–	–	5	4	9	1
326	Abernethy,	1960	1744	19	25	44	3	4	7	7	17	24	14
327	Abernyte,	310	253	2	3	5	–	–	–	2	4	6	–
†328*a*	Alyth,	3198	3151	51	44	95	8	14	22	33	33	66	12
*328*b*	Ardoch,	1418	1316	15	21	36	1	1	2	13	16	29	8
329	Auchterarder,	4208	3795	53	42	95	10	5	15	43	53	96	26
330	Auchtergaven,	2562	2141	28	22	50	6	3	9	19	34	53	14
*331	Balquhidder,	746	743	7	9	16	2	3	5	8	5	13	5
†332	Bendochy,	549	474	6	10	16	–	1	1	3	3	6	3
333	Blackford,	2041	1836	26	24	50	4	2	6	19	19	38	10
†334	Blair-Athol,	1553	1718	22	16	38	1	1	2	17	15	32	5
†335	Blairgowrie,	4423	4832	55	69	124	4	6	10	40	59	99	26
336	Callander,	1676	1870	23	20	43	4	2	6	19	19	38	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
†337	Caputh,	1728	1571	15	16	31	1	1	2	9	10	19	10
338	Cargill,	1647	1411	20	19	39	4	3	7	13	10	23	10
339	Clunie,	699	603	8	12	20	2	–	2	2	5	7	6
340	Collace,	534	456	4	7	11	–	1	1	3	1	4	4
†341	Comrie,	2226	1911	20	14	34	2	–	2	20	17	37	5
342	Crieff,	4490	4598	68	53	121	8	8	16	59	52	111	24
343	CULROSS,	1423	1354	25	17	42	2	1	3	17	10	27	7
*344	Dowally,	486	461	7	5	12	1	1	2	3	4	7	4
345	Dron,	376	343	6	8	14	–	–	–	1	4	5	2
†346	Dull,	753	677	4	7	11	–	–	–	3	5	8	5
347	Dunbarney,	1035	913	14	7	21	–	1	1	9	5	14	6
*348	Dunblane,	2528	2765	38	41	79	5	6	11	43	30	73	15
*349	Dunkeld,	1086	881	14	4	18	2	–	2	10	6	16	2
350	Dunning,	2084	1832	26	18	44	3	2	5	16	18	34	9
351	Errol,	2759	2504	31	32	63	3	4	7	16	17	33	8
352	Findo-Gask,	399	369	5	6	11	–	–	–	3	3	6	2
353	Forgandenny,	739	632	5	6	11	1	1	2	4	3	7	3
354	Forteviot,	595	567	9	6	15	2	–	2	10	5	15	5
*355*a*	Fortingall,	1244	1014	15	7	22	2	2	4	7	3	10	6
*355*b*	Foss,	381	270	3	4	7	1	1	2	1	3	4	–
356	Fowlis-Easter,	317	291	6	6	12	–	–	–	–	5	5	2
†357	Fowlis-Wester,	1276	1028	18	7	25	–	–	–	4	13	17	4
358	Glendevon,	138	105	2	–	2	–	–	–	–	3	3	–
359	Inchture,	659	659	15	9	24	–	2	2	2	6	8	8
*360	Kenmore,	1515	1215	20	12	32	2	2	4	12	12	24	11
*361	Killin,	1681	1977	16	18	34	3	2	5	24	9	33	5
362	Kilmadock,	3312	3170	35	37	72	3	2	5	32	36	68	18
363	Kilspindie,	665	679	14	18	32	1	2	3	6	8	14	6
364	Kincardine,	1778	1484	15	20	35	2	4	6	13	7	20	13
365	Kinclaven,	758	607	9	9	18	–	2	2	5	5	10	4
366	Kinfauns,	657	578	7	8	15	–	2	2	6	5	11	1
*367	Kinloch-Rannoch,	1147	921	14	9	23	1	–	1	9	4	13	4
368	Kinnaird,	318	299	5	6	11	–	1	1	–	2	2	1
†369	Kinnoul,	796	723	6	14	20	2	1	3	3	6	9	–
†370	Kirkmichael—												
	(1) Kirkmichael,	812	657	9	14	23	–	3	3	6	4	10	1
	(2) Glenshee,	334	241	1	1	2	–	–	–	2	3	5	1
371	Lecropt,	538	535	13	9	22	–	1	1	4	7	11	–
†372	Lethendy, etc.—												
	(1) Lethendy,	235	179	1	1	2	–	–	–	–	2	2	2
	(2) Kinloch,	295	251	2	3	5	–	–	–	1	–	1	2
†373	Little Dunkeld,	2089	2352	21	26	47	3	5	8	24	26	50	13
374	LOGIE,	3483	4553	58	47	105	2	4	6	45	51	96	21
*375	Logiealmond,	815	646	9	2	11	1	–	1	5	3	8	1
†376	Logierait,	1902	1739	12	17	29	1	1	2	16	15	31	6
377	Longforgan,	1823	1753	34	25	59	1	1	2	11	6	17	7
378	Madderty,	536	523	4	4	8	–	–	–	2	5	7	4
*379	Meigle,	1122	1003	15	13	28	2	–	2	6	3	9	8
†380	Methven,	2290	2073	24	26	50	2	5	7	23	30	53	11
381	Moneydie,	252	244	1	2	3	–	–	–	3	1	4	1
†382	Monzie,	461	413	4	5	9	–	–	–	1	4	5	2
383	Monzievaird,	782	744	12	7	19	1	–	1	6	6	12	2
†384	Moulin,	1605	1561	20	20	40	1	2	3	12	10	22	10
385	Muckhart,	615	612	2	8	10	–	1	1	1	3	4	4
*386*a*	Muthill,	2001	1916	27	14	41	5	3	8	18	16	34	11
*386*b*	Persie,	839	820	12	9	21	–	2	2	2	10	12	2
*387	PERTH,	26094	26382	424	443	867	41	40	81	364	336	700	232
388	Port of Menteith,	1375	1243	4	14	18	1	–	1	7	13	20	7
†389	Rattray,	2234	2586	37	47	84	6	5	11	36	35	71	18
†390	Redgorton,	1596	1401	17	16	33	–	2	2	13	10	23	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
391	Rhynd, . . .	297	327	3	6	9	–	–	–	2	1	3	–
392	St Madoes, . . .	280	290	4	2	6	1	–	1	2	3	5	–
393	St Martins, . . .	904	735	14	7	21	1	3	4	4	3	7	5
†394*a*	Scone, ...	2153	2185	29	37	66	–	2	2	13	32	45	17
*394*b*	Strathfillan, . . .	411	342	3	4	7	–	–	–	3	2	5	1
*394*c*	Tenandry, . . .	595	530	6	11	17	–	1	1	4	2	6	1
†395	Tibbermore, . . .	1182	1128	20	13	33	1	–	1	11	10	21	6
396	Trinity-Gask, . .	488	415	10	1	11	1	–	1	1	3	4	2
397	Tulliallan, . . .	2410	2184	38	34	72	1	3	4	18	32	50	14
†398	Weem, . . .	215	186	–	5	5	–	–	–	1	–	1	–
	Total,	133198	128550	1766	1687	3453	173	181	354	1288	1320	2608	773
	14. Fife.												
†399	Abbotshall, . . .	808	674	16	8	24	2	–	2	1	7	8	1
†400	Abdie, ...	1257	1057	20	12	32	3	1	4	15	9	24	6
401	Aberdour, . . .	1874	1697	36	24	60	3	4	7	14	22	36	13
402	ANSTRUTHER-EASTER, . . .	1155	1239	24	18	42	2	–	2	12	8	20	10
403	ANSTRUTHER-WESTER, . . .	421	545	10	13	23	4	2	6	3	11	14	2
404	Arngask, . . .	705	565	8	10	18	–	1	1	4	6	10	7
405	Auchterderran, . .	3457	4017	123	99	222	7	9	16	58	41	99	24
406	AUCHTERMUCHTY, .	3285	2958	34	26	60	2	4	6	28	26	54	12
407	Auchtertool, . . .	609	529	10	12	22	2	1	3	3	6	9	4
408	Ballingry, . . .	736	982	34	47	81	1	4	5	22	11	33	9
409	Balmerino, . . .	815	717	7	9	16	1	–	1	4	7	11	3
410	Beath, ...	2390	3534	107	115	222	5	4	9	72	47	119	34
411	BURNTISLAND, .	3670	3872	73	59	132	4	3	7	40	42	82	28
412	Cameron, . . .	1362	1158	17	13	30	1	1	2	3	7	10	3
413	Carnbee, . . .	1157	1088	8	15	23	–	1	1	5	3	8	1
414	Carnock, . . .	2925	1764	24	33	57	3	3	6	18	13	31	13
415	Ceres, ...	2723	2381	30	27	57	4	2	6	16	25	41	9
416	Collessie, . . .	1530	1703	36	31	67	2	1	3	14	15	29	10
417	CRAIL, . . .	1931	1864	23	36	59	1	6	7	23	13	36	17
418	Creich, . . .	377	387	10	5	15	2	–	2	2	2	4	5
419	Cults, ...	800	767	10	14	24	–	2	2	6	7	13	5
420	CUPAR, . . .	6750	7102	104	87	191	10	11	21	64	68	132	50
421	Dairsie, . . .	638	687	12	10	22	3	2	5	6	11	17	3
422	Dalgetty . . .	1569	1310	36	31	67	1	–	1	9	16	25	14
*423	Dunbog, . . .	414	395	6	5	11	1	–	1	6	4	10	6
*424	DUNFERMLINE— .												
	(1) Burgh, . . .	13,506	14,963	302	309	611	19	22	41	176	184	360	170
	(2) Landward, . .	7609	8293	158	154	312	6	9	15	81	80	161	49
425	Dunino, ...	370	325	3	4	7	–	–	–	–	–	–	3
426	DYSART, . . .	8842	9682	201	185	386	11	6	17	119	107	226	80
427	Elie, ...	826	775	6	6	12	–	–	–	5	11	16	6
428	FALKLAND, . .	2937	3069	40	37	77	6	2	8	37	26	63	18
429	Ferry-Port-on-Craig, .	2013	2674	42	50	92	5	5	10	34	39	73	22
†430	Flisk, ...	230	212	3	4	7	–	–	–	–	2	2	1
431	Forgan, . . .	1326	2243	39	32	71	–	1	1	28	10	38	16
*432	INVERKEITHING, .	3196	3131	51	55	106	4	1	5	48	28	76	25
433	Kemback, . . .	896	1056	13	8	21	1	1	2	10	4	14	14
434	Kennoway, . . .	2012	1703	26	15	41	2	3	5	19	18	37	14
435	Kettle, ...	2474	2323	32	26	58	2	1	3	15	12	27	15
436	KILCONQUHAR, . .	2431	2018	32	17	49	4	1	5	17	15	32	12
437	Kilmany, . . .	656	651	10	6	16	–	–	–	5	3	8	3
438	KILRENNY, . .	2534	2945	51	57	108	4	4	8	21	26	47	12
†439	KINGHORN, . .	2349	2602	46	43	89	7	3	10	42	36	78	28
440	Kinglassie, . . .	1266	1082	35	23	58	3	1	4	22	13	35	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
441	Kingsbarns,	937	922	12	8	20	3	–	3	4	4	8	16
*442	KIRKCALDY,	11117	12835	245	237	482	14	6	20	133	132	265	114
443	Largo,	2626	2318	32	38	70	–	1	1	24	26	50	21
444	Leslie,	4332	4294	65	65	130	7	5	12	33	44	77	27
445	Leuchars,	1903	1727	23	27	50	3	1	4	16	11	27	9
446	Logie,	410	402	5	5	10	1	–	1	4	3	7	3
447	Markinch,	5375	5413	91	88	179	3	5	8	62	65	127	44
448	Monimail,	1054	918	18	7	25	1	1	2	6	7	13	3
449	Moonzie,	179	154	2	2	4	–	–	–	–	1	1	1
450	NEWBURGH,	2693	2529	35	44	79	5	4	9	14	15	29	15
451	Newburn,	374	362	5	6	11	2	–	2	3	3	6	2
452	PITTENWEEM,	1710	1803	36	29	65	3	1	4	18	19	37	11
453	ST ANDREWS and St Leonards,	7605	8592	98	100	198	6	14	20	55	65	120	41
454	St Monance (or Abercrombie),	1498	1761	32	37	69	3	1	4	21	16	37	13
455	Saline,	1610	1259	19	20	39	2	2	4	15	16	31	12
456	Scoonie,	3257	3178	63	45	108	4	2	6	34	28	62	17
457	Strathmiglo,	2261	2267	24	32	56	3	5	8	19	22	41	15
458	Torryburn,	1229	1051	21	14	35	1	1	2	6	9	15	12
459	Wemyss—(1) Wemyss,	6003	c.2492	45	65	110	1	1	2	37	37	74	20
	(2) Buckhaven,		c.3908	100	70	170	4	3	7	59	55	114	23
	Total,	155021	160924	2879	2729	5608	204	175	379	1690	1619	3309	1203
	15. Kinross.												
460	Cleish,	649	539	6	11	17	1	1	2	4	1	5	2
461	Fossoway and Tulliebole,	1584	1461	27	15	42	1	1	2	17	12	29	5
462	Kinross,	2649	2477	31	33	64	4	3	7	28	20	48	16
463	Orwell,	2399	2248	32	22	54	2	3	5	21	17	38	22
464	Portmoak,	1450	1193	19	17	36	1	3	4	11	6	17	2
	Total,	8731	7918	115	98	213	9	11	20	81	56	137	47
	16. Clackmannan.												
465	Alloa,	8867	9940	209	218	427	20	22	42	109	115	224	70
466	Clackmannan,	4425	4653	105	102	207	11	7	18	45	44	89	34
467	Dollar,	1776	2524	28	29	57	3	2	5	19	19	38	10
468	Tillicoultry,	5054	5118	89	72	161	13	6	19	52	57	109	26
	Total,	20122	22235	431	421	852	47	37	84	225	235	460	140
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1194	1396	44	31	75	5	1	6	21	24	45	11
470	Alva,	3283	4296	94	97	191	11	7	18	50	41	91	20
471	Baldernock,	718	616	10	13	23	–	–	–	5	5	10	4
472	Balfron,	1517	1502	17	21	38	3	4	7	14	16	30	5
†473	Bothkennar,	c.1210	1726	39	40	79	2	3	5	24	14	38	16
474	Buchanan,	705	591	5	6	11	1	1	2	4	2	6	5
475	Campsie,	6483	6739	114	115	229	8	6	14	73	89	162	45
476	Denny,	4988	4993	111	106	217	9	10	19	47	39	86	58
477	Drymen,	1619	1405	21	21	42	–	1	1	12	7	19	6
478	Dunipace,	1731	1733	40	27	67	3	3	6	14	18	32	10
†479	FALKIRK—(1) Burgh,	9030	9547	213	196	409	19	13	32	157	147	304	70
	(2) Landward,	c.6320	6726	161	140	301	9	10	19	89	84	173	66

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry, ...	685	499	7	6	13	2	2	4	6	3	9	1
481*a*	Gargunnock, . . .	728	675	6	16	22	–	2	2	8	7	15	6
*481*b*	Grangemouth, . .	*c.*2249	2569	55	60	115	2	–	2	36	22	58	9
482	Killearn, . . .	1171	1111	10	14	24	3	–	3	7	10	17	6
483	Kilsyth, . . .	6112	6313	158	154	312	11	12	23	49	60	109	62
484	Kippen, ...	1722	1568	22	23	45	2	2	4	11	14	25	5
485	Larbert, ...	4999	5280	114	100	214	12	10	22	105	78	183	35
486	Muiravonside, . .	2660	2653	60	57	117	2	2	4	33	34	67	18
†487	Polmont, . . .	*c.*4050	3848	86	77	163	10	10	20	30	46	76	29
†488	ST NINIANS—												
	(1) ST NINIANS, .	4693	5289	106	77	183	3	2	5	74	67	141	27
	(2) Bannockburn, .	3796	4358	94	85	179	6	3	9	46	46	92	39
489	Slamannan, . . .	2916	4164	128	137	265	5	10	15	53	39	92	42
*490	STIRLING, . . .	12171	12513	228	222	450	16	21	37	193	166	359	137
491	Strathblane, . . .	1388	1235	23	19	42	3	2	5	7	9	16	10
	Total,	88138	93345	1966	1860	3826	147	137	284	1168	1087	2255	742
	18. Dumbarton.												
492	Arrochar, . . .	629	525	6	4	10	–	–	–	9	3	12	2
*493	Bonhill, . . .	9059	9593	159	159	318	6	14	20	127	114	241	104
†494	Cardross, . . .	4168	4405	79	74	153	4	4	8	51	63	114	35
495	Cumbernauld, . .	3513	3602	76	76	152	6	7	13	36	33	69	27
*496	DUMBARTON, . .	8268	11423	281	286	567	10	15	25	232	228	460	80
497	Kilmaronock, . .	1085	978	11	7	18	–	2	2	8	9	17	7
498	Kirkintilloch, . .	8179	8257	174	193	367	21	17	38	150	133	283	60
499	Luss, ...	831	730	6	3	9	–	–	–	9	5	14	1
500	New or East Kilpatrick,												
501	Old or West Kilpatrick, .	4910	6038	122	156	278	7	9	16	74	53	127	35
502	Roseneath, . . .	5577	5346	135	128	263	4	7	11	70	81	151	48
503	Row, ...	1626	1780	24	20	44	1	1	2	14	9	23	8
		6334	8439	118	99	217	6	9	15	65	88	153	51
	Total,	54179	61116	1191	1205	2396	65	85	150	845	819	1664	458
	19. Argyll. *Mainland.*												
504	Ardchattan, . . .												
505	Ardnamurchan—	1381	1172	9	14	23	1	–	1	10	12	22	–
	(1) Aharacle, . .												
	(2) Arisaig, . .	1544	1414	25	14	39	2	2	4	13	9	22	7
	(3) Sunart (or Strontian),	1343	1131	15	12	27	2	2	4	7	12	19	4
	(4) Western Ardnamur-	759	760	12	9	21	–	–	–	2	2	4	3
	chan, . . .	1054	954	19	16	35	4	1	5	9	4	13	2
*506	Ballachulish and Corran												
	of Ardgour, . .	919	849	7	10	17	1	–	1	8	7	15	2
507	CAMPBELTOWN, .	8149	8580	165	137	302	14	13	27	83	89	172	47
508	Craignish, . . .	618	481	6	7	13	1	–	1	1	3	4	1
*509	Cumlodden and Minard,	*c.*1340	*c.*1133	16	13	29	–	1	1	9	12	21	2
510	Dunoon and Kilmun, .	5461	6871	95	98	193	7	7	14	69	68	137	29
†511	Glassary, . .	*c.*1462	*c.*1228	19	13	32	2	–	2	12	6	18	7
*512	Glenorchy, . . .	869	752	6	7	13	–	1	1	5	6	11	6
†513	INVERARAY, . .	1650	1503	18	20	38	3	1	4	12	18	30	5
514	Inverchaolain, . .	424	443	8	2	10	1	–	1	2	3	5	1
515	Kilbrandon & Kilchattan,	2053	2107	27	23	50	–	1	1	24	17	41	13
†516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, .	742	684	9	4	13	–	–	–	4	5	9	3
	(2) Kilberry, . .	583	485	1	4	5	–	–	–	4	4	8	1
*517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	587	396	7	3	10	–	–	–	2	2	4	1
	(2) Dalavich, . .	230	217	1	4	5	–	–	–	1	2	3	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan, . . .	1891	2228	34	21	55	–	–	–	16	14	30	11
519	Killean and Kilchenzie,.	1890	1614	19	18	37	1	–	1	11	9	20	7
†520	Kilmalie, . . .	3353	3217	41	48	89	3	3	6	34	34	68	10
521	Kilmartin, . . .	949	869	7	14	21	–	1	1	13	14	27	1
522	Kilmodan, . . .	433	358	2	1	3	–	–	–	4	1	5	1
523	KILMORE AND KILBRIDE, .	2962	3402	46	55	101	5	5	10	43	47	90	21
524	Kilninver, etc.—												
	(1) Kilninver, . .	314	253	5	2	7		–	–	2	2	4	1
	(2) Kilmelford, . .	486	506	4	1	5	1	–	1	2	2	4	1
525	Lismore, etc.—												
	(1) Lismore, . .	1023	908	9	8	17	–	–	–	8	7	15	4
	(2) Appin, . . .	825	728	7	10	17	1	–	1	4	5	9	3
	(3) Glencoe & Ballachulish, . .	1324	1529	19	17	36	–	3	3	15	10	25	2
	(4) Duror, . . .	423	370	3	2	5	–	–	–	–	2	2	–
*526	Lochgilphead, . .	3312	3680	44	40	84	3	5	8	37	26	63	14
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, .	418	436	7	5	12	–	–	–	3	4	7	3
	(2) Kilmorich, . .	284	330	7	7	14	1	1	2	2	4	6	–
528	Morvern, . . .	1226	973	6	16	22	–	1	1	7	15	22	2
*529	Muckairn, . . .	965	790	10	6	16	2	–	2	10	2	12	11
530	North Knapdale, . .	1327	1059	12	12	24	2	–	2	12	7	19	3
531	Saddell, etc.—												
	(1) Saddell, . .	739	645	8	8	16	–	–	–	4	4	8	3
	(2) Skipness, . .	533	500	2	3	5	–	–	–	5	3	8	2
532	Southend, . . .	1214	1044	8	13	21	–	2	2	7	8	15	4
†533	South Knapdale, . .	654	548	3	5	8	–	2	2	4	3	7	2
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	309	340	3	7	10	–	–	–	–	4	4	1
	(2) Strachur, . .	563	527	6	9	15	1	–	1	5	3	8	2
*535	Tarbert, . . .	1661	1866	31	29	60	1	1	2	15	16	31	6
	Insular.												
*536	Bowmore (or Kilarrow),	2701	2088	16	21	37	3	2	5	16	14	30	11
537	Gigha, ...	467	390	5	8	13	–	–	–	3	2	5	–
538	Iona (merged in 542), .												
†539	Jura, etc.—(1) Jura, .	858	775	9	8	17	1	–	1	10	11	21	2
	(2) Colonsay,	598	456	3	9	12	–	3	3	2	5	7	2
†540	Kilchoman, . . .	2377	1882	20	15	35	1	1	2	18	20	38	2
†541	Kildalton, . . .	2187	1916	35	27	62	9	5	14	30	21	51	9
*542	Kilfinichen & Kilvickeon,	2535	2461	21	25	46	1	1	2	16	15	31	1
*543	Kilmeny, . . .	1268	924	18	9	27	1	2	3	7	2	9	2
†544	Kilninian and Kilmore,.	1641	1189	5	14	19	–	3	3	13	14	27	3
*545	Kinlochspelvie, . .	428	388	6	5	11	1	–	1	4	4	8	1
*546	Oa, ...	769	367	3	2	5	–	–	–	1	6	7	1
*547	Portnahaven, . .	1059	979	11	10	21	2	2	4	7	7	14	3
*548	Salen, ...	604	605	5	6	11	–	–	–	3	3	6	2
*549	Tobermory, . . .	1566	1344	17	12	29	2	2	4	24	20	44	3
†550	Torosay, . . .	557	454	3	6	9	–	–	–	3	6	9	1
551	Tyree, etc.—(1) Tyree, .	3217	2837	37	43	80	3	7	10	40	24	64	12
	(2) Coll, .	781	723	11	6	17	2	2	4	5	4	9	5
	Total,	83859	79661	1033	993	2026	85	83	168	742	705	1447	309
	20. Bute.												
552	Cumbrae, . . .	1236	1613	25	20	45	3	1	4	10	23	33	16
†553	Kilbride—(1) Brodick, .	902	928	7	8	15	1	1	2	6	10	16	3
	(2) Kilbride, .	1351	1276	9	15	24	2	–	2	13	11	24	5
554	Kilmory, . . .	2515	2278	18	12	30	2	5	7	28	21	49	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth,	905	901	11	13	24	1	–	1	11	9	20	8
*556	Lochranza,	824	777	11	4	15	–	–	–	6	5	11	8
*557	North Bute,	1351	1393	12	16	28	–	–	–	11	11	22	5
†558	ROTHESAY,	7227	7800	127	94	221	8	11	19	115	123	238	46
	Total,	16311	16966	220	182	402	17	18	35	200	213	413	98
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
*559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	332	277	609	32	17	49	224	216	440	146
	(2) Landward,	5670	5679	139	109	248	8	6	14	74	63	137	27
	(3) Johnstone,	8142	8590	185	165	350	17	12	29	117	106	223	77
560	Cathcart,	3782	7231	195	152	347	8	5	13	66	81	147	83
561	Eaglesham,	2328	1714	26	18	44	–	1	1	13	10	23	20
562	Eastwood,	11314	13098	258	250	508	20	23	43	146	132	278	101
563	Erskine,	1457	1565	27	17	44	1	–	1	6	12	18	7
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	203	190	393	19	19	38	131	129	260	26
	(2) East,	12135	17061	451	413	864	19	14	33	201	168	369	164
	(3) Old, or West,	22313	33141	813	736	1549	35	33	68	561	500	1061	410
565	Houstoun and Killellan,	2490	2167	39	39	78	3	1	4	30	31	61	21
566	Inchinnan,	619	584	12	11	23	–	1	1	7	1	8	2
567	Inverkip—												
	(1) Inverkip,	1188	1393	19	14	33	1	1	2	11	8	19	5
	(2) Gourock,	2307	3109	42	48	90	4	3	7	37	43	80	11
568	Kilbarchan,	6348	6093	117	116	233	6	4	10	66	72	138	52
569	Kilmalcolm,	1455	1716	18	35	53	3	3	6	22	14	36	12
570	Lochwinnoch,	3821	3816	68	43	111	5	7	12	46	46	92	31
571	Mearns,	3547	3543	57	43	100	3	5	8	36	38	74	21
572	Neilston—												
	(1) Neilston,	4577	4633	66	78	144	8	6	14	49	52	101	30
	(2) Barrhead,	6436	6503	120	100	220	8	8	16	79	78	157	40
*573	PAISLEY,	31538	31909	601	569	1170	49	29	78	452	496	948	299
574	PORT-GLASGOW,	7294	9912	254	267	521	11	9	20	120	145	265	109
†575	RENFREW,	4650	5908	123	152	275	5	7	12	85	77	162	30
	Total,	168746	195305	4165	3842	8007	265	214	479	2579	2518	5097	1724
	22 Ayr.												
576	Ardrossan—												
	(1) Old Ardrossan,	3530	3336	75	55	130	9	3	12	37	40	77	48
	(2) New Ardrossan,	3246	3929	92	68	160	2	2	4	47	43	90	32
577	Auchinleck,	4213	6174	156	137	293	5	9	14	86	62	148	40
*578	AYR,	19659	19172	346	345	691	43	32	75	244	278	522	172
579	Ballantrae,	1483	1277	24	18	42	3	3	6	16	16	32	7
580	Barr,	910	672	10	3	13	–	–	–	6	6	12	6
581	Beith,	5775	6233	126	102	228	8	6	14	59	65	124	47
582	Colmonell,	2588	2293	33	43	76	6	6	12	18	18	36	20
583	Coylton,	1604	1440	28	30	58	2	3	5	9	13	22	13
584	Craigie,	730	618	8	11	19	3	1	4	7	5	12	6
585	Dailly,	2050	1932	41	31	72	2	3	5	24	21	45	14
586	Dalmellington,	4194	6165	205	186	391	7	9	16	67	62	129	55
587	Dalry,	11156	10885	250	222	472	12	14	26	127	146	273	97
588	Dalrymple,	1325	1412	37	24	61	3	1	4	16	16	32	14
589	Dreghorn,	3283	3241	84	91	175	6	7	13	38	44	82	35
†590	Dundonald—												
	(1) Dundonald,	2095	1507	34	28	62	2	6	8	16	18	34	11
	(2) Troon,	2599	2870	51	34	85	5	3	8	28	25	53	25

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
591	Dunlop,	1038	1160	20	20	40	2	–	2	17	9	26	8
592	Fenwick,	1532	1318	12	15	27	–	–	–	10	13	23	11
593	Galston,	5254	6331	162	152	314	9	7	16	81	83	164	53
594	Girvan,	7053	5685	101	94	195	14	17	31	54	58	112	51
*595	IRVINE,	8607	8462	210	181	391	15	19	34	150	151	301	100
596	Kilbirnie,	5265	4953	90	95	185	8	9	17	64	58	122	50
597	KILMARNOCK,	23556	24072	528	475	1003	32	29	61	401	358	759	230
598	Kilmaurs,	3526	3449	76	70	146	6	8	14	43	37	80	29
599	Kilwinning,	7717	7375	179	178	357	9	15	24	89	83	172	68
600	Kirkmichael,	2823	2254	46	30	76	6	4	10	23	21	44	17
601	Kirkoswald,	2060	1846	30	34	64	3	5	8	17	9	26	11
602	Largs,	3620	4087	64	57	121	2	4	6	44	47	91	30
603	Loudoun,	4840	5525	124	105	229	6	4	10	52	61	113	58
604	Mauchline,	2303	2435	37	43	80	1	2	3	37	35	72	25
605	Maybole,	6713	5900	111	100	211	21	12	33	83	64	147	59
606	Monkton and Prestwick,	1937	1744	17	28	45	–	1	1	13	21	34	15
607	Muirkirk,	3270	3253	80	74	154	4	–	4	52	35	87	34
608	New Cumnock,	2891	3434	112	83	195	10	4	14	41	51	92	39
609	Ochiltree,	1676	1656	22	22	44	2	5	7	9	10	19	17
610	Old Cumnock,	3721	4041	83	101	184	10	12	22	52	51	103	37
611	RICCARTON,	5629	5845	158	153	311	10	5	15	96	91	187	60
*612	St Quivox and Newton-upon-Ayr,	1870	1363	27	16	43	4	1	5	14	13	27	16
613	Sorn,	4042	4032	86	64	150	9	1	10	53	50	103	29
614	Stair,	743	734	18	11	29	5	4	9	6	7	13	6
615	Stevenston,	5452	5019	106	131	237	5	9	14	65	53	118	43
616	Stewarton,	4449	4478	89	78	167	8	8	16	49	68	117	34
617	Straiton,	1544	1443	24	18	42	8	2	10	6	8	14	11
618	Symington,	855	792	10	10	20	–	2	2	6	6	12	6
619	Tarbolton,	2669	3219	66	80	146	7	14	21	34	30	64	26
620	West Kilbride,	1988	1847	25	23	48	3	4	7	18	15	33	14
	Total,	199083	200908	4313	3969	8282	337	315	652	2524	2474	4998	1829
	23 Lanark.												
621	Avondale,	6125	5460	97	89	186	7	7	14	48	56	104	50
†622	BARONY,—												
	(1) MARYHILL,	6734	10235	343	319	662	8	14	22	211	187	398	82
	(2) SPRINGBURN,	8911	13994	393	369	762	28	33	61	377	329	706	102
	(3) Shettlestone,	6914	7517	168	163	331	9	6	15	114	113	227	50
623	Biggar,	1999	2013	39	32	71	4	7	11	18	24	42	14
624	Blantyre,	3092	3472	104	108	212	7	5	12	82	65	147	41
625	Bothwell—												
	(1) Bothwell,	7059	9193	230	205	435	12	9	21	146	141	287	67
	(2) Holytown,	10844	10099	279	234	513	18	12	30	151	143	294	92
626*a*	Cadder—(1) Western,	3023	3261	74	69	143	2	4	6	32	36	68	26
	(2) Eastern,	2925	3203	64	62	126	2	5	7	50	44	94	17
*626*b*	Calderhead,	4034	4271	106	130	236	7	9	16	58	49	107	34
627	Cambuslang,	3647	3740	108	106	214	2	2	4	50	51	101	25
†628	Cambusnethan,	13118	18709	556	506	1062	29	30	59	334	232	566	195
629	Carluke,	6176	7066	174	149	323	17	7	24	83	77	160	77
630	Carmichael,	836	708	8	8	16	–	–	–	7	6	13	2
631	Carmunnock,	734	702	6	11	17	–	–	–	9	7	16	5
632	Carnwath,	3584	5709	159	146	305	7	12	19	48	62	110	53
633	Carstairs,	1345	1718	21	36	57	1	–	1	15	18	33	15
634	Covington and Thankerton,	532	454	4	8	12	–	2	2	6	7	13	5
635	Crawford,—(1) Crawford,	694	727	3	16	19	–	5	5	3	–	3	4
	(2) Leadhills,	896	1102	24	20	44	2	2	4	9	10	19	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
636	Crawfordjohn,	980	853	9	10	19	1	1	2	5	10	15	7
637	Culter,	665	593	9	3	12	2	1	3	5	3	8	1
638	Dalserf—												
	(1) Larkhall,	3629	5332	158	153	311	7	14	21	72	71	143	55
	(2) Dalserf,	1247	2009	63	79	142	1	4	5	29	22	51	10
639	Dalziel,	5438	9175	279	265	544	15	11	26	171	151	322	84
640	Dolphinton,	260	231	3	2	5	–	–	–	1	1	2	3
641	Douglas,	2490	2624	53	33	86	9	3	12	26	24	50	29
642	Dunsyre,	312	302	3	5	8	1	1	2	2	2	4	–
643	East Kilbride,	4064	3861	59	77	136	2	6	8	39	41	80	26
644	GLASGOW—												
	(1) Central,	49678	57279	1234	1135	2369	228	200	428	1202	1143	2345	533
	(2) High,	48119	58466	1268	1204	2472	105	118	223	1351	1116	2467	761
	(3) Bridgeton,	45485	60628	1643	1539	3182	133	101	234	1274	1224	2498	685
	(4) Calton,	36625	38177	726	692	1418	60	72	132	558	583	1141	255
	(5) Clyde,	29975	26044	361	359	720	43	61	104	392	343	735	180
	(6) Blythswood,	28697	33443	425	470	895	35	38	73	319	367	686	512
	(7) Milton,	33360	46393	1166	1086	2252	74	62	136	709	714	1423	488
	(8) Anderston,	40945	52504	1091	954	2045	72	57	129	703	697	1400	513
	(9) Tradeston,	38600	49176	973	979	1952	83	54	137	674	660	1334	649
	(10) Hutchesontown,	44019	55622	1455	1279	2734	104	90	194	936	880	1816	417
645	Glassford,	1938	1430	25	24	49	1	2	3	14	23	37	13
646	Govan—												
	(1) Govan Church,	11297	27116	1197	1197	2394	62	52	114	731	697	1428	394
	(2) Park,	2428	5720	190	177	367	9	5	14	93	91	184	94
	(3) Partick,	14859	23918	593	630	1223	21	24	45	322	322	644	250
647	HAMILTON,	14047	16803	393	366	759	27	29	56	236	233	469	146
648	LANARK,	7891	7841	109	120	229	26	15	41	112	91	203	59
649	Lesmahagow,	9266	8709	216	204	420	25	11	36	75	80	155	75
650	Libberton,	836	691	9	11	20	2	3	5	3	6	9	1
651	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	331	307	638	18	19	37	183	178	361	157
	(2) Landward,	7632	9264	302	292	594	16	11	27	172	116	288	83
652	Old Monkland—												
	(1) Western,	6932	7873	217	190	407	11	6	17	97	98	195	62
	(2) Middle,	15303	18410	514	455	969	27	17	44	333	250	583	155
	(3) Eastern,	7308	7790	192	190	382	7	8	15	125	96	221	56
653	Pettinain,	407	366	7	5	12	1	–	1	4	4	8	1
654	RUTHERGLEN,	9335	10766	238	236	474	11	8	19	150	111	261	114
655	Shotts,	4792	5699	174	155	329	15	8	23	98	110	208	40
656	Stonehouse,	3267	3177	70	71	141	4	4	8	37	48	85	32
657	Symington,	528	442	6	2	8	3	1	4	4	4	8	3
658	Walston,	480	425	6	4	10	1	2	3	1	4	5	3
659	Wandell and Lamington,	380	332	4	5	9	–	–	–	1	1	2	4
660	Wiston and Roberton,	786	680	4	7	11	–	–	–	8	4	12	3
	Total,	640444	787005	18735	17758	36493	1424	1290	2714	13118	12276	25394	7920
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	965	933	12	16	28	–	5	5	7	6	13	7
662	Bathgate—												
	(1) Bathgate,	6572	6942	137	134	271	9	11	20	70	62	132	45
	(2) Armadale,	3562	3187	79	106	185	5	6	11	43	22	65	33
663	Borrowstounness,	5698	4986	126	106	232	9	8	17	60	51	111	32
664	Carriden,	1821	1799	39	29	68	4	4	8	17	11	28	15
665	Dalmeny,	804	916	24	16	40	–	2	2	3	6	9	2

No. of District.	Registration Districts.	Population.		otal Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
666	Ecclesmachen, . .	309	329	1	3	4	–	–	–	2	–	2	–
†667	Kirkliston, . . .	1907	2172	47	44	91	6	3	9	18	24	42	12
668	LINLITHGOW, . .	5784	5554	97	105	202	11	13	24	58	49	107	40
669	Livingstone, . . .	1366	1727	36	36	72	4	2	6	10	17	27	15
*670	QUEENSFERRY, .	1391	1521	29	26	55	3	3	6	16	17	33	8
671	Torphichen, . . .	1848	1630	32	30	62	3	–	3	13	11	24	14
672	Uphall, ...	1507	2772	64	42	106	5	3	8	15	15	30	14
673	Whitburn, . . .	5511	6911	156	138	294	13	11	24	58	65	123	63
	Total,	39045	41379	879	831	1710	72	71	143	390	356	746	300
	25. Edinburgh.												
†674	Borthwick, . . .	1569	1494	30	29	59	3	4	7	14	14	28	6
675	Carrington, . . .	681	712	12	16	28	2	1	3	5	9	14	3
†676	Cockpen, . . .	2113	2481	54	49	103	1	6	7	23	29	52	25
677	Colinton, . . .	2656	3644	72	71	143	16	18	34	97	108	205	24
678	Corstorphine, . .	1579	1788	28	27	55	2	1	3	25	17	42	9
†679	Cramond, . . .	2695	3020	23	20	43	–	1	1	29	26	55	16
680	Cranston, . . .	1035	1036	19	21	40	–	4	4	7	6	13	6
681	Crichton, . . .	1304	1223	13	23	36	–	4	4	8	11	19	8
682	Currie, ...	2248	2360	37	45	82	1	2	3	22	17	39	17
683	Dalkeith, . . .	7114	7667	132	142	274	5	14	19	81	92	173	64
*684	DUDDINGSTON—												
	(1) PORTOBELLO, .	4366	5481	91	92	183	2	8	10	69	62	131	56
	(2) Landward, . .	857	970	19	17	36	1	3	4	11	11	22	7
*685	EDINBURGH												
	(1) St George .	42068	55049	986	923	1909	64	54	118	632	656	1288	437
	(2) St Andrew .	38731	39781	574	577	1151	48	37	85	366	422	788	384
	(3) Canongate, . .	30169	33183	584	613	1197	70	76	146	658	484	1142	293
	(4) St Giles, . .	29679	31960	593	554	1147	87	79	166	415	402	817	323
	(5) Newington, . .	29797	41079	715	719	1434	37	43	80	444	532	976	466
686	Fala and Soutra, . .	382	364	4	7	11	2	1	3	1	4	5	1
687	Glencorse, . . .	1217	1153	15	20	35	1	1	2	7	7	14	12
688	Heriot, ...	407	414	7	6	13	2	1	3	–	6	6	–
689	INVERESK, . .	9518	10068	158	153	311	18	11	29	117	116	233	76
*690	Kirknewton and East-Calder, . . .	1549	2213	42	56	98	5	1	6	17	22	39	15
691	Lasswade, . . .	5688	7098	125	132	257	5	9	14	57	72	129	44
*692	LEITH—												
	(1) North Leith, . .	11562	16582	367	302	669	19	7	26	185	192	377	179
	(2) South Leith, . .	24467	29852	664	645	1309	49	33	82	452	425	877	289
†693	Liberton, . . .	3510	3791	61	57	118	–	7	7	32	46	78	28
694	Mid-Calder, . . .	1389	3634	28	23	51	2	–	2	10	8	18	17
†695	Newbattle, . . .	2138	2424	46	62	108	5	5	10	15	23	38	20
696	Newton, . . .	1553	1181	22	23	45	1	1	2	13	14	27	6
697	Penicuik, . . .	3249	3765	57	55	112	4	8	12	33	39	72	32
698*a*	Ratho, ...	1659	1744	29	26	55	2	3	5	17	11	28	15
*698*b*	Stobhill, . . .	2364	2447	55	58	113	4	1	5	27	27	54	17
†699	Stow, ...	1870	1957	29	33	62	3	3	6	10	11	21	10
†700	Temple, ...	682	658	9	10	19	–	–	–	4	2	6	5
701	West-Calder, . .	1927	7865	169	167	336	5	14	19	56	69	125	39
	Total,	273792	328138	5869	5773	11642	466	461	927	3959	3992	7951	2949
	26. Haddington.												
702	Aberlady, . . .	1019	1022	10	15	25	1	1	2	2	9	11	6
703	Athelstaneford, . .	902	844	9	8	17	1	1	2	6	8	14	6
704	Bolton, ...	332	364	2	7	9	–	–	–	–	3	3	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
705	Dirleton,	1540	1419	18	11	29	–	–	–	12	5	17	9
706	DUNBAR,	4944	4982	86	53	139	7	4	11	77	68	145	31
707	Garvald,	891	832	7	8	15	–	–	–	5	3	8	5
708	Gladsmuir,	1945	1863	30	18	48	3	1	4	16	11	27	8
709	HADDINGTON,	5548	5735	94	76	170	4	4	8	52	60	112	41
710	Humbie,	997	967	17	9	26	4	1	5	4	3	7	4
711	Innerwick,	937	892	8	17	25	1	3	4	10	6	16	4
712	Morham,	281	204	4	1	5	–	–	–	1	1	2	2
713	NORTH BERWICK,	2071	2373	39	30	69	3	2	5	19	30	49	11
714	Oldhamstocks,	615	592	5	6	11	–	–	–	8	4	12	2
715	Ormiston,	915	911	21	17	38	2	1	3	8	8	16	8
716	Pencaitland,	1187	1320	20	26	46	1	4	5	13	17	30	10
717	Prestonkirk,	1960	1931	28	31	59	4	3	7	12	24	36	15
718	Prestonpans,	2080	2069	40	29	69	4	2	6	38	20	58	11
719	Salton,	712	647	11	4	15	2	1	3	7	4	11	3
720	Spott,	555	560	5	9	14	–	–	–	4	3	7	2
721	Stenton,	692	612	10	8	18	–	2	2	2	5	7	2
722	Tranent,	4647	4852	111	121	232	10	9	19	68	58	126	30
723	Whitekirk and Tynninghame,	1113	1073	19	10	29	3	2	5	5	9	14	3
724	Whittinghame	710	657	7	7	14	–	1	1	3	4	7	–
725	Yester,	1033	1034	12	10	22	3	1	4	5	9	14	8
	Total,	37626	37755	613	531	1144	53	43	96	377	372	749	224
	27. Berwick.												
726	Abbey St Bathans,	179	195	5	3	8	–	–	–	–	–	–	1
727	Ayton,	2014	1983	35	30	65	2	1	3	17	16	33	17
728	Bunkle and Preston,	756	764	9	8	17	1	–	1	4	7	11	1
729	Channelkirk,	671	705	7	16	23	1	2	3	4	4	8	2
730	Chirnside,	1502	1413	26	15	41	2	1	3	12	13	25	6
731	Cockburnspath,	1194	1133	18	20	38	1	3	4	7	7	14	3
732	Coldingham,	3241	3093	61	43	104	5	4	9	15	27	42	10
733	Coldstream,	2823	2619	28	37	65	3	6	9	21	30	51	17
734	Cranshaws,	134	142	–	1	1	–	–	–	1	2	3	–
735	Dunse,	3595	3602	47	42	89	6	5	11	27	21	48	14
736	Earlston,	1825	1977	35	30	65	5	2	7	27	13	40	16
737	Eccles,	1861	1780	15	23	38	1	5	6	17	9	26	6
738	Edrom,	1592	1513	27	17	44	3	–	3	16	24	40	6
739	Eyemouth,	1804	2372	43	51	94	5	2	7	25	18	43	20
740	Fogo,	559	502	4	9	13	–	3	3	1	3	4	3
741	Foulden,	431	425	5	5	10	2	1	3	4	4	8	2
742	Gordon,	931	876	13	11	24	1	1	2	6	2	8	6
743	Greenlaw,	1370	1381	25	17	42	3	–	3	8	14	22	5
744	Hume,	420	460	7	8	15	1	–	1	3	6	9	1
745	Hutton,	1067	1077	10	10	20	1	1	2	10	10	20	6
746	Ladykirk,	564	518	11	5	16	1	2	3	3	3	6	2
747	Langton,	502	548	2	13	15	1	–	1	5	5	10	4
748	LAUDER,	2198	2120	42	29	71	3	2	5	17	18	35	8
749	Legerwood,	599	525	9	11	20	1	2	3	4	3	7	3
750	Longformacus,	448	452	8	7	15	–	–	–	3	2	5	5
751	Merton,	729	734	11	13	24	–	–	–	6	2	8	4
752	Mordington,	377	402	4	6	10	1	2	3	2	2	4	1
753	Nenthorn,	461	434	9	7	16	3	–	3	1	1	2	1
754	Polwarth,	251	249	3	–	3	–	–	–	2	3	5	–
755	Swinton,	964	996	14	9	23	2	2	4	15	4	19	3
756	Westruther,	786	784	11	8	19	–	2	2	–	4	4	7
757	Whitsome,	640	608	3	6	9	–	–	–	4	2	6	2
	Total,	36488	36382	547	510	1057	55	49	104	287	279	566	182

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	28. Peebles.												
758	Broughton (merged in 763), ...												
759	Drumelzier, . . .	209	221	7	2	9	1	1	2	4	1	5	–
760	Eddlestone, . . .	753	700	4	12	16	–	1	1	4	–	4	5
761	Glenholm (merged in 763),												
†762	Innerleithen, . .	1787	2776	43	56	99	5	3	8	22	23	45	17
763	Kilbucho, Broughton, and Glenholm, . .	723	729	11	12	23	–	1	1	2	3	5	6
764	Kirkurd, . . .	362	294	2	5	7	–	–	–	1	1	2	1
765	Lyne, etc.—(1) Lyne, .	81	104	2	1	3	–	–	–	–	–	–	1
	(2) Megget,	53	70	–	1	1	–	–	–	–	–	–	–
766	Manor, ...	247	271	4	2	6	–	–	–	3	1	4	–
767	Newlands, . . .	987	851	11	10	21	–	–	–	4	8	12	4
768	PEEBLES, . . .	2850	3172	54	52	106	5	6	11	30	35	65	22
769	Skirling, . . .	317	325	4	5	9	–	–	–	1	3	4	1
770	Stobo, ...	478	459	12	11	23	–	–	–	3	6	9	1
771	Traquair, . . .	687	669	10	9	19	–	1	1	4	1	5	4
772	Tweedsmuir, . .	196	190	3	4	7	1	–	1	1	1	2	1
773	West Linton, . .	1534	1387	23	20	43	1	2	3	7	13	20	8
	Totals,	11264	12218	190	202	392	13	15	28	86	96	182	71
	29. Selkirk.												
*774*a*	Caddonfoot, . . .	610	699	15	18	33	–	1	1	4	8	12	4
774*b*	Ettrick, ...	454	434	4	6	10	–	–	–	3	1	4	3
†775	GALASHIELS, . .	3268	5921	117	113	230	8	11	19	68	58	126	57
776*a*	Kirkhope, . . .	555	565	8	11	19	1	1	2	–	4	4	1
*776*b*	LADHOPE, . . .	4154	5317	126	115	241	8	13	21	53	47	100	38
777	Roberton, . . .	640	593	5	7	12	2	–	2	1	3	4	2
†778	SELKIRK, . . .	4646	5555	119	112	231	10	9	19	66	58	124	37
†779	Yarrow, ...	574	567	11	9	20	1	1	2	7	3	10	2
	Total,	14901	19651	405	391	796	30	36	66	202	182	384	144
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . . .	1511	1391	28	25	53	4	3	7	10	3	13	7
781	Ashkirk, . . .	578	550	6	4	10	–	–	–	2	4	6	2
782	Bedrule, . . .	222	292	3	4	7	–	–	–	1	1	2	3
783	Bowden, . . .	864	842	7	11	18	–	–	–	8	8	16	5
784	Castleton, . . .	3688	2202	40	41	81	2	4	6	17	20	37	8
785	Cavers, ...	1824	1443	17	26	43	1	2	3	10	12	22	9
786	Crailing, . . .	673	657	6	10	16	2	3	5	5	2	7	4
787*a*	Eckford, . . .	957	931	13	11	24	3	1	4	3	4	7	5
*787*b*	Edgerston, . . .	359	365	6	9	15	–	2	2	4	1	5	1
788	Ednam, ...	599	613	11	9	20	1	–	1	2	2	4	3
789	HAWICK, . . .	8726	8733	173	160	333	18	13	31	85	83	168	74
790	Hobkirk, . . .	771	718	10	7	17	–	–	–	4	3	7	1
791	Hownam, . . .	289	238	4	7	11	1	1	2	4	1	5	3
†792	JEDBURGH, . .	5011	4971	75	78	153	8	12	20	39	45	84	27
793	Kelso, ...	5192	5124	71	67	138	8	9	17	41	54	95	30
794	Kirkton, . . .	421	320	2	5	7	–	1	1	2	1	3	3
795	Lilliesleaf, . . .	772	788	13	18	31	3	2	5	2	3	5	3
796	Linton, ...	608	570	7	5	12	2	1	3	3	–	3	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861	1871	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
797	Makerston,	380	361	5	5	10	1	1	2	3	–	3	6
798	Maxton,	497	481	6	8	14	–	1	1	1	3	4	4
799	Melrose,	3500	4115	57	49	106	2	2	4	38	41	79	22
800	Minto,	430	431	5	1	6	1	–	1	4	1	5	3
801	Morebattle,	1031	986	21	11	32	4	2	6	10	4	14	8
802	Oxnam,	592	652	12	11	23	3	1	4	3	3	6	2
803	Roxburgh,	1178	1053	23	13	36	5	2	7	4	8	12	7
804	St Boswells,	922	973	22	18	40	2	3	5	9	7	16	2
805	Smailholm,	554	534	5	9	14	1	1	2	4	3	7	3
806	Southdean,	687	674	11	3	14	–	–	–	6	4	10	3
807	Sprouston,	1305	1294	16	15	31	3	1	4	6	3	9	11
808	Stitchel,	425	388	4	6	10	–	4	4	4	4	8	4
809	Teviothead,	438	515	7	8	15	–	2	2	6	2	8	2
810	WILTON,	3357	3936	85	77	162	8	8	16	36	37	73	26
811	Yetholm,	1207	1100	20	12	32	3	2	5	14	3	17	5
	Total,	49568	48241	791	743	1534	86	84	170	390	370	760	300
	31. Dumfries.												
812	ANNAN,	5113	4631	89	63	152	13	7	20	49	48	97	16
813*a*	Applegarth,	935	902	10	8	18	–	1	1	9	10	19	7
813*b*	BRYDEKIRK,	779	731	8	14	22	2	8	10	11	8	19	4
814	Canonbie,	3219	3055	60	51	111	7	11	18	46	29	75	18
815	Carlaverock,	1248	1151	20	9	29	6	4	10	2	12	14	7
816	Closeburn,	1651	1612	32	24	56	2	7	9	10	8	18	10
817	Cummertrees,	1184	1072	14	14	28	4	4	8	10	12	22	8
818	Dalton,	679	577	11	6	17	1	–	1	4	4	8	1
819	Dornock,	856	826	10	11	21	–	2	2	7	10	17	6
820	Dryfesdale,	2509	2825	34	51	85	5	10	15	27	27	54	18
821	DUMFRIES,	13523	14841	228	212	440	25	26	51	217	217	434	98
822	Dunscore,	1554	1504	28	12	40	2	2	4	16	10	26	12
823	Durrisdeer,	1320	1189	18	13	31	1	1	2	6	11	17	8
824	Eskdalemuir,	590	551	8	3	11	1	1	2	4	4	8	1
825	Ewes,	356	338	2	5	7	–	2	2	–	–	–	3
826	Glencairn,	1867	1749	20	22	42	–	4	4	13	14	27	15
827	Graitney (or Gretna),	1620	1395	14	21	35	3	4	7	7	14	21	10
828	Halfmorton,	713	611	9	9	18	2	2	4	6	2	8	6
829	Hoddom,	1568	1520	16	19	35	–	–	–	25	12	37	8
830	Holywood,	1115	1069	13	12	25	–	4	4	7	11	18	11
831	Hutton,	876	842	20	12	32	6	3	9	10	8	18	3
832	Johnstone,	1149	1089	21	7	28	3	1	4	5	2	7	9
833	Keir,	849	828	10	9	19	–	–	–	5	12	17	3
834	Kirkconnel,	996	952	12	17	29	1	–	1	13	6	19	6
835	Kirkmahoe,	1462	1332	19	22	41	3	5	8	5	8	13	9
836	Kirkmichael,	1026	903	14	16	30	4	5	9	5	7	12	4
837	Kirkpatrick-Fleming—												
	(1) Northern District,	493	393	3	6	9	1	1	2	5	6	11	2
	(2) Southern District,	1432	1136	18	13	31	8	3	11	20	14	34	8
838	Kirkpatrick-Juxta,	1025	1091	10	21	31	–	2	2	6	12	18	5
839	Langholm,	2979	3735	78	71	149	13	7	20	44	45	89	18
840	LOCHMABEN,	3087	3085	40	29	69	7	7	14	29	37	66	17
841	Middlebie,	2004	2000	31	31	62	5	6	11	27	12	39	11
842	Moffat,	2232	2543	39	35	74	7	7	14	28	23	51	24
843	Morton,	2253	2099	22	33	55	3	5	8	29	22	51	9
844	Mouswald,	633	647	6	9	15	3	–	3	5	4	9	–
845	Penpont,	1326	1323	19	8	27	5	–	5	15	13	28	8
846	Ruthwell,	1046	974	14	9	23	3	–	3	4	6	10	5
847	St Mungo,	686	658	9	8	17	1	2	3	3	5	8	8
848	SANQUHAR,	2758	2201	47	39	86	7	2	9	30	22	52	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
849	Tinwald,	1079	993	20	13	33	1	2	3	10	11	21	5
850	Torthorwald,	1254	1098	21	16	37	6	3	9	13	8	21	7
851	Tundergarth,	507	510	8	8	16	1	1	2	3	2	5	3
852	Tynron,	446	381	7	6	13	–	–	–	7	8	15	3
853*a*	Wamphray,	559	505	4	2	6	–	–	–	6	5	11	–
*853*b*	Wanlockhead,	811	837	9	16	25	1	1	2	8	8	16	8
854	Westerkirk,	537	540	10	6	16	1	2	3	1	5	6	4
	Total,	75904	74842	1155	1041	2196	164	165	329	812	774	1586	461
	32. Kirkcudbright.												
855	Anwoth,	899	827	16	4	20	2	–	2	11	5	16	1
†856	Balmaclellan,	890	861	8	11	19	1	2	3	11	5	16	2
857*a*	Balmaghie,	1225	1085	15	19	34	2	5	7	8	8	16	7
*857*b*	Bargrennan,	471	428	2	3	5	–	–	–	4	2	6	2
858	Borgue,	1162	1087	24	11	35	3	2	5	7	12	19	8
859	Buittle,	1165	1026	14	21	35	2	–	2	4	13	17	8
860	Carsphairn,	553	545	6	7	13	–	–	–	2	5	7	2
861	Colvend,	1366	1318	23	25	48	4	1	5	6	12	18	6
*862	Corsock-Bridge,	544	563	12	9	21	1	2	3	4	6	10	4
863	Crossmichael,	1536	1492	17	20	37	4	1	5	12	16	28	5
*864	Dalbeattie,	2054	3163	53	69	122	3	5	8	42	42	84	34
865	Dalry,	1149	1074	13	16	29	5	7	12	7	4	11	7
866	Girthon,	1702	1586	24	28	52	5	6	11	14	16	30	14
867	Irongray,	913	815	8	19	27	1	2	3	4	6	10	6
868	KELLS,	1170	1007	13	14	27	1	–	1	5	11	16	4
869	Kelton,	3436	3222	56	45	101	11	5	16	33	40	73	26
870	Kirkbean,	942	825	11	15	26	1	1	2	8	3	11	2
871	KIRKCUDBRIGHT,	3407	3346	49	41	90	9	10	19	40	39	79	19
872	Kirkgunzeon,	793	661	12	13	25	2	–	2	4	3	7	1
873	Kirkmabreck,	1851	1568	34	18	52	3	–	3	12	20	32	8
†874	Kirkpatrick-Durham,	1323	1218	17	11	28	1	4	5	5	7	12	7
875	Lochrutton,	677	656	8	9	17	–	1	1	5	6	11	5
†876	Minnigaff,	1518	1329	23	27	50	4	9	13	7	8	15	7
877	New Abbey,	1063	931	18	15	33	7	6	13	9	10	19	4
†878	Parton,	572	526	11	7	18	2	–	2	3	2	5	3
879	Rerrick,	1738	1911	24	26	50	6	2	8	17	12	29	13
880	TERREGLES,	580	547	7	3	10	1	2	3	3	3	6	3
881	Tongland,	892	908	14	11	25	3	1	4	6	10	16	2
882	TROQUEER,	4743	5402	88	89	177	9	15	24	90	63	153	25
883	Twynholm,	815	717	9	6	15	–	1	1	1	6	7	2
†884	Urr,	1531	1443	17	23	40	3	3	6	6	13	19	6
	Total,	42680	42087	646	635	1281	96	93	189	390	408	798	243
	33. Wigtown.												
885	Glasserton,	1472	1196	19	15	34	8	2	10	12	8	20	5
†886	Inch,	2460	2189	34	26	60	6	2	8	17	17	34	16
887	Kirkcolm,	1860	1948	26	27	53	4	8	12	17	17	34	14
888	Kirkcowan,	1434	1352	22	22	44	2	8	10	12	20	32	5
889	Kirkinner,	1716	1548	17	18	35	1	2	3	12	19	31	5
890	Kirkmaiden,	2333	2507	48	45	93	8	9	17	16	23	39	19
†891	Leswalt,	1417	1249	17	15	32	3	4	7	12	7	19	7
892	Mochrum,	2694	2450	42	39	81	8	5	13	27	25	52	12
893	New Luce,	731	661	13	16	29	–	6	6	8	7	15	3
894	Old Luce (or Glenluce),	2800	2449	43	36	79	9	7	16	29	21	50	9

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
†895	Penninghame, . .	3876	3712	57	53	110	6	3	9	36	27	63	34
896	Portpatrick, . . .	2189	1492	17	30	47	3	4	7	12	17	29	3
897	Sorbie, ...	1814	1667	25	19	44	6	2	8	16	23	39	11
898	Stoneykirk, . . .	3228	2993	52	40	92	9	10	19	23	21	44	19
*899	STRANRAER, . .	6315	5977	97	86	183	16	9	25	80	84	164	41
900	WHITHORN, . .	2934	2906	35	47	82	4	4	8	25	34	59	15
901	WIGTOWN, . . .	2637	2306	37	35	72	4	2	6	22	26	48	15
	Total,	41910	38602	601	569	1170	97	87	184	376	396	772	233

MARRIAGES registered in SCOTLAND in 1874, according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND.	26390	11820	5922	3586	643	2267	1923	13	216	22291	840	2330	855	74	2401	4747
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	10574	3680	2278	1522	404	1332	1150	3	205	8707	447	962	453	5	1098	2262
LARGE TOWNS	3051	1359	578	466	72	367	202	2	5	2529	97	303	120	2	323	632
SMALL TOWNS	5695	2783	1114	933	92	399	362	6	6	4846	170	491	176	12	531	1028
MAINLAND-RURAL	6443	3722	1699	622	75	142	181	2	–	5677	116	508	98	44	320	614
INSULAR-RURAL	627	276	253	43	–	27	28	–	–	532	10	66	8	11	129	211
DIVISIONS.																
I. NORTHERN	621	225	298	53	–	–	43	–	2	547	9	55	7	3	26	80
II. NORTH-WESTERN	793	185	536	8	6	48	10	–	–	689	8	80	9	7	207	324
III. NORTH-EASTERN	2531	1485	619	141	95	45	139	4	3	2202	52	210	64	3	47	171
IV. EAST MIDLAND	4258	2074	799	693	139	231	256	–	66	3671	108	362	108	9	211	553
V. WEST MIDLAND	1607	797	335	209	23	154	87	1	1	1354	44	153	43	13	165	275
VI. SOUTH-WESTERN	11473	4685	2140	1660	239	1526	1135	6	82	9506	451	1014	485	17	1520	2939
VII. SOUTH-EASTERN	3870	1653	954	655	127	223	196	1	61	3249	139	352	122	8	177	328
VIII. SOUTHERN	1237	716	241	167	14	40	57	1	1	1073	29	104	17	14	48	77
COUNTIES.																
1 Shetland	153	97	30	12	–	–	14	–	–	132	1	17	–	3	5	33
2 Orkney	180	77	45	41	–	–	15	–	2	157	4	16	3	–	3	5
3 Caithness	198	40	144	–	–	–	14	–	–	176	4	15	3	–	9	19
4 Sutherland	90	11	79	–	–	–	–	–	–	82	–	7	1	–	9	23
5 Ross and Cromarty	359	43	299	5	3	1	8	–	–	317	2	33	6	1	107	167
6 Inverness	434	142	237	3	3	47	2	–	–	372	6	47	3	6	100	157
7 Nairn	38	11	19	6	–	–	2	–	–	28	4	5	1	–	1	10
8 Elgin	244	108	95	25	3	4	6	3	–	213	1	27	3	–	7	21
9 Banff	361	215	85	21	4	21	15	–	–	308	5	34	13	1	13	57
10 Aberdeen	1633	963	375	85	74	19	114	1	2	1427	37	125	42	2	22	72
11 Kincardine	255	188	45	4	14	1	2	–	1	226	5	19	5	–	4	11
12 Forfar	2095	846	381	342	115	186	163	–	62	1792	59	178	63	3	136	404
13 Perth	773	405	209	93	12	21	31	–	2	669	20	65	14	5	18	43
14 Fife	1203	720	189	215	8	17	52	–	2	1048	24	104	27	–	39	73
15 Kinross	47	27	6	14	–	–	–	–	–	40	1	5	1	–	1	2
16 Clackmannan	140	76	14	29	4	7	10	–	–	122	4	10	3	1	17	31
17 Stirling	742	361	139	104	6	77	53	1	1	623	21	67	21	10	72	121
18 Dumbarton	458	215	82	77	12	61	11	–	–	393	13	40	12	–	48	92
19 Argyll	309	183	77	17	4	9	19	–	–	260	7	33	6	3	37	51
20 Bute	98	38	37	11	1	7	4	–	–	78	3	13	4	–	8	11
21 Renfrew	1724	631	378	235	63	239	171	–	7	1428	58	151	83	4	215	469
22 Ayr	1829	1000	373	224	15	105	110	2	–	1546	51	147	83	2	188	362
23 Lanark	7920	3054	1389	1201	161	1182	854	4	75	6532	342	716	319	11	1117	2108
24 Linlithgow	300	183	45	33	4	25	9	–	1	269	9	12	4	6	29	63
25 Edinburgh	2949	1152	805	474	113	176	168	1	60	2427	124	289	108	1	126	222
26 Haddington	224	133	42	26	6	12	5	–	–	190	3	23	8	–	17	30
27 Berwick	182	82	33	62	–	–	5	–	–	166	2	13	1	–	3	6
28 Peebles	71	40	12	15	1	–	3	–	–	66	–	5	–	–	–	2
29 Selkirk	144	63	17	45	3	10	6	–	–	131	1	10	1	1	2	5
30 Roxburgh	300	160	55	60	6	4	15	–	–	267	8	23	1	1	6	12
31 Dumfries	461	264	88	69	7	13	18	1	1	397	11	49	2	2	7	19
32 Kirkcudbright	243	160	44	21	1	11	6	–	–	212	5	17	9	–	10	17
33 Wigtown	233	132	54	17	–	12	18	–	–	197	5	15	5	11	25	29

CONDITION and AGE of PERSONS married in SCOTLAND in 1874.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1874.

CONDITION.		Total Marriages.	AGES AT MARRIAGE.																				
			Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.		22291	–	–	3	25	154	728	1243	9025	6896	2611	944	361	161	78	33	10	3	3	1	–	–	12
		22291	1	8	95	430	1173	1882	2260	9227	5092	1411	479	154	49	16	1	–	–	–	–	–	–	13
Bachelors with Widows.		840	–	–	–	–	1	3	7	129	216	208	123	75	39	19	12	3	2	2	–	–	–	1
		840	–	–	–	–	–	3	5	66	225	229	157	103	30	16	4	2	–	–	–	–	–	–
Widowers with Spinsters.		2330	–	–	–	–	–	–	2	73	303	458	457	364	238	202	103	79	27	15	4	1	–	4
		2330	–	1	3	4	23	32	63	340	549	508	428	224	108	29	12	2	1	1	–	–	–	2
Widowers with Widows.		855	–	–	–	–	–	–	–	4	42	98	126	149	156	127	69	56	18	8	2	–	–	–
		855	–	–	–	–	–	–	2	12	84	136	166	208	137	69	24	14	1	–	1	1	–	–
Condition not stated.	Men.	74	–	–	–	–	1	4	5	18	21	12	6	3	–	2	–	2	–	–	–	–	–	–
	Women.	74	–	–	1	–	5	5	4	30	14	9	4	1	1	–	–	–	–	–	–	–	–	–
Total Men.....		26390	–	–	3	25	156	735	1257	9249	7478	3387	1656	952	594	428	217	150	50	28	7	1	–	17
Total Women...		26390	1	9	99	434	1201	1922	2334	9675	5964	2293	1234	690	325	130	41	18	2	1	1	1	–	15

AGES of MALES married in Scotland in 1874.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1874.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland.	26390	–	–	3	25	156	735	1257	9249	7478	3387	1656	952	594	428	217	150	50	28	7	1	–	17
GROUPS OF DISTRICTS.																							
Principal Towns	10574	–	–	1	14	67	313	528	3699	2928	1365	661	403	249	176	84	59	18	8	1	–	–	–
Large Towns	3051	–	–	1	3	20	109	143	1133	836	327	182	107	82	53	29	17	4	4	1	–	–	–
Small Towns	5695	–	–	1	3	45	168	299	2146	1589	654	330	182	106	82	43	30	10	4	1	–	–	2
Mainland-Rural	6443	–	–	–	5	23	135	276	2170	1910	893	421	228	143	104	56	39	14	9	4	–	–	13
Insular-Rural	627	–	–	–	–	1	10	11	101	215	148	62	32	14	13	5	5	4	3	–	1	–	2
DIVISIONS.																							
1. Northern	621	–	–	–	–	3	10	15	164	194	107	54	31	16	10	4	5	2	3	1	1	–	1
2. North-Western	793	–	–	–	–	–	3	9	100	254	213	102	37	25	25	10	6	7	–	–	–	–	2
3. North-Eastern	2531	–	–	–	4	7	40	96	874	725	353	158	108	56	54	22	20	5	4	2	–	–	3
4. East Midland	4258	–	–	–	7	31	110	213	1615	1189	481	255	141	77	57	42	22	8	5	1	–	–	4
5. West Midland	1607	–	–	–	–	8	31	64	505	488	244	109	60	40	29	14	11	1	3	–	–	–	–
6. South-Western	11473	–	–	3	12	88	430	642	4263	3121	1293	647	370	254	177	83	60	17	7	2	–	–	4
7. South-Eastern	3870	–	–	–	1	16	85	152	1295	1146	534	262	167	85	59	33	22	5	5	–	–	–	3
8. Southern	1237	–	–	–	1	3	26	66	433	361	162	69	38	41	17	9	4	5	1	1	–	–	–
COUNTIES.																							
Shetland	153	–	–	–	–	–	2	2	39	58	26	15	3	3	1	–	1	1	1	–	1	–	–
Orkney	180	–	–	–	–	1	5	7	51	51	29	10	13	3	2	1	3	1	2	–	–	–	1
Caithness	198	–	–	–	–	2	2	6	52	57	37	17	12	5	5	1	1	–	–	1	–	–	–
Sutherland	90	–	–	–	–	–	1	–	22	28	15	12	3	5	2	2	–	–	–	–	–	–	–
Ross and Cromarty	359	–	–	–	–	–	–	5	42	118	93	48	17	15	8	4	3	4	–	–	–	–	2
Inverness	434	–	–	–	–	–	3	4	58	136	120	54	20	10	17	6	3	3	–	–	–	–	–

AGES of MALES married in Scotland in 1874.

Nairn . . .	38	–	–	–	–	–	–	–	7	12	11	2	3	2	–	–	1	–	–	–	–	–	–
Elgin . . .	244	–	–	–	–	1	4	8	69	72	37	14	16	7	6	3	5	1	–	1	–	–	–
Banff . . .	361	–	–	–	1	2	6	17	117	123	40	12	16	11	10	1	2	1	1	–	–	–	1
Aberdeen . . .	1633	–	–	–	3	4	27	62	597	430	228	115	68	31	33	17	11	3	3	–	–	–	1
Kincardine . .	255	–	–	–	–	–	3	9	84	88	37	15	5	5	5	1	1	–	–	1	–	–	1
Forfar . . .	2095	–	–	–	5	14	60	121	809	557	231	120	73	39	29	22	12	1	1	–	–	–	1
Perth . . .	773	–	–	–	–	2	12	22	220	242	129	63	28	22	14	7	4	3	3	1	–	–	1
Fife	1203	–	–	–	1	13	35	63	519	328	100	59	35	14	13	11	5	4	1	–	–	–	2
Kinross . . .	47	–	–	–	–	–	–	2	17	15	6	4	2	–	–	1	–	–	–	–	–	–	–
Clackmannan . .	140	–	–	–	1	2	3	5	50	47	15	9	3	2	1	1	1	–	–	–	–	–	–
Stirling . . .	742	–	–	–	–	6	16	42	278	212	86	42	29	13	10	1	5	1	1	–	–	–	–
Dumbarton . .	458	–	–	–	–	1	11	17	156	139	71	28	16	5	10	3	–	–	1	–	–	–	–
Argyll . . .	309	–	–	–	–	1	1	3	52	107	67	31	14	13	7	6	6	–	1	–	–	–	–
Bute	98	–	–	–	–	–	3	2	19	30	20	8	1	9	2	4	–	–	–	–	–	–	–
Renfrew . . .	1724	–	–	–	2	10	61	81	629	481	204	95	62	38	23	21	10	4	1	1	–	–	1
Ayr	1829	–	–	1	4	15	78	106	715	465	188	92	61	42	30	13	11	3	3	–	–	–	2
Lanark . . .	7920	–	–	2	6	63	291	455	2919	2175	901	460	247	174	124	49	39	10	3	1	–	–	1
Linlithgow . .	300	–	–	–	–	2	16	17	147	68	29	11	5	1	2	2	–	–	–	–	–	–	–
Edinburgh . .	2949	–	–	–	1	12	60	110	933	866	429	219	137	76	50	25	22	5	3	–	–	–	1
Haddington . .	224	–	–	–	–	1	2	10	72	76	25	12	12	5	4	3	–	–	2	–	–	–	–
Berwick . . .	182	–	–	–	–	–	4	7	58	68	20	10	9	1	2	1	–	–	–	–	–	–	2
Peebles . . .	71	–	–	–	–	–	–	1	29	26	7	6	–	1	1	–	–	–	–	–	–	–	–
Selkirk . . .	144	–	–	–	–	1	3	7	56	42	24	4	4	1	–	2	–	–	–	–	–	–	–
Roxburgh . . .	300	–	–	–	1	2	7	15	115	101	27	14	3	7	4	1	1	1	1	–	–	–	–
Dumfries . . .	461	–	–	–	–	–	9	21	167	132	63	21	17	18	9	–	2	1	–	1	–	–	–
Kirkcudbright . .	243	–	–	–	–	–	5	17	75	66	31	17	13	10	3	3	1	2	–	–	–	–	–
Wigtown . . .	233	–	–	–	–	1	5	13	76	62	41	17	5	6	1	5	–	1	–	–	–	–	–

AGES of FEMALES married in Scotland in 1874.

	Total Females	AGES OF FEMALES MARRIED IN SCOTLAND IN 1874.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	26390	1	9	99	434	1201	1922	2334	9675	5964	2293	1234	690	325	130	41	18	2	1	1	1	–	15
GROUPS OF DISTRICTS.																							
Principal Towns .	10574	–	–	35	178	527	814	981	3785	2288	910	530	297	137	63	21	7	1	–	–	–	–	–
Large Towns . .	3051	–	2	14	43	165	223	281	1123	663	255	125	86	44	18	4	4	–	–	–	–	–	1
Small Towns . .	5695	–	5	24	126	274	473	535	2109	1193	461	239	143	74	25	8	4	–	–	–	–	–	2
Mainland-Rural .	6443	1	2	24	83	229	392	503	2436	1615	588	311	147	66	22	7	3	1	1	1	1	–	10
Insular-Rural .	627	–	–	2	4	6	20	34	222	205	79	29	17	4	2	1	–	–	–	–	–	–	2
DIVISIONS.																							
1. Northern . .	621	–	–	2	6	14	24	49	185	205	67	40	19	6	2	1	–	–	–	–	–	–	1
2. North-Western .	793	–	1	1	2	19	21	27	274	259	101	46	28	9	2	–	1	–	–	–	–	–	2
3. North-Eastern .	2531	–	2	6	32	108	166	208	904	639	237	115	64	30	10	6	2	–	1	–	–	–	1
4. East Midland .	4258	–	–	12	42	140	265	367	1688	977	384	189	103	53	24	8	3	–	–	–	–	–	3
5. West Midland .	1607	–	–	2	23	62	120	131	575	378	170	77	44	12	9	2	1	–	–	–	–	–	1
6. South-Western .	11473	–	4	58	248	675	1013	1149	4180	2254	832	511	309	148	62	17	8	2	–	1	1	–	1
7. South-Eastern .	3870	1	1	9	65	144	244	301	1403	948	374	206	96	46	18	6	3	–	–	–	–	–	5
8. Southern . .	1237	–	1	9	16	39	69	102	466	304	128	50	27	21	3	1	–	–	–	–	–	–	1
COUNTIES.																							
Shetland . . .	153	–	–	–	1	1	2	10	47	58	16	12	5	1	–	–	–	–	–	–	–	–	–
Orkney . . .	180	–	–	2	1	4	8	18	55	58	19	5	7	–	1	1	–	–	–	–	–	–	1
Caithness . . .	198	–	–	–	2	8	12	15	60	58	20	15	4	3	1	–	–	–	–	–	–	–	–
Sutherland . .	90	–	–	–	2	1	2	6	23	31	12	8	3	2	–	–	–	–	–	–	–	–	–
Ross and Cromarty .	359	–	–	1	–	8	8	12	131	117	43	24	8	2	2	–	1	–	–	–	–	–	2
Inverness . . .	434	–	1	–	2	11	13	15	143	142	58	22	20	7	–	–	–	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1874.

Nairn . . .	38	–	–	–	1	–	–	3	9	15	7	1	1	1	–	–	–	–	–	–	–	–	–
Elgin . . .	244	–	–	–	–	8	13	20	92	54	30	11	6	6	2	1	1	–	–	–	–	–	–
Banff . . .	361	–	2	–	6	17	23	28	140	78	29	22	11	3	1	–	–	–	–	–	–	–	1
Aberdeen . .	1633	–	–	5	23	77	115	132	556	430	150	73	42	19	7	4	–	–	–	–	–	–	–
Kincardine . .	255	–	–	1	2	6	15	25	107	62	21	8	4	1	–	1	1	–	1	–	–	–	–
Forfar . . .	2095	–	–	6	24	73	143	198	813	448	208	90	50	27	8	5	1	–	–	–	–	–	1
Perth . . .	773	–	–	3	5	18	38	46	299	194	74	53	26	9	7	–	–	–	–	–	–	–	1
Fife . . .	1203	–	–	2	9	43	65	110	515	276	89	40	25	16	9	2	1	–	–	–	–	–	1
Kinross . . .	47	–	–	–	–	2	1	5	15	17	3	3	1	–	–	–	–	–	–	–	–	–	–
Clackmannan . .	140	–	–	1	4	4	18	8	46	42	10	3	1	1	–	1	1	–	–	–	–	–	–
Stirling . . .	742	–	–	1	13	42	72	68	275	149	60	30	22	2	5	1	1	–	–	–	–	–	1
Dumbarton . .	458	–	–	1	7	16	28	41	165	103	58	23	11	3	1	1	–	–	–	–	–	–	–
Argyll . . .	309	–	–	–	3	2	13	10	107	102	37	21	8	5	1	–	–	–	–	–	–	–	–
Bute . . .	98	–	–	–	–	2	7	12	28	24	15	3	3	2	2	–	–	–	–	–	–	–	–
Renfrew . . .	1724	–	–	6	22	87	149	174	653	336	127	80	51	27	4	2	3	1	–	–	1	–	1
Ayr . . .	1829	–	–	3	54	95	173	174	704	326	122	77	51	29	15	4	2	–	–	–	–	–	–
Lanark . . .	7920	–	4	49	172	493	691	801	2823	1592	583	354	207	92	43	11	3	1	–	1	–	–	–
Linlithgow . .	300	1	–	2	17	22	29	42	108	48	19	11	1	–	–	–	–	–	–	–	–	–	–
Edinburgh . .	2949	–	1	6	44	107	178	202	1051	741	303	164	82	43	16	6	3	–	–	–	–	–	2
Haddington . .	224	–	–	1	1	6	14	16	89	57	18	12	7	3	–	–	–	–	–	–	–	–	–
Berwick . . .	182	–	–	–	–	1	11	16	64	50	22	12	2	–	1	–	–	–	–	–	–	–	3
Peebles . . .	71	–	–	–	1	1	3	7	31	20	2	5	1	–	–	–	–	–	–	–	–	–	–
Selkirk . . .	144	–	–	–	2	7	9	18	60	32	10	2	3	–	1	–	–	–	–	–	–	–	–
Roxburgh . .	300	–	–	1	3	12	16	24	134	57	34	11	3	3	1	1	–	–	–	–	–	–	–
Dumfries . .	461	–	–	3	5	11	26	40	162	127	48	17	11	9	1	–	–	–	–	–	–	–	1
Kirkcudbright .	243	–	–	1	5	9	16	17	83	67	18	13	7	6	1	–	–	–	–	–	–	–	–
Wigtown . .	233	–	1	4	3	7	11	21	87	53	28	9	6	3	–	–	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	3062294	3360018	80720	7706	2928	4813	6402	3541	2533	1900	4911	2207	2564	2960	2731
Principal Towns	884955	1068556	32124	2995	1252	2208	3138	1790	1222	920	2220	835	957	1149	1141
Large Towns .	274381	334257	10026	991	402	664	911	479	356	278	684	278	344	382	345
Small Towns .	704380	776087	17560	1795	653	1024	1314	689	520	377	1003	504	602	675	574
Mainland-Rural	1061793	1049114	18816	1755	579	857	950	540	406	304	967	540	599	668	576
Insular-Rural .	136785	132004	2194	170	42	60	89	43	29	21	37	50	62	86	95
Shetland . .	31670	31608	522	32	8	10	11	2	4	2	8	9	12	17	21
Orkney . .	32395	31274	406	17	9	4	11	2	2	4	3	4	7	13	21
Caithness .	42200	41011	566	43	23	19	13	9	8	6	16	20	15	24	22
Sutherland .	24157	23298	348	19	4	16	11	2	5	4	13	7	5	10	11
Ross & Cromarty	82427	82093	1480	90	40	59	76	41	35	27	69	23	30	45	48
Inverness .	84815	84258	1457	132	32	48	75	34	12	18	45	28	37	57	61
Nairn . .	8347	8372	152	13	3	6	5	3	3	2	6	1	5	6	6
Elgin . .	44305	44549	802	59	28	46	47	24	15	13	42	10	24	38	15
Banff . .	56020	58883	936	88	26	45	50	23	23	23	37	25	32	38	31
Aberdeen. .	223417	246298	4698	530	159	237	267	169	115	95	255	136	170	161	152
Kincardine .	34781	35097	588	59	28	12	26	17	15	7	32	11	18	18	18
Forfar . .	206750	240049	6489	687	258	372	542	349	278	202	523	158	213	199	187
Perth . .	133198	128550	2608	190	52	113	112	93	62	56	147	67	58	88	85
Fife . . .	155021	160924	3309	307	127	205	228	107	95	61	192	99	94	93	88
Kinross . .	8731	7918	137	11	2	5	8	3	3	–	6	5	–	5	2
Clackmannan .	20122	22235	460	54	19	31	25	10	18	8	16	12	18	17	9
Stirling . .	88138	93345	2255	254	72	117	162	96	58	46	145	62	63	83	74
Dumbarton .	54179	61116	1664	147	60	91	111	76	51	40	128	50	72	64	54
Argyll . .	83859	79661	1447	97	33	51	57	28	22	14	48	46	42	66	48
Bute . .	16311	16966	413	25	9	11	15	8	7	3	8	26	23	19	19
Renfrew . .	168746	195305	5097	486	186	313	403	224	165	105	308	153	193	211	205
Ayr . . .	199083	200908	4998	507	171	268	338	227	162	127	314	160	207	211	182
Lanark . .	640444	787005	25394	2408	1066	1962	2851	1470	972	739	1826	735	820	963	877
Linlithgow .	39045	41379	746	107	40	69	65	27	13	19	22	19	21	28	25
Edinburgh .	273792	328138	7951	768	294	455	614	315	250	184	436	177	208	269	276
Haddington .	37626	37755	749	73	18	45	51	31	30	22	57	29	20	19	18
Berwick . -	36488	36382	566	62	15	16	20	24	11	8	31	15	16	18	16
Peebles . .	11264	12218	182	29	8	9	6	3	2	2	7	4	9	9	3
Selkirk . .	14901	19651	384	41	22	22	28	19	11	9	20	7	22	18	13
Roxburgh .	49568	48241	760	90	19	36	29	15	15	11	26	17	20	33	26
Dumfries . .	75904	74842	1586	146	58	60	76	40	41	22	67	38	44	51	52
Kirkcudbright .	42680	42087	798	67	17	32	37	31	17	10	28	28	26	25	32
Wigtown . .	41910	38602	772	68	22	28	32	19	13	11	30	26	20	44	34

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—BOTH SEXES.

Glasgow . .	395503	477732	15845	1362	662	1216	1837	986	628	484	1169	436	464	573	563
Edinburgh .	170444	201052	5011	472	162	276	369	200	151	107	239	108	128	180	181
Dundee . .	91664	120724	4170	474	166	288	402	272	228	153	376	101	131	130	127
Aberdeen .	73900	88181	2066	217	75	128	126	83	49	38	93	58	75	72	75
Greenock .	43894	59794	1690	169	64	113	125	72	53	36	100	53	63	69	83
Paisley . .	47427	48257	1388	111	51	73	115	74	38	29	77	33	52	65	47
Leith . .	36029	46434	1254	136	56	78	127	67	50	46	15	31	30	39	48
Perth . .	26094	26382	700	54	16	36	37	36	25	27	106	15	14	21	17

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	2478	2489	2583	2583	2930	2935	3526	3451	4351	3363	2734	1418	477	126	19	61
Principal Towns .	1082	1118	1188	1152	1247	1196	1365	1134	1203	797	481	247	63	20	2	2
Large Towns . .	316	321	303	298	358	356	419	378	447	331	230	102	31	9	2	11
Small Towns , .	505	503	534	559	630	615	775	793	1035	792	648	306	105	22	2	6
Mainland-Rural . .	507	493	497	529	621	690	876	1017	1480	1236	1166	644	229	55	11	24
Insular-Rural . .	68	54	61	45	74	78	91	129	186	207	209	119	49	20	2	18
Shetland . . .	17	10	15	11	12	19	24	31	57	66	69	40	10	5	–	–
Orkney . . .	14	7	7	17	8	23	21	25	49	57	45	26	9	1	–	–
Caithness . . .	11	13	11	16	24	11	20	33	54	48	48	46	8	1	2	2
Sutherland . .	10	7	10	7	11	17	16	14	36	35	40	26	8	4	–	–
Ross and Cromarty .	37	40	52	36	67	40	67	60	129	124	125	55	35	10	4	16
Inverness . . .	47	43	38	42	52	45	68	86	116	109	125	70	21	12	1	3
Nairn . . .	3	5	3	6	6	10	7	9	13	8	13	8	2	–	–	–
Elgin . . .	30	14	26	29	23	36	22	47	55	70	46	32	8	3	–	–
Banff	24	20	24	25	31	38	37	45	88	61	60	30	11	1	–	–
Aberdeen . . .	107	156	120	124	154	142	203	256	319	253	221	123	53	15	3	3
Kincardine . .	11	13	14	17	22	26	27	29	45	41	41	24	15	2	–	–
Forfar - . .	163	183	228	194	222	219	282	256	308	211	139	82	28	3	–	3
Perth . . .	75	76	67	81	95	104	140	154	233	186	152	86	25	9	1	1
Fife	84	88	79	92	100	142	152	170	220	196	181	79	25	3	1	1
Kinross . . .	2	5	3	4	6	3	6	8	16	14	13	6	1	–	–	–
Clackmannan . .	19	22	10	11	16	18	28	21	37	19	13	7	1	1	–	–
Stirling . . .	85	70	62	59	84	92	108	103	137	101	75	30	10	4	–	3
Dumbarton . .	61	48	54	41	54	57	65	74	108	66	59	24	6	1	–	2
Argyll . . .	40	37	45	30	55	68	66	81	122	123	129	56	28	7	3	5
Bute	17	10	8	18	13	15	21	36	31	24	22	18	5	2	–	–
Renfrew . . .	191	160	181	198	208	209	224	193	253	150	110	49	13	6	–	–
Ayr	154	170	142	156	163	173	200	225	234	204	181	84	27	7	–	4
Lanark . . .	819	836	897	856	936	865	976	759	768	466	322	144	41	10	2	8
Linlithgow . .	15	17	26	21	36	26	26	31	26	29	22	13	3	–	–	–
Edinburgh . . .	295	290	287	319	325	321	395	372	455	344	169	98	27	7	–	1
Haddington . .	16	17	21	20	15	16	32	44	55	37	42	15	4	2	–	–
Berwick . . .	7	15	20	11	20	22	37	45	53	35	28	16	2	1	1	1
Peebles . . .	5	6	5	3	4	4	7	10	15	18	10	3	1	–	–	–
Selkirk . . .	9	6	11	11	9	10	29	14	21	12	13	6	1	–	–	–
Roxburgh . . .	21	19	24	26	35	46	54	49	53	35	39	17	4	1	–	–
Dumfries . . .	42	50	55	61	57	71	81	82	121	119	80	47	15	4	1	5
Kirkcudbright . .	18	16	20	16	32	22	47	49	72	58	53	26	16	1	–	2
Wigtown . . .	29	20	18	25	35	25	38	40	52	44	49	32	14	3	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—BOTH SEXES.

Glasgow . . .	528	549	592	565	615	563	619	470	452	243	171	76	14	5	1	2
Edinburgh . .	196	204	205	213	223	214	272	243	264	219	99	68	13	5	–	–
Dundee . . .	94	125	153	127	137	131	157	126	132	73	41	20	5	1	–	–
Aberdeen . . .	63	79	61	61	73	73	102	113	124	106	71	33	13	4	1	–
Greenock . . .	85	71	67	76	66	73	61	56	58	29	29	13	4	2	–	–
Paisley . .	45	34	54	44	72	64	72	54	82	54	32	13	3	–	–	–
Leith	50	35	36	41	35	46	43	40	51	33	11	12	7	1	–	–
Perth . . .	21	21	20	25	26	32	39	32	40	40	27	12	4	2	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—MALES.

	MALE POPULATION.		MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12										
SCOTLAND .	1449848	1603143	40678	4443	1617	2632	3388	1831	1297	982	2537	1097	1307	1483	1304
Principal Towns	407839	502021	16245	1710	687	1232	1643	921	618	486	1193	436	465	555	549
Large Towns .	129933	160176	5079	593	223	344	479	242	199	140	348	143	162	183	174
Small Towns .	335356	371118	8852	1030	365	560	719	356	257	195	500	225	336	353	270
Mainland-Rural	513554	508787	9419	1000	317	466	499	290	209	152	474	265	311	344	261
Insular-Rural .	63166	61041	1083	110	25	30	48	22	14	9	22	28	33	48	50
Shetland . .	13053	13103	222	19	4	8	5	2	1	1	4	4	7	6	9
Orkney . .	14924	14355	189	10	4	–	4	–	2	1	3	1	4	8	13
Caithness .	19846	19403	265	17	11	11	4	5	5	5	10	8	8	17	14
Sutherland .	11058	10942	171	13	2	9	6	2	1	1	5	4	2	8	6
Ross & Cromarty	38462	38558	698	46	21	29	47	16	13	16	35	9	12	29	20
Inverness .	39500	39360	721	76	21	27	42	20	7	9	21	14	20	36	30
Nairn . .	3976	3925	79	8	2	2	2	3	3	–	1	1	3	3	4
Elgin . .	20716	20738	367	35	12	29	25	13	9	7	19	5	13	22	9
Banff . .	26401	27826	465	48	14	24	32	12	12	12	16	11	12	21	15
Aberdeen. .	105355	116768	2312	310	77	141	146	87	53	41	134	67	90	68	62
Kincardine .	16906	17002	293	36	15	7	13	10	8	4	16	4	13	11	4
Forfar . .	93280	107416	3167	409	152	205	282	174	138	108	276	80	100	77	69
Perth . .	63169	60812	1288	115	35	75	50	53	33	30	74	30	32	42	38
Fife . . .	72714	75206	1690	194	75	117	133	52	63	41	92	40	57	38	44
Kinross . .	4150	3748	81	7	2	3	6	1	2	–	3	3	–	4	–
Clackmannan .	9742	10819	225	27	12	11	14	4	9	5	9	8	10	5	3
Stirling . .	43487	46193	1168	135	41	63	81	51	37	17	70	37	27	40	34
Dumbarton .	26455	29957	845	75	36	47	64	39	24	23	73	21	37	40	26
Argyll . .	40914	38796	742	68	21	20	30	14	11	6	27	25	23	37	27
Bute . .	7201	7616	200	18	7	7	5	4	5	2	3	15	11	10	10
Renfrew . .	79380	93167	2579	273	94	173	206	116	84	45	155	69	105	98	96
Ayr . . .	97042	98244	2524	273	95	150	179	124	87	66	154	79	102	104	79
Lanark . .	308263	388392	13118	1397	576	1050	1486	764	492	381	975	390	410	495	443
Linlithgow .	20069	21049	390	65	21	38	35	15	11	10	12	9	9	11	10
Edinburgh .	126276	153784	3959	422	170	259	337	163	114	97	214	90	110	134	143
Haddington .	17866	18069	377	41	10	27	32	10	17	16	28	15	12	8	10
Berwick . -	17354	17361	287	41	9	8	9	9	5	2	16	6	7	14	9
Peebles . .	5588	5902	86	12	3	6	3	1	1	2	6	–	2	3	1
Selkirk . .	7275	9476	202	29	11	10	16	11	6	7	6	2	15	6	7
Roxburgh .	24555	22049	390	56	10	22	13	9	8	8	15	10	10	15	12
Dumfries . .	35687	34831	812	91	32	26	42	22	23	13	33	18	17	30	26
Kirkcudbright.	19885	19607	390	39	11	19	22	16	9	3	16	12	15	12	17
Wigtown. .	19299	17769	376	38	11	9	17	9	4	3	16	10	12	31	14

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—MALES.

Glasgow . .	185556	230995	8118	777	362	663	963	522	314	268	635	235	215	290	278
Edinburgh .	76013	91090	2515	268	92	162	203	100	78	57	116	56	68	87	98
Dundee . .	40395	52605	2059	274	94	162	202	135	117	80	209	49	57	48	49
Aberdeen .	32554	39786	983	127	37	73	66	43	24	20	52	32	36	28	28
Greenock .	21567	30298	893	94	29	62	63	39	27	14	55	25	39	44	45
Paisley . .	21913	22269	676	67	27	43	50	32	20	14	37	15	25	23	21
Leith . .	17894	22976	637	73	35	41	76	34	21	20	57	16	18	23	21
Perth . .	14971	12002	364	30	11	26	20	16	17	13	32	8	7	12	9

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1172	1181	1283	1330	1496	1535	1703	1691	1998	1469	1107	545	171	34	2	43
Principal Towns .	527	543	623	596	627	613	636	516	497	317	155	72	19	8	–	1
Large Towns . .	153	167	143	160	178	187	207	175	198	137	83	40	10	4	–	7
Small Towns . .	228	223	262	288	338	317	378	392	487	340	274	112	33	10	–	4
Mainland-Rural. .	236	229	221	267	318	377	440	546	729	588	501	267	90	8	1	13
Insular-Rural . .	28	19	34	19	35	41	42	62	87	87	94	54	19	4	1	18
Shetland . . .	8	4	6	2	4	8	13	11	24	27	26	15	3	1	–	–
Orkney . . .	6	2	3	10	2	11	10	13	22	26	20	10	3	1	–	–
Caithness . . .	6	7	4	9	13	3	9	13	27	21	20	16	–	–	1	1
Sutherland . .	6	2	4	2	4	10	9	6	17	16	19	11	5	1	–	–
Ross and Cromarty .	16	23	26	13	30	19	27	26	58	56	54	23	14	3	1	16
Inverness . . .	24	22	23	19	23	22	32	48	46	46	46	35	9	1	–	2
Nairn . . .	1	2	2	3	4	9	5	5	4	5	5	1	1	–	–	–
Elgin . . .	18	3	10	10	8	11	13	18	19	34	14	7	4	–	–	–
Banff. . . .	10	11	14	9	13	18	22	20	45	31	24	14	4	1	–	–
Aberdeen . . .	46	62	57	50	92	72	96	136	173	101	83	47	18	1	–	2
Kincardine . .	6	3	5	10	15	11	11	16	24	19	16	10	5	1	–	–
Forfar . . .	63	85	105	87	98	103	121	134	129	83	54	25	8	–	–	2
Perth . . .	36	30	31	30	48	52	65	78	117	86	64	30	12	1	–	1
Fife	32	34	33	50	50	73	82	84	112	86	70	33	5	–	–	–
Kinross . . .	1	3	2	2	6	2	2	4	9	7	9	2	1	–	–	–
Clackmannan . .	8	7	5	4	12	13	11	12	22	7	4	2	1	–	–	–
Stirling . . .	46	38	37	36	49	53	58	53	68	49	28	14	3	2	–	1
Dumbarton . .	32	21	24	19	24	25	36	39	48	33	25	11	2	–	–	1
Argyll . . .	22	11	20	19	29	38	33	49	57	50	62	28	8	3	–	4
Bute	8	2	5	9	7	10	8	16	14	6	9	6	1	2	–	–
Renfrew . . .	100	73	99	105	109	116	98	102	125	68	44	18	6	2	–	–
Ayr	71	93	65	90	93	97	87	105	110	86	79	36	12	5	–	3
Lanark . . .	401	427	462	486	484	449	479	336	325	202	130	55	16	3	–	4
Linlithgow . .	7	6	15	10	21	10	14	16	16	16	8	4	1	–	–	–
Edinburgh. . .	138	146	147	167	155	176	194	181	180	131	53	26	8	3	–	1
Haddington . .	8	9	10	8	7	9	12	24	28	15	17	3	1	–	–	–
Berwick . . .	1	8	11	5	8	13	18	22	21	22	17	5	1	–	–	–
Peebles . . .	2	1	4	2	2	2	4	5	7	9	6	1	1	–	–	–
Selkirk . . .	2	3	4	4	4	6	18	9	8	6	8	4	–	–	–	–
Roxburgh . . .	7	7	10	10	18	26	26	29	28	22	12	6	1	–	–	–
Dumfries . . .	20	19	20	31	30	43	45	46	57	65	34	17	8	1	–	3
Kirkcudbright .	7	7	9	7	18	11	24	19	31	23	23	11	8	–	–	1
Wigtown . . .	13	10	11	12	16	14	21	16	27	15	24	19	1	2	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—MALES.

Glasgow . .	260	275	313	307	310	280	289	199	170	102	57	26	5	2	–	1
Edinburgh. .	95	103	106	112	107	118	133	115	106	88	26	17	1	3	–	–
Dundee . .	40	59	75	58	64	57	67	64	53	27	12	4	3	–	–	–
Aberdeen . .	27	26	29	24	44	39	44	54	59	38	22	8	2	1	–	–
Greenock . .	49	33	40	44	37	43	27	31	29	10	7	5	1	1	–	–
Paisley . .	23	21	29	22	38	30	27	23	43	25	16	4	1	–	–	–
Leith. . .	23	17	22	19	15	27	23	18	18	9	3	5	3	–	–	–
Perth . .	10	9	9	10	12	19	26	12	19	18	12	3	3	1	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1612446	1756875	40042	3263	1311	2181	3014	1710	1236	918	2374	1110	1257	1477	1427
Principal Towns	477116	566535	15879	1285	565	976	1495	869	604	434	1027	399	492	594	592
Large Towns .	144448	174081	4947	398	179	320	432	237	157	138	336	135	182	199	171
Small Towns .	369024	404969	8708	765	288	464	595	333	263	182	503	279	266	322	304
Mainland-Rural	548239	540327	9397	755	262	391	451	250	197	152	493	275	288	324	315
Insular-Rural .	73619	70963	1111	60	17	30	41	21	15	12	15	22	29	38	45
Shetland . .	18617	18505	300	13	4	2	6	–	3	1	4	5	5	11	12
Orkney . .	17471	16919	217	7	5	4	7	2	–	3	–	3	3	5	8
Caithness .	22354	21608	301	26	12	8	9	4	3	1	6	12	7	7	8
Sutherland .	13099	12356	177	6	2	7	5	–	4	3	8	3	3	2	5
Ross & Cromarty	43965	43535	782	44	19	30	29	25	22	11	34	14	18	16	28
Inverness .	45315	44898	736	56	11	21	33	14	5	9	24	14	17	21	31
Nairn . .	4371	4447	73	5	1	4	3	–	–	2	5	–	2	3	2
Elgin . .	23589	23811	435	24	16	17	22	11	6	6	23	5	11	16	6
Banff . .	29619	31057	471	40	12	21	18	11	11	11	21	14	20	17	16
Aberdeen. .	118062	129530	2386	220	82	96	121	82	62	54	121	69	80	93	90
Kincardine .	17875	18095	295	23	13	5	13	7	7	3	16	7	5	7	14
Forfar . .	113470	132633	3322	278	106	167	260	175	140	94	247	78	113	122	118
Perth . .	70029	67738	1320	75	17	38	62	40	29	26	73	37	26	46	47
Fife. . .	82307	85718	1619	113	52	88	95	55	32	20	100	59	37	55	44
Kinross . .	4581	4170	56	4	–	2	2	2	1	–	3	2	–	1	2
Clackmannan .	10380	11416	235	27	7	20	11	6	9	3	7	4	8	12	6
Stirling . .	44651	47152	1087	119	31	54	81	45	21	29	75	25	36	43	40
Dumbarton .	27724	31159	819	72	24	44	47	37	27	17	55	29	35	24	28
Argyll . .	42945	40865	705	29	12	31	27	14	11	8	21	21	19	29	21
Bute . .	9110	9350	213	7	2	4	10	4	2	1	5	11	12	9	9
Renfrew . .	89366	102138	2518	213	92	140	197	108	81	60	153	84	88	113	109
Ayr. . .	102041	102664	2474	234	76	118	159	103	75	61	160	81	105	107	103
Lanark . .	332181	398613	12276	1011	490	912	1365	706	480	358	851	345	410	468	434
Linlithgow .	18976	20330	356	42	19	31	30	12	2	9	10	10	12	17	15
Edinburgh .	147516	174354	3992	346	124	196	277	152	136	87	222	87	98	135	133
Haddington .	19760	19686	372	32	8	18	19	21	13	6	29	14	8	11	8
Berwick . .	19134	19021	279	21	6	8	11	15	6	6	15	9	9	4	7
Peebles . .	5676	6316	96	17	5	3	3	2	1	–	1	4	7	6	2
Selkirk . .	7626	10175	182	12	11	12	12	8	5	2	14	5	7	12	6
Roxburgh .	25013	25292	370	34	9	14	16	6	7	3	11	7	10	18	14
Dumfries. .	40217	40011	774	55	26	34	34	18	18	9	34	20	27	21	26
Kirkcudbright.	22795	22480	408	28	6	13	15	15	8	7	12	16	11	13	15
Wigtown. .	22611	20833	396	30	11	19	15	10	9	8	14	16	8	13	20

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—FEMALES.

Glasgow . .	209947	246737	7727	585	300	553	874	464	314	216	534	201	249	283	285
Edinburgh .	94431	109962	2496	204	70	114	166	100	73	50	123	52	60	93	83
Dundee . .	51269	68119	2111	200	72	126	200	137	111	73	167	52	74	82	78
Aberdeen .	41346	48395	1083	90	38	55	60	40	25	18	41	26	39	44	47
Greenock .	22327	29496	797	75	35	51	62	33	26	22	45	28	24	25	38
Paisley . .	25514	25988	712	44	24	30	65	42	18	15	40	18	27	42	26
Leith . .	18135	23458	617	63	21	37	51	33	29	26	48	15	12	16	27
Perth . .	14147	14380	336	24	5	10	17	20	8	14	29	7	7	9	8

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1306	1308	1300	1253	1434	1400	1823	1760	2353	1894	1627	873	306	92	17	18
Principal Towns .	555	575	565	556	620	583	729	618	706	480	326	175	44	12	2	1
Large Towns . .	163	154	160	138	180	169	212	203	249	194	147	62	21	5	2	4
Small Towns . .	277	280	272	271	292	298	397	401	548	452	374	194	72	12	2	2
Mainland-Rural . .	271	264	276	262	303	313	436	471	751	648	665	377	139	47	10	11
Insular-Rural . .	40	35	27	26	39	37	49	67	99	120	115	65	30	16	1	–
Shetland . . .	9	6	9	9	8	11	11	20	33	39	43	25	7	4	–	–
Orkney . . .	8	5	4	7	6	12	11	12	27	31	25	16	6	–	–	–
Caithness . . .	5	6	7	7	11	8	11	20	27	27	28	30	8	1	1	1
Sutherland . .	4	5	6	5	7	7	7	8	19	19	21	15	3	3	–	–
Ross and Cromarty .	21	17	26	23	37	21	40	34	71	68	71	32	21	7	3	–
Inverness . . .	23	21	15	23	29	23	36	38	70	63	79	35	12	11	1	1
Nairn . . .	2	3	1	3	2	1	2	4	9	3	8	7	1	–	–	–
Elgin . . .	12	11	16	19	15	25	9	29	36	36	32	25	4	3	–	–
Banff	14	9	10	16	18	20	15	25	43	30	36	16	7	–	–	–
Aberdeen . . .	61	94	63	74	62	70	107	120	146	152	138	76	35	14	3	1
Kincardine . .	5	10	9	7	7	15	16	13	21	22	25	14	10	1	–	–
Forfar . . .	100	98	123	107	124	116	161	122	179	128	85	57	20	3	–	1
Perth . . .	39	46	36	51	47	52	75	76	116	100	88	56	13	8	1	–
Fife	52	54	46	42	50	69	70	86	108	110	111	46	20	3	1	1
Kinross . . .	1	2	1	2	–	1	4	4	7	7	4	4	–	–	–	–
Clackmannan . .	11	15	5	7	4	5	17	9	15	12	9	5	–	1	–	–
Stirling . . .	39	32	25	23	35	39	50	50	69	52	47	16	7	2	–	2
Dumbarton . .	29	27	30	22	30	32	29	35	60	33	34	13	4	1	–	1
Argyll . . .	18	26	25	11	26	30	33	32	65	73	67	28	20	4	3	1
Bute	9	8	3	9	6	5	13	20	17	18	13	12	4	–	–	–
Renfrew . . .	91	87	82	93	99	93	126	91	128	82	66	31	7	4	–	–
Ayr	83	77	77	66	70	76	113	120	124	118	102	48	15	2	–	1
Lanark . . .	418	409	435	370	452	416	497	423	443	264	192	89	25	7	2	4
Linlithgow . .	8	11	11	11	15	16	12	15	10	13	14	9	2	–	–	–
Edinburgh . . .	157	144	140	152	170	145	201	191	275	213	116	72	19	4	–	–
Haddington . .	8	8	11	12	8	7	20	20	27	22	25	12	3	2	–	–
Berwick . .	6	7	9	6	12	9	19	23	32	13	11	11	1	1	1	1
Peebles . . .	3	5	1	1	2	2	3	5	8	9	4	2	–	–	–	–
Selkirk . . .	7	3	7	7	5	4	11	5	13	6	5	2	1	–	–	–
Roxburgh . . .	14	12	14	16	17	20	28	20	25	13	27	11	3	1	–	–
Dumfries . . .	22	31	35	30	27	28	36	36	64	54	46	30	7	3	1	2
Kirkcudbright .	11	9	11	9	14	11	23	30	41	35	30	15	8	1	–	1
Wigtown . .	16	10	7	13	19	11	17	24	25	29	25	13	13	1	–	–

DEATHS at Differen Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—FEMALES.

Glasgow . . .	268	274	279	258	305	283	330	271	282	141	114	50	9	3	1	1
Edinburgh . . .	101	101	99	101	116	96	139	128	158	131	73	51	12	2	–	–
Dundee . . .	54	66	78	69	73	74	90	62	79	46	29	16	2	1	–	–
Aberdeen . . .	36	53	32	37	29	34	58	59	65	68	49	25	11	3	1	–
Greenock . . .	36	38	27	32	29	30	34	25	29	19	22	8	3	1	–	–
Paisley . . .	22	13	25	22	34	34	45	31	39	29	16	9	2	–	–	–
Leith	27	18	14	22	20	19	20	22	33	24	8	7	4	1	–	–
Perth . . .	11	12	11	15	14	13	13	20	21	22	15	9	1	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	365	30	13	12	22	9	4	9	18	5	9	15	18
Arbroath	478	46	21	20	41	21	12	6	31	14	16	12	16
Forfar	262	20	10	7	21	7	12	10	13	8	8	10	3
Montrose	368	27	14	12	21	12	3	13	24	5	12	12	8
Dunfermline	360	36	19	27	39	16	11	5	21	13	12	13	13
Kirkcaldy	265	41	8	19	25	11	10	4	14	4	9	7	3
Stirling	359	34	12	20	29	10	10	8	25	14	12	19	13
Dumbarton	460	41	22	27	27	31	26	16	57	18	16	20	21
Ayr	522	57	19	29	27	14	9	8	19	13	16	14	26
Kilmarnock	759	62	28	41	59	42	37	36	57	33	49	38	23
Barony	1331	92	35	95	130	72	51	40	114	38	43	59	45
Govan	2256	268	115	190	253	139	97	71	168	48	69	76	78
Hamilton	469	53	16	33	36	14	9	13	24	18	16	11	16
Airdrie	361	37	17	31	40	14	13	10	17	10	13	17	13
Coatbridge	583	70	24	52	87	26	22	14	33	21	22	34	19
Hawick	241	29	10	16	11	8	8	5	8	1	7	15	12
Dumfries	587	48	19	33	43	33	22	10	41	15	15	10	18
DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874—Both Sexes.													
Shetland	93	6	1	3	5	–	2	–	3	1	4	2	5
Orkney	77	2	2	2	4	–	–	–	–	1	1	3	2
Caithness	299	23	18	15	7	4	6	3	12	8	5	13	17
Ross and Cromarty	276	10	12	18	23	6	11	9	16	3	11	11	8
Nairn	105	11	3	6	5	3	2	2	3	1	4	2	3
Elgin	345	26	13	17	22	12	5	5	21	3	8	18	9
Banff	427	42	15	23	32	11	9	14	19	13	13	17	12
Aberdeen	743	93	25	44	63	30	28	21	69	18	21	23	22
Kincardine	131	9	11	2	7	4	3	–	6	3	5	4	2
Forfar	532	56	18	23	30	13	7	8	24	10	17	11	15
Perth	539	42	14	26	18	21	13	9	25	19	13	21	29
Fife	1149	104	50	73	75	35	32	29	61	39	26	34	31
Clackmannan	371	44	16	23	21	8	13	7	12	8	17	14	7
Stirling	983	134	29	49	71	37	19	16	51	26	25	39	32
Dumbarton	918	79	27	44	72	36	24	20	56	21	40	35	23
Argyll	399	31	14	15	23	4	9	4	10	10	11	14	11
Bute	238	16	6	7	12	3	3	3	6	16	12	10	13
Renfrew	1450	143	48	101	125	62	54	28	89	43	57	60	55
Ayr	2554	259	82	137	178	139	87	68	175	71	90	107	89
Lanark	2942	338	129	214	312	157	107	68	199	109	126	130	95
Linlithgow	538	82	26	60	46	19	9	14	17	11	16	22	16
Edinburgh	734	70	26	43	57	15	31	17	39	13	22	20	22
Haddington	383	34	10	28	30	22	19	12	30	20	12	12	10
Berwick	91	12	4	3	5	6	1	4	4	2	1	–	2
Peebles	65	11	4	3	2	2	1	–	3	2	1	2	1
Selkirk	350	35	22	20	27	17	11	8	19	4	22	17	12
Roxburgh	179	15	5	7	10	2	2	1	4	7	5	8	5
Dumfries	186	22	8	7	10	6	1	3	11	3	3	4	5
Kirkcudbright	236	24	10	5	14	8	5	3	8	9	6	6	11
Wigtown	227	22	5	6	8	7	6	1	11	10	8	16	10

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	13	20	7	17	17	7	20	22	32	17	16	8	1	1	1	2
Arbroath	17	13	9	16	20	23	25	22	26	17	18	10	5	–	–	1
Forfar	4	7	9	12	12	9	11	14	24	18	8	3	2	–	–	–
Montrose	10	8	15	17	16	15	25	13	30	25	17	12	1	1	–	–
Dunfermline	10	14	8	6	4	13	13	15	20	15	13	3	–	–	1	–
Kirkcaldy	9	9	11	4	9	8	7	12	15	12	12	2	–	–	–	–
Stirling	14	11	13	3	20	12	19	13	17	14	9	5	–	3	–	–
Dumbarton	16	12	9	6	11	13	14	17	19	7	10	4	–	–	–	–
Ayr	16	20	19	15	19	26	35	25	34	26	24	7	4	1	–	–
Kilmarnock	34	27	21	19	15	20	23	23	24	27	15	4	1	1	–	–
Barony	50	46	53	42	40	52	70	56	54	28	16	9	1	–	..	–
Govan	56	75	75	66	78	64	68	59	61	45	25	3	5	1	–	3
Hamilton	21	17	12	20	22	27	13	21	20	17	12	6	1	1	–	–
Airdrie	10	7	11	13	18	12	17	14	8	12	4	1	2	–	–	–
Coatbridge	13	13	7	14	21	18	13	15	18	13	7	5	2	–	–	–
Hawick	8	6	6	6	8	14	19	13	10	7	8	5	1	–	–	–
Dumfries	15	16	18	22	28	23	27	24	35	31	16	15	5	–	–	5

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—Both Sexes.

Shetland	4	1	2	2	4	1	4	3	8	15	7	8	2	–	–	–
Orkney	1	1	3	4	3	1	7	2	9	12	8	7	1	1	–	–
Caithness	5	6	5	6	15	9	8	17	32	25	17	18	4	1	–	–
Ross and Cromarty	4	11	16	6	11	5	15	9	10	18	16	11	4	1	1	–
Nairn	3	4	2	4	3	6	5	7	11	5	8	1	1	–	–	–
Elgin	8	5	15	13	12	21	12	21	21	25	18	14	–	1	–	–
Banff	15	9	13	8	17	19	17	25	23	23	30	4	3	1	–	–
Aberdeen	13	17	13	23	18	19	28	21	50	36	24	18	5	1	–	–
Kincardine	4	2	2	6	8	9	5	7	9	5	9	6	2	1	–	–
Forfar	17	11	14	13	17	22	32	37	47	38	29	15	8	–	–	–
Perth	14	20	16	17	26	17	22	30	60	27	22	12	5	1	–	–
Fife	33	36	32	38	50	47	57	65	53	61	54	22	10	2	–	–
Clackmannan	15	19	10	9	15	14	21	15	29	15	12	6	–	1	–	–
Stirling	35	29	29	30	34	52	54	42	50	45	36	10	7	1	–	1
Dumbarton	31	24	35	27	37	37	39	45	68	46	33	13	4	1	–	1
Argyll	12	13	11	12	15	22	17	20	36	33	35	11	4	2	–	–
Bute	14	3	6	15	7	10	13	20	17	9	12	4	1	–	–	–
Renfrew	40	36	49	52	53	49	65	61	88	42	30	14	5	1	–	–
Ayr	72	84	70	90	87	81	93	130	119	106	86	38	13	2	–	1
Lanark	94	91	101	92	88	81	110	76	88	59	41	27	7	2	–	1
Linlithgow	8	15	20	13	21	20	19	22	21	20	11	8	2	–	–	–
Edinburgh	19	20	21	29	34	23	38	32	66	38	26	8	5	–	–	–
Haddington	3	11	10	9	9	11	10	17	21	16	19	5	3	–	–	–
Berwick	2	5	6	3	2	2	3	5	11	4	4	–	–	–	–	–
Peebles	4	1	1	3	–	1	4	4	4	6	4	–	1	–	–	–
Selkirk	8	6	10	9	8	9	27	12	8	11	11	6	1	–	–	–
Roxburgh	6	5	7	7	12	10	12	10	15	7	13	3	1	–	–	–
Dumfries	7	5	7	8	3	5	10	11	19	13	8	5	1	–	1	–
Kirkcudbright	6	6	4	3	10	6	15	15	17	23	15	4	2	–	–	1
Wigtown	8	7	4	8	11	6	13	12	15	9	10	8	3	2	–	1

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—MALES.

	MALES												
	ALL AGES	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	170	16	10	4	12	2	2	5	7	1	4	8	9
Arbroath	207	30	11	7	20	9	6	5	15	8	5	2	6
Forfar	130	13	7	4	14	4	6	7	4	6	6	7	1
Montrose	165	19	8	6	10	5	2	6	11	2	7	3	3
Dunfermline	176	22	11	15	22	6	6	1	8	3	4	7	9
Kirkcaldy	133	24	4	11	13	3	6	3	6	1	4	4	–
Stirling	193	16	7	11	16	6	7	5	15	10	5	11	5
Dumbarton	232	19	10	11	18	18	15	10	31	10	5	11	12
Ayr	244	33	10	14	14	6	6	5	7	5	5	9	11
Kilmarnock	401	37	12	21	33	25	21	21	33	17	27	14	13
Barony	702	61	20	46	61	38	26	13	59	22	21	29	26
Govan	1146	159	63	101	128	74	54	33	87	27	32	34	34
Hamilton	236	30	9	18	16	6	6	7	12	8	8	5	7
Airdrie	183	22	8	18	24	5	7	3	9	7	5	6	7
Coatbridge	333	48	13	29	46	8	13	9	18	10	16	21	15
Hawick	121	17	8	11	5	6	3	3	4	–	2	6	5
Dumfries	307	27	12	17	27	21	13	4	22	6	6	6	11
DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—MALES.													
Shetland	43	4	–	3	3	–	–	–	1	–	4	–	1
Orkney	31	1	–	–	2	–	–	–	–	–	–	2	1
Caithness	138	8	7	8	2	2	3	3	8	1	3	9	12
Ross and Cromarty	129	3	5	11	12	1	3	5	7	1	6	8	2
Nairn	53	6	2	2	2	3	2	–	–	1	3	1	2
Elgin	151	14	8	9	12	7	2	1	11	1	7	12	5
Banff	209	21	9	12	19	6	5	5	7	7	5	9	5
Aberdeen	382	54	12	26	38	13	11	8	40	9	14	12	10
Kincardine	77	8	7	1	3	3	1	–	4	2	3	3	–
Forfar	263	29	11	16	19	7	1	3	10	4	7	6	5
Perth	256	26	9	14	8	14	6	8	12	5	9	8	10
Fife	574	69	25	46	45	20	24	23	28	13	17	15	16
Clackmannan	180	23	9	8	11	3	8	4	6	7	9	3	3
Stirling	500	74	15	23	37	19	13	6	21	15	11	16	14
Dumbarton	467	45	18	26	42	15	9	11	36	8	23	23	10
Argyll	195	22	9	7	11	1	6	3	3	4	6	10	7
Bute	115	10	5	4	4	2	3	2	3	9	5	6	7
Renfrew	716	76	26	52	74	38	24	11	43	16	27	25	21
Ayr	1282	137	52	80	96	76	40	33	86	30	45	51	36
Lanark	1576	194	69	113	168	75	56	32	102	57	77	81	55
Linlithgow	289	48	13	34	26	10	7	8	10	6	8	9	7
Edinburgh	356	37	16	24	26	11	9	11	17	3	12	11	11
Haddington	197	21	5	18	17	6	10	8	16	10	9	5	6
Berwick	52	9	3	1	3	4	1	1	3	1	1	–	1
Peebles	30	5	1	1	–	1	1	–	2	–	–	1	1
Selkirk	187	28	11	9	16	9	6	6	6	2	15	5	6
Roxburgh	80	8	2	4	4	1	1	1	2	4	2	4	3
Dumfries	93	17	4	2	6	4	–	2	5	2	–	3	2
Kirkcudbright	115	16	7	3	9	2	3	–	4	4	4	3	5
Wigtown	116	17	5	3	4	3	2	–	7	3	4	12	6

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	7	11	6	10	7	2	10	12	11	4	5	4	–	–	–	1
Arbroath	4	4	3	6	10	9	9	10	10	9	5	3	1	–	–	–
Forfar	1	4	3	7	3	4	3	9	7	4	5	–	1	–	–	–
Montrose	5	2	4	4	4	9	12	8	15	12	5	3	–	–	–	–
Dunfermline	5	5	4	2	2	7	3	9	11	7	4	3	–	–	–	–
Kirkcaldy	6	4	7	3	5	5	4	3	7	3	6	1	–	–	–	–
Stirling	11	9	4	3	12	8	12	7	4	5	1	2	–	1	–	–
Dumbarton	12	4	6	1	5	4	8	9	7	3	1	2	–	–	–	–
Ayr	10	9	8	9	8	15	13	11	11	11	9	2	2	1	–	–
Kilmarnock	18	14	10	9	10	10	13	10	15	9	5	3	–	1	–	–
Barony	18	33	33	28	24	28	38	25	27	11	10	5	–	–	–	–
Govan	25	39	28	34	35	34	35	21	29	23	11	–	3	–	–	3
Hamilton	9	6	9	14	8	12	7	11	12	5	6	4	–	1	–	–
Airdrie	6	4	6	6	9	9	9	5	3	2	3	–	–	–	–	–
Coatbridge	5	10	2	11	12	11	7	9	9	8	1	2	–	–	–	–
Hawick	3	1	2	1	6	8	9	8	5	3	3	1	1	–	–	–
Dumfries	8	8	8	12	18	12	15	8	15	18	3	5	2	–	–	3

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—MALES

Shetland	3	–	–	–	2	1	1	1	3	6	5	3	2	–	–	–
Orkney	–	–	2	2	–	–	6	–	2	5	4	3	–	1	–	–
Caithness	1	3	2	3	8	2	3	7	17	13	6	7	–	–	–	–
Ross and Cromarty	2	7	5	3	6	2	8	3	3	9	9	7	–	1	–	–
Nairn	1	1	1	2	1	6	4	4	4	3	2	–	–	–	–	–
Elgin	3	1	8	4	4	6	7	8	5	10	4	2	–	–	–	–
Banff	7	5	9	4	6	10	10	13	9	11	11	2	1	1	–	–
Aberdeen	5	9	10	10	12	7	16	9	28	14	6	8	1	–	–	–
Kincardine	2	1	1	4	7	4	2	5	6	4	2	3	–	1	–	–
Forfar	7	8	8	6	6	12	17	16	22	17	16	7	3	–	–	–
Perth	4	7	6	7	14	9	10	18	23	16	7	4	2	–	–	–
Fife	11	14	11	20	26	22	26	30	22	21	23	7	–	–	–	–
Clackmannan	6	6	5	4	11	9	8	8	19	5	4	1	–	–	–	–
Stirling	15	13	21	15	23	27	31	21	25	22	16	4	2	1	–	–
Dumbarton	14	9	13	13	16	18	20	22	31	22	15	6	1	–	–	1
Argyll	6	3	6	6	10	13	7	11	18	8	13	3	1	1	–	–
Bute	7	–	3	8	3	7	3	10	8	2	2	2	–	–	–	–
Renfrew	19	12	25	25	25	30	35	33	41	20	11	4	3	–	–	–
Ayr	27	48	33	54	46	46	35	64	53	43	47	15	6	2	–	1
Lanark	56	39	48	56	54	40	60	36	51	27	17	10	3	–	–	–
Linlithgow	2	5	11	4	14	9	12	11	13	13	5	3	1	–	–	–
Edinburgh	11	12	10	18	20	11	11	16	28	14	12	2	3	–	–	–
Haddington	1	6	6	4	4	6	2	12	11	4	9	–	1	–	–	–
Berwick	–	2	5	2	1	2	2	2	5	2	1	–	–	–	–	–
Peebles	2	–	–	2	–	–	2	2	2	2	4	–	1	–	–	–
Selkirk	2	3	3	2	4	5	17	8	7	6	7	4	–	–	–	–
Roxburgh	3	2	3	2	5	3	6	5	5	5	4	1	–	–	–	–
Dumfries	3	2	3	5	1	4	3	4	12	4	4	–	1	–	–	–
Kirkcudbright	5	2	3	1	5	3	7	7	7	8	4	1	1	–	–	1
Wigtown	3	3	1	2	4	3	7	6	7	4	4	3	–	2	–	1

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	195	14	3	8	10	7	2	4	11	4	5	7	9
Arbroath	271	16	10	13	21	12	6	1	16	6	11	10	10
Forfar	132	7	3	3	7	3	6	3	9	2	2	3	2
Montrose	203	8	6	6	11	7	1	7	13	3	5	9	5
Dunfermline	184	14	8	12	17	10	5	4	13	10	8	6	4
Kirkcaldy	132	17	4	8	12	8	4	1	8	3	5	3	3
Stirling	166	18	5	9	13	4	3	3	10	4	7	8	8
Dumbarton	228	22	12	16	9	13	11	6	26	8	11	9	9
Ayr	278	24	9	15	13	8	3	3	12	8	11	5	15
Kilmarnock	358	25	16	20	26	17	16	15	24	16	22	24	10
Barony	629	31	15	49	69	34	25	27	55	16	22	30	19
Govan	1110	109	52	89	125	65	43	38	81	21	37	42	44
Hamilton	233	23	7	15	20	8	3	6	12	10	8	6	9
Airdrie	178	15	9	13	16	9	6	7	8	3	8	11	6
Coatbridge	250	22	11	23	41	18	9	5	15	11	6	13	4
Hawick	120	12	2	5	6	2	5	2	4	1	5	9	7
Dumfries	280	21	7	16	16	12	9	6	19	9	9	4	7

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—FEMALES.

Shetland	50	2	1	–	2	–	2	–	2	1	–	2	4
Orkney	46	1	2	2	2	–	–	–	–	1	1	1	1
Caithness	161	15	11	7	5	2	3	–	4	7	2	4	5
Ross and Cromarty	147	7	7	7	11	5	8	4	9	2	5	3	6
Nairn	52	5	1	4	3	–	–	2	3	–	1	1	1
Elgin	194	12	5	8	10	5	3	4	10	2	1	6	4
Banff	218	21	6	11	13	5	4	9	12	6	8	8	7
Aberdeen	361	39	13	18	25	17	17	13	29	9	7	11	12
Kincardine	54	1	4	1	4	1	2	–	2	1	2	1	2
Forfar	269	27	7	7	11	6	6	5	14	6	10	5	10
Perth	283	16	5	12	10	7	7	1	13	14	4	13	19
Fife	575	35	25	27	30	15	8	6	33	26	9	19	15
Clackmannan	191	21	7	15	10	5	5	3	6	1	8	11	4
Stirling	483	60	14	26	34	18	6	10	30	11	14	23	18
Dumbarton	451	34	9	18	30	21	15	9	20	13	17	12	13
Argyll	204	9	5	8	12	3	3	1	7	6	5	4	4
Bute	123	6	1	3	8	1	–	1	3	7	7	4	6
Renfrew	734	67	22	49	51	24	30	17	46	27	30	35	34
Ayr	1272	122	30	57	82	63	47	35	89	41	45	56	53
Lanark	1366	144	60	101	144	82	51	36	97	52	49	49	40
Linlithgow	249	34	13	26	20	9	2	6	7	5	8	13	9
Edinburgh	378	33	10	19	31	4	22	6	22	10	10	9	11
Haddington	186	13	5	10	13	16	9	4	14	10	3	7	4
Berwick	39	3	1	2	2	2	–	3	1	1	–	–	1
Peebles	35	6	3	2	2	1	–	–	1	2	1	1	–
Selkirk	163	7	11	11	11	8	5	2	13	2	7	12	6
Roxburgh	99	7	3	3	6	1	1	–	2	3	3	4	2
Dumfries	93	5	4	5	4	2	1	1	6	1	3	1	3
Kirkcudbright	121	8	3	2	5	6	2	3	4	5	2	3	6
Wigtown	111	5	–	3	4	4	4	1	4	7	4	4	4

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	6	9	1	7	10	5	10	10	21	13	11	4	1	1	1	1
Arbroath	13	9	6	10	10	14	16	12	16	8	13	7	4	–	–	1
Forfar	3	3	6	5	9	5	8	5	17	14	3	3	1	–	–	–
Montrose	5	6	11	13	12	6	13	5	15	13	12	9	1	1	–	–
Dunfermline	5	9	4	4	2	6	10	6	9	8	9	–	–	–	1	–
Kirkcaldy	3	5	4	1	4	3	3	9	8	9	6	1	–	–	–	–
Stirling	3	2	9	–	8	4	7	6	13	9	8	3	–	2	–	–
Dumbarton	4	8	3	5	6	9	6	8	12	4	9	2	–	–	–	–
Ayr	6	11	11	6	11	11	22	14	23	15	15	5	2	–	–	–
Kilmarnock	16	13	11	10	5	10	10	13	9	18	10	1	1	–	–	–
Barony	32	13	20	14	16	24	32	31	27	17	6	4	1	–	–	–
Govan	31	36	47	32	43	30	33	38	32	22	14	3	2	1	–	–
Hamilton	12	11	3	6	14	15	6	10	8	12	6	2	1	–	–	–
Airdrie	4	3	5	7	9	3	8	9	5	10	1	1	2	–	–	–
Coatbridge	8	3	5	3	9	7	6	6	9	5	6	3	2	–	–	–
Hawick	5	5	4	5	2	6	10	5	5	4	5	4	–	–	–	–
Dumfries	7	8	10	10	10	11	12	16	20	13	13	10	3	–	–	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—FEMALES.

Shetland	1	1	2	2	2	–	3	2	5	9	2	5	–	–	–	–
Orkney	1	1	1	2	3	1	1	2	7	7	4	4	1	–	–	–
Caithness	4	3	3	3	7	7	5	10	15	12	11	11	4	1	–	–
Ross and Cromarty	2	4	11	3	5	3	7	6	7	9	7	4	4	–	1	–
Nairn	2	3	1	2	2	–	1	3	7	2	6	1	1	–	–	–
Elgin	5	4	7	9	8	15	5	13	16	15	14	12	–	1	–	–
Banff	8	4	4	4	11	9	7	12	14	12	19	2	2	–	–	–
Aberdeen	8	8	3	13	6	12	12	12	22	22	18	10	4	1	–	–
Kincardine	2	1	1	2	1	5	3	2	3	1	7	3	2	–	–	–
Forfar	10	3	6	7	11	10	15	21	25	21	13	8	5	–	–	–
Perth	10	13	10	10	12	8	12	12	37	11	15	8	3	1	–	–
Fife	22	22	21	18	24	25	31	35	31	40	31	15	10	2	–	–
Clackmannan	9	13	5	5	4	5	13	7	10	10	8	5	–	1	–	–
Stirling	20	16	8	15	11	25	23	21	25	23	20	6	5	–	–	1
Dumbarton	17	15	22	14	21	19	19	23	37	24	18	7	3	1	–	–
Argyll	6	10	5	6	5	9	10	9	18	25	22	8	3	1	–	–
Bute	7	3	3	7	4	3	10	10	9	7	10	2	1	–	–	–
Renfrew	21	24	24	27	28	19	30	28	47	22	19	10	2	1	–	–
Ayr	45	36	37	36	41	35	58	66	66	63	39	23	7	–	–	–
Lanark	38	52	53	36	34	41	50	40	37	32	24	17	4	2	–	1
Linlithgow	6	10	9	9	7	11	7	11	8	7	6	5	1	–	–	–
Edinburgh	8	8	11	11	14	12	27	16	38	24	14	6	2	–	–	–
Haddington	2	5	4	5	5	5	8	5	10	12	10	5	2	–	–	–
Berwick	2	3	1	1	1	–	1	3	6	2	3	–	–	–	–	–
Peebles	2	1	1	1	–	1	2	2	2	4	–	–	–	–	–	–
Selkirk	6	3	7	7	4	4	10	4	11	5	4	2	1	–	–	–
Roxburgh	3	3	4	5	7	7	6	5	10	2	9	2	1	–	–	–
Dumfries	4	3	4	3	2	1	7	7	7	9	4	5	–	–	1	–
Kirkcudbright	1	4	1	2	5	3	8	8	10	15	11	3	1	–	–	–
Wigtown	5	4	3	6	7	3	6	6	8	5	6	5	3	–	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	267	20	5	4	6	5	2	3	4	12	10	11	5
Sutherland	348	19	4	16	11	2	5	4	13	7	5	10	11
Ross and Cromarty	950	53	23	26	35	27	18	14	48	18	13	23	27
Inverness	465	32	8	14	14	8	2	2	15	10	7	18	17
Nairn	47	2	–	–	–	–	1	–	3	–	1	4	3
Elgin	457	33	15	29	25	12	10	8	21	7	16	20	6
Banff	509	46	11	22	18	12	14	9	18	12	19	21	19
Aberdeen	1889	220	59	65	78	56	38	36	93	60	74	66	55
Kincardine	457	50	17	10	19	13	12	7	26	8	13	14	16
Forfar	679	64	29	22	27	24	16	12	55	20	29	24	18
Perth	1369	94	22	51	57	36	24	20	61	33	31	46	39
Fife	1535	126	50	86	89	45	42	23	96	43	47	39	41
Kinross	137	11	2	5	8	3	3	–	6	5	–	5	2
Clackmannan	89	10	3	8	4	2	5	1	4	4	1	3	2
Stirling	913	86	31	48	62	49	29	22	69	22	26	25	29
Dumbarton	286	27	11	20	12	9	1	4	15	11	16	9	10
Argyll	668	43	10	26	18	15	4	6	28	22	21	35	22
Renfrew	569	63	23	26	38	16	20	12	42	24	21	17	20
Ayr	1163	129	42	61	74	32	29	15	63	43	52	52	44
Lanark	1607	188	68	131	156	62	45	39	102	55	67	63	48
Linlithgow	208	25	14	9	19	8	4	5	5	8	5	6	9
Edinburgh	952	90	50	58	61	33	18	14	53	25	28	30	25
Haddington	366	39	8	17	21	9	11	10	27	9	8	7	8
Berwick	475	50	11	13	15	18	10	4	27	13	15	18	14
Peebles	117	18	4	6	4	1	1	2	4	2	8	7	2
Selkirk	34	6	–	2	1	2	–	1	1	3	–	1	1
Roxburgh	340	46	4	13	8	5	5	5	14	9	8	10	9
Dumfries	966	87	31	29	37	15	24	13	30	24	33	41	34
Kirkcudbright	409	32	7	18	9	9	6	3	5	15	13	15	16
Wigtown	545	46	17	22	24	12	7	10	19	16	12	28	24

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—Both Sexes.

Shetland	429	26	7	7	6	2	2	2	5	8	8	15	16
Orkney	329	15	7	2	7	2	2	4	3	3	6	10	19
Ross and Cromarty	254	27	5	15	18	8	6	4	5	2	6	11	13
Inverness	627	70	11	22	39	17	6	7	12	13	21	24	26
Argyll	380	23	9	10	16	9	9	4	10	14	10	17	15
Bute	175	9	3	4	3	5	4	–	2	10	11	9	6

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	6	7	6	10	9	2	12	16	22	23	31	28	4	–	2	2
Sutherland	10	7	10	7	11	17	16	14	36	35	40	26	8	4	–	–
Ross and Cromarty	22	24	27	25	44	29	47	47	103	92	95	34	27	7	2	–
Inverness	15	7	12	13	7	26	21	33	49	41	51	31	9	2	–	1
Nairn	–	1	1	2	3	4	2	2	2	3	5	7	1	–	–	–
Elgin	22	9	11	16	11	15	10	26	34	45	28	18	8	2	–	–
Banff	9	11	11	17	14	19	20	20	65	38	30	26	8	–	–	–
Aberdeen	31	60	46	40	63	50	73	122	145	111	126	72	35	10	2	3
Kincardine	7	11	12	11	14	17	22	22	36	36	32	18	13	1	–	–
Forfar	21	19	28	9	20	19	32	44	49	40	26	22	7	1	–	2
Perth	40	35	31	39	43	55	79	92	133	119	103	62	16	6	1	1
Fife	32	29	28	44	37	74	75	78	132	108	102	52	15	1	–	1
Kinross	2	5	3	4	6	3	6	8	16	14	13	6	1	–	–	–
Clackmannan	4	3	–	2	1	4	7	6	8	4	1	1	1	–	–	–
Stirling	36	30	20	26	30	28	35	48	70	42	30	15	3	–	–	2
Dumbarton	14	12	10	8	6	7	12	12	21	13	16	7	2	–	–	1
Argyll	19	13	20	15	25	31	32	34	54	59	66	32	10	3	2	3
Renfrew	21	19	11	26	17	23	26	22	25	25	19	9	1	3	–	–
Ayr	32	39	32	32	42	46	49	47	57	45	56	35	9	3	–	3
Lanark	47	38	46	44	54	48	66	48	67	49	46	17	9	1	1	2
Linlithgow	7	2	6	8	15	6	7	9	5	9	11	5	1	–	–	–
Edinburgh	30	31	25	36	33	38	42	57	74	54	33	10	2	1	–	1
Haddington	13	6	11	11	6	5	22	27	34	21	23	10	1	2	–	–
Berwick	5	10	14	8	18	20	34	40	42	31	24	16	2	1	1	1
Peebles	1	5	4	–	4	3	3	6	11	12	6	3	–	–	–	–
Selkirk	1	–	1	2	1	1	2	2	3	1	2	–	–	–	–	–
Roxburgh	7	8	11	13	15	22	23	26	28	21	18	9	2	1	–	–
Dumfries	22	30	36	35	35	45	50	55	74	79	59	32	12	4	–	–
Kirkcudbright	10	9	10	9	13	14	26	26	48	31	35	17	11	1	–	1
Wigtown	21	13	14	17	24	19	25	28	37	35	39	24	11	1	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—BOTH SEXES.

Shetland	13	9	13	9	8	18	20	28	49	51	62	32	8	5	–	–
Orkney	13	6	4	13	5	22	14	23	40	45	37	19	8	–	–	–
Ross and Cromarty	11	5	9	5	12	6	5	4	16	14	14	10	4	2	1	16
Inverness	19	16	19	12	28	12	27	31	35	51	58	31	11	9	–	–
Argyll	9	11	14	3	15	15	17	27	32	31	28	13	14	2	1	2
Bute	3	7	2	3	6	5	8	16	14	15	10	14	4	2	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	127	9	4	3	2	3	2	2	2	7	5	8	2
Sutherland	171	13	2	9	6	2	1	1	5	4	2	8	6
Ross and Cromarty	437	26	14	12	23	13	8	8	26	7	4	15	13
Inverness	224	18	4	8	8	7	2	2	7	7	4	12	8
Nairn	26	2	–	–	–	–	1	–	1	–	–	2	2
Elgin	216	21	4	20	13	6	7	6	8	4	6	10	4
Banff	256	27	5	12	13	6	7	7	9	4	7	12	10
Aberdeen	947	129	28	42	42	31	18	13	42	26	40	28	24
Kincardine	216	28	8	6	10	7	7	4	12	2	10	8	4
Forfar	343	44	21	10	17	14	6	7	27	11	18	11	5
Perth	668	59	15	35	22	23	10	9	30	17	16	22	19
Fife	807	79	35	45	53	23	27	14	50	23	32	12	19
Kinross	81	7	2	3	6	1	2	–	3	3	–	4	–
Clackmannan	45	4	3	3	3	1	1	1	3	1	1	2	–
Stirling	475	45	19	29	28	26	17	6	34	12	11	13	15
Dumbarton	146	11	8	10	4	6	–	2	6	3	9	6	4
Argyll	345	27	6	12	10	8	1	1	17	11	11	17	11
Renfrew	294	36	12	16	19	7	13	6	20	13	14	6	9
Ayr	597	66	21	35	36	17	20	7	28	27	25	30	19
Lanark	824	106	32	62	80	36	16	16	53	24	36	29	21
Linlithgow	101	17	8	4	9	5	4	2	2	3	1	2	3
Edinburgh	451	44	27	32	32	18	6	9	24	15	12	13	13
Haddington	180	20	5	9	15	4	7	8	12	5	3	3	4
Berwick	235	32	6	7	6	5	4	1	13	5	6	14	8
Peebles	56	7	2	5	3	–	–	2	4	–	2	2	–
Selkirk	15	1	–	1	–	2	–	1	–	–	–	1	1
Roxburgh	189	31	–	7	4	2	4	4	9	6	6	5	4
Dumfries	502	54	16	13	18	8	14	9	16	11	15	23	18
Kirkcudbright	185	16	4	10	4	3	2	1	2	7	7	7	7
Wigtown	260	21	6	6	13	6	2	3	9	7	8	19	8

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

Shetland	179	15	4	5	2	2	1	1	3	4	3	6	8
Orkney	158	9	4	–	2	–	2	1	3	1	4	6	12
Ross and Cromarty	132	17	2	6	12	2	2	3	2	1	2	6	5
Inverness	327	42	7	15	22	11	3	2	7	6	12	16	13
Argyll	202	19	6	1	9	5	4	2	7	10	6	10	9
Bute	85	8	2	3	1	2	2	–	–	6	6	4	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	5	4	2	6	5	1	6	6	10	8	14	9	–	–	1	1
Sutherland	6	2	4	2	4	10	9	6	17	16	19	11	5	1	–	–
Ross and Cromarty	10	14	14	9	17	15	18	22	44	44	37	12	10	2	–	–
Inverness	9	4	6	4	4	12	10	20	20	17	15	12	3	–	–	1
Nairn	–	1	1	1	3	3	1	1	–	2	3	1	1	–	–	–
Elgin	15	2	2	6	4	5	6	10	14	24	10	5	4	–	–	–
Banff	3	6	5	5	7	8	12	7	36	20	13	12	3	–	–	–
Aberdeen	14	27	18	16	36	26	36	73	86	49	55	31	15	–	–	2
Kincardine	4	2	4	6	8	7	9	11	18	15	14	7	5	–	–	–
Forfar	6	8	12	6	11	12	13	27	22	14	11	8	–	–	–	2
Perth	22	14	16	13	22	24	29	48	75	52	45	23	7	–	–	1
Fife	10	11	11	25	17	39	49	42	72	55	37	22	5	–	–	–
Kinross	1	3	2	2	6	2	2	4	9	7	9	2	1	–	–	–
Clackmannan	2	1	–	–	1	4	3	4	3	2	–	1	1	–	–	–
Stirling	20	16	12	18	14	18	15	25	39	22	11	8	1	–	–	1
Dumbarton	6	8	5	5	3	3	8	8	10	8	9	3	1	–	–	–
Argyll	12	6	7	11	11	15	18	22	25	29	33	17	3	2	–	2
Renfrew	9	7	5	14	9	13	9	15	12	13	10	5	1	1	–	–
Ayr	16	22	14	18	29	26	26	20	31	23	18	16	4	1	–	2
Lanark	22	21	23	30	32	35	34	30	24	24	25	8	5	–	–	–
Linlithgow	5	1	4	6	7	1	2	5	3	3	3	1	–	–	–	–
Edinburgh	9	14	9	18	13	20	27	32	28	20	12	2	1	–	–	1
Haddington	7	3	4	4	3	3	10	12	17	11	8	3	–	–	–	–
Berwick	1	6	6	3	7	11	16	20	16	20	16	5	1	–	–	–
Peebles	–	1	4	–	2	2	2	3	5	7	2	1	–	–	–	–
Selkirk	–	–	1	2	–	1	1	1	1	–	1	–	–	–	–	–
Roxburgh	1	4	5	7	7	15	11	16	18	14	5	4	–	–	–	–
Dumfries	10	9	11	17	17	29	30	36	34	45	27	14	7	1	–	–
Kirkcudbright	1	5	4	3	7	6	14	10	20	13	19	8	5	–	–	–
Wigtown	10	7	10	10	12	11	14	10	20	11	20	16	1	–	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

Shetland	5	4	6	2	2	7	12	10	21	21	21	12	1	1	–	–
Orkney	6	2	1	8	2	11	4	13	20	21	16	7	3	–	–	–
Ross and Cromarty	4	2	7	1	7	2	1	1	11	3	8	4	4	–	1	16
Inverness	8	7	11	5	12	8	12	16	15	25	26	19	6	1	–	–
Argyll	4	2	7	2	8	10	8	16	14	13	16	8	4	–	–	2
Bute	1	2	2	1	4	3	5	6	6	4	7	4	1	2	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—FEMALES.

	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12										
Caithness	140	11	1	1	4	2	–	1	2	5	5	3	3
Sutherland	177	6	2	7	5	–	4	3	8	3	3	2	5
Ross and Cromarty	513	27	9	14	12	14	10	6	22	11	9	8	14
Inverness	241	14	4	6	6	1	–	–	8	3	3	6	9
Nairn	21	–	–	–	–	–	–	–	2	–	1	2	1
Elgin	241	12	11	9	12	6	3	2	13	3	10	10	2
Banff	253	19	6	10	5	6	7	2	9	8	12	9	9
Aberdeen	942	91	31	23	36	25	20	23	51	34	34	38	31
Kincardine	241	22	9	4	9	6	5	3	14	6	3	6	12
Forfar	336	20	8	12	10	10	10	5	28	9	11	13	13
Perth	701	35	7	16	35	13	14	11	31	16	15	24	20
Fife	728	47	15	41	36	22	15	9	46	20	15	27	22
Kinross	56	4	–	2	2	2	1	–	3	2	–	1	2
Clackmannan	44	6	–	5	1	1	4	–	1	3	–	1	2
Stirling	438	41	12	19	34	23	12	16	35	10	15	12	14
Dumbarton	140	16	3	10	8	3	1	2	9	8	7	3	6
Argyll	323	16	4	14	8	7	3	5	11	11	10	18	11
Renfrew	275	27	11	10	19	9	7	6	22	11	7	11	11
Ayr	566	63	21	26	38	15	9	8	35	16	27	22	25
Lanark	783	82	36	69	76	26	29	23	49	31	31	34	27
Linlithgow	107	8	6	5	10	3	–	3	3	5	4	4	6
Edinburgh	501	46	23	26	29	15	12	5	29	10	16	17	12
Haddington	186	19	3	8	6	5	4	2	15	4	5	4	4
Berwick	240	18	5	6	9	13	6	3	14	8	9	4	6
Peebles	61	11	2	1	1	1	1	-	–	2	6	5	2
Selkirk	19	5	–	1	1	–	–	–	1	3	–	–	–
Roxburgh	151	15	4	6	4	3	1	1	5	3	2	5	5
Dumfries	464	33	15	16	19	7	10	4	14	13	18	18	16
Kirkcudbright	224	16	3	8	5	6	4	2	3	8	6	8	9
Wigtown	285	25	11	16	11	6	5	7	10	9	4	9	16

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—FEMALES.

Shetland	250	11	3	2	4	–	1	1	2	4	5	9	8
Orkney	171	6	3	2	5	2	–	3	–	2	2	4	7
Ross and Cromarty	122	10	3	9	6	6	4	1	3	1	4	5	8
Inverness	300	28	4	7	17	6	3	5	5	7	9	8	13
Argyll	178	4	3	9	7	4	5	2	3	4	4	7	6
Bute	90	1	1	1	2	3	2	–	2	4	5	5	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	1	3	4	4	4	1	6	10	12	15	17	19	4	–	1	1
Sutherland	4	5	6	5	7	7	7	8	19	19	21	15	3	3	–	–
Ross and Cromarty	12	10	13	16	27	14	29	25	59	48	58	22	17	5	2	–
Inverness	6	3	6	9	3	14	11	13	29	24	36	19	6	2	–	–
Nairn	–	–	–	1	–	1	1	1	2	1	2	6	–	–	–	–
Elgin	7	7	9	10	7	10	4	16	20	21	18	13	4	2	–	–
Banff	6	5	6	12	7	11	8	13	29	18	17	14	5	–	–	–
Aberdeen	17	33	28	24	27	24	37	49	59	62	71	41	20	10	2	1
Kincardine	3	9	8	5	6	10	13	11	18	21	18	11	8	1	–	–
Forfar	15	11	16	3	9	7	19	17	27	26	15	14	7	1	–	–
Perth	18	21	15	26	21	31	50	44	58	67	58	39	9	6	1	–
Fife	22	18	17	19	20	35	26	36	60	53	65	30	10	1	–	1
Kinross	1	2	1	2	–	1	4	4	7	7	4	4	–	–	–	–
Clackmannan	2	2	–	2	–	–	4	2	5	2	1	–	–	–	–	–
Stirling	16	14	8	8	16	10	20	23	31	20	19	7	2	–	–	1
Dumbarton	8	4	5	3	3	4	4	4	11	5	7	4	1	–	–	1
Argyll	7	7	13	4	14	16	14	12	29	30	33	15	7	1	2	1
Renfrew	12	12	6	12	8	10	17	7	13	12	9	4	–	2	–	–
Ayr	16	17	18	14	13	20	23	27	26	22	38	19	5	2	–	1
Lanark	25	17	23	14	22	13	32	18	43	25	21	9	4	1	1	2
Linlithgow	2	1	2	2	8	5	5	4	2	6	8	4	1	–	–	–
Edinburgh	21	17	16	18	20	18	15	25	46	34	21	8	1	1	–	–
Haddington	6	3	7	7	3	2	12	15	17	10	15	7	1	2	–	–
Berwick	4	4	8	5	11	9	18	20	26	11	8	11	1	1	1	1
Peebles	1	4	–	–	2	1	1	3	6	5	4	2	–	–	–	–
Selkirk	1	–	–	–	1	–	1	1	2	1	1	–	–	–	–	–
Roxburgh	6	4	6	6	8	7	12	10	10	7	13	5	2	1	–	–
Dumfries	12	21	25	18	18	16	20	19	40	34	32	18	5	3	–	–
Kirkcudbright	9	4	6	6	6	8	12	16	28	18	16	9	6	1	–	1
Wigtown	11	6	4	7	12	8	11	18	17	24	19	8	10	1	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—FEMALES.

Shetland	8	5	7	7	6	11	8	18	28	30	41	20	7	4	–	–
Orkney	7	4	3	5	3	11	10	10	20	24	21	12	5	–	–	–
Ross and Cromarty	7	3	2	4	5	4	4	3	5	11	6	6	–	2	–	–
Inverness	11	9	8	7	16	4	15	15	20	26	32	12	5	8	–	–
Argyll	5	9	7	1	7	5	9	11	18	18	12	5	10	2	1	–
Bute	2	5	–	2	2	2	3	10	8	11	3	10	3	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . .	80720	522	406	566	348	1480	1457	152	802	936	4698	588	6489	2608	3309	137
SPECIFIED CAUSES . .	79181	460	383	552	325	1360	1316	150	781	923	4611	568	6455	2545	3221	134
I. Zymotic Class . .	18855	33	18	75	39	305	181	21	149	191	1108	104	1900	518	724	25
II. Diseases of Uncer. Seat	2899	10	22	28	24	58	49	4	42	66	215	28	222	88	122	8
III. Tubercular Class .	11303	45	37	79	41	128	166	22	107	128	556	53	809	333	367	11
IV. Brain and Nervous Sys.	7257	22	34	56	37	106	123	20	87	100	466	61	600	297	326	18
V. Organs of Circulation	4411	13	27	35	9	37	68	2	61	53	306	41	357	218	194	10
VI. Respiratory Organs .	13351	33	44	90	32	151	180	16	94	125	682	71	1135	333	523	19
VII. Organs of Digestion .	5255	35	41	32	19	76	69	20	60	75	323	61	307	170	229	11
VIII. Urinary Organs . .	1388	5	9	16	6	25	34	3	12	35	147	13	100	48	67	7
IX. Organs of Generation	656	10	4	9	2	16	11	–	3	17	43	5	45	17	29	–
X. Organs of Locomotion	523	12	5	4	1	17	26	2	9	8	31	5	26	15	14	1
XI. Skin, etc. . . .	102	–	1	2	–	3	–	–	4	1	11	1	3	2	6	1
XII. Malformation . .	281	–	1	1	–	3	1	–	2	2	24	6	29	2	15	1
XIII. Premature Debility .	3674	13	5	22	4	19	42	7	26	31	189	24	362	95	131	1
XIV. Atrophy . . .	476	1	1	–	1	8	5	–	5	5	8	3	34	19	10	–
XV. Age	5543	210	125	80	100	342	317	28	91	59	334	64	291	311	320	18
XVI. Sudden Deaths . .	104	–	–	1	–	2	1	–	1	–	3	–	6	4	13	–
XVII. Violent Deaths . .	3103	18	9	22	10	64	43	5	28	27	165	28	224	75	131	3
I. Small-pox . . .	1246	–	–	–	–	6	2	1	–	2	39	2	7	1	3	–
Measles . . .	1103	3	–	–	4	31	17	7	43	4	98	8	57	23	136	–
Scarlatina . . .	6321	4	1	9	13	42	18	–	19	39	250	14	977	187	172	5
Diphtheria . .	1163	1	–	3	–	45	15	7	28	39	108	9	126	39	58	2
Hooping-cough . .	1690	1	–	–	11	32	17	–	13	15	91	14	67	36	36	8
Croup . . .	1071	1	1	3	2	66	12	1	7	11	77	4	77	48	59	1
Thrush . . .	24	–	–	–	–	–	–	–	–	–	6	–	3	1	2	1
Diarrhœa . . .	2066	3	6	22	–	14	20	1	9	28	144	7	236	44	84	2
Dysentery . . .	265	2	2	1	–	3	6	–	1	3	31	–	33	8	18	–
Cholera . . .	86	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–
Influenza . . .	142	5	1	2	2	6	3	–	2	6	16	6	2	4	9	–
Purpura . . .	64	–	–	1	–	–	1	–	–	–	4	–	6	2	2	–
Ague	9	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Worms . . .	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	726	6	1	4	2	12	13	–	1	5	43	6	92	31	24	–
Enteric Fever . .	1455	3	1	13	1	15	33	3	13	20	95	22	92	56	62	4
Relapsing Fever .	27	–	–	–	–	–	–	–	1	–	2	–	1	–	2	–
Simple Cont. Fever .	104	–	1	–	1	4	5	–	1	–	3	4	4	5	5	–
Infantile Remittent .	80	1	–	2	–	–	–	–	–	2	7	–	5	2	4	–
Metria . . .	378	2	2	5	1	11	5	–	3	5	26	1	32	10	16	–
Rheumatic Fever .	144	–	–	2	2	5	4	–	3	–	12	3	13	4	3	1
Erysipelas . . .	365	1	–	3	–	6	6	–	1	9	30	1	31	7	14	1
Pyæmia . . .	102	–	1	1	–	3	4	–	–	1	12	3	5	3	5	–
Syphilis . . .	193	–	–	4	–	3	–	–	3	1	12	–	30	5	5	–
Noma . . .	13	–	1	–	–	–	–	–	1	–	–	–	2	–	3	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	6	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
II. Hæmorrhage . .	89	1	–	–	–	2	1	–	–	1	7	–	8	–	5	–
Dropsy . . .	651	5	9	5	7	17	12	2	5	6	27	3	53	17	32	2
Abscess . . .	236	–	–	1	–	2	2	–	3	4	21	2	13	2	8	–
Ulcer . . .	93	–	1	2	–	4	1	–	2	1	12	–	3	2	2	–
Fistula . . .	16	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1
Mortification . .	149	1	2	2	2	3	1	–	1	2	8	3	17	7	6	–
Cancer . . .	1646	3	10	17	15	29	32	2	31	51	138	20	126	58	67	5
Gout	19	–	–	–	–	1	–	–	–	1	2	–	1	2	1	–
III. Scrofula . . .	691	2	3	8	2	7	5	1	3	15	46	–	41	25	29	–
Tabes Mesenterica .	962	2	1	1	6	10	7	2	3	7	34	2	48	17	31	2
Phthisis . . .	7873	37	31	59	33	109	142	19	92	93	400	47	572	248	258	8
Hydrocephalus .	1777	4	2	11	–	2	12	–	9	13	76	4	148	43	49	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	460	2255	1664	1447	413	5097	4998	25394	746	7951	749	566	182	384	760	1586	798	772
SPECIFIED CAUSES	446	2199	1626	1354	400	5039	4933	25127	717	7911	726	564	180	379	749	1519	772	756
Zymotic Class	57	462	454	169	73	1065	1328	6888	145	1742	230	102	33	98	87	246	115	170
Uncertain Seat	28	78	49	74	17	183	147	670	31	354	26	27	12	18	36	88	37	38
Tubercular Class	77	299	245	203	75	863	774	3845	104	1160	60	59	24	64	120	222	122	105
Brain, etc.	42	227	126	136	47	479	417	1944	64	832	59	68	16	28	114	157	69	79
Heart, etc.	32	130	92	70	18	253	297	996	42	579	54	61	18	24	72	128	74	40
Respiratory Organs	89	327	217	179	47	836	677	5209	113	1321	94	73	30	64	89	254	114	90
Digestive Organs	23	181	103	83	28	379	321	1619	75	481	42	34	19	22	60	125	75	57
Urinary Organs	7	32	23	26	6	73	89	305	14	177	13	11	5	4	13	33	13	17
Generative Organs	8	18	7	10	3	48	32	178	9	76	7	11	3	4	9	8	10	4
Locomotive Organs	2	14	7	13	1	29	28	147	2	61	1	10	1	5	7	10	7	2
Skin	–	4	3	3	–	5	5	19	–	15	–	2	–	–	–	–	1	5
Malformation	2	4	4	4	–	15	33	65	6	34	4	4	–	1	2	10	5	1
Premature Debility	31	135	69	31	9	249	262	1246	38	360	35	31	11	21	57	72	19	27
Atrophy	3	20	12	3	1	60	30	168	1	47	12	2	–	2	5	6	2	2
Age	34	153	136	261	59	271	313	801	40	328	63	41	6	9	46	119	81	92
Sudden Deaths	–	4	2	1	–	6	8	47	–	4	1	–	–	–	–	–	–	–
Violent Deaths	11	111	77	88	16	225	172	980	33	340	25	28	2	15	32	41	28	27
Small-pox	–	5	120	4	26	107	203	628	10	8	13	–	–	–	–	16	9	34
Measles	1	23	8	2	–	15	14	419	6	130	13	3	–	29	6	3	–	–
Scarlatina	5	156	170	29	4	363	443	2600	24	526	125	29	4	10	6	47	24	6
Diphtheria	2	29	17	11	4	51	83	304	16	97	8	7	5	6	5	18	9	11
Hooping-cough	8	23	12	18	5	80	40	866	16	153	9	15	1	6	7	30	26	34
Croup	7	31	19	30	4	56	58	275	12	121	1	11	4	12	16	28	6	10
Thrush	–	2	–	–	–	2	–	2	–	4	–	–	–	–	1	–	–	–
Diarrhœa	8	54	31	21	2	134	138	650	28	254	23	5	5	20	11	31	9	22
Dysentery	1	8	4	5	–	14	17	74	2	16	2	4	2	–	1	3	1	3
Cholera	–	3	2	1	–	13	12	17	–	22	2	1	1	–	3	1	2	–
Influenza	–	12	4	2	1	2	6	23	–	21	1	2	1	1	1	1	–	–
Purpura	–	1	4	1	1	3	7	20	–	6	1	–	1	–	–	2	–	1
Ague	–	–	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	4	3	–	–	–	–	–	–	–	1	1	2
Typhus	3	38	15	5	4	38	46	184	–	126	2	7	1	–	3	6	3	5
Enteric Fever	9	38	29	24	15	86	147	399	15	134	20	12	2	9	16	26	11	30
Relapsing Fever	–	2	–	–	–	2	3	9	1	3	–	–	–	–	–	1	–	–
Simple Cont. Fever	1	9	4	1	–	3	15	17	2	6	1	1	–	–	3	1	2	5
Infantile Remittent	–	3	3	–	4	7	4	28	–	5	–	–	2	1	–	–	–	–
Metria	2	7	6	8	–	26	33	124	4	23	1	–	2	1	3	10	5	4
Rheumatic Fever	1	4	2	2	1	13	5	31	2	16	3	1	1	1	1	5	2	1
Erysipelas	8	6	1	4	–	29	34	118	5	29	3	–	–	1	2	11	3	1
Pyæmia	1	2	2	1	1	6	5	27	–	9	1	4	–	–	1	3	1	–
Syphilis	–	5	–	–	1	15	9	63	2	28	1	–	1	1	1	1	1	1
Noma	–	–	–	–	–	–	2	3	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Hæmorrhage	1	4	3	2	–	10	6	24	–	6	1	–	–	1	–	1	1	4
Dropsy	11	22	10	26	2	65	34	186	1	55	7	1	1	–	2	10	7	9
Abscess	3	9	4	2	–	24	16	69	1	38	3	–	1	1	1	2	1	3
Ulcer	–	3	–	5	–	5	2	28	1	11	1	2	–	–	–	4	1	–
Fistula	–	–	1	–	–	2	1	6	–	1	–	–	–	–	–	–	1	–
Mortification	1	4	2	7	–	11	6	25	3	25	2	1	–	–	1	5	–	1
Cancer	12	35	29	32	14	64	81	330	25	215	12	23	9	16	32	66	26	21
Gout	–	1	–	–	1	2	1	2	–	3	–	–	1	–	–	–	–	–
Scrofula	5	15	10	12	5	66	49	205	10	72	4	5	2	4	8	15	10	7
Tabes Mesenterica	5	22	15	3	6	62	75	421	7	109	5	4	1	5	18	18	10	3
Phthisis	49	205	179	161	61	585	517	2570	59	767	44	40	19	49	80	163	93	84
Hydrocephalus	18	57	41	27	3	150	133	649	28	212	7	10	2	6	14	26	9	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	877	2	2	7	4	9	15	2	6	19	49	8	74	20	40	1
Apoplexy	1792	8	7	15	5	20	26	7	25	27	96	9	168	80	90	8
Paralysis	2033	8	15	18	14	42	41	5	28	24	133	24	154	120	96	5
Delirium Tremens	72	–	–	–	1	–	–	–	–	–	6	–	6	4	2	–
Chorea	12	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–
Epilepsy	254	–	1	3	2	7	6	–	3	2	16	–	11	9	15	1
Tetanus	66	–	–	1	–	6	3	–	–	–	3	–	3	4	1	–
Insanity	67	2	–	–	1	–	8	–	–	–	5	1	2	1	3	–
Convulsions	1001	–	1	5	8	15	14	1	13	7	73	6	106	17	33	1
Brain Disease	1083	2	8	7	2	7	10	5	12	20	84	13	74	42	45	2
V. Pericarditis	104	–	–	1	–	–	2	–	2	2	4	1	6	1	4	1
Aneurism	113	2	–	–	–	2	2	–	1	2	18	–	4	3	2	1
Heart Disease	4194	11	27	34	9	35	64	2	58	49	284	40	347	214	188	8
VI. Laryngitis	208	–	1	–	–	3	–	–	3	2	23	9	22	4	3	1
Bronchitis	8667	15	21	62	14	70	100	14	63	72	482	40	790	218	327	8
Pleurisy	287	3	2	2	–	5	25	–	–	1	11	–	13	12	7	1
Pneumonia	3440	7	16	22	11	29	27	1	19	44	139	18	282	84	161	9
Asthma	474	7	2	4	7	40	23	1	6	5	21	3	11	7	18	–
Lung Disease	275	1	2	–	–	4	5	–	3	1	6	1	17	8	7	–
VII. Teething	782	4	2	1	2	8	7	7	14	11	69	1	39	11	35	–
Quinsey	79	1	1	2	1	2	1	–	–	1	7	1	2	5	4	–
Gastritis	227	4	4	2	–	3	3	1	3	2	8	1	10	5	12	–
Enteritis	926	–	2	2	–	12	8	4	10	12	33	6	47	27	27	3
Peritonitis	482	2	2	2	2	4	4	–	4	4	28	6	37	9	19	1
Ascites	80	–	–	–	1	2	–	–	3	1	3	1	9	5	5	–
Ulceration of Intestines	207	3	1	1	1	1	2	1	4	6	15	7	12	10	8	1
Hernia	118	–	3	–	1	3	2	1	–	3	10	2	10	2	6	2
Ileus	266	5	3	4	2	8	8	–	–	6	30	7	13	6	11	–
Intussusception	60	–	2	1	–	1	2	–	1	3	4	2	3	1	3	–
Stricture of Intestines	21	1	–	–	–	–	2	–	–	3	–	–	4	1	1	–
Stomach Disease	763	9	9	4	4	15	12	2	9	7	43	11	45	31	36	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	230	2	1	1	1	6	3	–	–	3	6	2	8	13	8	3
Jaundice	234	2	2	4	3	5	6	1	1	4	20	4	14	7	16	1
Liver Disease	759	2	9	8	1	6	8	3	11	9	45	10	51	37	34	–
Spleen Disease	20	–	–	–	–	–	1	–	–	–	2	–	3	–	4	–
VIII. Nephritis	167	–	–	–	–	3	4	–	1	4	8	3	20	4	11	1
Nephria	414	1	1	6	1	3	5	–	2	6	39	2	29	8	25	3
Addison's Disease	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Ischuria	67	2	–	1	1	6	2	–	–	1	6	2	2	2	5	–
Diabetes	111	–	–	–	–	4	8	–	1	4	8	1	10	5	6	–
Stone	64	1	4	4	3	4	5	2	–	2	9	–	4	–	1	–
Cystitis	104	–	1	3	–	–	2	–	1	5	7	2	9	7	4	2
Stricture of Urethra	13	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	445	1	2	2	1	5	8	1	6	13	69	3	26	21	15	1
IX. Paramenia	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Ovarian Dropsy	92	2	1	4	2	3	4	–	–	3	6	–	2	3	3	–
Childbirth	442	5	3	5	–	12	7	–	2	11	24	4	31	10	19	–
Organs of Generation	103	3	–	–	–	1	–	–	1	3	12	1	11	3	6	–
X. Bone Disease	75	–	–	1	–	1	–	–	2	–	7	1	3	–	2	–
Rheumatism	225	12	2	1	–	11	21	2	3	3	7	3	11	8	5	–
Joint Disease	223	–	3	2	1	5	5	–	4	5	17	1	12	7	7	1
XI. Carbuncle	31	–	–	–	–	1	–	–	1	–	3	–	3	2	–	1
Phlegmon	19	–	–	–	–	–	–	–	1	1	1	–	2	–	3	–
Skin Disease	52	–	1	2	–	2	–	–	2	–	7	1	3	–	3	–
XVII. Intemperance	234	1	–	2	–	1	–	1	2	–	11	1	21	2	10	1
Privation	13	–	–	–	–	–	2	–	–	–	1	–	1	1	2	–
Want of Breast Milk	134	–	–	–	–	–	2	–	1	1	12	2	8	4	9	–
Neglect	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cold	71	4	1	–	1	5	8	–	2	–	3	2	3	3	1	–
Poison	51	–	–	–	–	–	–	–	–	1	–	–	3	1	2	–
Poisoned Wounds	6	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	292	1	2	1	1	2	3	–	3	1	14	1	31	8	16	–
Hanging, etc.	53	–	1	1	–	1	–	–	–	–	3	–	9	–	4	–
Suffocation	312	–	1	3	–	2	1	–	2	7	24	7	31	6	11	–
Drowning	643	4	2	9	3	42	20	2	8	3	52	6	43	19	24	–
Fracture and Contusion	1031	5	1	5	4	6	6	2	9	10	37	6	62	24	37	2
Gunshot Wounds	19	1	–	–	–	1	–	–	–	1	1	–	1	1	1	–
Cuts and Stabs	39	–	1	–	–	1	–	–	–	–	2	1	3	1	1	–
Other Violent Causes	199	2	–	1	–	2	1	–	1	3	4	2	7	5	13	–
Not specified	1539	62	23	14	23	120	141	2	21	13	87	20	34	63	88	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	6	20	9	13	2	58	46	303	10	97	4	4	–	1	7	19	11	9
Apoplexy	10	47	51	28	20	150	116	433	9	187	7	24	7	6	31	36	18	21
Paralysis	13	79	30	54	10	122	108	412	16	255	26	21	6	10	46	54	19	25
Delirium Tremens	–	4	4	–	–	5	6	18	–	13	1	–	–	–	–	1	–	1
Chorea	–	–	–	–	–	1	–	3	–	1	–	1	–	–	1	–	–	–
Epilepsy	2	6	5	8	1	15	17	65	1	38	1	4	–	–	5	7	2	1
Tetanus	–	2	1	–	–	6	7	13	2	5	–	–	–	2	2	1	–	4
Insanity	–	1	–	1	–	1	2	22	–	10	–	–	–	–	–	7	–	–
Convulsions	4	34	13	18	3	53	34	384	14	96	13	3	2	3	8	8	7	4
Brain Disease	7	34	13	14	11	68	81	291	12	130	7	11	1	6	14	24	12	14
Pericarditis	–	2	1	1	1	5	5	45	4	10	3	–	–	–	–	1	1	1
Aneurism	–	–	–	2	–	5	3	33	–	25	–	1	–	1	2	2	2	–
Heart Disease	32	128	91	67	17	243	289	918	38	544	51	60	18	23	70	125	71	39
Laryngitis	–	1	4	1	–	15	17	48	2	25	2	4	–	–	2	8	3	5
Bronchitis	56	201	135	117	31	529	420	3515	63	829	59	37	22	45	47	148	68	49
Pleurisy	1	4	6	3	1	16	14	79	4	46	3	4	1	3	3	11	5	1
Pneumonia	23	80	59	38	14	233	183	1310	37	356	26	24	5	12	33	80	33	25
Asthma	9	21	4	17	–	24	38	140	5	35	4	3	2	3	3	5	3	3
Lung Disease	–	20	9	3	1	19	5	117	2	30	–	1	–	1	1	2	2	7
Teething	8	27	19	6	2	85	51	289	8	45	5	1	–	5	3	7	4	6
Quinsey	–	3	2	–	–	4	6	19	–	5	–	–	–	1	3	2	4	2
Gastritis	–	4	3	5	1	12	11	109	1	11	4	1	–	1	2	1	3	–
Enteritis	–	31	13	10	9	87	68	358	30	47	11	4	4	5	15	17	13	11
Peritonitis	5	18	6	6	1	48	27	117	10	64	3	6	5	1	7	23	6	5
Ascites	–	3	1	4	2	2	5	16	–	8	–	–	–	–	–	7	–	2
Ulceration of Intestines	1	3	2	8	–	11	12	59	1	21	–	2	–	1	3	3	3	4
Hernia	1	4	–	–	1	7	6	32	1	11	1	2	–	–	–	4	3	–
Ileus	2	6	5	8	1	7	11	64	1	26	2	3	1	1	1	10	7	7
Intussusception	–	–	1	–	1	4	2	13	1	10	–	–	1	–	1	3	–	–
Stricture of Intestines	–	–	–	–	–	2	2	3	–	1	–	–	–	–	–	1	–	–
Stomach Disease	2	35	27	11	2	27	46	211	10	95	4	4	–	2	9	19	15	7
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	12	10	7	3	9	21	74	4	16	3	–	1	–	3	3	2	5
Jaundice	2	7	3	4	–	15	16	51	3	21	2	1	1	3	2	5	4	4
Liver Disease	1	28	11	14	4	58	37	202	5	99	7	9	5	2	11	19	9	4
Spleen Disease	1	–	–	–	1	1	–	1	–	1	–	1	1	–	–	1	2	–
Nephritis	2	3	5	3	–	6	4	58	1	18	1	1	–	–	1	4	1	–
Nephria	2	7	1	8	2	18	26	112	9	62	3	5	1	2	6	11	4	4
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	3	1	3	7	8	–	2	1	1	2	1	–	4	2	1
Diabetes	1	2	3	–	1	7	6	22	1	14	1	–	–	–	1	3	1	1
Stone	–	2	–	2	–	3	4	7	–	6	–	–	–	–	–	1	–	–
Cystitis	–	2	3	2	–	9	9	11	1	14	2	2	1	–	1	1	1	2
Stricture of Urethra	–	–	–	–	–	2	–	6	–	2	–	–	–	–	–	1	–	–
Kidney Disease	2	15	10	8	2	25	33	81	2	59	5	2	1	1	4	8	4	9
Paramenia	–	–	1	–	–	1	1	2	–	2	1	3	2	1	1	–	–	–
Ovarian Dropsy	–	1	1	–	–	5	8	17	3	11	1	3	–	–	3	3	3	–
Childbirth	8	15	4	8	3	33	20	131	5	53	3	3	1	3	5	5	6	3
Organs of Generation	–	2	1	2	–	9	3	28	1	10	2	2	–	–	–	–	1	1
Bone Disease	–	–	1	2	1	1	2	26	–	13	1	1	–	3	2	3	1	1
Rheumatism	–	5	4	9	–	9	12	58	2	19	–	2	1	2	3	4	5	1
Joint Disease	2	9	2	2	–	19	14	63	–	29	–	7	–	–	2	3	1	–
Carbuncle	–	2	2	2	–	–	1	5	–	3	–	–	–	–	–	–	1	4
Phlegmon	–	2	–	–	–	3	–	4	–	1	–	1	–	–	–	–	–	–
Skin Disease	–	–	1	1	–	2	4	10	–	11	–	1	–	–	–	–	–	1
Intemperance	–	7	5	2	2	12	11	85	2	38	–	1	–	3	4	2	4	3
Privation	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	5	–	–	3	1	46	1	24	3	3	2	2	2	2	–	–
Neglect	–	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–
Cold	1	4	4	10	1	2	4	3	–	5	1	–	–	–	–	2	–	1
Poison	–	1	1	–	–	4	1	26	–	7		–	–	–	1	2	1	–
Poisoned Wounds		–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
Burns and Scalds	2	10	6	6	–	20	16	89	1	35	3	–	–	2	3	2	4	9
Hanging, etc.	–	–	–	–	–	6	–	19	–	7	–	1	–	–	–	1	–	–
Suffocation	1	3	8	5	1	16	22	103	2	38	4	7	–	1	2	2	–	2
Drowning	2	28	21	49	7	62	31	126	10	31	5	6	–	3	7	9	5	4
Fracture and Contusion	5	46	23	10	3	81	66	398	14	110	6	8	–	1	12	15	11	6
Gunshot Wounds	–	1	–	1	1	2	–	3	–	2	–	–	–	–	–	–	–	2
Cuts and Stabs	–	1	–	2	–	2	3	10	–	10	–	1	–	–	–	–	–	–
Other Violent Causes	–	9	4	3	1	13	16	66	3	30	2	1	–	3	1	4	2	–
Not specified	14	56	38	93	13	58	65	267	29	40	23	2	2	5	11	67	26	16

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . .	40678	222	189	265	171	698	721	79	367	465	2312	293	3167	1288	1690	81
SPECIFIED CAUSES . .	39871	195	177	257	161	642	638	79	354	456	2265	282	3145	1258	1642	79
I. Zymotic Class . .	9359	13	6	31	19	143	92	13	72	92	526	46	959	259	374	16
II. Diseases of Uncer. Seat	1158	3	9	12	7	24	19	3	11	21	87	13	74	32	47	4
III. Tubercular Class .	5485	20	16	42	22	65	83	11	65	75	266	28	363	160	182	6
IV. Brain and Nervous Sys.	3886	12	17	33	24	63	58	12	38	52	240	31	307	155	175	10
V. Organs of Circulation	2237	6	13	20	4	19	37	–	26	27	157	24	153	114	98	4
VI. Respiratory Organs .	7059	18	19	38	17	60	98	10	38	72	347	42	570	161	288	11
VII. Organs of Digestion .	2674	18	22	17	10	40	36	11	28	32	169	29	146	89	116	9
VIII. Urinary Organs . .	906	5	6	12	5	20	27	3	4	22	96	8	55	33	49	5
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
X. Organs of Locomotion	249	4	3	2	1	8	12	–	7	5	17	2	12	5	6	–
XI. Skin, etc. . . .	51	–	–	–	–	1	–	–	2	–	6	–	4	2	1	1
XII. Malformation . .	161	–	–	–	–	1	1	–	1	–	16	4	19	2	6	–
XIII. Premature Debility .	2070	8	4	9	2	5	18	4	12	13	108	15	220	60	78	–
XIV. Atrophy . . .	212	1	–	–	1	4	2	–	1	3	3	1	16	9	3	–
XV. Age	2054	77	54	22	44	136	127	7	29	23	103	19	100	123	113	10
XVI. Sudden Deaths . .	60	–	–	1	–	1	–	–	1	–	2	–	1	2	8	–
XVII. Violent Deaths .	2248	10	8	18	5	52	28	5	19	19	121	20	146	52	98	3
I. Small-pox . . .	742	–	–	–	–	3	1	–	–	2	17	1	5	–	1	–
Measles . . .	586	1	–	–	1	23	10	4	27	3	48	2	30	9	76	–
Scarlatina . . .	3265	2	1	2	7	25	10	–	10	13	128	9	504	104	105	4
Diphtheria . .	560	1	–	1	–	14	5	5	12	22	51	3	66	17	28	2
Hooping-cough . .	745	1	–	–	4	12	9	–	6	6	44	6	31	18	20	5
Croup . . .	597	–	–	1	2	30	7	–	1	6	47	2	49	30	36	–
Thrush . . .	15	–	–	–	–	–	–	–	–	–	3	–	3	1	1	1
Diarrhœa . . .	960	–	3	14	–	7	9	1	1	20	65	2	116	20	34	–
Dysentery . . .	133	1	–	–	–	3	3	–	–	2	15	–	13	3	9	–
Cholera . . .	48	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Influenza . . .	64	2	–	–	–	3	1	–	1	3	7	3	2	2	7	–
Purpura . . .	34	–	–	1	–	–	1	–	–	–	1	–	6	1	2	–
Ague	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms . . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	375	4		–	2	5	9	–	1	2	19	4	43	15	9	–
Enteric Fever . .	704	–	–	8	1	8	18	3	6	7	51	11	43	26	25	2
Relapsing Fever .	14	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–
Simple Cont. Fever .	56	–	1	–	–	1	2	–	1	–	1	2	3	2	1	–
Infantile Remittent .	34	–	–	–	–	–	–	–	–	2	3	–	2	1	2	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	77	–	–	–	2	1	3	–	1	–	5	–	8	4	1	1
Erysipelas . . .	184	1	–	3	–	3	3	–	1	4	12	–	18	3	5	1
Pyæmia . . .	50	–	1	1	–	2	1	–	–	–	3	1	2	–	3	–
Syphilis . . .	99	–	–	–	–	2	–	–	2	–	5	–	12	2	3	–
Noma . . .	6	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	48	1	–	–	–	2	1	–	–	–	4	–	5	–	2	–
Dropsy . . .	297	2	4	3	1	6	3	1	2	2	14	2	24	8	18	1
Abscess . . .	131	–	–	–	–	2	–	–	1	–	14	2	8	–	6	–
Ulcer . . .	39	–	1	–	–	2	–	–		1	3	–	–	2	1	–
Fistula . . .	10	–		–	–	–	–	–	–	–	–	–	1	–	–	1
Mortification . .	71	–	2	2	–	3	1	–	–	–	3	2	7	2	2	–
Cancer . . .	552	–	2	7	6	8	14	2	8	17	48	7	29	19	18	2
Gout	10	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–
III. Scrofula . . .	398	2	3	2	1	4	–	1	2	8	29	–	24	15	17	–
Tabes Mesenterica .	511	–	–	–	4	3	5	2	3	3	18	1	28	7	16	1
Phthisis . . .	3627	15	12	34	17	58	72	8	54	56	177	24	239	112	127	5
Hydrocephalus . .	949	3	1	6	–	–	6	–	6	8	42	3	72	26	22	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	225	1168	845	742	200	2579	2524	13118	390	3959	377	287	86	202	390	812	390	376
SPECIFIED CAUSES .	219	1146	829	686	194	2547	2489	12975	375	3940	363	287	85	200	385	776	373	372
Zymotic Class . .	27	227	237	82	32	507	669	3465	75	844	122	46	16	53	49	114	59	74
Uncertain Seat .	9	37	19	30	10	82	66	275	11	146	9	8	9	6	11	30	15	19
Tubercular Class .	43	142	107	101	36	380	347	1895	49	585	32	32	12	30	61	119	63	47
Brain, etc. . .	19	104	69	78	26	277	201	1102	41	436	30	35	5	16	59	87	32	42
Heart, etc. . .	18	72	47	37	10	127	163	503	19	325	19	26	9	16	34	61	30	19
Respiratory Organs .	40	197	109	92	16	455	383	2802	63	656	59	49	17	31	47	142	57	55
Digestive Organs .	15	105	55	42	19	191	155	810	36	251	18	16	9	14	31	68	34	33
Urinary Organs .	6	20	21	20	4	49	63	185	11	101	10	6	5	3	6	24	9	13
Generative Organs .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	6	2	6	1	13	14	70	1	27	–	4	–	2	5	8	4	1
Skin . . .	–	1	2	1	–	2	2	14	–	6	–	1	–	–	–	–	1	4
Malformation . .	1	1	1	3	–	10	16	40	4	19	3	1	–	1	2	6	3	–
Premature Debility .	13	67	37	18	6	139	136	729	25	185	22	19	2	12	36	38	11	19
Atrophy . . .	2	9	8	1	–	28	14	76	–	22	4	–	–	1	1	1	–	1
Age	15	69	56	107	22	108	116	278	17	98	17	20	1	4	22	49	39	29
Sudden Deaths .	–	2	1	1	–	3	4	29	–	3	1	–	–	–	–	–	–	–
Violent Deaths .	10	87	58	67	12	176	140	701	23	236	17	24	–	11	21	29	16	16
Small-pox . .	–	4	72	4	12	67	124	381	5	5	6	–	–	–	–	9	7	16
Measles . . .	–	12	4	2	–	9	9	210	2	73	9	2	–	13	4	3	–	–
Scarlatina . .	3	72	93	16	2	191	208	1354	19	251	66	9	3	7	3	27	14	3
Diphtheria . .	1	19	9	4	3	19	46	145	5	45	5	3	2	5	3	9	5	5
Hooping-cough .	1	11	6	10	1	35	22	366	9	69	2	6	1	3	3	13	11	14
Croup . . .	5	16	9	16	2	23	36	155	7	64	1	4	4	9	9	18	4	4
Thrush . . .	–	1	–	–	–	2	–	1	–	1	–	–	–	–	1	–	–	–
Diarrhœa . . .	4	21	14	11	1	64	65	308	13	117	12	2	2	8	6	9	3	8
Dysentery . .	1	3	1	1	–	4	8	46	1	11	2	2	–	–	1	1	–	2
Cholera . . .	–	1	1	1	–	7	7	8	–	13	1	–	–	–	2	1	2	–
Influenza . . .	–	8	2	2	1	1	3	6	–	7	1	1	–	–	–	1	–	–
Purpura . . .	–	–	1	1	–	1	5	12	–	2	–	–	–	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–
Worms . . .	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Typhus . . .	2	20	9	2	2	20	23	100	–	67	2	4	–	–	3	2	3	3
Enteric Fever . .	6	19	13	7	7	30	66	216	8	58	10	9	1	4	10	11	6	14
Relapsing Fever .	–	1	–	–	–	–	1	4	–	3	–	–	–	–	–	1	–	–
Simple Cont. Fever .	1	4	1	1	–	3	11	11	2	2	1	1	–	–	–	1	–	3
Infantile Remittent .	–	–	–	–	1	4	3	11	–	3	–	–	1	1	–	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	3	1	2	–	7	2	16	1	9	2	–	1	1	1	2	2	1
Erysipelas . .	2	6	1	2	–	10	21	62	2	17	1	–	–	1	1	4	–	–
Pyæmia . . .	1	1	–	–	–	4	3	14	–	6	1	3	–	–	1	1	1	–
Syphilis . . .	–	4	–	–	–	6	4	34	1	18	–	–	1	1	1	1	1	1
Noma . . .	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	2	2	–	–	4	5	14	–	2	–	–	–	1	–	–	–	3
Dropsy . . .	2	13	5	11	1	31	15	85	1	27	3	1	1	–	1	5	2	2
Abscess . . .	–	6	–	1	–	15	11	40	1	20	1	–	–	–	–	1	1	1
Ulcer . . .	–	–	–	4	–	2	–	15	1	2	1	1	–	–	–	3	–	–
Fistula . . .	–	–	1	–	–	–	–	5	–	1	–	–	–	–	–	–	1	–
Mortification . .	1	3	2	4	–	8	4	13	1	11	–	–	–	–	–	–	–	–
Cancer . . .	6	13	9	10	9	21	30	102	7	80	4	6	8	5	10	21	11	13
Gout . . .	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–
Scrofula . . .	5	7	5	7	2	37	25	124	6	38	3	3	1	2	5	10	6	4
Tabes Mesenterica .	3	14	7	2	3	33	31	233	5	57	3	2	1	–	11	7	7	1
Phthisis . . .	27	89	73	80	29	242	219	1169	27	375	23	23	8	24	39	87	45	38
Hydrocephalus .	8	32	22	12	2	68	72	369	11	115	3	4	2	4	6	15	5	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	524	1	1	6	2	7	7	1	5	10	27	6	44	12	27	–
Apoplexy	903	7	4	9	3	9	11	4	12	15	53	3	78	38	49	6
Paralysis	1029	4	9	9	8	25	17	4	10	13	61	12	68	61	55	3
Delirium Tremens	58	–	–	–	1	–	–	–	–	–	5	–	6	4	1	–
Chorea	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Epilepsy	135	–	–	2	2	2	5	–	–	1	8	–	8	4	4	–
Tetanus	49	–	–	1	–	5	3	–	–	–	1	–	2	3	1	–
Insanity	18	–	–	–	–	–	3	–	–	–	2	1	–	–	–	–
Convulsions	590	–	–	2	7	11	9	1	8	5	41	3	60	13	17	–
Brain Disease	576	–	3	4	1	4	3	2	3	8	42	6	40	20	20	1
V. Pericarditis	52	–	–	–	–	–	2	–	–	1	–	–	5	–	1	–
Aneurism	89	1	–	–	–	2	2	–	–	2	12	–	2	3	1	1
Heart Disease	2096	5	13	20	4	17	33	–	26	24	145	24	146	111	96	3
VI. Laryngitis	111	–	–	–	–	–	–	–	2	1	10	3	12	2	3	1
Bronchitis	4280	8	9	22	6	31	53	9	24	37	229	26	366	102	159	5
Pleurisy	181	2	–	2	–	2	17	–	–	1	6	–	11	5	6	–
Pneumonia	2068	5	10	12	7	12	18	–	10	30	84	12	165	46	107	5
Asthma	266	2	–	2	4	12	6	1	1	3	14	1	6	2	10	–
Lung Disease	153	1	–	–	–	3	4	–	1	–	4	–	10	4	3	–
VII. Teething	437	4	2	1	–	5	4	1	8	3	37	1	22	8	21	–
Quinsey	36	–	–	1	–	1	1	–	–	1	4	–	1	1	2	–
Gastritis	113	3	3	–	–	1	1	–	1	2	5	–	7	2	6	–
Enteritis	500	–	2	1	–	6	4	3	3	5	23	4	24	17	15	3
Peritonitis	188	1	1	1	2	1	2	–	2	1	15	3	16	2	4	1
Ascites	33	–	–	–	1	1	–	–	1	–	2	–	2	1	1	–
Ulceration of Intestines	103	1	1	1	–	1	1	1	–	2	10	4	4	6	2	1
Hernia	56	–	2	–	1	2	–	1	–	2	4	1	4	–	3	1
Ileus	128	4	1	1	1	3	5	–	–	3	14	2	5	3	7	–
Intussusception	39	–	2	1	–	1	2	–	1	1	2	1	3	1	3	–
Stricture of Intestines	9	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–
Stomach Disease	396	2	4	3	2	10	6	1	5	4	18	4	19	17	21	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	100	2	–	–	–	4	1	–	–	2	2	1	4	5	3	2
Jaundice	116	1	–	3	2	1	2	1	–	1	13	3	8	5	7	1
Liver Disease	407	–	4	4	1	3	6	3	7	4	18	5	25	20	19	–
Spleen Disease	12	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–
VIII. Nephritis	110	–	–	–	–	3	2	–	–	3	7	3	15	3	4	1
Nephria	207	1	–	2	1	2	4	–	1	5	20	–	7	1	16	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	56	2	–	1	1	6	2	–	–	–	5	1	2	1	5	–
Diabetes	74	–	–	–	–	3	6	–	–	1	3	1	4	4	6	–
Stone	56	1	3	4	2	3	4	2	–	2	9	–	4	–	1	–
Cystitis	88	–	1	3	–	–	2	–	1	3	6	1	7	6	4	2
Stricture of Urethra	13	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	300	1	1	2	1	3	7	1	2	8	45	2	16	17	13	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
X. Bone Disease	43	–	–	–	–	1	–	–	2	–	3	–	3	–	1	–
Rheumatism	90	4	1	–	–	4	11	–	1	1	3	1	4	2	1	–
Joint Disease	116	–	2	2	1	3	1	–	4	4	11	1	5	3	4	–
XI. Carbuncle	21	–	–	–	–	–	–	–	1	–	2	–	3	2	–	1
Phlegmon	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	23	–	–	–	–	1	–	–	1	–	4	–	1	–	–	–
XVII. Intemperance	153	1	–	2	–	–	–	1	1	–	9	1	12	2	9	1
Privation	9	–	–	–	–	–	1	–	–	–	1	–	1	1	2	–
Want of Breast Milk	77	–	–	–	–	–	1	–	1	1	6	1	6	2	5	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	42	1	1	–	–	1	3	–	1	–	1	2	2	1	1	–
Poison	30	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–
Poisoned Wounds	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	149	–	1	1	–	2	1	–	2	1	3	1	11	3	11	–
Hanging, etc.	37	–	1	1	–	–	–	–	–	–	3	–	6	–	2	–
Suffocation	160	–	1	–	–	1	–	–	2	2	14	4	15	2	6	–
Drowning	536	3	2	9	2	40	18	2	5	3	46	4	34	13	21	–
Fracture and Contusion	849	3	1	5	3	3	4	2	7	8	31	5	48	20	28	2
Gunshot Wounds	16	1	–	–	–	1	–	–	–	1	1	–	1	1	1	–
Cuts and Stabs	28	–	1	–	–	1	–	–	–	–	2	–	2	1	1	–
Other Violent Causes	156	1	–	–	–	2	–	–	–	2	3	2	7	5	9	–
Not specified	807	27	12	8	10	56	83	–	13	9	47	11	22	30	48	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	10	6	8	1	38	23	183	8	64	1	2	–	1	5	10	2	3
Apoplexy	3	19	27	15	8	81	46	229	7	95	3	10	3	3	15	19	9	10
Paralysis	7	31	17	30	6	78	50	220	9	117	13	13	1	4	23	28	6	17
Delirium Tremens	–	4	3	–	–	3	5	16	–	8	1	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Epilepsy	2	5	1	4	1	4	9	38	1	22	1	3	–	–	2	3	2	1
Tetanus	–	2	1	–	–	5	4	10	1	4	–	–	–	2	1	–	–	3
Insanity	–	–	–	–	–	1	1	3	–	3	–	–	–	–	–	4	–	–
Convulsions	1	17	8	14	3	28	16	237	7	53	7	2	1	2	5	5	6	1
Brain Disease	3	16	6	7	7	39	47	165	8	70	4	4	–	4	8	17	7	7
Pericarditis	–	1	–	1	–	4	5	21	2	7	1	–	–	–	–	1	–	–
Aneurism	–	–	–	2	–	5	2	30	–	18	–	1	–	1	2	1	1	–
Heart Disease	18	71	47	34	10	118	156	452	17	300	18	25	9	15	32	59	29	19
Laryngitis	–	1	–	–	–	11	12	27	1	10	1	2	–	–	1	5	2	4
Bronchitis	30	115	64	54	11	262	228	1762	36	387	30	25	11	21	28	73	31	26
Pleurisy	–	3	3	2	–	11	10	49	2	24	3	3	1	2	3	8	4	1
Pneumonia	6	52	34	22	5	148	102	804	20	200	22	17	3	5	14	53	17	21
Asthma	4	15	2	11	–	15	28	92	4	19	3	1	2	2	1	2	1	–
Lung Disease	–	11	6	3	–	8	3	68	–	16	–	1	–	1	–	1	2	3
Teething	6	15	13	3	2	49	29	159	5	23	3	–	–	3	1	3	3	3
Quinsey	–	2	1	–	–	1	2	8	–	2	–	–	–	1	1	2	2	2
Gastritis	–	4	3	3	1	6	4	53	–	4	1	–	–	1	–	1	1	–
Enteritis	–	20	10	6	5	40	32	178	16	32	4	4	2	4	10	12	8	7
Peritonitis	2	6	4	3	–	20	10	37	5	25	3	3	1	1	4	7	2	3
Ascites	–	2	–	2	–	2	2	6	–	4	–	–	–	–	–	4	–	2
Ulceration of Intestines	1	1	–	5	–	5	3	34	1	11	–	–	–	–	1	–	2	4
Hernia	1	3	–	–	1	3	2	15	–	6	1	–	–	–	–	1	2	–
Ileus	2	1	3	5	1	4	6	29	–	11	1	1	–	1	1	6	3	4
Intussusception	–	–	–	–	–	3	2	6	–	6	–	–	1	–	–	3	–	–
Stricture of Intestines	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	23	11	5	2	14	22	119	5	50	2	4	–	1	5	10	4	2
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	7	3	3	3	6	14	25	2	6	–	–	–	–	1	2	1	1
Jaundice	–	4	3	2	–	7	6	27	1	13	–	–	–	1	–	1	1	2
Liver Disease	1	17	4	5	3	29	20	110	1	56	3	3	4	1	7	16	5	3
Spleen Disease	1	–	–	–	1	1	–	1	–	1	–	1	1	–	–	–	–	–
Nephritis	2	2	4	2	–	4	3	36	1	8	1	1	–	–	1	4	–	–
Nephria	1	5	1	5	1	8	15	52	7	31	1	2	1	2	2	4	3	4
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	3	1	2	5	7	–	1	1	1	2	–	–	4	2	–
Diabetes	1	2	3	–	1	5	5	15	–	10	–	–	–	–	–	2	1	1
Stone	–	2	–	2	–	3	3	4	–	6	–	–	–	–	–	1	–	–
Cystitis	–	1	3	2	–	8	7	9	1	13	2	1	1	–	1	1	1	1
Stricture of Urethra	–	–	–	–	–	2	–	6	–	2	–	–	–	–	–	1	–	–
Kidney Disease	2	7	9	6	1	17	25	56	2	30	5	1	1	1	2	7	2	7
Paramenia	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	1	1	1	2	12	–	8	–	1	–	2	2	3	–	–
Rheumatism	–	3	1	4	–	2	6	23	1	7	–	1	–	–	2	3	3	1
Joint Disease	1	3	1	1	–	10	6	35	–	12	–	2	–	–	1	2	1	–
Carbuncle	–	1	2	1	–	–	–	4	–	–	–	–	–	–	–	–	1	3
Phlegmon	–	–	–	–	–	1	–	3	–	1	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	2	7	–	5	–	–	–	–	–	–	–	1
Intemperance	–	5	3	1	2	7	7	59	2	19	–	1	–	1	3	1	1	2
Privation	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	3	–	–	3	1	21	1	16	2	3		2	1	1	–	–
Neglect	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	4	3	7	1	2	4	2	–	2	1	–	–	–	–	–	–	1
Poison	–	–	–	–	–	3	1	15	–	5	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Burns and Scalds	2	4	4	2	–	10	8	52	1	20	–	–	–	2	1	1	1	4
Hanging, etc.	–	–	–	–	–	4	–	14	–	5	–	–	–	–	–	1	–	–
Suffocation	–	1	4	3	1	6	13	51	2	22	3	5	–	–	1	1	–	–
Drowning	2	26	17	42	4	56	27	105	4	24	4	6	–	2	4	5	2	4
Fracture and Contusion	5	37	20	8	2	71	61	324	12	89	5	8	–	1	10	14	9	3
Gunshot Wounds	–	1	–	–	1	2	–	2	–	1	–	–	–	–	–	–	–	2
Cuts and Stabs	–	1	–	1	–	1	3	5	–	8	–	1	–	–	–	–	–	–
Other Violent Causes	–	8	4	3	1	10	14	48	1	24	2	–	–	3	1	4	2	–
Not specified	6	22	16	56	6	32	35	143	15	19	14	–	1	2	5	36	17	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . .	40042	300	217	301	177	782	736	73	435	471	2386	295	3322	1320	1619	56
SPECIFIED CAUSES . .	39310	265	206	295	164	718	678	71	427	467	2346	286	3310	1287	1579	55
I. Zymotic Class . .	9496	20	12	44	20	162	89	8	77	99	582	58	941	259	350	9
II. Diseases of Uncer. Seat	1741	7	13	16	17	34	30	1	31	45	128	15	148	56	75	4
III. Tubercular Class .	5818	25	21	37	19	63	83	11	42	53	290	25	446	173	185	5
IV. Brain and Nervous Sys.	3371	10	17	23	13	43	65	8	49	48	226	30	293	142	151	8
V. Organs of Circulation	2174	7	14	15	5	18	31	2	35	26	149	17	204	104	96	6
VI. Respiratory Organs .	6292	15	25	52	15	91	82	6	56	53	335	29	565	172	235	8
VII. Organs of Digestion .	2581	17	19	15	9	36	33	9	32	43	154	32	161	81	113	2
VIII. Urinary Organs . .	482	–	3	4	1	5	7	–	8	13	51	5	45	15	18	2
IX. Organs of Generation	654	10	4	9	2	16	11	–	3	17	42	5	45	17	29	–
X. Organs of Locomotion	274	8	2	2	–	9	14	2	2	3	14	3	14	10	8	1
XI. Skin, etc. . . .	51	–	1	2	–	2	–	–	2	1	5	1	4	–	5	–
XII. Malformation . .	120	–	1	1	–	2	–	–	1	2	8	2	10	–	9	1
XIII. Premature Debility .	1604	5	1	13	2	14	24	3	14	18	81	9	142	35	53	1
XIV. Atrophy . . .	264	–	1	–	–	4	3	–	4	2	5	2	18	10	7	–
XV. Age	3489	133	71	58	56	206	190	21	62	36	231	45	191	188	207	8
XVI. Sudden Deaths . .	44	–	–	–	–	1	1	–	–	–	1	–	5	2	5	–
XVII. Violent Deaths . .	855	8	1	4	5	12	15	–	9	8	44	8	78	23	33	–
I. Small-pox . . .	504	–	–	–	–	3	1	1	–	–	22	1	2	1	2	–
Measles . . .	517	2	–	–	3	8	7	3	16	1	50	6	27	14	60	–
Scarlatina . . .	3056	2	–	7	6	17	8	–	9	26	122	5	473	83	67	1
Diphtheria . .	603	–	–	2	–	31	10	2	16	17	57	6	60	22	30	–
Hooping-cough . .	945	–	–	–	7	20	8	–	7	9	47	8	36	18	16	3
Croup . . .	474	1	1	2	–	36	5	1	6	5	30	2	28	18	23	1
Thrush . . .	9	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–
Diarrhœa . . .	1106	3	3	8	–	7	11	–	8	8	79	5	120	24	50	2
Dysentery . . .	132	1	2	1	–	–	3	–	1	1	16	–	20	5	9	–
Cholera . . .	38	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Influenza . . .	78	3	1	2	2	3	2	–	1	3	9	3	–	2	2	–
Purpura . . .	30	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–
Ague	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms . . .	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	351	2	1	4	–	7	4	–	–	3	24	2	49	16	15	–
Enteric Fever . .	751	3	1	5	–	7	15	–	7	13	44	11	49	30	37	2
Relapsing Fever .	13	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Simple Cont. Fever .	48	–	–	–	1	3	3	–	–	–	2	2	1	3	4	–
Infantile Remittent .	46	1	–	2	–	–	–	–	–	–	4	–	3	1	2	–
Metria . . .	378	2	2	5	1	11	5	–	3	5	26	1	32	10	16	–
Rheumatic Fever .	67	–	–	2	–	4	1	–	2	–	7	3	5	–	2	–
Erysipelas . . .	181	–	–	–	–	3	3	–	–	5	18	1	13	4	9	–
Pyæmia . . .	52	–	–	–	–	1	3	–	–	1	9	2	3	3	2	–
Syphilis . . .	94	–	–	4	–	1	–	–	1	1	7	–	18	3	2	–
Noma . . .	7	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
II. Hæmorrhage . .	41	–	–	–	–	–	–	–	–	1	3	–	3	–	3	–
Dropsy . . .	354	3	5	2	6	11	9	1	3	4	13	1	29	9	14	1
Abscess . . .	105	–	–	1	–	–	2	–	2	4	7	–	5	2	2	–
Ulcer . . .	54	–	–	2	–	2	1	–	2	–	9	–	3	–	1	–
Fistula . . .	6	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification . .	78	1	–	–	2	–	–	–	1	2	5	1	10	5	4	–
Cancer . . .	1094	3	8	10	9	21	18	–	23	34	90	13	97	39	49	3
Gout	9	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
III. Scrofula . . .	293	–	–	6	1	3	5	–	1	7	17	–	17	10	12	–
Tabes Mesenterica .	451	2	1	1	2	7	2	–	–	4	16	1	20	10	15	1
Phthisis . . .	4246	22	19	25	16	51	70	11	38	37	223	23	333	136	131	3
Hydrocephalus . .	828	1	1	5	–	2	6	–	3	5	34	1	76	17	27	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	235	1087	819	705	213	2518	2474	12276	356	3992	372	279	96	182	370	774	408	396
SPECIFIED CAUSES .	227	1053	797	668	206	2492	2444	12152	342	3971	363	277	95	179	364	743	399	384
Zymotic Class . ,	30	235	217	87	41	558	659	3423	70	898	108	56	17	45	38	132	56	96
Uncertain Seat .	19	41	30	44	7	101	81	395	20	208	17	19	3	12	25	58	22	19
Tubercular Class .	34	157	138	102	39	483	427	1950	55	575	28	27	12	34	59	103	59	58
Brain, etc. . .	23	123	57	58	21	202	216	842	23	396	29	33	11	12	55	70	37	37
Heart, etc. . .	14	58	45	33	8	126	134	493	23	254	35	35	9	8	38	67	44	21
Respiratory Organs .	49	130	108	87	31	381	294	2407	50	665	35	24	13	33	42	112	57	35
Digestive Organs .	8	76	48	41	9	188	166	809	39	230	24	18	10	8	29	57	41	24
Urinary Organs .	1	12	2	6	2	24	26	120	3	76	3	5	–	1	7	9	4	4
Generative Organs .	8	18	7	10	3	48	32	177	9	76	7	11	3	4	9	8	10	4
Locomotive Organs .	1	8	5	7	–	16	14	77	1	34	1	6	1	3	2	2	3	1
Skin . . .	–	3	1	2	–	3	3	5	–	9	–	1	–	–	–	–	–	1
Malformation . .	1	3	3	1	–	5	17	25	2	15	1	3	–	–	–	4	2	1
Premature Debility .	18	68	32	13	3	110	126	517	13	175	13	12	9	9	21	34	8	8
Atrophy . . .	1	11	4	2	1	32	16	92	1	25	8	2	–	1	4	5	2	1
Age	19	84	80	154	37	163	197	523	23	230	46	21	5	5	24	70	42	63
Sudden Deaths .	–	2	1	–	–	3	4	18	–	1	–	–	–	–	–	–	–	–
Violent Deaths .	1	24	19	21	4	49	32	279	10	104	8	4	2	4	11	12	12	11
Small-pox . .	–	1	48	–	14	40	79	247	5	3	7	–	–	–	–	7	2	18
Measles . . .	1	11	4	–	–	6	5	209	4	57	4	1	–	16	2	–	–	–
Scarlatina . .	2	84	77	13	2	172	235	1246	5	275	59	20	1	3	3	20	10	3
Diphtheria . .	1	10	8	7	1	32	37	159	11	52	3	4	3	1	2	9	4	6
Hooping-cough .	7	12	6	8	4	45	18	500	7	84	7	9	–	3	4	17	15	20
Croup . . .	2	15	10	14	2	33	22	120	5	57	–	7	–	3	7	10	2	6
Thrush . . .	–	1	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–
Diarrhœa . . .	4	33	17	10	1	70	73	342	15	137	11	3	3	12	5	22	6	14
Dysentery . .	–	5	3	4	–	10	9	28	1	5	–	2	2	–	–	2	1	1
Cholera . . .	–	2	1	–	–	6	5	9	–	9	1	1	1	–	1	–	–	–
Influenza . . .	–	4	2	–	–	1	3	17	–	14	–	1	1	1	1	–	–	–
Purpura . . .	–	1	3	–	1	2	2	8	–	4	1	–	1	–	–	2	–	1
Ague . . .	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	1	1	2
Typhus . . .	1	18	6	3	2	18	23	84	–	59	–	3	1	–	–	4	–	2
Enteric Fever . .	3	19	16	17	8	56	81	183	7	76	10	3	1	5	6	15	5	16
Relapsing Fever .	–	1	–	–	–	2	2	5	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	–	5	3	–	–	–	4	6	–	4	–	–	–	–	3	–	2	2
Infantile Remittent .	–	3	3	–	3	3	1	17	–	2	–	–	1	–	–	–	–	–
Metria . . .	2	7	6	8	–	26	33	124	4	23	1	–	2	1	3	10	5	4
Rheumatic Fever .	1	1	1	–	1	6	3	15	1	7	1	1	–	–	–	3	–	–
Erysipelas . .	6	–	–	2	–	19	13	56	3	12	2	–	–	–	1	7	3	1
Pyæmia . . .	–	1	2	1	1	2	2	13	–	3	–	1	–	–	–	2	–	–
Syphilis . . .	–	1	–	–	1	9	5	29	1	10	1	–	–	–	–	–	–	–
Noma . . .	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Hæmorrhage . .	1	2	1	2	–	6	1	10	–	4	1	–	–	–	–	1	1	1
Dropsy . . .	9	9	5	15	1	34	19	101	–	28	4	–	–	–	1	5	5	7
Abscess . . .	3	3	4	1	–	9	5	29	–	18	2	–	1	1	1	1	–	2
Ulcer . . .	–	3	–	1	–	3	2	13	–	9	–	1	–	–	–	1	1	–
Fistula . . .	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	1	–	3	–	3	2	12	2	14	2	1	–	–	1	5	–	1
Cancer . . .	6	22	20	22	5	43	51	228	18	135	8	17	1	11	22	45	15	8
Gout . . .	–	1	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–
Scrofula . . .	–	8	5	5	3	29	24	81	4	34	1	2	1	2	3	5	4	3
Tabes Mesenterica .	2	8	8	1	3	29	44	188	2	52	2	2	–	5	7	11	3	2
Phthisis . . .	22	116	106	81	32	343	298	1401	32	392	21	17	11	25	41	76	48	46
Hydrocephalus .	10	25	19	15	1	82	61	280	17	97	4	6	–	2	8	11	4	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	353	1	1	1	2	2	8	1	1	9	22	2	30	8	13	1
Apoplexy	889	1	3	6	2	11	15	3	13	12	43	6	90	42	41	2
Paralysis	1004	4	6	9	6	17	24	1	18	11	72	12	86	59	41	2
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Chorea	8	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Epilepsy	119	–	1	1	–	5	1	–	3	1	8	–	3	5	11	1
Tetanus	17	–	–	–	–	1	–	–	–	–	2	–	1	1	–	–
Insanity	49	2	–	–	1	–	5	–	–	–	3	–	2	1	3	–
Convulsions	411	–	1	3	1	4	5	–	5	2	32	3	46	4	16	1
Brain Disease	507	2	5	3	1	3	7	3	9	12	42	7	34	22	25	1
V. Pericarditis	52	–	–	1	–	–	–	–	2	1	4	1	1	1	3	1
Aneurism	24	1	–	–	–	–	–	–	1	–	6	–	2	–	1	–
Heart Disease	2098	6	14	14	5	18	31	2	32	25	139	16	201	103	92	5
VI. Laryngitis	97	–	1	–	–	3	–	–	1	1	13	6	10	2	–	–
Bronchitis	4387	7	12	40	8	39	47	5	39	35	253	14	424	116	168	3
Pleurisy	106	1	2	–	–	3	8	–	–	–	5	–	2	7	1	1
Pneumonia	1372	2	6	10	4	17	9	1	9	14	55	6	117	38	54	4
Asthma	208	5	2	2	3	28	17	–	5	2	7	2	5	5	8	–
Lung Disease	122	–	2	–	–	1	1	–	2	1	2	1	7	4	4	–
VII. Teething	345	–	–	–	2	3	3	6	6	8	32	–	17	3	14	–
Quinsey	43	1	1	1	1	1	–	–	–	–	3	1	1	4	2	–
Gastritis	114	1	1	2	–	2	2	1	2	–	3	1	3	3	6	–
Enteritis	426	–	–	1	–	6	4	1	7	7	10	2	23	10	12	–
Peritonitis	294	1	1	1	–	3	2	–	2	3	13	3	21	7	15	–
Ascites	47	–	–	–	–	1	–	–	2	1	1	1	7	4	4	–
Ulceration of Intestines	104	2	–	–	1	–	1	–	4	4	5	3	8	4	6	–
Hernia	62	–	1	–	–	1	2	–	–	1	6	1	6	2	3	1
Ileus	138	1	2	3	1	5	3	–	–	3	16	5	8	3	4	–
Intussusception	21	–	–	–	–	–	–	–		2	2	1	–	–	–	–
Stricture of Intestines	12	1	–	–	–	–	1	–	–	2	–	–	4	–	–	–
Stomach Disease	367	7	5	1	2	5	6	1	4	3	25	7	26	14	15	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	130	–	1	1	1	2	2	–	–	1	4	1	4	8	5	1
Jaundice	118	1	2	1	1	4	4	–	1	3	7	1	6	2	9	–
Liver Disease	352	2	5	4	–	3	2	–	4	5	27	5	26	17	15	–
Spleen Disease	8	–	–	–	–	–	1	–	–	–	–	–	1	–	3	–
VIII. Nephritis	57	–	–	–	–	–	2	–	1	1	1	–	5	1	7	–
Nephria	207	–	1	4	–	1	1	–	1	1	19	2	22	7	9	1
Addison's Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	11	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
Diabetes	37	–	–	–	–	1	2	–	1	3	5	–	6	1	–	–
Stone	8	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	145	–	1	–	–	2	1	–	4	5	24	1	10	4	2	1
IX. Paramenia	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
Ovarian Dropsy	92	2	1	4	2	3	4	–	–	3	6	–	2	3	3	–
Childbirth	442	5	3	5	–	12	7	–	2	11	24	4	31	10	19	–
Organs of Generation	101	3	–	–	–	1	–	–	1	3	11	1	11	3	6	–
X. Bone Disease	32	–	–	1	–	–	–	–	–	–	4	1	–	–	1	–
Rheumatism	135	8	1	1	–	7	10	2	2	2	4	2	7	6	4	–
Joint Disease	107	–	1	–	–	2	4	–	–	1	6	–	7	4	3	1
XI. Carbuncle	10	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Phlegmon	12	–	–	–	–	–	–	–	1	1	1	–	2	–	2	–
Skin Disease	29	–	1	2	–	1	–	–	1	–	3	1	2	–	3	–
XVII. Intemperance	81	–	–	–	–	1	–	–	1	–	2	–	9	–	1	–
Privation	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	57	–	–	–	–	–	1	–	–	–	6	1	2	2	4	–
Neglect	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cold	29	3	–	–	1	4	5	–	1	–	2	–	1	2	–	–
Poison	21	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Poisoned Wounds	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	143	1	1	–	1	–	2	–	1	–	11	–	20	5	5	–
Hanging, etc.	16	–	–	–	–	1	–	–	–	–	–	–	3	–	2	–
Suffocation	152	–	–	3	–	1	1	–	–	5	10	3	16	4	5	–
Drowning	107	1	–	–	1	2	2	–	3	–	6	2	9	6	3	–
Fracture and Contusion	182	2	–	–	1	3	2	–	2	2	6	1	14	4	9	–
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	11	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Causes	43	1	–	1	–	–	1	–	1	1	1	–	–	–	4	–
Not specified	732	35	11	6	13	64	58	2	8	4	40	9	12	33	40	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	10	3	5	1	20	23	120	2	33	3	2	–	–	2	9	9	6
Apoplexy	7	28	24	13	12	69	70	204	2	92	4	14	4	3	16	17	9	11
Paralysis	6	48	13	24	4	44	58	192	7	138	13	8	5	6	23	26	13	8
Delirium Tremens	–	–	1	–	–	2	1	2	–	5	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	1	–	2	–	1	–	–	–	–	1	–	–	–
Epilepsy	–	1	4	4	–	11	8	27	–	16	–	1	–	–	3	4	–	–
Tetanus	–	–	–	–	–	1	3	3	1	1	–	–	–	–	1	1	–	1
Insanity	–	1	–	1	–	–	1	19	–	7	–	–	–	–	–	3	–	–
Convulsions	3	17	5	4	–	25	18	147	7	43	6	1	1	1	3	3	1	3
Brain Disease	4	18	7	7	4	29	34	126	4	60	3	7	1	2	6	7	5	7
Pericarditis	–	1	1	–	1	1	–	24	2	3	2	–	–	–	–	–	1	1
Aneurism	–	–	–	–	–	–	1	3	–	7	–	–	–	–	–	1	1	–
Heart Disease	14	57	44	33	7	125	133	466	21	244	33	35	9	8	38	66	42	20
Laryngitis	–	–	4	1	–	4	5	21	1	15	1	2	–	–	1	3	1	1
Bronchitis	26	86	71	63	20	267	192	1753	27	442	29	12	11	24	19	75	37	23
Pleurisy	1	1	3	1	1	5	4	30	2	22	–	1	–	1	–	3	1	–
Pneumonia	17	28	25	16	9	85	81	506	17	156	4	7	2	7	19	27	16	4
Asthma	5	6	2	6	–	9	10	48	1	16	1	2	–	1	2	3	2	3
Lung Disease	–	9	3	–	1	11	2	49	2	14	–	–	–	–	1	1	–	4
Teething	2	12	6	3	–	36	22	130	3	22	2	1	–	2	2	4	1	3
Quinsey	–	1	1	–	–	3	4	11	–	3	–	–	–	–	2	–	2	–
Gastritis	–	–	–	2	–	6	7	56	1	7	3	1	–	–	2	–	2	–
Enteritis	–	11	3	4	4	47	36	180	14	15	7	–	2	1	5	5	5	4
Peritonitis	3	12	2	3	1	28	17	80	5	39	–	3	4	–	3	16	4	2
Ascites	–	1	1	2	2	–	3	10	–	4	–	–	–	–	–	3	–	–
Ulceration of Intestine	–	2	2	3	–	6	9	25	–	10	–	2	–	1	2	3	1	–
Hernia	–	1	–	–	–	4	4	17	1	5	–	2	–	–	–	3	1	–
Ileus	–	5	2	3	–	3	5	35	1	15	1	2	1	–	–	4	4	3
Intussusception	–	–	1	–	1	1	–	7	1	4	–	–	–	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–
Stomach Disease	1	12	16	6	–	13	24	92	5	45	2	–	–	1	4	9	11	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	5	7	4	–	3	7	49	2	10	3	–	1	–	2	1	1	4
Jaundice	2	3	–	2	–	8	10	24	2	8	2	1	1	2	2	4	3	2
Liver Disease	–	11	7	9	1	29	17	92	4	43	4	6	1	1	4	3	4	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Nephritis	–	1	1	1	–	2	1	22	–	10	–	–	–	–	–	–	1	–
Nephria	1	2	–	3	1	10	11	60	2	31	2	3	–	–	4	7	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	2	1	–	1	–	–	–	1	–	–	–	1
Diabetes	–	–	–	–	–	2	1	7	1	4	1	–	–	–	1	1	–	–
Stone	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	1	2	2	–	1	–	1	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	8	1	2	1	8	8	25	–	29	–	1	–	–	2	1	2	2
Paramenia	–	–	1	–	–	1	1	2	–	2	1	3	2	1	1	–	–	–
Ovarian Dropsy	–	1	1	–	–	5	8	17	3	11	1	3	–	–	3	3	3	–
Childbirth	8	15	4	8	3	33	20	131	5	53	3	3	1	3	5	5	6	3
Organs of Generation	–	2	1	2	–	9	3	27	1	10	2	2	–	–	–	–	1	1
Bone Disease	–	–	1	1	–	–	–	14	–	5	1	–	–	1	–	–	1	1
Rheumatism	–	2	3	5	–	7	6	35	1	12	–	1	1	2	1	1	2	–
Joint Disease	1	6	1	1	–	9	8	28	–	17	–	5	–	–	1	1	–	–
Carbuncle	–	1	–	1	–	–	1	1	–	3	–	–	–	–	–	–	–	1
Phlegmon	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	1	–	1	2	3	–	6	–	1	–	–	–	–	–	–
Intemperance	–	2	2	1	–	5	4	26	–	19	–	–	–	2	1	1	3	1
Privation	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	2	–	–	–	–	25	–	8	1	–	2	–	1	1	–	–
Neglect	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Cold	–	–	1	3	–	–	–	1	–	3	–	–	–	–	–	2	–	–
Poison	–	1	1	–	–	1	–	11	–	2	–	–	–	–	1	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	6	2	4	–	10	8	37	–	15	3	–	–	–	2	1	3	5
Hanging, etc.	–	–	–	–	–	2	–	5	–	2	–	1	–	–	–	–	–	–
Suffocation	1	2	4	2	–	10	9	52	–	16	1	2	–	1	1	1	–	2
Drowning	–	2	4	7	3	6	4	21	6	7	1	–	–	1	3	4	3	–
Fracture and Contusion	–	9	3	2	1	10	5	74	2	21	1	–	–	–	2	1	2	3
Gunshot Wounds	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	5	–	2	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	3	2	18	2	6	–	1	–	–	–	–	–	–
Not specified	8	34	22	37	7	26	30	124	14	21	9	2	1	3	6	31	9	12

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	32124	15845	5011	4170	2066	1690	1388	1254	700
SPECIFIED CAUSES	31980	15766	4999	4159	2061	1678	1376	1251	690
I. Zymotic Class	8253	4132	1033	1393	462	366	316	362	189
II. Diseases of Uncertain Seat	1047	403	244	115	98	60	57	48	22
III. Tubercular Class	4834	2462	765	531	287	263	239	191	96
IV. Brain and Nervous System	2825	1235	547	342	209	174	135	111	72
V. Organs of Circulation	1609	649	377	171	138	83	63	75	53
VI. Respiratory Organs	6411	3650	878	787	342	268	218	187	81
VII. Organs of Digestion	1836	956	283	151	133	111	100	64	38
VIII. Urinary Organs	514	201	122	57	67	24	14	16	13
IX. Organs of Generation	236	110	40	23	15	12	14	18	4
X. Organs of Locomotion	196	95	46	13	16	11	7	6	2
XI. Skin, etc.	37	11	11	5	4	5	–	1	–
XII. Malformation	85	28	22	17	9	5	3	1	–
XIII. Premature Debility	1508	721	190	253	87	94	54	73	36
XIV. Atrophy	208	102	25	26	3	24	7	12	9
XV. Age	1098	390	192	133	123	66	99	39	56
XVI. Sudden Deaths	52	36	4	5	1	6	–	–	–
XVII. Violent Deaths	1231	585	220	137	67	106	50	47	19
I. Small-pox	356	214	7	5	31	38	60	1	–
Measles	471	262	91	33	68	6	1	9	1
Scarlatina	3358	1673	265	842	69	102	103	193	111
Diphtheria	308	135	68	48	14	18	12	6	7
Hooping-cough	948	673	111	53	39	11	26	20	15
Croup	358	144	62	34	32	19	22	30	15
Thrush	15	2	2	2	6	1	–	2	–
Diarrhœa	951	401	154	175	73	59	37	40	12
Dysentery	79	35	10	14	5	5	7	1	2
Cholera	30	12	6	1	1	6	–	4	–
Influenza	28	11	12	–	4	1	–	–	–
Purpura	20	11	3	1	2	–	2	1	–
Ague	7	4	2	1	–	–	–	–	–
Worms	2	2	–	–	–	–	–	–	–
Typhus	372	113	102	74	29	25	4	15	10
Enteric Fever	424	211	60	38	36	33	16	21	9
Relapsing Fever	10	6	1	1	2	–	–	–	–
Simple Continued Fever	20	9	6	2	–	2	1	–	–
Infantile Remittent	25	9	3	2	6	2	2	1	–
Metria	123	48	11	20	12	13	9	8	2
Rheumatic Fever	54	22	10	4	7	5	2	2	2
Erysipelas	140	69	16	15	14	7	12	5	2
Pyæmia	38	17	7	4	5	4	–	1	–
Syphilis	110	47	22	22	7	9		2	1
Noma	5	2	1	2	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	1	–	–	–	–	–	–
II. Hæmorrhage	33	16	4	4	5	3	1	–	–
Dropsy	247	112	29	33	11	19	24	16	3
Abscess	114	44	26	9	13	10	8	4	–
Ulcer	37	17	3	3	7	1	1	4	1
Fistula	9	5	–	1	–	1	1	1	–
Mortification	58	14	19	10	3	4	3	3	2
Cancer	543	193	161	55	58	21	19	20	16
Gout	6	2	2	–	1	1	–	–	–
III. Scrofula	277	123	43	27	10	37	11	20	6
Tabes Mesenterica	470	283	67	35	21	14	21	19	10
Phthisis	3288	1681	516	376	215	171	163	101	65
Hydrocephalus	799	375	139	93	41	41	44	51	15

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	367	194	73	50	12	23	2	7	6
Apoplexy	673	272	133	89	36	64	40	20	19
Paralysis	707	258	150	81	62	32	50	45	29
Delirium Tremens	31	13	9	3	1	2	1	1	1
Chorea	2	2	–	–	–	–	–	–	–
Epilepsy	87	45	16	1	7	6	7	3	2
Tetanus	13	6	3	–	1	1	1	1	–
Insanity	32	17	9	–	5	1	–	–	–
Convulsions	514	256	63	86	50	20	15	23	1
Brain Disease	399	172	91	32	35	25	19	11	14
V. Pericarditis	41	25	8	2	1	–	3	2	–
Aneurism	64	26	19	1	11	2	1	3	1
Heart Disease	1504	598	350	168	126	81	59	70	52
VI. Laryngitis	75	30	16	7	8	6	1	5	2
Bronchitis	4391	2547	524	568	253	162	159	124	54
Pleurisy	106	48	33	7	2	4	2	8	2
Pneumonia	1556	858	250	192	62	81	46	47	20
Asthma	150	86	28	6	16	–	10	1	3
Lung Disease	133	81	27	7	1	15	–	2	–
VII. Teething	347	196	14	24	44	24	33	8	4
Quinsey	22	10	2	1	2	3	–	2	2
Gastritis	102	77	3	5	3	4	4	5	1
Enteritis	302	186	25	29	5	24	21	4	8
Peritonitis	159	56	43	16	9	23	6	5	1
Ascites	24	7	7	5	1	1	–	1	2
Ulceration of Intestines	50	19	12	3	6	–	4	3	3
Hernia	45	24	9	3	4	3	1	1	–
Ileus	86	44	14	3	16	2	–	6	1
Intussusception	15	8	5	1	1	–	–	–	–
Stricture of Intestines	7	2	1	3	–	1	–	–	–
Stomach Disease	244	121	52	20	14	7	6	18	6
Pancreas Disease	–	–	–	–	–	–	–	–	–
Hepatitis	74	48	9	6	1	2	4	1	3
Jaundice	64	22	16	6	10	3	5	2	–
Liver Disease	291	135	70	25	16	14	16	8	7
Spleen Disease	4	1	1	1	1	–	–	–	–
VIII. Nephritis	78	39	10	18	4	3	–	3	1
Nephria	174	74	45	21	19	9	2	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–
Ischuria	15	7	1	2	2	–	1	–	2
Diabetes	34	12	8	5	2	3	1	1	2
Stone	17	5	5	2	3	–	2	–	–
Cystitis	33	6	10	2	1	2	3	4	5
Stricture of Urethra	8	5	2	–	–	1	–	–	–
Kidney Disease	155	53	41	7	36	6	5	6	1
IX. Paramenia	3	–	1	–	–	–	–	1	1
Ovarian Dropsy	30	11	11	1	3	–	3	–	1
Childbirth	174	83	27	17	10	11	9	15	2
Organs of Generation	29	16	1	5	2	1	2	2	–
X. Bone Disease	38	22	13	1	1	–	1	–	–
Rheumatism	64	38	11	5	3	3	2	1	1
Joint Disease	94	35	22	7	12	8	4	5	1
XI. Carbuncle	6	2	1	3	–	–	–	–	–
Phlegmon	9	3	1	2	–	3	–	–	–
Skin Disease	22	6	9	–	4	2	–	1	–
XVII. Intemperance	117	61	29	14	5	5	2	1	–
Privation	4	3	1	–	–	–	–	–	–
Want of Breast Milk	62	22	19	6	11	2	1	1	–
Neglect	3	2	–	–	–	1	–	–	–
Cold	7	1	3	–	2	1	–	–	–
Poison	24	14	5	1	–	2	1	1	–
Poisoned Wounds	2	1	–	–	1	–	–	–	–
Burns and Scalds	126	46	23	25	6	8	8	6	4
Hanging, etc.	22	8	5	5	–	–	3	1	–
Suffocation	141	67	27	19	13	6	3	6	–
Drowning	180	80	5	22	14	32	10	10	7
Fracture and Contusion	420	219	72	39	12	41	15	15	7
Gunshot Wounds	7	2	1	–	–	–	2	1	1
Cuts and Stabs	20	7	8	2	–	1	1	1	–
Other Violent Causes	96	52	22	4	3	7	4	4	–
Not specified	144	79	12	11	5	12	12	3	10

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	16245	8118	2515	2059	983	893	676	637	364
SPECIFIED CAUSES . . .	16166	8074	2510	2052	980	887	668	635	360
I. Zymotic Class . . .	4119	2104	515	697	204	178	146	171	104
II. Diseases of Uncertain Seat	424	162	108	35	38	33	24	16	8
III. Tubercular Class . .	2357	1221	376	242	140	128	100	102	48
IV. Brain and Nervous System	1562	707	294	181	104	100	72	62	42
V. Organs of Circulation .	834	325	210	70	72	51	34	43	29
VI. Respiratory Organs . .	3274	1884	434	395	176	146	114	87	38
VII. Organs of Digestion .	919	472	144	75	60	57	49	43	19
VIII. Urinary Organs . .	315	117	73	35	42	14	12	12	10
IX. Organs of Generation .	1	1	–	–	–	–	–	–	–
X. Organs of Locomotion .	93	44	21	5	12	5	3	3	–
XI. Skin, etc. . . .	22	9	5	3	2	2	–	1	–
XII. Malformation . . .	56	18	14	10	8	3	2	1	–
XIII. Premature Debility . .	856	417	95	154	46	49	33	44	18
XIV. Atrophy	95	45	11	14	1	10	3	6	5
XV. Age	348	122	59	46	31	20	37	8	25
XVI. Sudden Deaths . .	30	22	3	1	1	3	–	–	–
XVII. Violent Deaths . .	861	404	148	89	43	88	39	36	14
I. Small-pox . . .	210	125	4	4	14	28	34	1	–
Measles	248	140	52	15	33	4	1	3	–
Scarlatina . . .	1743	888	133	430	29	56	48	94	65
Diphtheria . . .	155	70	30	30	11	6	3	2	3
Hooping-cough . .	414	292	47	23	20	4	14	8	6
Croup	200	82	38	23	16	5	11	15	10
Thrush	8	1	1	2	3	1	–	–	–
Diarrhœa	455	198	77	91	25	26	16	17	5
Dysentery . . .	40	24	6	3	2	2	1	1	1
Cholera	14	5	4	1	–	2	–	2	–
Influenza	12	4	4	–	3	1	–	–	–
Purpura	8	5	1	1	–	–	–	1	–
Ague	5	2	2	1	–	–	–	–	–
Worms	1	1	–	–	–	–	–	–	–
Typhus	195	66	50	36	13	14	1	11	4
Enteric Fever . . .	209	108	26	18	20	12	9	10	6
Relapsing Fever . .	5	3	1	–	1	–	–	–	–
Simple Continued Fever .	12	6	2	1	–	2	1	–	–
Infantile Remittent . .	10	2	2	–	3	1	2	–	–
Metria	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	29	9	6	3	3	4	1	1	2
Erysipelas . . .	68	36	9	6	5	3	4	4	1
Pyæmia	23	11	6	1	1	4	–	–	–
Syphilis	52	24	14	7	2	3	–	1	1
Noma	3	2	–	1	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases .	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	17	9	1	2	3	1	1	–	–
Dropsy	116	45	17	14	7	12	12	7	2
Abscess	65	26	16	5	8	5	5	–	–
Ulcer	14	10	1	–	1	–	–	1	1
Fistula	6	4	–	1	–	–	–	1	–
Mortification . . .	28	8	6	5	–	3	2	3	1
Cancer	174	59	65	8	18	12	4	4	4
Gout	4	1	2	–	1	–	–	–	–
III. Scrofula	162	75	23	16	8	21	7	9	3
Tabes Mesenterica . .	262	162	31	20	11	5	14	15	4
Phthisis	1495	768	253	160	97	81	61	44	31
Hydrocephalus . .	438	216	69	46	24	21	18	34	10

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	238	122	50	32	5	15	2	6	6
Apoplexy	352	142	71	43	22	35	20	9	10
Paralysis	356	138	69	35	23	20	29	23	19
Delirium Tremens	24	12	5	3	–	2	–	1	1
Chorea	1	1	–	–	–	–	–	–	–
Epilepsy	46	26	11	1	4	2	–	1	1
Tetanus	12	6	2	–	1	1	1	1	–
Insanity	8	2	3	–	2	1	–	–	–
Convulsions	308	162	37	48	29	12	7	12	1
Brain Disease	217	96	46	19	18	12	13	9	4
V. Pericarditis	22	11	6	2	–	–	2	1	–
Aneurism	53	23	14	1	8	2	1	3	1
Heart Disease	759	291	190	67	64	49	31	39	28
VI. Laryngitis	43	21	6	4	4	5	–	2	1
Bronchitis	2074	1209	248	266	122	73	80	49	27
Pleurisy	67	33	18	6	1	2	2	4	1
Pneumonia	933	529	136	109	36	59	26	29	9
Asthma	86	50	13	3	13	–	6	1	–
Lung Disease	71	42	13	7	–	7	–	2	–
VII. Teething	189	108	6	13	22	14	19	4	3
Quinsey	9	3	1	1	1	1	–	1	1
Gastritis	51	39	2	4	2	2	1	1	–
Enteritis	153	89	18	15	3	12	7	4	5
Peritonitis	69	20	20	6	5	13	2	3	–
Ascites	12	3	4	2	1	1	–	–	1
Ulceration of Intestines	29	12	6	–	4	–	2	3	2
Hernia	21	12	4	1	1	1	1	1	–
Ileus	36	19	5	2	6	1	–	3	–
Intussusception	6	3	2	1	–	–	–	–	–
Stricture of Intestines	2	1	1	–	–	–	–	–	–
Stomach Disease	124	64	22	11	4	3	2	16	2
Pancreas Disease	–	–	–	–	–	–	–	–	–
Hepatitis	26	17	2	3	–	1	3	–	–
Jaundice	34	11	12	3	5	–	3	–	–
Liver Disease	154	70	38	12	5	8	9	7	5
Spleen Disease	4	1	1	1	1	–	–	–	–
VIII. Nephritis	50	24	6	13	3	2	–	1	1
Nephria	78	31	25	7	9	3	1	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–
Ischuria	12	6	1	2	1	–	1	–	1
Diabetes	22	8	6	3	1	2	–	–	2
Stone	16	4	5	2	3	–	2	–	–
Cystitis	31	5	9	2	1	2	3	4	5
Stricture of Urethra	8	5	2	–	–	1	–	–	–
Kidney Disease	98	34	19	6	24	4	5	5	1
IX. Paramenia	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–
X. Bone Disease	22	11	8	1	1	–	1	–	–
Rheumatism	21	13	3	1	2	1	–	1	–
Joint Disease	50	20	10	3	9	4	2	2	–
XI. Carbuncle	5	2	–	3	–	–	–	–	–
Phlegmon	5	3	1	–	–	1	–	–	–
Skin Disease	12	4	4	–	2	1	–	1	–
XVII. Intemperance	71	41	14	9	3	1	2	1	–
Privation	3	2	1	–	–	–	–	–	–
Want of Breast Milk	37	9	14	5	6	2	1	–	–
Neglect	2	1	–	–	–	1	–	–	–
Cold	3	–	1	–	1	1	–	–	–
Poison	14	7	3	–	–	2	1	1	–
Poisoned Wounds	1	–	–	–	1	–	–	–	–
Burns and Scalds	64	29	13	8	1	5	4	2	2
Hanging, etc.	18	8	3	3	–	–	3	1	–
Suffocation	66	28	16	9	7	2	2	2	–
Drowning	156	69	4	17	12	31	8	9	6
Fracture and Contusion	334	168	56	32	10	36	13	14	5
Gunshot Wounds	5	1	–	–	–	–	2	1	1
Cuts and Stabs	14	4	6	2	–	1	–	1	–
Other Violent Causes	73	37	17	4	2	6	3	4	–
Not specified	79	44	5	7	3	6	8	2	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15879	7727	2496	2111	1083	797	712	617	336
SPECIFIED CAUSES	15814	7692	2489	2107	1081	791	708	616	330
I. Zymotic Class	4134	2028	518	696	258	188	170	191	85
II. Diseases of Uncertain Seat	623	241	136	80	60	27	33	32	14
III. Tubercular Class	2477	1241	389	289	147	135	139	89	48
IV. Brain and Nervous System	1263	528	253	161	105	74	63	49	30
V. Organs of Circulation	775	324	167	101	66	32	29	32	24
VI. Respiratory Organs	3137	1766	444	392	166	122	104	100	43
VII. Organs of Digestion	917	484	139	76	73	54	51	21	19
VIII. Urinary Organs	199	84	49	22	25	10	2	4	3
IX. Organs of Generation	235	109	40	23	15	12	14	18	4
X. Organs of Locomotion	103	51	25	8	4	6	4	3	2
XI. Skin, etc.	15	2	6	2	2	3	–	–	–
XII. Malformation	29	10	8	7	1	2	1	–	–
XIII. Premature Debility	652	304	95	99	41	45	21	29	18
XIV. Atrophy	113	57	14	12	2	14	4	6	4
XV. Age	750	268	133	87	92	46	62	31	31
XVI. Sudden Deaths	22	14	1	4	–	3	–	–	–
XVII. Violent Deaths	370	181	72	48	24	18	11	11	5
I. Small-pox	146	89	3	1	17	10	26	–	–
Measles	223	122	39	18	35	2	–	6	1
Scarlatina	1615	785	132	412	40	46	55	99	46
Diphtheria	153	65	38	18	3	12	9	4	4
Hooping-cough	534	381	64	30	19	7	12	12	9
Croup	158	62	24	11	16	14	11	15	5
Thrush	7	1	1	–	3	–	–	2	–
Diarrhœa	496	203	77	84	48	33	21	23	7
Dysentery	39	11	4	11	3	3	6	–	1
Cholera	16	7	2	–	1	4	–	2	–
Influenza	16	7	8	–	1	–	–	–	–
Purpura	12	6	2	–	2	–	2	–	–
Ague	2	2	–	–	–	–	–	–	–
Worms	1	1	–	–	–	–	–	–	–
Typhus	177	47	52	38	16	11	3	4	6
Enteric Fever	215	103	34	20	16	21	7	11	3
Relapsing Fever	5	3	–	1	1	–	–	–	–
Simple Continued Fever	8	3	4	1	–	–	–	–	–
Infantile Remittent	15	7	1	2	3	1	–	1	–
Metria	123	48	11	20	12	13	9	8	2
Rheumatic Fever	25	13	4	1	4	1	1	1	–
Erysipelas	72	33	7	9	9	4	8	1	1
Pyæmia	15	6	1	3	4	–	–	1	–
Syphilis	58	23	8	15	5	6	–	1	–
Noma	2	–	1	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	1	–	–	–	–	–	–
II. Hæmorrhage	16	7	3	2	2	2	–	–	–
Dropsy	131	67	12	19	4	7	12	9	1
Abscess	49	18	10	4	5	5	3	4	–
Ulcer	23	7	2	3	6	1	1	3	–
Fistula	3	1	–	–	–	1	1	–	–
Mortification	30	6	13	5	3	1	1	–	1
Cancer	369	134	96	47	40	9	15	16	12
Gout	2	1	–	–	–	1	–	–	–
III. Scrofula	115	48	20	11	2	16	4	11	3
Tabes Mesenterica	208	121	36	15	10	9	7	4	6
Phthisis	1793	913	263	216	118	90	102	57	34
Hydrocephalus	361	159	70	47	17	20	26	17	5

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

	DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV.	Cephalitis	129	72	23	18	7	8	–	1	–
	Apoplexy	321	130	62	46	14	29	20	11	9
	Paralysis	351	120	81	46	39	12	21	22	10
	Delirium Tremens	7	1	4	–	1	–	1	–	–
	Chorea	1	1	–	–	–	–	–	–	–
	Epilepsy	41	19	5	–	3	4	7	2	1
	Tetanus	1	–	1	–	–	–	–	–	–
	Insanity	24	15	6	–	3	–	–	–	–
	Convulsions	206	94	26	38	21	8	8	11	–
	Brain Disease	182	76	45	13	17	13	6	2	10
V.	Pericarditis	19	14	2	–	1	–	1	1	–
	Aneurism	11	3	5	–	3	–	–	–	–
	Heart Disease	745	307	160	101	62	32	28	31	24
VI.	Laryngitis	32	9	10	3	4	1	1	3	1
	Bronchitis	2317	1338	276	302	131	89	79	75	27
	Pleurisy	39	15	15	1	1	2	–	4	1
	Pneumonia	623	329	114	83	26	22	20	18	11
	Asthma	64	36	15	3	3	–	4	–	3
	Lung Disease	62	39	14	–	1	8	–	–	–
VII.	Teething	158	88	8	11	22	10	14	4	1
	Quinsey	13	7	1	–	1	2	–	1	1
	Gastritis	51	38	1	1	1	2	3	4	1
	Enteritis	149	97	7	14	2	12	14	–	3
	Peritonitis	90	36	23	10	4	10	4	2	1
	Ascites	12	4	3	3	–	–	–	1	1
	Ulceration of Intestines	21	7	6	3	2	–	2	–	1
	Hernia	24	12	5	2	3	2	–	–	–
	Ileus	50	25	9	1	10	1	–	3	1
	Intussusception	9	5	3	–	1	–	–	–	–
	Stricture of Intestines	5	1	–	3	–	1	–	–	–
	Stomach Disease	120	57	30	9	10	4	4	2	4
	Pancreas Disease	–	–	–	–	–	–	–	–	–
	Hepatitis	48	31	7	3	1	1	1	1	3
	Jaundice	30	11	4	3	5	3	2	2	–
	Liver Disease	137	65	32	13	11	6	7	1	2
	Spleen Disease	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	28	15	4	5	1	1	–	2	–
	Nephria	96	43	20	14	10	6	1	–	2
	Addison's Disease	–	–	–	–	–	–	–	–	–
	Ischuria	3	1	–	–	1	–	–	–	1
	Diabetes	12	4	2	2	1	1	1	1	–
	Stone	1	1	–	–	–	–	–	–	–
	Cystitis	2	1	1	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–
	Kidney Disease	57	19	22	1	12	2	–	1	–
IX.	Paramenia	3	–	1	–	–	–	–	1	1
	Ovarian Dropsy	30	11	11	1	3	–	3	–	1
	Childbirth	174	83	27	17	10	11	9	15	2
	Organs of Generation	28	15	1	5	2	1	2	2	–
X.	Bone Disease	16	11	5	–	–	–	–	–	–
	Rheumatism	43	25	8	4	1	2	2	–	1
	Joint Disease	44	15	12	4	3	4	2	3	1
XI.	Carbuncle	1	–	1	–	–	–	–	–	–
	Phlegmon	4	–	–	2	–	2	–	–	–
	Skin Disease	10	2	5	–	2	1	–	–	–
XVII.	Intemperance	46	20	15	5	2	4	–	–	–
	Privation	1	1	–	–	–	–	–	–	–
	Want of Breast Milk	25	13	5	1	5	–	–	1	–
	Neglect	1	1	–	–	–	–	–	–	–
	Cold	4	1	2	–	1	–	–	–	–
	Poison	10	7	2	1	–	–	–	–	–
	Poisoned Wounds	1	1	–	–	–	–	–	–	–
	Burns and Scalds	62	17	10	17	5	3	4	4	2
	Hanging, etc.	4	–	2	2	–	–	–	–	–
	Suffocation	75	39	11	10	6	4	1	4	–
	Drowning	24	11	1	5	2	1	2	1	1
	Fracture and Contusion	86	51	16	7	2	5	2	1	2
	Gunshot Wounds	2	1	1	–	–	–	–	–	–
	Cuts and Stabs	6	3	2	–	–	–	1	–	–
	Other Violent Causes	23	15	5	–	1	1	1	–	–
	Not specified	65	35	7	4	2	6	4	1	6

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—BOTH SEXES

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	10026	365	478	262	368	360	265	359	460	522	759	1331	2256	469	361	583	241	587
SPECIFIED CAUSES . .	9897	361	478	261	368	352	265	357	447	516	759	1303	2232	455	351	582	240	570
I. Zymotic Class . .	2649	61	114	53	79	71	65	94	168	88	316	362	621	120	77	196	24	140
II. Diseases of Uncer. Seat	324	16	19	14	15	6	5	15	17	19	19	43	60	17	12	15	5	27
III. Tubercular Class .	1526	50	68	31	44	58	38	36	74	81	112	225	413	63	41	80	51	61
IV. Brain and Nervous Sys.	949	61	41	36	49	29	24	46	34	53	53	112	196	36	32	45	34	68
V. Organs of Circulation	454	35	38	27	36	19	6	22	7	26	32	56	61	23	9	15	12	30
VI. Respiratory Organs .	1627	43	74	35	54	81	45	39	63	95	88	225	391	86	84	79	39	106
VII. Organs of Digestion .	619	17	35	20	23	27	23	32	15	35	34	66	120	29	33	51	20	39
VIII. Urinary Organs . .	164	12	4	4	16	7	5	7	8	9	13	24	28	6	4	2	4	11
IX. Organs of Generation	70	2	5	2	1	3	3	6	2	6	2	5	19	5	–	2	4	3
X. Organs of Locomotion	55	3	2	2	2	2	–	1	2	1	3	5	22	1	3	–	1	5
XI. Skin, etc. . . .	8	–	1	–	–	1	–	1	–	–	–	1	2	–	2	–	–	–
XII. Malformation . .	34	–	4	2	–	3	2	–	3	1	2	4	9	–	–	1	1	2
XIII. Premature Debility .	516	24	25	11	18	15	21	23	12	31	28	51	139	18	18	35	19	28
XIV. Atrophy . . .	53	–	2	–	–	–	2	3	2	3	2	6	17	–	3	3	5	5
XV. Age	535	31	27	16	28	21	20	14	27	58	27	83	69	30	21	22	12	29
XVI. Sudden Deaths . .	14	1	1	–	–	–	–	1	–	3	1	2	4	–	1	–	–	–
XVII. Violent Deaths . .	300	5	18	8	3	9	6	17	13	7	27	33	61	21	11	36	9	16
I. Small-pox . . .	314	–	–	1	–	–	–	1	59	2	100	21	21	27	3	60	–	19
Measles . . .	166	6	15	–	2	20	20	10	4	1	3	17	19	9	21	15	3	1
Scarlatina . . .	891	11	28	24	6	4	3	30	74	19	123	170	266	30	8	45	2	48
Diphtheria . .	168	3	14	5	31	9	4	2	5	11	4	16	41	3	3	3	1	13
Hooping-cough . .	203	6	6	5	–	15	1	10	1	2	3	27	78	1	11	20	–	17
Croup . . .	127	3	7	8	8	4	7	1	–	6	14	13	31	6	–	5	8	6
Thrush . . .	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa . . .	275	12	12	1	14	7	11	10	11	15	21	35	65	14	10	23	–	14
Dysentery . . .	48	2	2	2	3	2	4	–	–	1	4	2	9	4	6	5	1	1
Cholera . . .	5	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	1
Influenza . . .	14	–	–	–	–	2	3	2	2	–	–	2	2	1	–	–	–	–
Purpura . . .	11	1	–	1	2	–	–	–	2	–	1	1	1	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	78	2	6	2	4	3	–	12	5	7	9	12	11	2	1	–	1	1
Enteric Fever . .	161	13	12	1	4	4	8	11	2	10	15	15	31	14	4	7	4	6
Relapsing Fever .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	8	–	1	–	–	–	–	2	–	–	1	1	1	–	1	–	1	–
Infantile Remittent .	8	–	–	–	–	–	–	–	–	–	1	2	4	–	1	–	–	–
Metria . . .	64	2	4	–	1	–	–	1	3	5	6	7	18	8	4	4	–	1
Rheumatic Fever .	16	–	2	–	1	–	–	1	–	–	2	1	2	–	–	4	–	3
Erysipelas . . .	55	–	3	1	2	1	2	1	–	7	5	10	12	–	2	2	–	7
Pyæmia . . .	11	–	–	–	–	–	–	–	–	1	–	3	2	1	1	1	1	1
Syphilis . . .	22	–	1	2	1	–	1	–	–	1	2	6	5	–	1	–	1	1
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	16	1	–	1	1	1	–	2	2	1	–	3	1	1	1	–	–	1
Dropsy . . .	78	3	7	1	2	2	2	6	4	7	3	9	12	3	5	7	–	5
Abscess . . .	32	1	1	–	1	–	–	2	2	3	2	6	8	3	2	–	–	1
Ulcer . . .	6	–	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	–
Fistula . . .	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Mortification . .	12	–	–	1	–	–	–	–	1	1	–	2	4	1	–	–	–	2
Cancer . . .	178	11	11	11	11	2	3	5	8	7	14	20	31	9	4	8	5	18
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	72	3	–	1	2	3	2	–	2	8	4	14	18	1	3	3	1	7
Tabes Mesenterica .	134	–	3	1	–	4	2	1	10	13	6	14	42	6	1	9	14	8
Phthisis . . .	1027	40	45	26	31	44	27	29	49	50	85	172	246	33	31	54	28	37
Hydrocephalus . .	293	7	20	3	11	7	7	6	13	10	17	25	107	23	6	14	8	9

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	108	4	2	3	4	7	4	4	2	3	3	20	26	2	3	13	2	6
Apoplexy	242	19	18	15	21	2	3	6	20	8	14	36	29	13	6	14	4	14
Paralysis	257	19	9	7	10	10	6	17	4	26	12	23	51	9	10	8	17	19
Delirium Tremens	9	–	–	1	–	1	–	1	1	2	–	–	1	–	–	1	–	1
Chorea	3	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	42	4	2	1	4	1	2	1	1	3	3	4	7	–	2	–	2	5
Tetanus	7	–	–	–	–	–	–	–	–	1	2	1	1	–	–	1	–	1
Insanity	17	6	–	–	2	1	–	–	–	2	–	1	1	–	–	–	–	4
Convulsions	117	1	1	5	2	5	1	5	5	3	3	14	41	6	6	5	7	7
Brain Disease	147	8	8	4	5	2	8	12	1	5	16	13	38	6	5	3	2	11
V. Pericarditis	21	2	1	–	1	1	–	–	–	–	1	5	7	2	–	1	–	–
Aneurism	13	2	–	1	2	–	–	–	–	2	1	3	–	–	–	–	1	1
Heart Disease	420	31	37	26	33	18	6	22	7	24	30	48	54	21	9	14	11	29
VI. Laryngitis	17	–	3	–	–	–	–	–	–	–	4	1	3	1	1	2	–	2
Bronchitis	1047	27	49	21	41	52	33	22	38	70	62	134	230	62	56	49	25	76
Pleurisy	21	–	–	3	–	–	1	–	2	–	–	3	3	4	3	–	1	1
Pneumonia	460	14	17	11	13	27	11	11	14	21	11	72	145	16	14	26	12	25
Asthma	50	2	2	–	–	2	–	3	–	3	8	12	6	2	6	2	1	1
Lung Disease	32	–	3	–	–	–	–	3	9	1	3	3	4	1	4	–	–	1
VII. Teething	83	2	5	2	–	6	3	7	3	7	5	12	16	4	3	6	1	1
Quinsey	10	1	–	–	–	–	–	–	–	–	–	1	4	–	1	–	1	2
Gastritis	26	–	–	–	–	2	1	–	–	–	–	3	6	1	4	5	2	2
Enteritis	98	3	9	1	2	2	1	2	1	3	14	13	20	3	–	18	4	2
Peritonitis	63	2	5	4	5	2	4	2	1	1	7	4	14	1	3	4	–	4
Ascites	14	–	1	–	1	1	1	–	1	4	–	–	2	–	1	–	–	2
Ulceration of Intestines	24	–	–	–	2	–	–	1	–	3	1	2	5	1	1	5	2	1
Hernia	14	–	–	1	3	1	1	1	–	–	2	2	–	2	–	1	–	–
Ileus	32	1	3	1	–	–	2	1	–	2	1	4	3	3	1	2	1	7
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	116	4	5	3	3	5	6	10	5	4	1	10	23	6	16	–	3	12
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	–	–	–	–	1	–	–	2	3	1	–	8	3	1	6	2	–
Jaundice	27	–	1	1	3	5	1	–	1	1	–	4	8	–	–	1	–	1
Liver Disease	81	3	5	6	4	2	3	8	1	7	2	11	11	4	2	3	4	5
Spleen Disease	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	24	–	–	–	1	–	2	1	5	1	–	3	5	2	–	–	–	4
Nephria	52	3	2	1	3	3	1	2	–	2	4	16	7	3	2	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	18	3	1	–	3	1	–	1	1	–	–	–	5	–	–	–	1	2
Stone	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Cystitis	8	1	–	–	1	1	–	–	–	1	1	2	–	–	–	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	56	4	1	3	8	1	2	3	2	4	8	2	11	1	2	1	2	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	9	1	–	–	–	–	1	–	1	2	1	–	1	–	–	–	1	1
Childbirth	48	1	3	–	1	2	2	6	1	4	1	4	13	5	–	1	2	2
Organs of Generation	11	–	2	2	–	1	–	–	–	–	–	1	5	–	–	–	–	–
X. Bone Disease	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Rheumatism	21	–	–	–	1	2	–	–	–	–	–	1	13	1	–	–	1	2
Joint Disease	31	3	1	2	1	–	–	1	1	1	3	4	9	–	3	–	–	2
XI. Carbuncle	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	–	1	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–
XVII. Intemperance	28	–	2	–	1	4	–	1	1	1	2	6	1	4	–	–	3	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	–	–	–	–	–	–	–	2	–	–	–	3	4	–	1	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	6	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	30	1	–	1	–	1	–	4	–	4	1	3	6	2	4	2	–	1
Hanging, etc.	8	–	–	2	–	–	2	–	–	–	–	–	2	1	1	–	–	–
Suffocation	34	–	7	–	–	1	2	1	3	1	3	2	7	1	1	4	1	–
Drowning	45	2	2	2	1	–	–	4	1	–	2	11	5	–	–	8	2	5
Fracture and Contusion	113	2	3	3	1	2	1	5	3	–	14	8	33	8	2	20	3	5
Gunshot Wounds	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	18	–	1	–	–	1	1	1	2	1	3	2	2	–	3	1	–	–
Not specified	129	4	–	1	–	8	–	2	13	6	–	28	24	14	10	1	1	17

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	5079	170	207	130	165	176	133	193	232	244	401	702	1146	236	183	333	121	307
SPECIFIED CAUSES . .	5011	167	207	129	165	175	133	193	230	240	401	681	1134	229	177	333	121	296
I. Zymotic Class . .	1296	26	56	29	37	36	30	50	91	42	174	169	282	56	35	100	16	67
II. Diseases of Uncer. Seat	133	8	2	5	6	2	1	8	6	9	9	22	24	6	7	8	1	9
III. Tubercular Class .	727	23	27	15	18	29	18	19	31	36	44	108	210	24	22	42	24	37
IV. Brain and Nervous Sys.	510	24	18	15	23	17	15	25	19	24	30	68	111	22	18	26	15	40
V. Organs of Circulation	230	19	16	10	18	9	3	12	6	14	19	28	32	11	3	10	6	14
VI. Respiratory Organs .	908	19	39	21	22	39	27	25	36	49	48	137	209	53	47	55	22	60
VII. Organs of Digestion .	322	11	11	12	9	17	11	19	10	17	19	39	59	16	14	29	10	19
VIII. Urinary Organs . .	108	10	1	2	8	5	4	4	7	6	7	15	21	4	3	1	1	9
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	21	–	1	1	–	–	–	1	–	–	1	–	11	1	1	–	1	3
XI. Skin, etc. . . .	5	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–
XII. Malformation . .	20	–	3	1	–	1	1	–	1	–	1	4	5	–	–	1	1	1
XIII. Premature Debility .	292	13	16	7	11	8	9	9	7	17	15	29	80	8	12	24	12	15
XIV. Atrophy . . .	21	–	1	–	–	–	1	1	1	3	–	–	9	–	2	1	1	1
XV. Age	199	10	7	5	10	6	11	5	8	19	11	33	30	14	6	8	5	11
XVI. Sudden Deaths . .	8	–	–	–	–	–	–	1	–	1	1	1	3	–	1	–	–	–
XVII. Violent Deaths . .	211	4	9	6	3	6	2	13	7	3	22	27	46	14	5	28	6	10
I. Small-pox . . .	197	–	–	–	–	–	–	1	39	2	61	16	11	16	1	40	–	10
Measles . . .	75	1	10	–	1	10	8	4	3	–	2	5	12	2	9	5	2	1
Scarlatina . . .	441	4	13	12	3	2	2	15	38	7	66	76	130	16	2	25	1	29
Diphtheria . .	78	–	8	3	12	5	2	–	3	7	3	9	15	2	2	1	1	5
Hooping-cough . .	94	5	3	4	–	9	1	7	–	1	2	8	35	–	5	6	–	8
Croup . . .	73	3	3	4	7	3	5	–	–	4	5	9	18	3	–	2	4	3
Thrush . . .	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa . . .	112	4	4	–	4	4	3	4	4	6	13	13	27	7	5	10	–	4
Dysentery . . .	27	1	1	2	1	–	3	–	–	1	3	2	4	–	5	3	1	–
Cholera . . .	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1
Influenza . . .	7	–	–	–	–	2	2	1	1	–	–	1	–	–	–	–	–	–
Purpura . . .	9	1	–	1	2	–	–	–	–	–	1	1	1	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	36	1	1	1	3	–	–	8	3	5	4	5	2	2	–	–	1	–
Enteric Fever . .	85	6	6	1	2	1	2	7	–	5	8	10	18	8	3	1	3	4
Relapsing Fever .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	4	–	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Infantile Remittent .	5	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	9	–	1	–	1	–	–	1	–	–	1	1	1	–	–	3	–	–
Erysipelas . . .	25	–	3	1	1	–	1	1	–	3	2	5	3	–	2	2	–	1
Pyæmia . . .	4	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–
Syphilis . . .	9	–	1	–	–	–	–	–	–	–	–	4	2	–	–	–	1	1
Noma . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	8	1	–	–	1	–	–	1	1	1	–	1	1	–	1	–	–	–
Dropsy . . .	40	–	1	1	2	2	–	4	2	1	2	3	9	2	3	5	–	3
Abscess . . .	16	–	–	–	1	–	–	2	–	3	1	3	3	2	1	–	–	–
Ulcer . . .	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Fistula . . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification . .	7	–	–	1	–	–	–	–	1	1	–	2	2	–	–	–	–	–
Cancer . . .	57	7	1	3	2	–	1	1	2	3	6	10	7	2	2	3	1	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	46	–	–	1	2	2	1	–	1	4	1	8	14	1	3	3	1	4
Tabes Mesenterica .	68	–	1	1	–	2	2	1	4	6	4	4	25	2	1	4	7	4
Phthisis . . .	454	20	16	12	10	21	14	13	18	23	32	79	112	9	15	25	12	23
Hydrocephalus . .	159	3	10	1	6	4	1	5	8	3	7	17	59	12	3	10	4	6

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	60	1	–	2	1	4	3	3	2	2	2	12	14	–	2	7	1	4
Apoplexy	122	8	8	6	12	1	2	4	11	4	7	24	9	9	3	6	–	8
Paralysis	122	8	4	2	3	7	4	5	3	9	7	13	27	7	5	5	6	7
Delirium Tremens	7	–	–	1	–	–	–	1	–	2	–	–	1	–	–	1	–	1
Chorea	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	3	2	–	3	–	2	1	–	2	3	1	5	–	1	–	2	4
Tetanus	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Insanity	5	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
Convulsions	76	–	1	2	1	4	1	3	3	2	1	9	31	1	3	4	5	5
Brain Disease	85	2	3	2	2	1	3	8	–	2	8	8	24	5	4	3	1	9
V. Pericarditis	13	2	1	–	1	1	–	–	–	–	1	1	4	1	–	1	–	–
Aneurism	10	2	–	1	–	–	–	–	–	1	1	3	–	–	–	–	1	1
Heart Disease	207	15	15	9	17	8	3	12	6	13	17	24	28	10	3	9	5	13
VI. Laryngitis	11	–	3	–	–	–	–	–	–	–	4	–	2	–	–	–	–	2
Bronchitis	559	12	22	12	14	23	19	16	22	39	32	76	113	37	33	32	15	42
Pleurisy	13	–	–	2	–	–	1	–	1	–	–	3	2	2	–	–	1	1
Pneumonia	274	7	13	7	8	16	7	6	7	7	6	46	86	12	6	21	5	14
Asthma	31	–	1	–	–		–	1	–	2	5	10	3	1	5	2	1	–
Lung Disease	20	–	–	–	–	–	–	2	6	1	1	2	3	1	3	–	–	1
VII. Teething	54	2	1	2	–	3	2	5	2	5	4	6	11	3	3	4	1	–
Quinsey	7	1	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	2
Gastritis	12	–	–	–	–	2	1	–	–	–	–	1	3	–	–	3	–	2
Enteritis	58	2	3	1	2	1	–	2	1	1	8	7	11	2	–	13	3	1
Peritonitis	23	–	1	2	3	1	3	1	1	–	4	1	3	–	1	2	–	–
Ascites	6	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	2
Ulceration of Intestines	11	–	–	–	1	–	–	–	–	–	–	2	2	–	1	4	1	–
Hernia	5	–	–	1	–	1	–	1	–	–	–	1	–	1	–	–	–	–
Ileus	17	1	1	1	–	–	1	–	–	2	1	2	2	2	–	1	1	2
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	62	3	–	1	2	4	3	6	4	2	1	8	11	4	5	–	1	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	–	–	1	–	–	–	3	–	–	2	1	1	1	–	–
Jaundice	11	–	1	1	–	3	–	–	1	–	–	1	4	–	–	–	–	–
Liver Disease	46	2	4	3	1	1	1	4	1	2	1	9	6	2	2	1	3	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	15	–	–	–	1	–	1	1	4	–	–	1	3	1	–	–	–	3
Nephria	26	3	–	–	–	1	1	1	–	1	1	10	3	2	2	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	13	3	–	–	1	1	–	1	1	–	–	–	4	–	–	–	–	2
Stone	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Cystitis	7	1	–	–	1	1	–	–	–	1	1	1	–	–	–	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	42	3	1	2	5	1	2	1	2	3	5	2	11	1	1	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	9	–	–	–	–	–	–	–	–	–	–	–	6	1	–	–	1	1
Joint Disease	10	–	–	1	–	–	–	1	–	–	1	–	5	–	1	–	–	1
XI. Carbuncle	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
XVII. Intemperance	21	–	1	–	1	4	–	1	1	1	1	5	1	2	–	–	2	1
Privation	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–
Want of Breast Milk	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	15	1	–	–	–	1	–	1	–	2	1	1	4	2	1	1	–	–
Hanging, etc.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	–	3	–	–	–	1	–	2	–	2	1	5	1	1	2	1	–
Drowning	32	1	1	1	1	–	–	4	–	–	1	10	3	–	–	6	1	3
Fracture and Contusion	96	2	2	3	1	1	1	5	2	–	12	8	27	7	–	18	2	5
Gunshot Wounds	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	13	–	1	–	–	–	–	1	2	–	3	1	2	–	3	–	–	–
Not specified	68	3	–	1	–	1	–	–	2	4	–	21	12	7	6	–	–	11

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	4947	195	271	132	203	184	132	166	228	278	358	629	1110	233	178	250	120	280
SPECIFIED CAUSES . .	4886	194	271	132	203	177	132	164	217	276	358	622	1098	226	174	249	119	274
I. Zymotic Class . .	1353	35	58	24	42	35	35	44	77	46	142	193	339	64	42	96	8	73
II. Diseases of Uncer. Seat	191	8	17	9	9	4	4	7	11	10	10	21	36	11	5	7	4	18
III. Tubercular Class .	799	27	41	16	26	29	20	17	43	45	68	117	203	39	19	38	27	24
IV. Brain and Nervous Sys.	439	37	23	21	26	12	9	21	15	29	23	44	85	14	14	19	19	28
V. Organs of Circulation	224	16	22	17	18	10	3	10	1	12	13	28	29	12	6	5	6	16
VI. Respiratory Organs .	719	24	35	14	32	42	18	14	27	46	40	88	182	33	37	24	17	46
VII. Organs of Digestion .	297	6	24	8	14	10	12	13	5	18	15	27	61	13	19	22	10	20
VIII. Urinary Organs . .	56	2	3	2	8	2	1	3	1	3	6	9	7	2	1	1	3	2
IX. Organs of Generation	70	2	5	2	1	3	3	6	2	6	2	5	19	5	–	2	4	3
X. Organs of Locomotion	34	3	1	1	2	2	–	–	2	1	2	5	11	–	2	–	–	2
XI. Skin, etc. . . .	3	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
XII. Malformation . .	14	–	1	1	–	2	1	–	2	1	1	–	4	–	–	–	–	1
XIII. Premature Debility .	224	11	9	4	7	7	12	14	5	14	13	22	59	10	6	11	7	13
XIV. Atrophy . . .	32	–	1	–	–	–	1	2	1	–	2	6	8	–	1	2	4	4
XV. Age	336	21	20	11	18	15	9	9	19	39	16	50	39	16	15	14	7	18
XVI. Sudden Deaths . .	6	1	1	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
XVII. Violent Deaths . .	89	1	9	2	–	3	4	4	6	4	5	6	15	7	6	8	3	6
I. Small-pox . . .	117	–	–	1	–	–	–	–	20	–	39	5	10	11	2	20	–	9
Measles . . .	91	5	5	–	1	10	12	6	1	1	1	12	7	7	12	10	1	–
Scarlatina . . .	450	7	15	12	3	2	1	15	36	12	57	94	136	14	6	20	1	19
Diphtheria . .	90	3	6	2	19	4	2	2	2	4	1	7	26	1	1	2	–	8
Hooping-cough . .	109	1	3	1	–	6	–	3	1	1	1	19	43	1	6	14	–	9
Croup . . .	54	–	4	4	1	1	2	1	–	2	9	4	13	3	–	3	4	3
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	163	8	8	1	10	3	8	6	7	9	8	22	38	7	5	13	–	10
Dysentery . . .	21	1	1	–	2	2	1	–	–	–	1	–	5	4	1	2	–	1
Cholera . . .	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Influenza . . .	7	–	–	–	–	–	1	1	1	–	–	1	2	1	–	–	–	–
Purpura . . .	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	42	1	5	1	1	3	–	4	2	2	5	7	9	–	1	–	–	1
Enteric Fever . .	76	7	6	–	2	3	6	4	2	5	7	5	13	6	1	6	1	2
Relapsing Fever .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–
Infantile Remittent .	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Metria . . .	64	2	4	–	1	–	–	1	3	5	6	7	18	8	4	4	–	1
Rheumatic Fever .	7	–	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	3
Erysipelas . . .	30	–	–	–	1	1	1	–	–	4	3	5	9	–	–	–	–	6
Pyæmia . . .	7	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	1
Syphilis . . .	13	–	–	2	1	–	1	–	–	1	2	2	3	–	1	–	–	–
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	8	–	–	1	–	1	–	1	1	–	–	2	–	1	–	–	–	1
Dropsy . . .	38	3	6	–	–	–	2	2	2	6	1	6	3	1	2	2	–	2
Abscess . . .	16	1	1	–	–	–	–	–	2	–	1	3	5	1	1	–	–	1
Ulcer . . .	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Fistula . . .	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	2
Cancer . . .	121	4	10	8	9	2	2	4	6	4	8	10	24	7	2	5	4	12
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	26	3	–	–	–	1	1	–	1	4	3	6	4	–	–	–	–	3
Tabes Mesenterica .	66	–	2	–	–	2	–	–	6	7	2	10	17	4	–	5	7	4
Phthisis . . .	573	20	29	14	21	23	13	16	31	27	53	93	134	24	16	29	16	14
Hydrocephalus . .	134	4	10	2	5	3	6	1	5	7	10	8	48	11	3	4	4	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	48	3	2	1	3	3	1	1	–	1	1	8	12	2	1	6	1	2
Apoplexy	120	11	10	9	9	1	1	2	9	4	7	12	20	4	3	8	4	6
Paralysis	135	11	5	5	7	3	2	12	1	17	5	10	24	2	5	3	11	12
Delirium Tremens	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	13	1	–	1	1	1	–	–	1	1	–	3	2	–	1	–	–	1
Tetanus	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1
Insanity	12	4	–	–	2	1	–	–	–	1	–	1	1	–	–	–	–	2
Convulsions	41	1	–	3	1	1	–	2	2	1	2	5	10	5	3	1	2	2
Brain Disease	62	6	5	2	3	1	5	4	1	3	8	5	14	1	1	–	1	2
V. Pericarditis	8	–	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–
Aneurism	3	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	213	16	22	17	16	10	3	10	1	11	13	24	26	11	6	5	6	16
VI. Laryngitis	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–
Bronchitis	488	15	27	9	27	29	14	6	16	31	30	58	117	25	23	17	10	34
Pleurisy	8	–	–	1	–	–	–	–	1	–	–	–	1	2	3	–	–	–
Pneumonia	186	7	4	4	5	11	4	5	7	14	5	26	59	4	8	5	7	11
Asthma	19	2	1	–	–	2	–	2	–	1	3	2	3	1	1	–	–	1
Lung Disease	12	–	3	–	–	–	–	1	3	–	2	1	1	–	1	–	–	–
VII. Teething	29	–	4	–	–	3	1	2	1	2	1	6	5	1	–	2	–	1
Quinsey	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Gastritis	14	–	–	–	–	–	–	–	–	–	–	2	3	1	4	2	2	–
Enteritis	40	1	6	–	–	1	1	–	–	2	6	6	9	1	–	5	1	1
Peritonitis	40	2	4	2	2	1	1	1	–	1	3	3	11	1	2	2	–	4
Ascites	8	–	1	–	1	1	1	–	1	2	–	–	–	–	1	–	–	–
Ulceration of Intestines	13	–	–	–	1	–	–	1	–	3	1	–	3	1	–	1	1	1
Hernia	9	–	–	–	3	–	1	–	–	–	2	1	–	1	–	1	–	–
Ileus	15	–	2	–	–	–	1	1	–	–	–	2	1	1	1	1	–	5
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	54	1	5	2	1	1	3	4	1	2	–	2	12	2	11	–	2	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	18	–	–	–	–	–	–	–	2	–	1	–	6	2	–	5	2	–
Jaundice	16	–	–	–	3	2	1	–	–	1	–	3	4	–	–	1	–	1
Liver Disease	35	1	1	3	3	1	2	4	–	5	1	2	5	2	–	2	1	2
Spleen Disease	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	9	–	–	–	–	–	1	–	1	1	–	2	2	1	–	–	–	1
Nephria	26	–	2	1	3	2	–	1	–	1	3	6	4	1	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
Stone	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	1	–	1	3	–	–	2	–	1	3	–	–	–	1	1	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	9	1	–	–	–	–	1	–	1	2	1	–	1	–	–	–	1	1
Childbirth	48	1	3	–	1	2	2	6	1	4	1	4	13	5	–	1	2	2
Organs of Generation	11	–	2	2	–	1	–	–	–	–	–	1	5	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	12	–	–	–	1	2	–	–	–	–	–	1	7	–	–	–	–	1
Joint Disease	21	3	1	1	1	–	–	–	1	1	2	4	4	–	2	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
XVII. Intemperance	7	–	1	–	–	–	–	–	–	–	1	1	–	2	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	–	–	–	–	–	–	–	2	–	–	–	1	3	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	15	–	–	1	–	–	–	3	–	2	–	2	2	–	3	1	–	1
Hanging, etc.	6	–	–	–	–	–	2	–	–	–	–	–	2	1	1	–	–	–
Suffocation	15	–	4	–	–	1	1	1	1	1	1	1	2	–	–	2	–	–
Drowning	13	1	1	1	–	–	–	–	1	–	1	1	2	–	–	2	1	2
Fracture and Contusion	17	–	1	–	–	1	–	–	1	–	2	–	6	1	2	2	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	1	1	–	–	1	–	1	–	–	–	1	–	–
Not specified	61	1	–	–	–	7	–	2	11	2	–	7	12	7	4	1	1	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES . . .	17560	93	77	299	276	105	345	427	743	131	532	539	1149	371	983
SPECIFIED CAUSES . .	17196	87	77	299	271	103	337	425	705	131	522	524	1106	365	951
I. Zymotic Class . .	4198	4	6	46	96	15	68	92	236	30	96	117	256	41	172
II. Diseases of Uncer. Seat	664	3	5	14	11	3	20	28	25	2	33	17	44	22	40
III. Tubercular Class .	2447	14	8	46	19	13	36	59	70	12	63	84	121	66	141
IV. Brain and Nervous Sys.	1588	8	7	34	17	16	48	45	65	14	72	61	120	35	100
V. Organs of Circulation	1050	2	4	19	10	1	31	20	34	6	43	53	70	28	58
VI. Respiratory Organs .	2509	9	17	58	33	12	36	67	92	14	77	54	168	74	158
VII. Organs of Digestion .	1241	8	13	12	9	13	23	35	50	18	35	38	82	19	74
VIII. Urinary Organs . .	288	2	–	6	7	3	5	21	17	2	13	14	20	6	12
IX. Organs of Generation	145	–	–	5	6	–	1	9	8	1	6	3	10	4	6
X. Organs of Locomotion	99	–	–	3	4	2	6	3	4	–	2	2	5	1	7
XI. Skin, etc. . . .	30	–	1	1	2	–	2	1	3	1	1	2	2	–	1
XII. Malformation . .	77	–	–	–	–	–	1	–	6	–	5	–	3	2	3
XIII. Premature Debility .	873	4	–	17	4	6	11	14	23	8	22	19	44	28	69
XIV. Atrophy . . .	113	–	–	–	1	–	3	3	2	–	3	2	5	3	10
XV. Age	1151	30	16	28	38	16	33	18	42	16	29	43	102	26	71
XVI. Sudden Deaths . .	21	–	–	1	1	–	–	–	1	–	–	2	3	–	2
XVII. Violent Deaths . .	702	3	–	9	13	3	13	10	27	7	22	13	51	10	27
I. Small-pox . . .	445	–	–	–	–	1	–	2	3	–	–	–	3	–	3
Measles . . .	218	2	–	–	6	6	14	–	7	7	4	6	27	1	10
Scarlatina . . .	1224	–	–	3	2	–	5	30	99	2	21	25	84	3	49
Diphtheria . .	280	–	–	1	22	3	20	7	12	3	5	10	20	2	8
Hooping-cough . .	246	–	–	–	14	–	4	11	22	6	–	6	2	6	8
Croup . . .	265	–	–	2	31	1	4	2	22	–	9	7	24	5	13
Thrush . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Diarrhœa . . .	456	1	2	13	1	1	5	14	27	1	17	13	27	6	25
Dysentery . . .	54	–	1	–	1	–	1	2	10	–	4	1	5	1	5
Cholera . . .	29	–	–	–	–	–	–	1	–	–	–	1	–	–	1
Influenza . . .	33	–	1	1	1	–	–	1	2	–	1	3	2	–	4
Purpura . . .	15	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Ague	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms . . .	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	144	–	–	2	4	–	1	5	8	1	–	9	11	–	17
Enteric Fever . .	445	–	–	10	3	2	9	8	10	7	22	27	23	7	13
Relapsing Fever .	11	–	–	–	–	–	–	–	–	–	–	–	2	–	1
Simple Cont. Fever .	35	–	–	–	1	–	–	–	1	1	1	1	3	–	2
Infantile Remittent .	22	–	–	2	–	–	–	–	–	–	–	–	3	–	–
Metria . . .	87	1	1	4	4	–	–	3	6	1	–	2	6	1	3
Rheumatic Fever .	30	–	–	1	–	–	1	–	–	1	5	–	1	1	2
Erysipelas . . .	82	–	–	2	2	–	1	4	4	–	4	1	5	7	3
Pyæmia . . .	22	–	–	1	2	–	–	1	2	–	1	1	2	1	1
Syphilis . . .	39	–	–	4	1	–	3	1	1	–	2	3	3	–	2
Noma . . .	4	–	1	–	–	–	–	–	–	–	–	–	2	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	19	–	–	–	–	–	–	–	–	–	2	–	3	1	–
Dropsy . . .	152	–	2	4	5	1	5	2	2	–	8	2	14	9	14
Abscess . . .	43	–	–	1	1	–	2	3	3	–	2	–	2	3	3
Ulcer . . .	24	–	–	1	1	–	–	1	2	–	–	–	1	–	2
Fistula . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	33	1	–	1	–	–	–	–	2	–	3	1	2	1	3
Cancer . . .	384	2	3	7	4	2	13	22	16	2	18	13	21	8	17
Gout	7	–	–	–	–	–	–	–	–	–	–	1	1	–	1
III. Scrofula . . .	149	1	1	3	1	1	–	4	12	–	3	7	6	5	7
Tabes Mesenterica .	212	2	1	1	1	2	–	6	3	–	8	4	14	4	10
Phthisis . . .	1680	8	5	34	17	10	31	40	43	11	40	61	87	44	97
Hydrocephalus . .	406	3	1	8	–	–	5	9	12	1	12	12	14	13	27

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	918	399	238	1450	2554	2942	538	734	383	91	65	350	179	186	236	227
SPECIFIED CAUSES .	899	381	236	1438	2530	2880	520	731	372	91	64	346	178	176	231	220
Zymotic Class . .	227	48	52	285	667	955	110	166	133	18	11	90	22	42	32	65
Uncertain Seat .	25	28	10	43	79	80	22	27	11	3	5	16	10	15	12	11
Tubercular Class .	133	58	51	281	410	369	72	84	29	14	11	63	23	22	49	26
Brain, etc. . .	76	41	26	124	193	196	52	80	30	9	7	27	27	13	23	22
Heart, etc. . .	66	23	9	69	162	114	29	61	23	10	7	23	23	22	25	5
Respiratory Organs .	115	61	35	255	335	418	81	106	50	13	10	58	21	28	22	32
Digestive Organs .	61	18	15	115	190	196	58	58	19	3	4	18	13	6	21	17
Urinary Organs .	13	6	4	22	42	29	8	15	5	1	3	3	2	2	2	3
Generative Organs .	1	4	2	15	19	21	6	5	4	2	1	3	1	–	2	–
Locomotive Organs .	5	2	–	8	17	10	2	3	–	1	1	4	2	–	5	–
Skin . . .	1	1	–	–	4	3	–	1	–	–	–	–	–	–	1	2
Malformation . .	–	2	–	5	22	12	3	4	1	1	–	1	–	3	3	–
Premature Debility .	44	18	6	72	132	178	28	47	17	3	3	18	13	10	6	9
Atrophy . . .	8	1	1	22	14	23	–	3	6	–	–	2	–	–	–	1
Age	76	48	16	66	152	114	24	42	27	4	1	8	12	10	21	22
Sudden Deaths .	2	–	–	–	4	4	–	–	1	–	–	–	–	–	–	–
Violent Deaths .	46	22	9	56	88	158	25	29	16	9	–	12	9	3	7	5
Small-pox . .	32	2	25	8	63	247	10	–	13	–	–	–	–	–	1	32
Measles . . .	2	–	–	6	6	59	4	17	4	–	–	29	–	1	–	–
Scarlatina . .	91	5	2	117	251	275	19	39	71	4	3	10	–	10	2	2
Diphtheria . .	8	3	–	15	32	62	10	11	7	–	2	5	1	1	3	7
Hooping-cough .	10	2	4	29	34	28	14	10	2	8	–	5	3	8	10	–
Croup . . .	18	9	–	11	27	45	6	9	1	–	1	8	2	2	1	5
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	16	13	1	32	68	67	21	23	14	–	3	19	6	9	4	7
Dysentery . .	2	3	–	2	4	8	1	1	1	1	–	–	–	–	–	–
Cholera . . .	1	–	–	4	9	3	–	5	–	–	–	–	2	–	2	–
Influenza . . .	2	–	1	1	2	5	–	4	–	1	–	1	–	–	–	–
Purpura . . .	2	–	1	1	5	3	–	1	–	–	–	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	4	1	–	–	–	–	–	–	–	–	1	–
Typhus . . .	9	1	2	7	26	26	–	7	2	–	–	–	–	2	3	1
Enteric Fever . .	21	8	10	30	80	74	11	26	12	3	1	8	4	5	3	8
Relapsing Fever .	–	–	–	1	3	3	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	4	–	–	–	11	4	2	–	1	1	–	–	1	–	–	1
Infantile Remittent .	2	–	4	2	1	7	–	–	–	–	–	1	–	–	–	–
Metria . . .	2	1	–	4	15	19	3	3	1	–	–	1	2	2	1	1
Rheumatic Fever .	2	–	–	5	2	1	2	3	2	–	–	1	–	–	–	–
Erysipelas . .	–	–	–	7	17	13	4	3	–	–	–	1	1	2	–	1
Pyæmia . . .	2	1	1	1	2	1	–	–	1	–	–	–	–	–	1	–
Syphilis . . .	–	–	1	2	4	4	2	3	1	–	1	1	–	–	–	–
Noma . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	3	4	1	–	2	1	–	–	–	–	–	–	2
Dropsy . . .	4	7	–	15	18	27	1	6	2	–	–	–	–	1	1	2
Abscess . . .	1	1	–	4	4	3	1	3	1	–	1	1	1	–	1	1
Ulcer . . .	–	–	–	3	2	4	1	3	1	–	–	–	–	1	1	–
Fistula . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Mortification . .	1	2	–	3	4	3	2	2	1	–	–	–	–	1	–	–
Cancer . . .	19	18	9	14	45	42	17	11	5	3	3	15	9	12	8	6
Gout . . .	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–
Scrofula . . .	3	–	3	16	27	22	5	6	1	3	–	4	4	1	3	–
Tabes Mesenterica	4	–	6	21	32	49	7	14	2	2	1	5	3	3	7	–
Phthisis . .	106	49	40	190	264	231	39	57	21	6	9	48	15	18	36	23
Hydrocephalus	20	9	2	54	87	67	21	7	5	3	1	6	1	–	3	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	194	1	2	4	2	2	2	8	12	–	6	8	12	6	8
Apoplexy	398	5	2	14	1	6	10	9	15	2	11	12	41	5	25
Paralysis	449	1	1	8	8	3	18	15	12	5	30	28	35	13	31
Delirium Tremens	18	–	–	–	–	–	–	–	2	–	1	2	1	–	2
Chorea	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Epilepsy	59	–	1	–	–	–	3	1	3	–	1	3	7	1	1
Tetanus	16	–	–	1	1	–	–	–	–	–	1	–	1	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Convulsions	188	–	–	3	2	1	10	5	4	1	6	5	11	4	19
Brain Disease	256	1	1	4	3	4	5	6	17	6	16	3	9	6	14
V. Pericarditis	14	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Aneurism	14	–	–	–	2	–	1	–	2	–	–	2	–	–	–
Heart Disease	1022	2	4	18	8	1	30	20	32	6	42	51	70	28	58
VI. Laryngitis	44	–	–	–	1	–	1	1	4	–	6	–	1	–	1
Bronchitis	1568	6	9	38	16	10	26	40	64	7	47	35	110	46	92
Pleurisy	52	–	–	2	2	–	–	1	1	–	–	1	3	–	1
Pneumonia	683	2	6	16	5	1	5	23	19	5	19	15	44	22	41
Asthma	105	1	2	2	6	1	2	2	3	1	2	–	5	6	7
Lung Disease	57	–	–	–	3	–	2	–	1	1	3	3	5	–	16
VII. Teething	197	1	1	–	–	7	3	7	15	–	4	–	14	6	10
Quinsey	20	–	1	1	–	–	–	–	1	–	1	–	3	–	1
Gastritis	44	1	1	–	–	1	2	1	1	1	1	2	5	–	2
Enteritis	249	–	–	1	4	3	3	9	5	2	3	3	15	–	10
Peritonitis	113	2	1	–	–	–	2	1	5	2	2	2	5	4	8
Ascites	15	–	–	–	–	–	1	1	–	–	2	1	–	–	2
Ulceration of Intestines	47	1	–	–	–	–	–	1	3	–	2	4	–	1	2
Hernia	17	–	–	–	–	–	–	1	2	–	1	–	1	1	2
Ileus	47	1	1	1	–	–	–	2	1	2	3	2	5	1	2
Intussusception	21	–	1	1	1	–	–	2	1	–	2	1	1	–	–
Stricture of Intestines	6	1	–	–	–	–	–	1	–	–	–	1	1	–	–
Stomach Disease	182	1	3	–	2	1	5	4	5	4	10	3	9	2	19
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	58	–	1	–	2	–	–	1	1	1	–	5	4	–	5
Jaundice	60	–	–	2	–	–	1	1	4	1	1	3	4	2	3
Liver Disease	160	–	3	6	–	1	6	3	6	5	3	11	14	1	8
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–
VIII. Nephritis	32	–	–	–	–	–	1	4	–	1	–	2	1	2	–
Nephria	72	1	–	3	1	–	2	4	2	–	1	3	8	2	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	21	–	–	1	2	–	–	1	1	1	–	–	2	–	1
Diabetes	23	–	–	–	1	–	–	2	2	–	1	1	2	–	–
Stone	11	–	–	1	1	2	–	1	–	–	2	–	1	–	–
Cystitis	26	–	–	1	–	–	–	3	2	–	4	1	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	101	1	–	–	2	1	2	6	10	–	5	6	5	2	8
IX. Paramenia	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ovarian Dropsy	15	–	–	1	–	–	–	1	–	–	1	–	1	–	1
Childbirth	99	–	–	4	5	–	–	6	3	1	4	2	6	4	5
Organs of Generation	27	–	–	–	1	–	1	2	4	–	1	1	3	–	–
X. Bone Disease	10	–	–	1	1	–	–	–	1	–	–	–	1	–	–
Rheumatism	44	–	–	1	1	2	2	1	2	–	2	2	1	–	2
Joint Disease	45	–	–	1	2	–	4	2	1	–	–	–	3	1	5
XI. Carbuncle	9	–	–	–	1	–	–	–	1	–	–	2	–	–	–
Phlegmon	5	–	–	–	–	–	1	1	1	–	–	–	–	–	1
Skin Disease	16	–	1	1	1	–	1	–	1	1	1	–	2	–	–
XVII. Intemperance	49	–	–	–	–	–	1	–	2	1	4	1	4	–	1
Privation	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Want of Breast Milk	34	–	–	–	–	–	–	–	–	–	1	3	4	–	–
Neglect	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cold	18	–	–	–	2	–	2	–	–	2	–	2	–	1	2
Poison	9	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	63	–	–	1	–	–	2	–	–	–	1	1	5	2	2
Hanging, etc.	9	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Suffocation	68	–	–	3	–	–	–	2	3	1	4	1	3	1	1
Drowning	179	–	–	2	9	2	4	1	17	1	3	2	14	1	13
Fracture and Contusion	224	2	–	3	1	1	3	4	4	1	5	1	18	5	5
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cuts and Stabs	7	–	–	–	1	–	–	–	–	–	–	1	1	–	–
Other Violent Causes	35	1	–	–	–	–	1	3	–	1	–	–	1	–	3
Not specified	364	6	–	–	5	2	8	2	38	–	10	15	43	6	32

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	5	4	–	26	29	31	9	6	3	–	–	1	2	1	2	2
Apoplexy	25	14	15	31	55	42	5	13	2	4	1	5	9	5	10	4
Paralysis	22	9	5	27	37	35	14	32	13	3	3	10	11	5	6	9
Delirium Tremens	3	–	–	1	3	2	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	3	4	–	2	9	3	1	13	–	1	–	–	1	1	–	–
Tetanus	1	–	–	3	2	3	–	–	–	–	–	2	–	–	–	1
Insanity	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Convulsions	5	6	2	16	20	36	12	4	8	–	2	3	1	–	1	1
Brain Disease	12	3	4	17	38	42	11	10	4	1	1	6	2	1	4	5
Pericarditis	–	–	1	2	2	3	3	–	–	–	–	–	–	–	1	–
Aneurism	–	1	–	–	–	3	–	1	–	–	–	1	1	–	–	–
Heart Disease	66	22	8	67	160	108	26	60	23	10	7	22	22	22	24	5
Laryngitis	1	–	–	3	10	3	1	1	1	–	–	–	2	2	2	3
Bronchitis	74	48	24	156	200	270	46	76	31	8	7	41	9	5	14	13
Pleurisy	3	2	1	5	6	9	3	4	2	1	1	1	2	1	–	–
Pneumonia	34	10	10	74	99	110	28	22	16	3	1	12	6	19	5	11
Asthma	3	1	–	13	20	14	3	2	–	1	1	3	1	1	1	1
Lung Disease	–	–	–	4	–	12	–	1	–	–	–	1	1	–	–	4
Teething	14	1	1	19	32	34	6	10	2	–	–	4	–	2	2	2
Quinsey	2	–	–	–	4	1	–	1	–	–	–	1	1	–	2	–
Gastritis	2	2	1	4	8	4	–	1	2	–	–	1	–	–	1	–
Enteritis	3	1	5	28	42	56	26	8	5	–	2	4	2	1	6	2
Peritonitis	3	1	1	12	13	24	6	8	2	1	–	1	3	–	1	3
Ascites	–	–	–	1	–	6	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	–	4	–	4	6	15	1	2	–	–	–	–	1	–	–	–
Hernia	–	–	1	3	1	1	1	–	–	–	–	–	–	1	1	–
Ileus	4	1	–	4	5	2	1	2	1	–	1	1	–	1	1	2
Intussusception	–	–	1	1	1	4	–	4	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	17	2	1	11	33	20	6	10	3	–	–	1	2	1	5	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	2	3	1	10	6	4	1	3	–	–	–	–	–	–	2
Jaundice	1	3	–	6	11	6	3	–	–	–	–	3	2	–	–	3
Liver Disease	9	1	1	20	22	17	4	11	1	2	1	2	2	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–
Nephritis	–	1	–	3	3	9	1	3	–	–	–	–	1	–	–	–
Nephria	1	1	2	3	12	8	5	3	2	1	–	1	–	2	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	2	1	1	3	1	–	1	–	–	2	1	–	–	–	–
Diabetes	2	–	–	1	4	3	–	3	1	–	–	–	–	–	–	–
Stone	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	3	1	–	4	4	–	1	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	1	8	16	7	1	5	2	–	1	1	1	–	1	2
Paramenia	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	3	2	2	–	–	1	–	–	–	–	–	–
Childbirth	1	4	2	9	12	14	3	4	3	1	1	2	1	–	2	–
Organs of Generation	–	–	–	3	3	5	1	1	1	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	1	1	–	–	–	–	–	2	–	–	1	–
Rheumatism	4	–	–	3	8	2	2	3	–	–	1	2	–	–	3	–
Joint Disease	1	1	–	5	8	7	–	–	–	1	–	–	2	–	1	–
Carbuncle	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	1
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	4	–	–	–	–	–	–	–	–	–	–	1
Intemperance	3	–	1	5	4	10	2	4	–	–	–	3	1	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	1	13	–	2	3	2	–	2	–	–	–	–
Neglect	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Cold	–	2	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Poison	1	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	1	–	3	8	20	1	3	2	–	–	2	1	–	1	1
Hanging, etc.	–	–	–	2	–	5	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	1	7	13	13	1	3	1	2	–	–	–	1	–	–
Drowning	12	14	3	16	20	19	5	6	3	3	–	3	3	–	1	2
Fracture and Contusion	14	3	3	18	32	65	13	8	3	1	–	1	3	1	4	2
Gunshot Wounds	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	2	7	5	3	1	2	1	–	1	1	–	–	–
Not specified	19	18	2	12	24	62	18	3	11	–	1	4	1	10	5	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES . . .	8852	43	31	138	129	53	151	209	382	77	263	256	574	180	500
SPECIFIED CAUSES . .	8652	41	31	138	126	53	146	207	364	77	255	248	550	178	490
I. Zymotic Class . .	2091	1	2	22	39	10	30	41	117	15	54	53	136	21	83
II. Diseases of Uncer. Seat	256	–	2	7	4	2	5	11	9	1	16	6	18	6	16
III. Tubercular Class .	1177	7	3	25	11	5	26	36	37	8	33	38	57	36	65
IV. Brain and Nervous Sys.	839	5	2	20	10	11	23	21	36	9	40	29	59	16	43
V. Organs of Circulation	523	–	4	13	4	–	12	8	15	5	16	22	30	16	35
VI. Respiratory Organs .	1389	6	6	21	15	6	12	40	48	11	34	27	94	34	101
VII. Organs of Digestion .	612	4	5	7	6	5	9	13	29	9	17	20	43	11	46
VIII. Urinary Organs . .	195	2	–	4	5	3	1	13	9	1	6	10	13	5	8
IX. Organs of Generation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
X. Organs of Locomotion	48	–	–	1	1	–	5	3	1	–	1	2	2	–	1
XI. Skin, etc. . . .	12	–	–	–	–	–	1	–	2	–	1	2	–	–	–
XII. Malformation . .	45	–	–	–	–	–	1	–	2	–	4	–	–	1	1
XIII. Premature Debility .	487	2	–	6	1	3	5	5	18	7	9	14	29	11	35
XIV. Atrophy . . .	51	–	–	–	1	–	–	2	1	–	–	1	2	2	3
XV. Age	399	12	7	5	16	5	8	7	12	5	13	15	32	10	33
XVI. Sudden Deaths . .	11	–	–	1	1	–	–	–	1	–	–	1	1	–	–
XVII. Violent Deaths . .	516	2	–	6	12	3	8	7	26	6	11	8	34	9	20
I. Small-pox . . .	263	–	–	–	–	–	–	2	1	–	–	–	1	–	2
Measles . . .	115	1	–	–	4	4	9	–	1	2	2	4	16	–	7
Scarlatina . . .	635	–	–	1	1	–	2	12	52	2	12	13	54	3	17
Diphtheria . .	129	–	–	1	6	3	7	3	4	1	3	4	10	1	5
Hooping-cough . .	114	–	–	–	5	–	4	5	8	4	–	3	2	1	2
Croup . . .	146	–	–	–	13	–	–	1	14	–	6	6	13	4	6
Thrush . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa . . .	213	–	2	10	1	1	–	10	16	–	10	5	11	2	13
Dysentery . . .	22	–	–	–	1	–	–	1	4	–	1	–	2	1	1
Cholera . . .	18	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Influenza . . .	17	–	–	–	–	–	–	1	1	–	1	2	1	–	3
Purpura . . .	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	76	–	–	–	2	–	1	2	5	1	–	4	4	–	10
Enteric Fever . .	204	–	–	7	1	2	4	2	8	5	9	9	12	6	5
Relapsing Fever .	5	–	–	–	–	–	–	–	–	–	–	–	2	–	1
Simple Cont. Fever .	19	–	–	–	–	–	–	–	–	–	1	–	–	–	2
Infantile Remittent .	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	13	–	–	–	–	–	–	–	–	–	3	–	–	–	1
Erysipelas . . .	47	–	–	2	1	–	1	2	2	–	3	–	1	2	3
Pyæmia . . .	9	–	–	1	2	–	–	–	–	–	1	–	1	1	1
Syphilis . . .	23	–	–	–	1	–	2	–	1	–	2	1	2	–	2
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases .	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	11	–	–	–	–	–	–	–	–	–	2	–	2	–	–
Dropsy . . .	69	–	1	2	2	–	2	1	–	–	5	1	9	2	7
Abscess . . .	20	–	–	–	1	–	1	–	2	–	2	–	1	–	2
Ulcer . . .	8	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Fistula . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	14	–	–	1	–	–	–	–	1	–	–	–	–	1	2
Cancer . . .	131	–	1	4	1	2	2	9	5	1	7	5	6	3	5
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	84	1	1	–	1	1	–	1	8	–	1	5	3	5	4
Tabes Mesenterica .	107	–	–	–	–	2	–	3	2	–	5	1	7	2	6
Phthisis . . .	770	4	1	20	10	2	22	25	19	7	20	25	40	23	39
Hydrocephalus . .	216	2	1	5	–	–	4	7	8	1	7	7	7	6	16

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud-bright.	Wigtown.
ALL CAUSES . .	467	195	115	716	1282	1576	289	356	197	52	30	187	80	93	115	116
SPECIFIED CAUSES .	454	181	113	707	1269	1543	279	354	188	52	30	185	80	88	112	113
Zymotic Class . .	116	20	22	135	319	518	59	70	70	10	5	49	8	21	17	28
Uncertain Seat .	10	7	6	16	35	29	8	10	2	2	3	5	2	5	7	6
Tubercular Class .	53	27	26	117	186	169	31	52	15	7	6	30	12	11	30	18
Brain, etc. . .	40	26	16	78	89	110	36	40	18	6	2	15	12	7	12	8
Heart, etc. . .	34	12	4	30	94	61	13	35	9	3	4	15	9	9	8	3
Respiratory Organs .	62	31	13	137	197	258	48	52	32	10	5	29	12	16	11	21
Digestive Organs .	31	10	10	58	89	90	26	28	8	1	1	12	4	4	8	8
Urinary Organs .	12	5	3	17	31	18	8	7	3	1	3	2	1	2	1	1
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	2	–	–	4	9	7	1	1	–	1	–	1	1	–	4	–
Skin . . .	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	2
Malformation . .	–	2	–	4	11	8	2	2	1	–	–	1	–	3	2	–
Premature Debility .	21	9	3	38	72	106	17	23	12	2	–	12	8	7	3	9
Atrophy . . .	6	1	–	10	7	11	–	2	1	–	–	1	–	–	–	–
Age	29	14	4	26	55	37	12	11	6	2	1	4	6	1	4	7
Sudden Deaths .	1	–	–	–	2	2	–	–	1	–	–	–	–	–	–	–
Violent Deaths .	37	17	6	37	71	118	18	21	10	7	–	9	5	2	4	2
Small-pox . .	18	2	12	4	35	158	5	–	6	–	–	–	–	–	1	16
Measles . . .	–	–	–	4	5	28	2	9	3	–	–	13	–	1	–	–
Scarlatina . .	52	3	1	64	113	151	15	12	38	2	2	7	–	6	–	–
Diphtheria . .	4	1	–	7	14	30	4	7	4	–	–	4	–	1	2	3
Hooping-cough .	6	1	1	12	19	9	9	6	–	4	–	3	1	5	4	–
Croup . . .	8	5	–	6	20	23	4	4	1	–	1	6	1	2	–	2
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	8	6	–	19	33	30	8	8	5	–	1	8	2	1	1	2
Dysentery . .	1	1	–	1	–	6	–	1	1	–	–	–	–	–	–	–
Cholera . . .	1	–	–	2	6	2	–	2	–	–	–	–	1	–	2	–
Influenza . . .	1	–	1	–	2	1	–	2	–	1	–	–	–	–	–	–
Purpura . . .	1	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	5	–	1	3	12	16	–	4	2	–	–	–	–	–	3	1
Enteric Fever . .	9	1	5	6	31	44	6	9	6	2	–	4	2	3	3	3
Relapsing Fever .	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	1	–	–	–	7	3	2	–	1	1	–	–	–	–	–	1
Infantile Remittent .	–	–	1	1	1	1	–	–	–	–	–	1	–	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	1	–	–	1	–	1	1	2	2	–	–	1	–	–	–	–
Erysipelas . .	–	–	–	3	12	8	2	1	–	–	–	1	1	2	–	–
Pyæmia . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Syphilis . . .	–	–	–	1	2	4	1	2	–	–	1	1	–	–	–	–
Noma . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	3	1	–	1	–	–	–	–	–	–	–	2
Dropsy . . .	2	2	–	5	9	12	1	3	1	–	–	–	–	–	1	1
Abscess . . .	–	1	–	3	2	2	1	1	–	–	–	–	–	–	1	–
Ulcer . . .	–	–	–	2	–	1	1	–	1	–	–	–	–	1	–	–
Fistula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification . .	1	1	–	3	2	–	1	1	–	–	–	–	–	–	–	–
Cancer . . .	7	3	6	2	18	13	4	4	–	2	3	5	2	4	4	3
Gout . . .	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	2	8	16	10	3	3	–	2	–	2	2	1	3	–
Tabes Mesenterica .	2	–	3	10	14	24	5	8	1	2	1	–	3	1	5	–
Phthisis . . .	41	24	20	76	109	100	15	35	12	2	4	24	7	9	20	15
Hydrocephalus .	9	3	1	23	47	35	8	6	2	1	1	4	–	–	2	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	111	–	1	4	2	1	1	3	8	–	5	3	7	3	3
Apoplexy	197	4	1	8	1	4	6	5	8	1	4	8	21	2	8
Paralysis	233	1	–	5	4	3	8	7	6	4	18	11	18	7	12
Delirium Tremens	17	–	–	–	–	–	–	–	2	–	1	2	1	–	2
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	24	–	–	–	–	–	–	–	2	–	–	–	–	1	1
Tetanus	12	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	105	–	–	–	1	1	7	3	3	–	3	4	6	1	10
Brain Disease	138	–	–	2	2	2	1	3	7	4	9	1	4	2	7
V. Pericarditis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	10	–	–	–	2	–	–	–	–	–	–	2	–	–	–
Heart Disease	506	–	4	13	2	–	12	8	15	5	16	20	30	16	35
VI. Laryngitis	25	–	–	–	–	–	1	1	2	–	2	–	1	–	1
Bronchitis	819	3	3	11	8	5	8	20	32	7	20	20	55	26	55
Pleurisy	35	–	–	2	2	–	–	1	–	–	–	–	2	–	1
Pneumonia	413	2	3	8	2	–	2	17	13	3	9	5	32	5	29
Asthma	63	1	–	–	1	1	–	1	–	1	1	–	2	3	6
Lung Disease	34	–	–	–	2	–	1	–	1	–	2	2	2	–	9
VII. Teething	109	1	1	–	–	1	2	2	10	–	4	–	9	4	5
Quinsey	10	–	–	1	–	–	–	–	1	–	–	–	1	–	1
Gastritis	24	1	–	–	–	–	1	1	1	–	1	1	3	–	2
Enteritis	126	–	–	–	1	3	–	2	3	2	2	3	8	–	7
Peritonitis	41	1	1	–	–	–	2	1	3	2	1	–	–	1	2
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Ulceration of Intestines	21	–	–	–	–	–	–	1	1	–	–	3	–	1	1
Hernia	6	–	–	–	–	–	–	1	1	–	–	–	–	1	1
Ileus	21	1	–	1	–	–	–	1	–	–	–	1	4	1	–
Intussusception	16	–	1	1	1	–	–	1	1	–	2	1	1	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	92	–	1	–	2	–	1	1	3	2	3	–	6	1	14
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	28	–	–	–	2	–	–	1	–	–	–	3	2	–	2
Jaundice	29	–	–	2	–	–	–	–	3	–	1	3	1	–	2
Liver Disease	79	–	1	2	–	1	3	1	2	3	3	4	7	1	7
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	22	–	–	–	–	–	–	3	–	1	–	1	–	2	–
Nephria	44	1	–	1	–	–	1	3	2	–	–	1	3	1	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	16	–	–	1	2	–	–	–	1	–	–	–	2	–	1
Diabetes	14	–	–	–	1	–	–	–	1	–	–	–	2	–	–
Stone	9	–	–	1	–	2	–	1	–	–	2	–	1	–	–
Cystitis	20	–	–	1	–	–	–	2	2	–	2	1	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	68	1	–	–	2	1	–	4	3	–	2	6	4	2	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
X. Bone Disease	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	18	–	–	–	–	–	1	1	–	–	1	2	1	–	–
Joint Disease	26	–	–	1	–	–	4	2	1	–	–	–	1	–	1
XI. Carbuncle	6	–	–	–	–	–	–	–	1	–	–	2	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	–	–	–	–	–	1	–	1	–	1	–	–	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	2	1	1	1	3	–	–
Privation	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Want of Breast Milk	22	–	–	–	–	–	–	–	–	–	1	2	2	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	12	–	–	–	1	–	1	–	–	2	–	–	–	1	2
Poison	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	33	–	–	1	–	–	1	–	–	–	–	–	3	2	–
Hanging, etc.	6	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Suffocation	35	–	–	–	–	–	–	1	2	1	2	–	1	–	1
Drowning	150	–	–	2	9	2	4	1	17	1	3	2	12	1	11
Fracture and Contusion	186	1	–	3	1	1	2	3	4	–	1	1	11	5	3
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cuts and Stabs	5	–	–	–	1	–	–	–	–	–	–	1	1	–	–
Other Violent Causes	28	1	–	–	–	–	–	2	–	1	–	–	–	–	3
Not specified	200	2	–	–	3	–	5	2	18	–	8	8	24	2	10

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	2	–	18	14	18	7	4	1	–	–	1	1	–	–	1
Apoplexy	12	9	7	18	20	23	4	4	1	2	1	2	4	2	6	1
Paralysis	11	8	3	19	17	19	9	14	8	3	–	4	6	3	2	3
Delirium Tremens	3	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	2	3	3	1	8	–	–	–	–	–	1	–	–
Tetanus	1	–	–	2	2	2	–	–	–	–	–	2	–	–	–	1
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	3	5	2	7	9	21	7	3	5	–	1	2	–	–	1	–
Brain Disease	6	1	4	11	21	21	8	7	3	1	–	4	1	1	3	2
Pericarditis	–	–	–	2	2	2	1	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	3	–	–	–	–	–	1	1	–	–	–
Heart Disease	34	11	4	28	92	56	12	35	9	3	4	14	8	9	8	3
Laryngitis	–	–	–	3	6	2	–	1	–	–	–	–	1	1	1	2
Bronchitis	37	22	9	78	110	162	27	33	15	6	3	20	6	4	6	8
Pleurisy	2	2	–	3	4	5	2	1	2	1	1	1	2	1	–	–
Pneumonia	22	6	4	44	61	69	16	14	15	2	–	5	3	10	3	9
Asthma	1	1	–	8	16	10	3	2	–	1	1	2	–	–	1	–
Lung Disease	–	–	–	1	–	10	–	1	–	–	–	1	–	–	–	2
Teething	10	1	1	10	18	16	3	3	1	–	–	2	–	1	2	2
Quinsey	1	–	–	–	2	1	–	–	–	–	–	1	–	–	1	–
Gastritis	2	1	1	3	2	1	–	1	1	–	–	1	–	–	–	–
Enteritis	3	–	3	16	17	26	14	5	1	–	–	3	1	1	4	1
Peritonitis	2	–	–	4	4	6	2	2	2	–	–	1	2	–	–	2
Ascites	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	–	2	–	1	2	7	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	2	2	1	–	1	1	–	–	1	–	1	–	–
Intussusception	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	1	7	15	16	2	6	1	–	–	1	–	1	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	3	–	6	2	2	1	–	–	–	–	–	–	–	–
Jaundice	1	1	–	4	5	3	1	–	–	–	–	1	–	–	–	1
Liver Disease	3	1	–	7	14	8	1	5	1	1	1	1	1	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	2	3	7	1	1	–	–	–	–	1	–	–	–
Nephria	1	1	1	2	8	4	5	1	1	1	–	1	–	2	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	2	1	1	2	1	–	–	–	–	2	–	–	–	–	–
Diabetes	2	–	–	1	3	1	–	3	–	–	–	–	–	–	–	–
Stone	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	1	–	3	3	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	1	6	12	5	1	2	2	–	1	1	–	–	1	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–
Rheumatism	1	–	–	1	4	1	1	1	–	–	–	–	–	–	3	–
Joint Disease	1	–	–	3	4	5	–	–	–	1	–	–	1	–	1	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Phlegmon	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
Intemperance	2	–	1	4	2	8	2	1	–	–	–	1	1	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	1	6	–	1	2	2	–	2	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	1	–	–	4	12	1	2	–	–	–	2	–	–	–	–
Hanging, etc.	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Suffocation	2	2	1	2	7	6	1	3	1	1	–	–	–	1	–	–
Drowning	11	10	1	14	17	15	2	5	2	3	–	2	1	–	–	2
Fracture and Contusion	13	3	2	15	30	58	11	7	2	1	–	1	2	1	4	–
Gunshot Wounds	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	1	7	5	1	1	2	–	–	1	1	–	–	–
Not specified	13	14	2	9	13	33	10	2	9	–	–	2	–	5	3	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES . . .	8708	50	46	161	147	52	194	218	361	54	269	283	575	191	483
SPECIFIED CAUSES . .	8544	46	46	161	145	50	191	218	341	54	267	276	556	187	461
I. Zymotic Class . .	2107	3	4	24	57	5	38	51	119	15	42	64	120	20	89
II. Diseases of Uncer. Seat	408	3	3	7	7	1	15	17	16	1	17	11	26	16	24
III. Tubercular Class .	1270	7	5	21	8	8	10	23	33	4	30	46	64	30	76
IV. Brain and Nervous Sys.	749	3	5	14	7	5	25	24	29	5	32	32	61	19	57
V. Organs of Circulation	527	2	–	6	6	1	19	12	19	1	27	31	40	12	23
VI. Respiratory Organs .	1120	3	11	37	18	6	24	27	44	3	43	27	74	40	57
VII. Organs of Digestion .	629	4	8	5	3	8	14	22	21	9	18	18	39	8	28
VIII. Urinary Organs . .	93	–	–	2	2	–	4	8	8	1	7	4	7	1	4
IX. Organs of Generation	144	–	–	5	6	–	1	9	7	1	6	3	10	4	6
X. Organs of Locomotion	51	–	–	2	3	2	1	–	3	–	1	–	3	1	6
XI. Skin, etc. . . .	18	–	1	1	2	–	1	1	1	1	–	–	2	–	1
XII. Malformation . .	32	–	–	–	–	–	–	–	4	–	1	–	3	1	2
XIII. Premature Debility .	386	2	–	11	3	3	6	9	5	1	13	5	15	17	34
XIV. Atrophy . .	62	–	–	–	–	–	3	1	1	–	3	1	3	1	7
XV. Age . . .	752	18	9	23	22	11	25	11	30	11	16	28	70	16	38
XVI. Sudden Deaths . .	10	–	–	–	–	–	–	–	–	–	–	1	2	–	2
XVII. Violent Deaths . .	186	1	–	3	1	–	5	3	1	1	11	5	17	1	7
I. Small-pox . . .	182	–	–	–	–	1	–	–	2	–	–	–	2	–	1
Measles . . .	103	1	–	–	2	2	5	–	6	5	2	2	11	1	3
Scarlatina . . .	589	–	–	2	1	–	3	18	47	–	9	12	30	–	32
Diphtheria . .	151	–	–	–	16	–	13	4	8	2	2	6	10	1	3
Hooping-cough . .	132	–	–	–	9	–	–	6	14	2	–	3	–	5	6
Croup . . .	119	–	–	2	18	1	4	1	8	–	3	1	11	1	7
Thrush . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa . . .	243	1	–	3	–	–	5	4	11	1	7	8	16	4	12
Dysentery . . .	32	–	1	–	–	–	1	1	6	–	3	1	3	–	4
Cholera . . .	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza . . .	16	–	1	1	1	–	–	–	1	–	–	1	1	–	1
Purpura . . .	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms . . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	68	–	–	2	2	–	–	3	3	–	–	5	7	–	7
Enteric Fever . .	241	–	–	3	2	–	5	6	2	2	13	18	11	1	8
Relapsing Fever .	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	16	–	–	–	1	–	–	–	1	1	–	1	3	–	–
Infantile Remittent .	15	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Metria . . .	87	1	1	4	4	–	–	3	6	1	–	2	6	1	3
Rheumatic Fever .	17	–	–	1	–	–	1	–	–	1	2	–	1	1	1
Erysipelas . . .	35	–	–	–	1	–	–	2	2	–	1	1	4	5	–
Pyæmia . . .	13	–	–	–	–	–	–	1	2	–	–	1	1	–	–
Syphilis . . .	16	–	–	4	–	–	1	1	–	–	–	2	1	–	–
Noma . . .	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Dropsy . . .	83	–	1	2	3	1	3	1	2	–	3	1	5	7	7
Abscess . . .	23	–	–	1	–	–	1	3	1	–	–	–	1	3	1
Ulcer . . .	16	–	–	1	1	–	–	–	1	–	–	–	1	–	2
Fistula . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	19	1	–	–	–	–	–	–	1	–	3	1	2	–	1
Cancer . . .	253	2	2	3	3	–	11	13	11	1	11	8	15	5	12
Gout	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1
III. Scrofula . . .	65	–	–	3	–	–	–	3	4	–	2	2	3	–	3
Tabes Mesenterica .	105	2	1	1	1	–	–	3	1	–	3	3	7	2	4
Phthisis . . .	910	4	4	14	7	8	9	15	24	4	20	36	47	21	58
Hydrocephalus . .	190	1	–	3	–	–	1	2	4	–	5	5	7	7	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	451	204	123	734	1272	1366	249	378	186	39	35	163	99	93	121	111
SPECIFIED CAUSES	445	200	123	731	1261	1337	241	377	184	39	34	161	98	88	119	107
Zymotic Class	111	28	30	150	348	437	51	96	63	8	6	41	14	21	15	37
Uncertain Seat	15	21	4	27	44	51	14	17	9	1	2	11	8	10	5	5
Tubercular Class	80	31	25	164	224	200	41	32	14	7	5	33	11	11	19	8
Brain, etc.	36	15	10	46	104	86	16	40	12	3	5	12	15	6	11	14
Heart, etc.	32	11	5	39	68	53	16	26	14	7	3	8	14	13	17	2
Respiratory Organs	53	30	22	118	138	160	33	54	18	3	5	29	9	12	11	11
Digestive Organs	30	8	5	57	101	106	32	30	11	2	3	6	9	2	13	9
Urinary Organs	1	1	1	5	11	11	–	8	2	–	–	1	1	–	1	2
Generative Organs	1	4	2	15	19	21	6	5	4	2	1	3	1	–	2	–
Locomotive Organs	3	2	–	4	8	3	1	2	–	–	1	3	1	–	1	–
Skin	1	1	–	–	2	2	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	1	11	4	1	2	–	1	–	–	–	–	1	–
Premature Debility	23	9	3	34	60	72	11	24	5	1	3	6	5	3	3	–
Atrophy	2	–	1	12	7	12	–	1	5	–	–	1	–	–	–	1
Age	47	34	12	40	97	77	12	31	21	2	–	4	6	9	17	15
Sudden Deaths	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths	9	5	3	19	17	40	7	8	6	2	–	3	4	1	3	3
Small-pox	14	–	13	4	28	89	5	–	7	–	–	–	–	–	–	16
Measles	2	–	–	2	1	31	2	8	1	–	–	16	–	–	–	–
Scarlatina	39	2	1	53	138	124	4	27	33	2	1	3	–	4	2	2
Diphtheria	4	2	–	8	18	32	6	4	3	–	2	1	1	–	1	4
Hooping-cough	4	1	3	17	15	19	5	4	2	4	–	2	2	3	6	–
Croup	10	4	–	5	7	22	2	5	–	–	–	2	1	–	1	3
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	7	1	13	35	37	13	15	9	–	2	11	4	8	3	5
Dysentery	1	2	–	1	4	2	1	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	2	3	1	–	3	–	–	–	–	1	–	–	–
Influenza	1	–	–	1	–	4	–	2	–	–	–	1	–	–	–	–
Purpura	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Typhus	4	1	1	4	14	10	–	3	–	–	–	–	–	2	–	–
Enteric Fever	12	7	5	24	49	30	5	17	6	1	1	4	2	2	–	5
Relapsing Fever	–	–		1	2	2	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	3	–	–	–	4	1	–	–	–	–	–	–	1	–	–	–
Infantile Remittent	2	–	3	1	–	6	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	4	15	19	3	3	1	–	–	1	2	2	1	1
Rheumatic Fever	1	–	–	4	2	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	4	5	5	2	2	–	–	–	–	–	–	–	1
Pyæmia	2	1	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	1	2	–	1	1	1	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	3	1	–	–	1	1	–	–	–	–	–	–	–
Dropsy	2	5	–	10	9	15	–	3	1	–	–	–	–	1	–	1
Abscess	1	–	–	1	2	1	–	2	1	–	1	1	1	–	–	1
Ulcer	–	–	–	1	2	3	–	3	–	–	–	–	–	–	1	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	3	1	1	1	–	–	–	–	1	–	–
Cancer	12	15	3	12	27	29	13	7	5	1	–	10	7	8	4	3
Gout	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	2	–	1	8	11	12	2	3	1	1	–	2	2	–	–	–
Tabes Mesenterica	2	–	3	11	18	25	2	6	1	–	–	5	–	2	2	–
Phthisis	65	25	20	114	155	131	24	22	9	4	5	24	8	9	16	8
Hydrocephalus	11	6	1	31	40	32	13	1	3	2	–	2	1	–	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	83	1	1	–	–	1	1	5	4	–	1	5	5	3	5
Apoplexy	201	1	1	6	–	2	4	4	7	1	7	4	20	3	17
Paralysis	216	–	1	3	4	–	10	8	6	1	12	17	17	6	19
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	35	–	1	–	–	–	3	1	1	–	1	3	7	–	–
Tetanus	4	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Convulsions	83	–	–	3	1	–	3	2	1	1	3	1	5	3	9
Brain Disease	118	1	1	2	1	2	4	3	10	2	7	2	5	4	7
V. Pericarditis	7	–		1	–	–	–	–	–	–	1	–	–	–	–
Aneurism	4	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Heart Disease	516	2	–	5	6	1	18	12	17	1	26	31	40	12	23
VI. Laryngitis	19	–	–	–	1	–	–	–	2	–	4	–	–	–	–
Bronchitis	749	3	6	27	8	5	18	20	32	–	27	15	55	20	37
Pleurisy	17	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Pneumonia	270	–	3	8	3	1	3	6	6	2	10	10	12	17	12
Asthma	42	–	2	2	5	–	2	1	3	–	1	–	3	3	1
Lung Disease	23	–	–	–	1	–	1	–	–	1	1	1	3	–	7
VII. Teething	88	–	–	–	–	6	1	5	5	–	–	–	5	2	5
Quinsey	10	–	1	–	–	–	–	–	–	–	1	–	2	–	–
Gastritis	20	–	1	–	–	1	1	–	–	1	–	1	2	–	–
Enteritis	123	–	–	1	3	–	3	7	2	–	1	–	7	–	3
Peritonitis	72	1	–	–	–	–	–	–	2	–	1	2	5	3	6
Ascites	10	–	–	–	–	–	1	1	–	–	2	1	–	–	–
Ulceration of Intestines	26	1	–	–	–	–	–	–	2	–	2	1	–	–	1
Hernia	11	–	–	–	–	–	–	–	1	–	1	–	1	–	1
Ileus	26	–	1	–	–	–	–	1	1	2	3	1	1	–	2
Intussusception	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	90	1	2	–	–	1	4	3	2	2	7	3	3	1	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	–	1	–	–	–	–	–	1	1	–	2	2	–	3
Jaundice	31	–	–	–	–	–	1	1	1	1	–	–	3	2	1
Liver Disease	81	–	2	4	–	–	3	2	4	2	–	7	7	–	1
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	10	–	–	–	–	–	1	1	–	–	–	1	1	–	–
Nephria	28	–	–	2	1	–	1	1	–	–	1	2	5	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diabetes	9	–	–	–	–	–	–	2	1	–	1	1	–	–	–
Stone	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	1	–	–	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	–	2	2	7	–	3	–	1	–	4
IX. Paramenia	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ovarian Dropsy	15	–	–	1	–	–	–	1	–	–	1	–	1	–	1
Childbirth	99	–	–	4	5	–	–	6	3	1	4	2	6	4	5
Organs of Generation	26	–	–	–	1	–	1	2	3	–	1	1	3	–	–
X. Bone Disease	6	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Rheumatism	26	–	–	1	1	2	1	–	2	–	1	–	–	–	2
Joint Disease	19	–	–	–	2	–	–	–	–	–	–	–	2	1	4
XI. Carbuncle	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	–	–	–	–	–	1	1	1	–	–	–	–	–	1
Skin Disease	10	–	1	1	1	–	–	–	–	1	–	–	2	–	–
XVII. Intemperance	19	–	–	–	–	–	1	–	–	–	3	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	12	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Neglect	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cold	6	–	–	–	1	–	1	–	–	–	–	2	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	30	–	–	–	–	–	1	–	–	–	1	1	2	–	2
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	33	–	–	3	–	–	–	1	1	–	2	1	2	1	–
Drowning	29	–	–	–	–	–	–	–	–	–	–	–	2	–	2
Fracture and Contusion	38	1	–	–	–	–	1	1	–	1	4	–	7	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	–	–	–	–	–	1	1	–	–	–	–	1	–	–
Not specified	164	4	–	–	2	2	3	–	20	–	2	7	19	4	22

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	2	–	8	15	13	2	2	2	–	–	–	1	1	2	1
Apoplexy	13	5	8	13	35	19	1	9	1	2	–	3	5	3	4	3
Paralysis	11	1	2	8	20	16	5	18	5	–	3	6	5	2	4	6
Delirium Tremens	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	2	3	–	–	6	–	–	5	–	1	–	–	1	–	–	–
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	2	1	–	9	11	15	5	1	3	–	1	1	1	–	–	1
Brain Disease	6	2	–	6	17	21	3	3	1	–	1	2	1	–	1	3
Pericarditis	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	32	11	4	39	68	52	14	25	14	7	3	8	14	13	16	2
Laryngitis	1	–	–	–	4	1	1	–	1	–	–	–	1	1	1	1
Bronchitis	37	26	15	78	90	108	19	43	16	2	4	21	3	1	8	5
Pleurisy	1	–	1	2	2	4	1	3	–	–	–	–	–	–	–	–
Pneumonia	12	4	6	30	38	41	12	8	1	1	1	7	3	9	2	2
Asthma	2	–	–	5	4	4	–	–	–	–	–	1	1	1	–	1
Lung Disease	–	–	–	3	–	2	–	–	–	–	–	–	1	–	–	2
Teething	4	–	–	9	14	18	3	7	1	–	–	2	–	1	–	–
Quinsey	1	–	–	–	2	–	–	1	–	–	–	–	1	–	1	–
Gastritis	–	1	–	1	6	3	–	–	1	–	–	–	–	–	1	–
Enteritis	–	1	2	12	25	30	12	3	4	–	2	1	1	–	2	1
Peritonitis	1	1	1	8	9	18	4	6	–	1	–	–	1	–	1	1
Ascites	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	3	4	8	–	1	–	–	–	–	1	–	–	–
Hernia	–	–	–	2	1	1	1	–	–	–	–	–	–	1	1	–
Ileus	1	1	–	2	3	1	1	1	–	–	1	–	–	–	1	2
Intussusception	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	–	4	18	4	4	4	2	–	–	–	2	–	4	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	1	4	4	2	–	3	–	–	–	–	–	–	2
Jaundice	–	2	–	2	6	3	2	–	–	–	–	2	2	–	–	2
Liver Disease	6	–	1	13	8	9	3	6	–	1	–	1	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Nephritis	–	1	–	1	–	2	–	2	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	4	4	–	2	1	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
Diabetes	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	2	4	2	–	3	–	–	–	–	1	–	–	1
Paramenia	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	3	2	2	–	–	1	–	–	–	–	–	–
Childbirth	1	4	2	9	12	14	3	4	3	1	1	2	1	–	2	–
Organs of Generation	–	–	–	3	3	5	1	1	1	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Rheumatism	3	–	–	2	4	1	1	2	–	–	1	2	–	–	–	–
Joint Disease	–	1	–	2	4	2	–	–	–	–	–	–	1	–	–	–
Carbuncle	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	2	2	–	3	–	–	–	2	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	7	–	1	1	–	–	–	–	–	–	–
Neglect	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	3	4	8	–	1	2	–	–	–	1	–	1	1
Hanging, etc.	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	5	6	7	–	–	–	1	–	–	–	–	–	–
Drowning	1	4	2	2	3	4	3	1	1	–	–	1	2	–	1	–
Fracture and Contusion	1	–	1	3	2	7	2	1	1	–	–	–	1	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
Not specified	6	4	–	3	11	29	8	1	2	–	1	2	1	5	2	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES . . .	18816	267	348	950	465	47	457	509	1889	457	679	1369	1535	137	89
SPECIFIED CAUSES . .	18182	253	325	884	427	47	444	498	1845	437	667	1331	1498	134	81
I. Zymotic Class . .	3512	29	39	147	51	6	81	99	410	74	165	212	332	25	16
II. Diseases of Uncer. Seat	800	14	24	40	18	1	22	38	92	26	26	49	67	8	6
III. Tubercular Class .	2290	33	41	91	47	9	71	69	199	41	72	153	150	11	11
IV. Brain and Nervous Sys.	1768	22	37	82	35	4	39	55	192	47	60	164	153	18	7
V. Organs of Circulation	1217	16	9	26	18	1	30	33	134	35	42	112	99	10	4
VI. Respiratory Organs .	2585	32	32	103	48	4	58	58	248	57	108	198	229	19	15
VII. Organs of Digestion .	1433	20	19	57	28	7	37	40	140	43	43	94	97	11	4
VIII. Urinary Organs . .	392	10	6	16	16	–	7	14	63	11	6	21	35	7	1
IX. Organs of Generation	179	4	2	8	2	–	2	8	20	4	8	10	13	–	4
X. Organs of Locomotion	136	1	1	10	10	–	3	5	11	5	5	11	7	1	1
XI. Skin, etc. . . .	26	1	–	–	–	–	2	–	4	–	1	–	3	1	–
XII. Malformation . .	83	1	–	3	–	–	1	2	9	6	1	2	7	1	–
XIII. Premature Debility .	740	5	4	12	6	1	15	17	79	16	33	40	51	1	3
XIV. Atrophy . . .	97	–	1	6	3	–	2	2	3	3	3	8	3	–	–
XV. Age	2145	52	100	253	135	12	58	41	169	48	58	212	177	18	8
XVI. Sudden Deaths . .	17	–	–	1	–	–	1	–	1	–	–	2	10	–	–
XVII. Violent Deaths . .	762	13	10	29	10	2	15	17	71	21	36	43	65	3	1
I. Small-pox . . .	128	–	–	6	–	–	–	–	5	2	1	1	–	–	–
Measles . . .	235	–	4	19	6	1	29	4	23	1	3	16	69	–	–
Scarlatina . . .	820	6	13	38	1	–	14	9	82	12	56	51	81	5	2
Diphtheria . .	396	2	–	17	12	4	8	32	82	6	23	22	25	2	–
Hooping-cough . .	267	–	11	12	4	–	9	4	30	8	3	15	18	8	2
Croup . . .	274	1	2	12	2	–	3	9	23	4	11	26	24	1	2
Thrush . . .	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Diarrhœa . . .	371	9	–	11	5	–	4	14	44	6	17	19	39	2	2
Dysentery . . .	76	1	–	1	1	–	–	1	16	–	8	5	7	–	–
Cholera . . .	22	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Influenza . . .	58	1	2	3	1	–	2	5	10	6	1	1	2	–	–
Purpura . . .	18	1	–	–	–	–	–	–	2	–	2	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	110	2	2	4	3	–	–	–	6	5	6	12	10	–	3
Enteric Fever . .	395	3	1	12	5	1	4	12	49	15	15	20	27	4	2
Relapsing Fever .	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever .	33	–	1	2	–	–	1	–	2	3	–	4	2	–	1
Infantile Remittent .	24	–	–	–	–	–	–	2	1	–	3	2	1	–	–
Metria . . .	91	1	1	–	2	–	3	2	8	–	7	6	10	–	1
Rheumatic Fever .	39	1	2	4	2	–	2	–	5	2	1	2	2	1	–
Erysipelas . . .	84	1	–	3	4	–	–	5	12	1	6	4	6	1	1
Pyæmia . . .	29	–	–	1	3	–	–	–	5	3	–	2	3	–	–
Syphilis . . .	22	–	–	2	–	–	–	–	4	–	2	1	1	–	–
Noma . . .	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–
II. Hæmorrhage . .	19	–	–	1	–	–	–	1	2	–	–	–	1	–	–
Dropsy . . .	149	1	7	9	6	1	–	4	14	3	2	12	14	2	2
Abscess . . .	46	–	–	1	–	–	1	1	5	2	–	2	6	–	–
Ulcer . . .	24	1	–	3	1	–	2	–	3	–	–	1	1	–	–
Fistula . . .	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification . .	43	1	2	3	–	–	1	2	3	3	3	4	4	–	–
Cancer . . .	510	10	15	22	11	–	18	29	64	18	20	29	41	5	4
Gout	6	–	–	1	–	–	–	1	1	–	1	1	–	–	–
III. Scrofula . . .	183	5	2	5	2	–	3	11	24	–	8	12	18	–	–
Tabes Mesenterica .	138	–	6	9	–	–	3	1	10	2	1	3	11	2	1
Phthisis . . .	1696	25	33	75	42	9	61	53	142	36	54	122	100	8	5
Hydrocephalus . .	273	3	–	2	3	–	4	4	23	3	9	16	21	1	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	913	286	668	569	1163	1607	208	952	366	475	117	34	340	966	409	545
SPECIFIED CAUSES .	891	280	623	547	1128	1558	197	930	354	473	116	33	331	922	392	536
Zymotic Class . .	196	59	71	98	257	425	35	181	97	84	22	8	41	111	36	105
Uncertain Seat .	23	7	35	23	30	40	9	35	15	24	7	2	21	52	19	27
Tubercular Class .	122	38	110	80	171	192	32	120	31	45	13	1	46	153	59	79
Brain, etc. . .	81	16	64	46	118	92	12	94	29	59	9	1	53	90	32	57
Heart, etc. . .	50	19	25	38	77	69	13	66	31	51	11	1	37	84	41	35
Respiratory Organs .	130	39	66	95	159	276	32	150	44	60	20	6	29	144	68	58
Digestive Organs .	75	27	41	53	62	168	17	76	23	31	15	4	27	92	42	40
Urinary Organs .	13	2	12	13	25	11	6	24	8	10	2	1	7	22	9	14
Generative Organs .	6	4	4	7	5	16	3	13	3	9	2	1	4	5	8	4
Locomotive Organs .	6	–	8	3	7	11	–	6	1	9	–	1	4	5	2	2
Skin . . .	2	2	2	–	1	–	–	2	–	2	–	–	–	–	–	3
Malformation . .	1	1	2	2	8	11	3	7	3	3	–	–	1	6	1	1
Premature Debility .	43	13	8	29	71	86	10	50	18	28	8	3	25	39	8	18
Atrophy . . .	7	2	2	7	11	14	1	7	6	2	–	–	–	2	1	1
Age	68	33	133	40	76	72	16	55	36	37	5	1	22	88	52	70
Sudden Deaths .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths .	67	18	39	13	50	75	8	44	9	19	2	3	14	29	14	22
Small-pox . .	1	29	2	1	38	35	–	–	–	–	–	–	–	2	3	2
Measles . . .	3	2	1	2	4	17	2	13	9	3	–	–	3	1	–	–
Scarlatina . .	77	5	11	41	50	133	5	29	54	25	1	–	4	7	4	4
Diphtheria . .	19	4	8	6	36	41	6	12	1	7	3	1	3	10	–	4
Hooping-cough .	5	1	5	14	1	28	2	12	7	7	1	1	4	13	8	34
Croup . . .	17	1	10	4	11	31	6	20	–	11	3	4	6	22	3	5
Thrush . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	19	4	7	6	34	35	7	37	9	5	2	1	5	11	2	15
Dysentery . .	3	2	1	–	8	5	1	4	1	3	2	–	–	2	1	3
Cholera . . .	2	1	1	3	1	–	–	7	2	1	1	–	1	–	–	–
Influenza . . .	6	–	2	–	4	2	–	5	1	1	1	–	1	1	–	–
Purpura . . .	1	–	1	–	1	2	–	1	1	–	1	–	–	2	–	1
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	1	–	–	–	–	–	–	–	–	–	–	–	–		–	2
Typhus . . .	9	1	3	2	4	19	–	2	–	7	1	–	2	3	–	4
Enteric Fever . .	14	6	10	7	42	43	4	27	8	9	1	1	8	17	6	22
Relapsing Fever .	1	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–
Simple Cont. Fever .	5	–	–	–	3	1	–	–	–	–	–	–	1	1	2	4
Infantile Remittent .	3	1	–	1	2	5	–	1	–	–	2	–	–	–	–	–
Metria . . .	3	1	4	–	7	16	1	1	–	–	2	–	1	8	3	3
Rheumatic Fever .	1	–	1	1	1	1	–	1	1	1	1	–	1	2	2	1
Erysipelas . .	2	1	4	3	5	10	1	5	3	–	–	–	1	4	1	–
Pyæmia . . .	1	–	–	1	2	1	–	1	–	4	–	–	–	2	–	–
Syphilis . . .	3	–	–	4	2	–	–	1	–	–	–	–	–	–	1	1
Noma . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hæmorrhage . .	2	1	2	3	1	1	–	–	–	–	–	1	–	–	1	2
Dropsy . . .	2	2	14	7	6	11	–	4	5	1	1	–	2	5	5	7
Abscess . . .	4	1	1	2	7	3	–	5	2	–	–	–	–	1	–	2
Ulcer . . .	1	–	4	–	–	1	–	1	–	2	–	–	–	3	–	–
Fistula . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	1	–	5	1	1	1	1	1	1	1	–	–	1	2	–	1
Cancer . . .	13	2	9	10	15	23	8	23	7	20	6	1	18	41	13	15
Gout . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula . . .	8	5	8	2	10	21	5	3	3	2	2	–	3	8	6	7
Tabes Mesenterica .	11	1	2	6	24	17	–	9	3	2	–	–	1	8	2	3
Phthisis . . .	79	24	83	61	118	122	20	93	23	34	10	1	37	118	47	61
Hydrocephalus .	24	8	17	11	19	32	7	15	2	7	1	–	5	19	4	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	196	3	4	7	3	–	4	11	25	8	9	6	17	1	–
Apoplexy	462	1	5	19	5	1	15	18	45	7	14	49	44	8	5
Paralysis	570	10	14	31	14	2	10	9	59	19	17	63	45	5	–
Delirium Tremens	14	–	1	–	–	–	–	–	3	–	1	1	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	63	3	2	7	1	–	–	1	6	–	2	4	5	1	1
Tetanus	23	–	–	1	–	–	–	–	2	–	2	4	–	–	–
Insanity	8	–	1	–	–	–	–	–	–	1	–	1	–	–	–
Convulsions	170	2	8	13	10	–	3	2	19	5	6	11	16	1	–
Brain Disease	259	3	2	4	2	1	7	14	32	7	9	25	26	2	1
V. Pericarditis	27	–	–	–	–	–	2	2	3	1	1	1	3	1	–
Aneurism	19	–	–	–	–	–	–	2	5	–	–	–	2	1	–
Heart Disease	1171	16	9	26	18	1	28	29	126	34	41	111	94	8	4
VI. Laryngitis	70	–	–	2	–	–	2	1	11	9	6	2	2	1	–
Bronchitis	1546	24	14	45	24	4	37	32	165	33	64	129	132	8	10
Pleurisy	79	–	–	3	2	–	–	–	8	–	3	9	3	1	1
Pneumonia	707	6	11	21	11	–	14	21	58	13	30	49	79	9	1
Asthma	141	2	7	31	10	–	4	3	2	2	1	4	11	–	3
Lung Disease	42	–	–	1	1	–	1	1	4	–	4	5	2	–	–
VII. Teething	144	1	2	7	1	–	11	4	10	1	4	7	12	–	2
Quinsey	25	1	1	1	–	–	–	1	4	1	–	3	1	–	–
Gastritis	44	2	–	3	1	–	1	1	4	–	4	2	4	–	–
Enteritis	264	1	–	5	4	1	7	3	23	4	3	16	9	3	–
Peritonitis	142	2	2	4	–	–	2	3	14	4	5	6	8	1	1
Ascites	20	–	1	1	–	–	2	–	2	1	–	2	3	–	–
Ulceration of Intestines	81	1	1	1	–	1	4	5	6	7	5	3	8	1	–
Hernia	37	–	1	3	–	1	–	2	4	2	2	2	3	2	–
Ileus	89	3	2	7	4	–	–	4	13	5	3	3	4	–	1
Intussusception	23	–	–	–	2	–	1	1	2	2	–	–	2	–	–
Stricture of Intestines	6	–	–	–	2	–	–	2	–	–	–	–	–	–	–
Stomach Disease	199	4	4	11	7	1	4	3	24	7	4	22	16	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	63	1	1	4	–	–	–	2	4	1	2	5	3	3	–
Jaundice	74	2	3	4	3	1	–	3	6	3	2	4	6	1	–
Liver Disease	213	2	1	6	4	2	5	6	23	5	8	19	15	–	–
Spleen Disease	8	–	–	–	–	–	–	–	1	–	1	–	3	–	–
VIII. Nephritis	30	–	–	3	2	–	–	–	4	2	1	1	8	1	–
Nephria	111	3	1	2	–	–	–	2	18	2	1	3	13	3	–
Addison's Disease	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	25	–	1	4	1	–	–	–	3	1	–	–	2	–	–
Diabetes	32	–	–	1	4	–	1	2	4	1	–	2	3	–	1
Stone	27	3	3	3	4	–	–	1	6	–	–	–	–	–	–
Cystitis	36	2	–	–	1	–	1	2	4	2	2	1	2	2	–
Stricture of Urethra	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	127	2	1	3	4	–	4	7	23	3	2	14	7	1	–
IX. Paramenia	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Ovarian Dropsy	33	3	2	3	1	–	–	2	3	–	–	2	1	–	–
Childbirth	103	1	–	5	1	–	2	5	11	3	6	6	9	–	4
Organs of Generation	33	–	–	–	–	–	–	1	6	1	1	2	2	–	–
X. Bone Disease	22	–	–	–	–	–	2	–	5	1	1	–	1	–	–
Rheumatism	64	–	–	7	8	–	1	2	2	3	3	5	2	–	–
Joint Disease	50	1	1	3	2	–	–	3	4	1	1	6	4	1	1
XI. Carbuncle	14	–	–	–	–	–	1	–	2	–	–	–	–	1	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Skin Disease	8	1	–	–	–	–	1	–	2	–	1	–	1	–	–
XVII. Intemperance	38	2	–	1	–	1	1	–	4	–	–	1	2	1	–
Privation	8	–	–	–	2	–	–	–	1	–	–	1	2	–	–
Want of Breast Milk	27	–	–	–	2	–	1	1	1	2	1	1	5	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	28	–	1	3	3	–	–	–	1	–	1	1	1	–	–
Poison	12	–	–	–	–	–	–	1	–	–	1	–	2	–	–
Poisoned Wounds	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	–	1	1	–	–	1	1	8	1	4	3	10	–	–
Hanging, etc.	13	1	–	1	–	–	–	–	2	–	2	–	1	–	–
Suffocation	68	–	–	2	1	–	2	5	8	6	1	5	5	–	–
Drowning	174	7	3	12	1	–	4	2	21	5	13	10	10	–	1
Fracture and Contusion	266	2	4	5	1	1	6	6	21	5	11	16	16	2	–
Gunshot Wounds	7	–	–	1	–	–	–	1	1	–	–	–	1	–	–
Cuts and Stabs	8	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Other Violent Causes	45	1	–	2	–	–	–	–	1	1	2	5	10	–	–
Not specified	634	14	23	66	38	–	13	11	44	20	12	38	37	3	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	8	2	8	7	11	14	1	11	1	4	–	–	3	13	8	7
Apoplexy	16	6	12	15	39	21	4	21	5	20	6	1	18	18	7	17
Paralysis	31	4	32	13	33	18	2	28	13	18	3	–	18	34	9	16
Delirium Tremens	1	–	–	1	1	1	–	2	1	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Epilepsy	4	1	3	–	2	4	–	6	1	3	–	–	2	3	–	1
Tetanus	2	–	–	1	2	1	2	1	–	–	–	–	2	–	–	3
Insanity	1	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–
Convulsions	10	3	5	2	8	20	2	6	5	3	–	–	–	4	3	3
Brain Disease	8	–	4	7	22	12	1	18	3	10	–	–	10	15	5	9
Pericarditis	2	1	–	–	2	2	1	–	3	–	–	–	–	1	–	1
Aneurism	–	–	–	2	–	1	–	2	–	1	–	–	–	2	1	–
Heart Disease	48	18	25	36	75	66	12	64	28	50	11	1	37	81	40	34
Laryngitis	–	3	–	5	3	7	1	3	1	4	–	–	–	4	1	2
Bronchitis	87	23	40	52	88	167	17	105	28	29	15	4	13	85	36	36
Pleurisy	3	1	–	5	8	9	1	1	1	3	–	2	–	9	5	1
Pneumonia	28	11	18	32	52	69	9	37	10	21	4	–	15	42	22	14
Asthma	11	1	8	1	7	12	2	4	4	2	1	–	1	3	2	2
Lung Disease	1	–	–	–	1	12	2	–	–	1	–	–	–	1	2	3
Teething	10	2	4	9	7	18	2	13	3	1	–	1	2	5	1	4
Quinsey	2	–	–	1	2	2	–	–	–	–	–	–	1	1	1	2
Gastritis	2	1	–	–	3	9	1	2	2	1	–	–	–	–	1	–
Enteritis	19	9	6	14	9	62	4	10	6	4	2	1	9	14	7	9
Peritonitis	8	2	3	7	6	11	4	8	1	5	5	–	4	19	5	2
Ascites	1	–	–	–	1	–	–	–	–	–	–	–	–	5	–	1
Ulceration of Intestines	–	2	4	3	2	11	–	4	–	2	–	1	–	3	2	4
Hernia	1	–	–	–	3	2	–	1	1	2	–	–	–	3	2	–
Ileus	3	1	6	1	3	5	–	4	1	3	–	–	–	6	2	5
Intussusception	–	1	–	3	1	1	1	1	–	–	1	–	1	3	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	6	5	5	3	8	15	4	15	1	4	–	1	4	9	7	5
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	2	2	2	7	2	–	5	–	–	1	–	1	3	2	3
Jaundice	4	1	–	1	4	10	–	3	2	1	1	–	–	4	4	1
Liver Disease	12	1	11	8	6	19	1	10	6	7	4	–	5	15	8	4
Spleen Disease	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Nephritis	2	–	1	–	–	–	–	2	1	1	–	–	–	1	–	–
Nephria	2	–	5	4	8	2	4	12	1	4	1	1	5	7	3	4
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	4	–	–	–	1	1	–	–	–	3	2	1
Diabetes	1	–	–	2	2	2	1	2	–	–	–	–	–	2	–	1
Stone	2	–	–	–	3	1	–	1	–	–	–	–	–	–	–	–
Cystitis	2	–	1	–	3	2	–	–	2	2	1	–	1	1	1	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kidney Disease	4	1	5	6	5	4	1	7	3	2	–	–	1	7	3	7
Paramenia	–	1	–	–	–	1	–	–	1	3	2	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	2	3	1	–	1	2	–	–	2	2	3	–
Childbirth	4	2	2	4	3	11	2	7	–	2	–	1	2	3	4	3
Organs of Generation	2	1	2	3	–	1	–	6	1	2	–	–	–	–	1	1
Bone Disease	–	–	–	–	1	3	–	–	1	1	–	1	2	2	–	1
Rheumatism	3	–	7	1	4	3	–	4	–	2	–	–	2	2	2	1
Joint Disease	3	–	1	2	2	5	–	2	–	6	–	–	–	1	–	–
Carbuncle	1	2	2	–	1	–	–	1	–	–	–	–	–	–	–	3
Phlegmon	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Intemperance	5	1	2	–	4	3	–	4	–	1	–	–	–	1	1	3
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	3	1	2	–	1	2	–	2	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	3	4	–	3	1	–	1	–	–	–	–	–	2	–	1
Poison	1	–	–	–	–	4	–	–	–	–	–	–	1	2	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	3	1	3	6	–	3	1	–	–	–	2	2	2	8
Hanging, etc.	–	–	–	1	–	2	–	1	–	1	–	–	–	1	–	–
Suffocation	1	–	3	–	5	8	1	2	3	5	–	1	1	1	–	2
Drowning	11	8	18	4	9	3	5	10	2	3	–	–	2	5	3	2
Fracture and Contusion	36	6	6	7	20	43	1	15	3	7	–	–	6	10	6	4
Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2
Cuts and Stabs	1	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Other Violent Causes	5	–	1	–	5	1	–	3	–	–	–	2	–	4	2	–
Not specified	22	6	45	22	35	49	11	22	12	2	1	1	9	44	17	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Total Mainland-Rural	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES . . .	9419	127	171	437	224	26	216	256	947	216	343	668	807	81	45
SPECIFIED CAUSES . .	9096	119	161	402	204	26	208	249	921	205	337	650	784	79	41
I. Zymotic Class . .	1734	9	19	73	30	3	42	51	205	31	86	102	172	16	6
II. Diseases of Uncer. Seat	313	5	7	15	6	1	6	10	40	12	10	18	26	4	3
III. Tubercular Class .	1125	17	22	45	25	6	39	39	89	20	28	74	78	6	7
IV. Brain and Nervous Sys	902	13	24	47	18	1	15	31	100	22	30	84	84	10	3
V. Organs of Circulation	606	7	4	15	7	–	14	19	70	19	23	63	56	4	2
VI. Respiratory Organs .	1381	17	17	38	29	4	26	32	123	31	59	96	128	11	6
VII. Organs of Digestion .	753	10	10	28	15	6	19	19	80	20	22	50	45	9	4
VIII. Urinary Organs . .	267	8	5	13	13	–	3	9	45	7	3	13	27	5	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	69	1	1	6	5	–	2	2	4	2	4	3	4	–	1
XI. Skin, etc. . . .	11	–	–	–	–	–	1	–	2	–	–	–	1	1	–
XII. Malformation . .	39	–	–	1	–	–	–	–	6	4	1	2	4	–	–
XIII. Premature Debility .	413	3	2	3	1	1	7	8	44	8	23	28	32	–	2
XIV. Atrophy . . .	43	–	1	3	1	–	1	1	1	1	1	3	–	–	–
XV. Age	854	17	44	97	49	2	21	16	60	14	19	83	64	10	5
XVI. Sudden Deaths . .	11	–	–	–	–	–	1	–	–	–	–	1	7	–	–
XVII. Violent Deaths . .	575	12	5	18	5	2	11	12	52	14	28	30	56	3	1
I. Small-pox . . .	71	–	–	3	–	–	–	–	2	1	1	–	–	–	–
Measles . . .	138	–	1	15	4	–	18	3	14	–	2	5	42	–	–
Scarlatina . . .	426	1	7	22	1	–	8	1	47	7	34	26	47	4	–
Diphtheria . .	193	–	–	7	5	2	5	19	36	2	10	10	11	2	–
Hooping-cough . .	112	–	4	3	2	–	2	1	16	2	1	9	8	5	–
Croup . . .	152	1	2	3	1	–	1	5	17	2	6	14	15	–	1
Thrush . . .	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Diarrhœa . . .	175	4	–	5	4	–	1	10	24	2	7	10	16	–	2
Dysentery . . .	40	–	–	1	–	–	–	1	9	–	5	2	4	–	–
Cholera . . .	13	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Influenza . . .	24	–	–	2	–	–	1	2	3	3	1	–	2	–	–
Purpura . . .	7	1	–	–	–	–	–	–	1	–	2	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	56	–	2	1	3	–	–	–	1	3	2	7	5	–	2
Enteric Fever . .	194	1	1	7	4	1	2	5	23	6	7	11	10	2	–
Relapsing Fever .	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever .	17	–	–	1	–	–	1	–	1	2	–	2	1	–	1
Infantile Remittent .	12	–	–	–	–	–	–	2	–	–	2	1	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	24	–	2	1	2	–	1	–	2	–	–	2	1	1	–
Erysipelas . . .	42	1	–	1	3	–	–	2	5	–	4	2	3	1	–
Pyæmia . . .	13	–	–	–	1	–	–	–	2	1	–	–	2	–	–
Syphilis . . .	15	–	–	1	–	–	–	–	2	–	2	–	1	–	–
Noma . . .	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	10	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Dropsy . . .	59	1	1	2	2	1	–	1	7	2	1	5	7	1	–
Abscess . . .	30	–	–	1	–	–	–	–	4	2	–	–	5	–	–
Ulcer . . .	11	–	–	2	–	–	–	–	1	–	–	1	1	–	–
Fistula . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification . .	19	1	–	3	–	–	–	–	2	2	1	1	2	–	–
Cancer . . .	178	3	6	5	4	–	6	8	25	6	8	10	11	2	3
Gout	4	–	–	1	–	–	–	1	–	–	–	1	–	–	–
III. Scrofula . . .	101	2	1	3	–	–	2	7	13	–	4	7	11	–	–
Tabes Mesenterica .	68	–	4	3	–	–	3	–	5	1	1	2	5	1	1
Phthisis . . .	823	14	17	39	23	6	32	31	61	17	21	56	52	5	4
Hydrocephalus . .	133	1	–	–	2	–	2	1	10	2	2	9	10	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	475	146	345	294	597	824	101	451	180	235	56	15	189	502	185	260
SPECIFIED CAUSES	463	145	321	285	579	804	96	441	175	235	55	15	184	478	175	259
Zymotic Class . .	94	30	36	48	134	201	16	88	52	36	11	4	25	51	17	46
Uncertain Seat .	13	3	15	9	13	17	3	12	7	6	6	1	8	18	6	13
Tubercular Class .	58	23	55	35	81	99	18	55	17	25	6	–	25	80	24	29
Brain, etc. . .	36	10	33	27	58	40	5	40	12	29	3	1	32	50	10	34
Heart, etc. . .	25	7	13	12	36	33	6	37	10	23	5	1	19	42	18	16
Respiratory Organs .	71	11	39	58	89	159	15	83	27	39	12	2	13	82	30	34
Digestive Organs .	40	14	20	27	30	91	10	36	10	15	8	2	17	50	21	25
Urinary Organs .	8	2	10	6	19	6	3	9	7	5	2	1	4	14	7	12
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	4	–	4	1	4	6	–	2	–	3	–	1	3	5	–	1
Skin . . .	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–	2
Malformation . .	–	–	1	1	4	4	2	2	2	1	–	–	1	3	–	–
Premature Debility .	23	9	5	19	32	53	8	23	10	17	2	–	16	21	3	10
Atrophy . . .	5	1	–	5	4	8	–	3	3	–	–	–	–	–	–	1
Age	31	19	60	25	31	28	5	20	11	18	–	–	11	42	30	22
Sudden Deaths .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths .	54	14	28	12	44	59	5	31	7	17	–	2	10	20	9	14
Small-pox . .	1	15	2	1	26	14	–	–	–	–	–	–	–	2	3	–
Measles . . .	1	1	1	–	2	9	–	9	6	2	–	–	2	1	–	–
Scarlatina . .	40	3	4	23	22	66	4	12	28	7	1	–	2	4	2	3
Diphtheria . .	14	2	3	3	22	16	1	6	1	3	2	1	2	6	–	2
Hooping-cough .	2	–	5	5	–	11	–	8	2	2	1	–	2	4	3	14
Croup . . .	10	1	4	1	7	18	3	7	–	4	3	3	4	14	3	2
Thrush . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	4	2	4	3	13	18	5	15	7	2	1	–	4	4	2	6
Dysentery . .	2	–	–	–	4	2	1	3	1	2	–	–	–	1	–	2
Cholera . . .	–	–	1	3	–	–	–	5	1	–	–	–	1	–	–	–
Influenza . . .	4	–	2	–	1	–	–	1	1	–	–	–	–	1	–	–
Purpura . . .	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	2	1	2	2	2	9	–	2	–	4	–	–	2	2	–	2
Enteric Fever . .	7	4	4	3	22	24	2	13	4	7	1	–	5	6	1	11
Relapsing Fever .	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–
Simple Cont. Fever .	1	–	–	–	3	1	–	–	–	–	–	–	–	1	–	2
Infantile Remittent .	–	–	–	–	1	4	–	1	–	–	1	–	–	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	1	–	1	1	1	1	–	–	–	–	1	–	1	2	2	1
Erysipelas . .	2	1	2	–	4	6	–	3	1	–	–	–	–	1	–	–
Pyæmia . . .	–	–	–	–	2	1	–	–	–	3	–	–	–	1	–	–
Syphilis . . .	2		–	2	2	–	–	1	–	–	–	–	–	–	1	1
Noma . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	1	–	2	1	1	–	–	–	–	–	1	–	–	–	1
Dropsy . . .	2	1	5	2	3	6	–	–	2	1	1	–	1	2	1	1
Abscess . . .	2	–	–	2	5	3	–	3	1	–	–	–	–	1	–	1
Ulcer . . .	–	–	3	–	–	–	–	–	–	1	–	–	–	2	–	–
Fistula . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	1	–	3	–	1	1	–	1	–	–	–	–	–	–	–	–
Cancer . . .	7	–	4	3	3	6	3	7	4	4	5	–	7	13	5	10
Gout . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula . . .	3	3	5	1	4	10	3	3	3	1	1	–	2	6	2	4
Tabes Mesenterica .	7	1	1	4	7	11	–	3	2	–	–	–	1	3	1	1
Phthisis . . .	37	14	40	24	55	61	12	43	11	21	4	–	20	61	19	23
Hydrocephalus .	11	5	9	6	15	17	3	6	1	3	1	–	2	10	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	107	2	2	5	1	–	4	7	14	6	4	3	13	–	–
Apoplexy	224	1	3	8	3	–	6	10	23	2	5	20	25	6	1
Paralysis	290	4	8	19	5	1	2	6	32	8	6	31	26	3	–
Delirium Tremens	10	–	1	–	–	–	–	–	3	–	1	1	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	33	2	2	2	1	–	–	1	2	–	2	3	2	–	1
Tetanus	15	–	–	1	–	–	–	–	–	–	2	3	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Convulsions	92	2	7	10	7	–	1	2	9	3	5	8	6	–	–
Brain Disease	127	2	1	2	1	–	2	5	17	2	5	15	12	1	1
V. Pericarditis	9	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Aneurism	14	–	–	–	–	–	–	2	4	–	–	–	1	1	–
Heart Disease	583	7	4	15	7	–	14	16	66	19	22	63	55	3	2
VI. Laryngitis	32	–	–	–	–	–	1	–	4	3	3	1	2	1	–
Bronchitis	771	11	6	18	13	4	16	17	75	19	32	55	62	5	4
Pleurisy	49	–	–	–	2	–	–	–	5	–	3	4	3	–	–
Pneumonia	430	4	7	9	9	–	8	13	35	9	19	32	52	5	1
Asthma	78	2	4	10	4	–	1	2	1	–	1	2	8	–	1
Lung Disease	21	–	–	1	1	–	–	–	3	–	1	2	1	–	–
VII. Teething	79	1	–	5	1	–	6	1	5	1	2	5	7	–	2
Quinsey	9	–	–	–	–	–	–	1	2	–	–	–	1	–	–
Gastritis	18	–	–	1	–	–	–	1	2	–	2	1	–	–	–
Enteritis	154	1	–	3	2	–	3	3	17	2	1	9	6	3	–
Peritonitis	52	1	2	1	–	–	–	–	7	1	3	2	–	1	1
Ascites	7	–	1	–	–	–	1	–	1	–	–	–	1	–	–
Ulceration of Intestines	39	1	–	1	–	1	–	1	5	4	3	1	2	1	–
Hernia	22	–	1	2	–	1	–	1	2	1	2	–	2	1	–
Ileus	45	–	1	2	2	–	–	2	8	2	1	2	2	–	1
Intussusception	16	–	–	–	2	–	1	–	1	1	–	–	2	–	–
Stricture of Intestines	3	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Stomach Disease	109	3	2	7	2	1	4	3	11	2	2	15	8	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	34	–	–	2	–	–	–	1	2	1	1	2	–	2	–
Jaundice	40	1	2	1	2	1	–	1	5	3	2	2	3	1	–
Liver Disease	120	2	1	3	3	2	4	3	11	2	2	11	10	–	–
Spleen Disease	5	–	–	–	–	–	–	–	1	–	1	–	1	–	–
VIII. Nephritis	21	–	–	3	1	–	–	–	4	2	1	1	3	1	–
Nephria	58	1	1	2	–	–	–	2	9	–	–	–	11	2	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	22	–	1	4	1	–	–	–	3	1	–	–	2	–	–
Diabetes	21	–	–	–	2	–	–	1	1	1	–	2	3	–	1
Stone	24	3	2	3	4	–	–	1	6	–	–	–	–	–	–
Cystitis	29	2	–	–	1	–	1	1	3	1	2	–	2	2	–
Stricture of Urethra	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	89	2	1	1	4	–	2	4	18	2	–	10	6	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	13	–	–	–	–	–	2	–	2	–	1	–	1	–	–
Rheumatism	28	–	–	3	4	–	–	–	1	1	2	–	–	–	–
Joint Disease	28	1	1	3	1	–	–	2	1	1	1	3	3	–	1
XI. Carbuncle	8	–	–	–	–	–	1	–	1	–	–	–	–	1	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	29	2	–	–	–	1	1	–	4	–	–	1	2	1	–
Privation	5	–	–	–	1	–	–	–	1	–	–	1	2	–	–
Want of Breast Milk	14	–	–	–	1	–	1	1	–	1	–	–	3	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	19	–	–	–	2	–	–	–	–	–	1	1	1	–	–
Poison	6	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Poisoned Wounds	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	34	–	–	1	–	–	1	1	2	1	3	1	7	–	–
Hanging, etc.	10	1	–	–	–	–	–	–	2	–	1	–	1	–	–
Suffocation	39	–	–	1	–	–	2	1	5	3	1	2	4	–	–
Drowning	138	7	2	10	1	–	1	2	17	3	11	5	9	–	1
Fracture and Contusion	227	2	3	2	–	1	5	5	17	5	9	14	15	2	–
Gunshot Wounds	6	–	–	1	–	–	–	1	1	–	–	–	1	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other Violent Causes	39	–	–	2	–	–	–	–	1	1	2	5	9	–	–
Not specified	323	8	10	35	20	–	8	7	26	11	6	18	23	2	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—MALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	1	5	3	5	8	1	4	–	2	–	–	3	6	2	2
Apoplexy	7	4	5	8	15	13	3	11	2	8	2	1	11	10	2	9
Paralysis	14	3	15	10	17	6	–	11	5	10	1	–	11	20	2	14
Delirium Tremens	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	3	–	2	–	1	2	–	2	1	3	–	–	–	–	–	1
Tetanus	2	–	–	1	–	1	1	1	–	–	–	–	1	–	–	2
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Convulsions	4	2	3	2	4	6	–	1	2	2	–	–	–	3	2	1
Brain Disease	1	–	3	3	16	4	–	8	1	3	–	–	6	9	2	5
Pericarditis	1	–	–	–	2	1	1	–	1	–	–	–	–	1	–	–
Aneurism	–	–	–	2	–	1	–	1	–	1	–	–	–	1	–	–
Heart Disease	24	7	13	10	34	31	5	36	9	22	5	1	19	40	18	16
Laryngitis	–	–	–	3	2	2	1	1	1	2	–	–	–	2	1	2
Bronchitis	44	5	21	31	47	100	9	57	15	19	8	1	7	39	13	18
Pleurisy	2	–	–	4	6	4	–	1	1	2	–	1	–	6	4	1
Pneumonia	17	5	12	19	28	35	4	21	7	15	3	–	6	33	10	12
Asthma	8	1	6	1	5	11	1	3	3	–	1	–	–	2	–	–
Lung Disease	–	–	–	–	1	7	–	–	–	1	–	–	–	–	2	1
Teething	5	1	2	6	2	8	2	10	2	–	–	1	–	2	1	1
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2
Gastritis	2	1	–	–	2	6	–	–	–	–	–	–	–	–	–	–
Enteritis	11	6	3	5	6	30	2	5	3	4	2	1	6	10	4	6
Peritonitis	3	1	2	1	2	4	3	–	1	3	1	–	2	7	2	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1
Ulceration of Intestines	–	–	3	2	1	6	–	1	–	–	–	–	–	–	2	4
Hernia	1	–	–	–	2	1	–	1	1	–	–	–	–	1	2	–
Ileus	1	–	4	1	1	2	–	2	–	1	–	–	–	5	1	4
Intussusception	–	–	–	2	1	1	–	1	–	–	1	–	–	3	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	3	2	2	4	11	3	6	1	4	–	–	4	3	2	1
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	1	1	2	5	1	–	3	–	–	–	–	1	2	1	1
Jaundice	2	1	–	–	1	8	–	1	–	–	–	–	–	1	1	1
Liver Disease	6	–	3	5	3	12	–	6	2	2	3	–	3	13	5	3
Spleen Disease	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Nephritis	1	–	1	–	–	–	–	–	1	1	–	–	–	1	–	–
Nephria	1	–	4	2	5	–	2	3	–	1	1	1	2	1	3	4
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	3	–	–	–	1	1	–	–	–	3	2	–
Diabetes	1	–	–	2	2	2	–	1	–	–	–	–	–	1	–	1
Stone	2	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Cystitis	1	–	1	–	2	2	–	–	2	1	1	–	1	1	1	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kidney Disease	2	1	4	2	5	2	1	4	3	1	–	–	1	6	1	6
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	–	–	1	–	1	2	2	–	–
Rheumatism	3	–	3	–	2	2	–	2	–	1	–	–	1	2	–	1
Joint Disease	1	–	1	1	1	4	–	–	–	1	–	–	–	1	–	–
Carbuncle	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2
Phlegmon	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	–	1	–	3	2	–	3	–	1	–	–	–	1	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	2	1	1	–	1	–	–	1	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	3	3	–	3	1	–	1	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	1	2	–	3	–	–	–	–	1	1	1	4
Hanging, etc.	–	–	–	1	–	2	–	1	–	–	–	–	–	1	–	–
Suffocation	–	–	1	–	4	7	1	1	2	4	–	–	–	–	–	–
Drowning	11	6	17	3	9	2	2	6	2	3	–	–	2	2	2	2
Fracture and Contusion	29	5	4	7	19	38	1	12	3	7	–	–	6	9	4	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Cuts and Stabs	1	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Other Violent Causes	4	–	1	–	4	–	–	2	–	–	–	2	–	4	2	–
Not specified	12	1	24	9	18	20	5	10	5	–	1	–	5	24	10	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES . . .	9397	140	177	513	241	21	241	253	942	241	336	701	728	56	44
SPECIFIED CAUSES . .	9086	134	164	482	223	21	236	249	924	232	330	681	714	55	40
I. Zymotic Class . .	1778	20	20	74	21	3	39	48	205	43	79	110	160	9	10
II. Diseases of Uncer. Seat	487	9	17	25	12	–	16	28	52	14	16	31	41	4	3
III. Tubercular Class .	1165	16	19	46	22	3	32	30	110	21	44	79	72	5	4
IV. Brain and Nervous Sys.	866	9	13	35	17	3	24	24	92	25	30	80	69	8	4
V. Organs of Circulation	611	9	5	11	11	1	16	14	64	16	19	49	43	6	2
VI. Respiratory Organs .	1204	15	15	65	19	–	32	26	125	26	49	102	101	8	9
VII. Organs of Digestion .	680	10	9	29	13	1	18	21	60	23	21	44	52	2	–
VIII. Urinary Organs . .	125	2	1	3	3	–	4	5	18	4	3	8	8	2	–
IX. Organs of Generation	179	4	2	8	2	–	2	8	20	4	8	10	13	–	4
X. Organs of Locomotion	67	–	–	4	5	–	1	3	7	3	1	8	3	1	–
XI. Skin, etc. . . .	15	1	–	–	–	–	1	–	2	–	1	–	2	–	–
XII. Malformation . .	44	1	–	2	–	–	1	2	3	2	–	–	3	1	–
XIII. Premature Debility .	327	2	2	9	5	–	8	9	35	8	10	12	19	1	1
XIV. Atrophy . . .	54	–	–	3	2	–	1	1	2	2	2	5	3	–	–
XV. Age . . .	1291	35	56	156	86	10	37	25	109	34	39	129	113	8	3
XVI. Sudden Deaths .	6	–	–	1	–	–	–	–	1	–	–	1	3	–	–
XVII. Violent Deaths . .	187	1	5	11	5	–	4	5	19	7	8	13	9	–	–
I. Small-pox . . .	57	–	–	3	–	–	–	–	3	1	–	1	–	–	–
Measles . . .	97	–	3	4	2	1	11	1	9	1	1	11	27	–	–
Scarlatina . . .	394	5	6	16	–	–	6	8	35	5	22	25	34	1	2
Diphtheria . .	203	2	–	10	7	2	3	13	46	4	13	12	14	–	–
Hooping-cough .	155	–	7	9	2	–	7	3	14	6	2	6	10	3	2
Croup . . .	122	–	–	9	1	–	2	4	6	2	5	12	9	1	1
Thrush . . .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa . . .	196	5	–	6	1	–	3	4	20	4	10	9	23	2	–
Dysentery . . .	36	1	–	–	1	–	–	–	7	–	3	3	3	–	–
Cholera . . .	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	34	1	2	1	1	–	1	3	7	3	–	1	–	–	–
Purpura .	11	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	54	2	–	3	–	–	–	–	5	2	4	5	5	–	1
Enteric Fever . .	201	2	–	5	1	–	2	7	26	9	8	9	17	2	2
Relapsing Fever .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	16	–	1	1	–	–	–	–	1	1	–	2	1	–	–
Infantile Remittent .	12	–	–	–	–	–	–	–	1	–	1	1	1	–	–
Metria . . .	91	1	1	–	2	–	3	2	8	–	7	6	10	–	1
Rheumatic Fever .	15	1	–	3	–	–	1	–	3	2	1	–	1	–	–
Erysipelas . . .	42	–	–	2	1	–	–	3	7	1	2	2	3	–	1
Pyæmia . . .	16	–	–	1	2	–	–	–	3	2	–	2	1	–	–
Syphilis . . .	7	–	–	1	–	–	–	–	2	–	–	1	–	–	–
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–
II. Hæmorrhage . .	9	–	–	–	–	–	–	1	1	–	–	–	1	–	–
Dropsy . . .	90	–	6	7	4	–	–	3	7	1	1	7	7	1	2
Abscess . . .	16	–	–	–	–	–	1	1	1	–	–	2	1	–	–
Ulcer . . .	13	1	–	1	1	–	2	–	2	–	–	–	–	–	–
Fistula . . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	24	–	2	–	–	–	1	2	1	1	2	3	2	–	–
Cancer . . .	332	7	9	17	7	–	12	21	39	12	12	19	30	3	1
Gout	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
III. Scrofula . . .	82	3	1	2	2	–	1	4	11	–	4	5	7	–	–
Tabes Mesenterica .	70	–	2	6	–	–	–	1	5	1	–	1	6	1	–
Phthisis . . .	873	11	16	36	19	3	29	22	81	19	33	66	48	3	1
Hydrocephalus . .	140	2	–	2	1	–	2	3	13	1	7	7	11	1	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	438	140	323	275	566	783	107	501	186	240	61	19	151	464	224	285
SPECIFIED CAUSES .	428	135	302	262	549	754	101	489	179	238	61	18	147	444	217	277
Zymotic Class . .	102	29	35	50	123	224	19	93	45	48	11	4	16	60	19	59
Uncertain Seat .	10	4	20	14	17	23	6	23	8	18	1	1	13	34	13	14
Tubercular Class .	64	15	55	45	90	93	14	65	14	20	7	1	21	73	35	50
Brain, etc. . .	45	6	31	19	60	52	7	54	17	30	6	–	21	40	22	23
Heart, etc. . .	25	12	12	26	41	36	7	29	21	28	6	–	18	42	23	19
Respiratory Organs .	59	28	27	37	70	117	17	67	17	21	8	4	16	62	38	24
Digestive Organs .	35	13	21	26	32	77	7	40	13	16	7	2	10	42	21	15
Urinary Organs .	5	–	2	7	6	5	3	15	1	5	–	–	3	8	2	2
Generative Organs .	6	4	4	7	5	16	3	13	3	9	2	1	4	5	8	4
Locomotive Organs .	2	–	4	2	3	5	–	4	1	6	–	–	1	–	2	1
Skin . . .	2	–	1	–	1	–	–	2	–	1	–	–	–	–	–	1
Malformation . .	1	1	1	1	4	7	1	5	1	2	–	–	–	3	1	1
Premature Debility	20	4	3	10	39	33	2	27	8	11	6	3	9	18	5	8
Atrophy . . .	2	1	2	2	7	6	1	4	3	2	–	–	–	2	1	–
Age	37	14	73	15	45	44	11	35	25	19	5	1	11	46	22	48
Sudden Deaths .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths .	13	4	11	1	6	16	3	13	2	2	2	1	4	9	5	8
Small-pox . .	–	14	–	–	12	21	–	–	–	–	–	–	–	–	–	2
Measles . . .	2	1	–	2	2	8	2	4	3	1	–	–	1	–	–	–
Scarlatina . .	37	2	7	18	28	67	1	17	26	18	–	–	2	3	2	1
Diphtheria . .	5	2	5	3	14	25	5	6	–	4	1	–	1	4	–	2
Hooping-cough .	3	1	–	9	1	17	2	4	5	5	–	1	2	9	5	20
Croup . . .	7	–	6	3	4	13	3	13	–	7	–	1	2	8	–	3
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	15	2	3	3	21	17	2	22	2	3	1	1	1	7	–	9
Dysentery . .	1	2	1	–	4	3	–	1	–	1	2	–	–	1	1	1
Cholera . . .	2	1	–	–	1	–	–	2	1	1	1	–	–	–	–	–
Influenza . . .	2	–	–	–	3	2	–	4	–	1	1	–	1	–	–	–
Purpura . . .	1	–	–	–	1	1	–	1	1	–	1	–	–	2	–	1
Ague . . .	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2
Typhus . . .	7		1	–	2	10	–	–	–	3	1	–	–	1	–	2
Enteric Fever . .	7	2	6	4	20	19	2	14	4	2	–	1	3	11	5	11
Relapsing Fever .	1		–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2
Infantile Remittent .	3	1	–	1	1	1	–	–	–	–	1	–	–	–	–	–
Metria . . .	3	1	4	–	7	16	1	1	–	–	2	–	1	8	3	3
Rheumatic Fever .	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Erysipelas . .	–	–	2	3	1	4	1	2	2	–	–	–	1	3	1	–
Pyæmia . . .	1	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–
Syphilis . . .	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Noma . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hæmorrhage . .	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1	1
Dropsy . . .	–	1	9	5	3	5	–	4	3	–	–	–	1	3	4	6
Abscess . . .	2	1	1	–	2	–	–	2	1	–	–	–	–	–	–	1
Ulcer . . .	1	–	1	–	–	1	–	1	–	1	–	–	–	1	–	–
Fistula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	2	1	–	–	1	–	1	1	–	–	1	2	–	1
Cancer . . .	6	2	5	7	12	17	5	16	3	16	1	1	11	28	8	5
Gout . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	5	2	3	1	6	11	2	–	–	1	1	–	1	2	4	3
Tabes Mesenterica .	4	–	1	2	17	6	–	6	1	2	–	–	–	5	1	2
Phthisis . . .	42	10	43	37	63	61	8	50	12	13	6	1	17	57	28	38
Hydrocephalus .	13	3	8	5	4	15	4	9	1	4	–	–	3	9	2	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	89	1	2	2	2	-	–	4	11	2	5	3	4	1	–
Apoplexy	238	–	2	11	2	1	9	8	22	5	9	29	19	2	4
Paralysis	280	6	6	12	9	1	8	3	27	11	11	32	19	2	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	30	1	–	5	–	–	–	–	4	–	–	1	3	1	–
Tetanus	8	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Insanity	5	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	78	–	1	3	3	–	2	–	10	2	1	3	10	1	–
Brain Disease	132	1	1	2	1	1	5	9	15	5	4	10	14	1	–
V. Pericarditis	18	–	–	–	–	–	2	1	3	1	–	1	3	1	–
Aneurism	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Heart Disease	588	9	5	11	11	1	14	13	60	15	19	48	39	5	2
VI. Laryngitis	38	–	–	2	–	–	1	1	7	6	3	1	–	–	–
Bronchitis	775	13	8	27	11	–	21	15	90	14	32	74	70	3	6
Pleurisy	30	–	–	3	–	–	–	–	3	–	–	5	–	1	1
Pneumonia	277	2	4	12	2	–	6	8	23	4	11	17	27	4	–
Asthma	63	–	3	21	6	–	3	1	1	2	–	2	3	–	2
Lung Disease	21	–	–	–	–	–	1	1	1	–	3	3	1	–	–
VII. Teething	65	–	2	2	–	–	5	3	5	–	2	2	5	–	–
Quinsey	16	1	1	1	–	–	–	–	2	1	–	3	–	–	–
Gastritis	26	2	–	2	1	–	1	–	2	–	2	1	4	–	–
Enteritis	110	–	–	2	2	1	4	–	6	2	2	7	3	–	–
Peritonitis	90	1	–	3	–	–	2	3	7	3	2	4	8	–	–
Ascites	13	–	–	1	–	-	1	–	1	1	–	2	2	–	–
Ulceration of Intestines	42	–	1	–	–	–	4	4	1	3	2	2	6	–	–
Hernia	15	–	–	1	–	–	–	1	2	1	–	2	1	1	–
Ileus	44	3	1	5	2	–	–	2	5	3	2	1	2	–	–
Intussusception	7	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Stricture of Intestines	3	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Stomach Disease	90	1	2	4	5	–	–	–	13	5	2	7	8	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	29	1	1	2	–	–	–	1	2	–	1	3	3	1	–
Jaundice	34	1	1	3	1	–	–	2	1	–	–	2	3	–	
Liver Disease	93	–	–	3	1	–	1	3	12	3	6	8	5	–	–
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–
VIII. Nephritis	9	–	–	–	1	–	–	–	–	–	–	–	5	–	–
Nephria	53	2	–	–	–	–	–	–	9	2	1	3	2	1	–
Addison's Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	1	2	–	1	1	3	–	–	–	–	–	–
Stone	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	38	–	–	2	–	–	2	3	5	1	2	4	1	1	–
IX. Paramenia	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Ovarian Dropsy	33	3	2	3	1	–	–	2	3	–	–	2	1	–	–
Childbirth	103	1	–	5	1	–	2	5	11	3	6	6	9	–	4
Organs of Generation	33	–	–	–	–	–	–	1	6	1	1	2	2	–	–
X. Bone Disease	9	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Rheumatism	36	–	–	4	4	–	1	2	1	2	1	5	2	–	–
Joint Disease	22	–	–	–	1	–	–	1	3	–	–	3	1	1	–
XI. Carbuncle	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Skin Disease	7	1	–	–	–	–	1	–	1	–	1	–	1	–	–
XVII. Intemperance	9	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	–	–	–	1	–	–	–	1	1	1	1	2	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	9	–	1	3	1	–	–	–	1	–	–	–	–	–	–
Poison	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	–	1	–	–	–	–	–	6	–	1	2	3	–	–
Hanging, etc.	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Suffocation	29	–	–	1	1	–	–	4	3	3	–	3	1	–	–
Drowning	36	–	1	2	–	–	3	–	4	2	2	5	1	–	–
Fracture and Contusion	39	–	1	3	1	–	1	1	4	–	2	2	1	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Not specified	311	6	13	31	18	–	5	4	18	9	6	20	14	1	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.—FEMALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	1	3	4	6	6	–	7	1	2	–	–	–	7	6	5
Apoplexy	9	2	7	7	24	8	1	10	3	12	4	–	7	8	5	8
Paralysis	17	1	17	3	16	12	2	17	8	8	2	–	7	14	7	2
Delirium Tremens	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	–	1	2	–	4	–	–	–	–	2	3	–	–
Tetanus	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	1
Insanity	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Convulsions	6	1	2	–	4	14	2	5	3	1	–	–	–	1	1	2
Brain Disease	7	–	1	4	6	8	1	10	2	7	–	–	4	6	3	4
Pericarditis	1	1	–	–	–	1	–	–	2	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–
Heart Disease	24	11	12	26	41	35	7	28	19	28	6	–	18	41	22	18
Laryngitis	–	3	–	2	1	5	–	2	–	2	–	–	–	2	–	–
Bronchitis	43	18	19	21	41	67	8	48	13	10	7	3	6	46	23	18
Pleurisy	1	1	–	1	2	5	1	–	–	1	–	1	–	3	1	–
Pneumonia	11	6	6	13	24	34	5	16	3	6	1	–	9	9	12	2
Asthma	3	–	2	–	2	1	1	1	1	2	–	–	1	1	2	2
Lung Disease	1	–	–	–	–	5	2	–	–	–	–	–	–	1	–	2
Teething	5	1	2	3	5	10	–	3	1	1	–	–	2	3	–	3
Quinsey	1	–	–	1	2	2	–	–	–	–	–	–	–	–	1	–
Gastritis	–	–	–	–	1	3	1	2	2	1	–	–	–	–	1	–
Enteritis	8	3	3	9	3	32	2	5	3	–	–	–	3	4	3	3
Peritonitis	5	1	1	6	4	7	1	8	–	2	4	–	2	12	3	1
Ascites	1	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–
Ulceration of Intestines	–	2	1	1	1	5	–	3	–	2	–	1	–	3	–	–
Hernia	–	–	–	–	1	1	–	–	–	2	–	–	–	2	–	–
Ileus	2	1	2	–	2	3	–	2	1	2	–	–	–	1	1	1
Intussusception	–	1	–	1	–	–	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	3	2	3	1	4	4	1	9	–	–	–	1	–	6	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	–	2	1	–	2	–	–	1	–	–	1	1	2
Jaundice	2	–	–	1	3	2	–	2	2	1	1	–	–	3	3	–
Liver Disease	6	1	8	3	3	7	1	4	4	5	1	–	2	2	3	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Nephritis	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Nephria	1	–	1	2	3	2	2	9	1	3	–	–	3	6	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Diabetes	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
Stone	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	1	4	–	2	–	3	–	1	–	–	–	1	2	1
Paramenia	–	1	–	–	–	1	–	–	1	3	2	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	2	3	1	–	1	2	–	–	2	2	3	–
Childbirth	4	2	2	4	3	11	2	7	–	2	–	1	2	3	4	3
Organs of Generation	2	1	2	3	–	1	–	6	1	2	–	–	–	–	1	1
Bone Disease	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	1
Rheumatism	–	–	4	1	2	1	–	2	–	1	–	–	1	–	2	–
Joint Disease	2	–	–	1	1	1	–	2	–	5	–	–	–	–	–	–
Carbuncle	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Intemperance	1	1	1	–	1	1	–	1	–	–	–	–	–	–	1	1
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	1	–	1	–	–	2	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–
Poison	1	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	3	–	2	4	–	–	1	–	–	–	1	1	1	4
Hanging, etc.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	1	–	2	–	1	1	–	1	1	1	–	1	1	1	–	2
Drowning	–	2	1	1	–	1	3	4	–	–	–	–	–	3	1	–
Fracture and Contusion	7	1	2	–	1	5	–	3	–	–	–	–	–	1	2	1
Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Not specified	10	5	21	13	17	29	6	12	7	2	–	1	4	20	7	8

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1874.

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
All Causes	2194	429	329	254	627	380	175	1083	179	158	132	327	202	85	1111	250	171	122	300	178	90
Specified Causes	1926	373	306	205	528	350	164	946	154	146	114	267	184	81	980	219	160	91	261	166	83
Zymotic Class	243	29	12	62	69	50	21	119	12	4	31	36	26	10	124	17	8	31	33	24	11
Uncertain Seat	64	7	17	7	15	11	7	32	3	7	5	5	8	4	32	4	10	2	10	3	3
Tubercular Class	206	31	29	18	69	35	24	99	13	13	9	35	19	10	107	18	16	9	34	16	14
Brain, etc.	127	14	27	7	27	31	21	73	7	15	6	16	19	10	54	7	12	1	11	12	11
Heart, etc.	81	11	23	1	15	22	9	44	6	9	–	11	12	6	37	5	14	1	4	10	3
Respiratory Organs	219	24	27	15	89	52	12	107	12	13	7	50	22	3	112	12	14	8	39	30	9
Digestive Organs	126	27	28	10	24	24	13	68	14	17	6	10	12	9	58	13	11	4	14	12	4
Urinary Organs	30	3	9	2	6	8	2	21	3	6	2	4	5	1	9	–	3	–	2	3	1
Generative Organs	26	10	4	2	7	2	1	–	–	–	–	–	–	–	26	10	4	2	7	2	1
Locomotive Organs	37	12	5	3	13	3	1	18	4	3	1	7	2	1	19	8	2	2	6	1	–
Skin	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	2	–	1	–	1	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–
Premature Debility	37	9	5	3	12	5	3	22	6	4	1	4	4	3	15	3	1	2	8	1	–
Atrophy	5	1	1	1	2	–	–	2	1	–	–	1	–	–	3	–	1	1	1	–	–
Age	614	180	109	51	151	80	43	254	65	47	23	68	33	18	360	115	62	28	83	47	25
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	108	15	9	22	28	27	7	85	8	8	22	19	22	6	23	7	1	–	9	5	1
Small-pox	3	–	–	–	2	–	1	1	–	–	–	1	–	–	2	–	–	–	1	–	1
Measles	13	1	–	6	5	1	–	10	–	–	4	5	1	–	3	1	–	2	–	–	–
Scarlatina	28	4	1	2	6	13	2	20	2	1	2	5	9	1	8	2	–	–	1	4	1
Diphtheria	11	1	–	6	–	–	4	5	1	–	1	–	–	3	6	–	–	5	–	–	1
Hooping-cough	26	1	–	6	7	11	1	11	1	–	4	2	4	–	15	–	–	2	5	7	1
Croup	47	1	1	23	7	11	4	26	–	–	14	3	7	2	21	1	1	9	4	4	2
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	2	4	2	3	1	1	5	–	1	1	1	1	1	8	2	3	1	2	–	–
Dysentery	8	2	1	1	3	1	–	4	1	–	1	2	–	–	4	1	1	–	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	5	–	2	2	–	–	4	2	–	1	1	–	–	5	3	–	1	1	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	6	1	4	8	1	2	12	4	–	2	5	–	1	10	2	1	2	3	1	1
Enteric Fever	30	3	1	–	15	6	5	12	–	–	–	8	2	2	18	3	1	–	7	4	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	8	–	1	1	5	1	–	4	–	1	–	2	1	–	4	–	–	1	3	–	–
Infantile Remittent	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Metria	13	1	1	7	1	3	–	–	–	–	–	–	–	–	13	1	1	7	1	3	–
Rheumatic Fever	5	–	–	1	2	1	1	2	–	–	–	1	1	–	3	–	–	1	1	–	1
Erysipelas	4	1	–	1	2	–	–	2	1	–	1	–	–	–	2	–	–	–	2	–	–
Pyæmia	2	–	1	–	1	–	–	1	–	1	–	–	–	–	1	–	–	–	1	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	–	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	25	5	7	3	3	5	2	13	2	3	2	1	4	1	12	3	4	1	2	1	1
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Ulcer	2	–	1	–	–	1	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	2	–	1	–	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Cancer	31	1	7	3	10	5	5	12	–	1	2	3	3	3	19	1	6	1	7	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	10	1	2	1	–	4	2	5	1	2	–	–	2	–	5	–	–	1	–	2	2
Tabes Mesenterica	8	–	–	–	7	1	–	6	–	–	–	5	1	–	2	–	–	–	2	–	–
Phthisis	182	29	26	17	60	29	21	85	11	11	9	29	16	9	97	18	15	8	31	13	12
Hydrocephalus	6	1	1	–	2	1	1	3	1	–	–	1	–	1	3	–	1	–	1	1	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1874. (*Continued.*)

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	12	1	–	–	8	1	2	8	1	–	–	5	1	1	4	–	–	–	3	–	1
Apoplexy	17	3	5	–	2	2	5	8	3	3	–	–	1	1	9	–	2	–	2	1	4
Paralysis	50	7	14	3	8	13	5	28	3	9	2	4	7	3	22	4	5	1	4	6	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	1	1	1	3	–	–	–	1	1	1	–	–	–	–	–	–	–
Tetanus	7	–	–	4	3	–	–	7	–	–	4	3	–	–	–	–	–	–	–	–	–
Insanity	4	2	–	–	2	–	–	1	–	–	–	1	–	–	3	2	–	–	1	–	–
Convulsions	12	–	1	–	3	7	1	9	–	–	–	2	6	1	3	–	1	–	1	1	–
Brain Disease	22	1	7	–	–	7	7	9	–	3	–	–	3	3	13	1	4	–	–	4	4
Pericarditis	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	3	2	–	–	–	1	–	2	1	–	–	–	1	–	1	1	–	–	–	–	–
Heart Disease	77	9	23	1	15	20	9	41	5	9	–	11	10	6	36	4	14	1	4	10	3
Laryngitis	2	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–
Bronchitis	115	9	12	9	49	29	7	57	5	6	5	28	11	2	58	4	6	4	21	18	5
Pleurisy	29	3	2	–	23	1	–	17	2	–	–	15	–	–	12	1	2	–	8	1	–
Pneumonia	34	5	10	3	2	10	4	18	3	7	1	2	4	1	16	2	3	2	–	6	3
Asthma	28	6	–	3	11	8	–	8	1	–	1	2	4	–	20	5	–	2	9	4	–
Lung Disease	11	1	2	–	4	3	1	7	1	–	–	3	3	–	4	–	2	–	1	–	1
Teething	11	3	1	1	4	1	1	6	3	1	–	1	–	1	5	–	–	1	3	1	–
Quinsey	2	1	–	1	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
Gastritis	11	3	3	–	2	3	–	8	2	3	–	1	2	–	3	1	–	–	1	1	–
Enteritis	13	–	2	3	1	3	4	9	–	2	2	–	3	2	4	–	–	1	1	–	2
Peritonitis	5	–	1	–	2	2	–	3	–	–	–	2	1	–	2	–	1	–	–	1	–
Ascites	7	–	–	1	–	4	2	3	–	–	1	–	2	–	4	–	–	–	–	2	2
Ulcer. of Intestines	5	2	1	–	2	–	–	3	1	1	–	1	–	–	2	1	–	–	1	–	–
Hernia	5	–	3	–	2	–	–	2	–	2	–	–	–	–	3	–	1	–	2	–	–
Ileus	12	4	2	1	3	1	1	9	3	1	1	2	1	1	3	1	1	–	1	–	–
Intussusception	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Strict. of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	8	6	2	1	4	1	9	2	3	1	1	1	1	13	6	3	1	–	3	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	2	–	–	3	3	–	3	2	–	–	1	–	–	5	–	–	–	2	3	–
Jaundice	9	2	2	1	3	1	–	2	1	–	–	–	1	–	7	1	2	1	3	–	–
Liver Disease	14	2	6	–	1	2	3	8	–	3	–	1	1	3	6	2	3	–	–	1	–
Spleen Disease	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	3	–	–	–	2	1	–	2	–	–	–	1	1	–	1	–	–	–	1	–	–
Nephria	5	–	1	–	2	2	–	1	–	–	–	1	–	–	4	–	1	–	1	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	2	–	–	1	1	–	4	2	–	–	1	1	–	–	–	–	–	–	–	–
Diabetes	4	–	–	2	1	–	1	4	–	–	2	1	–	1	–	–	–	–	–	–	–
Stone	6	1	4	–	–	1	–	5	1	3	–	–	1	–	1	–	1	–	–	–	–
Cystitis	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	2	–	–	3	1	3	–	1	–	–	2	–	3	–	1	–	–	1	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	2	1	–	2	–	–	–	–	–	–	–	–	–	5	2	1	–	2	–	–
Childbirth	18	5	3	2	5	2	1	–	–	–	–	–	–	–	18	5	3	2	5	2	1
Organs of Generation	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–
Bone Disease	2	–	–	–	–	1	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Rheumatism	32	12	2	3	13	2	–	14	4	1	1	7	1	–	18	8	1	2	6	1	–
Joint Disease	3	–	3	–	–	–	–	2	–	2	–	–	–	–	1	–	1	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	2	1	–	–	–	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	15	4	1	–	5	4	1	7	1	1	–	1	3	1	8	3	–	–	4	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	1	2	1	2	2	–	3	–	1	1	–	1	–	5	1	1	–	2	1	–
Hanging, etc.	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	65	4	2	21	17	17	4	60	3	2	21	16	15	3	5	1	–	–	1	2	1
Fracture & Contusion	8	3	1	–	3	1	–	6	2	1	–	2	1	–	2	1	–	–	1	–	–
Gunshot Wounds	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	1	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–
Other Violent Causes	5	1	–	–	1	2	1	3	–	–	–	–	2	1	2	1	–	–	1	–	–
Not specified	268	56	23	49	99	30	11	137	25	12	18	60	18	4	131	31	11	31	39	12	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	80720	7706	2928	4813	6402	3541	2533	1900	4911	2207	2564	2960	2731
Specified Causes	79181	7097	2795	4689	6305	3491	2502	1878	4843	2180	2545	2928	2695
I. Zymotic Class	18855	904	776	1480	2733	1983	1627	1262	2892	903	625	581	489
II. Diseases of Uncertain Seat	2899	57	11	28	31	26	23	27	59	37	33	45	58
III. Tubercular Class	11303	207	333	657	914	473	288	186	721	549	1082	1316	1097
IV. Brain and Nervous System	7257	497	235	342	359	182	129	84	300	191	146	142	145
V. Organs of Circulation	4411	25	6	7	6	3	7	8	60	80	79	108	119
VI. Respiratory Organs	13351	1000	797	1396	1443	561	264	197	384	144	168	207	224
VII. Organs of Digestion	5255	586	280	526	551	108	57	29	127	74	114	138	122
VIII. Urinary Organs	1388	6	2	4	19	26	17	19	69	33	42	67	48
IX. Organs of Generation	656	2	–	1	–	1	–	–	–	–	29	82	144
X. Organs of Locomotion	523	2	1	3	8	8	7	4	46	56	48	28	19
XI. Skin, etc.	102	11	10	15	9	3	3	–	1	2	2	3	2
XII. Malformation	281	224	29	10	8	3	1	–	3	1	1	1	–
XIII. Premature Debility	3674	3280	225	169	–	–	–	–	–	–	–	–	–
XIV. Atrophy	476	–	–	–	136	41	24	16	31	13	6	8	7
XV. Age	5543	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	104	12	5	2	5	–	–	1	3	2	–	2	3
XVII. Violent Deaths	3103	284	85	49	83	73	55	45	147	95	170	200	218
I. Small-pox	1246	101	76	29	25	19	15	26	93	133	158	167	133
Measles	1103	12	24	180	424	177	101	55	96	11	7	3	4
Scarlatina	6321	38	57	294	837	980	932	761	1815	372	98	49	34
Diphtheria	1163	26	13	60	182	150	160	137	280	71	23	11	6
Hooping-cough	1690	111	154	375	523	254	121	69	80	1	–	–	–
Croup	1071	36	34	97	273	205	163	115	137	8	–	–	–
Thrush	24	16	4	2	2	–	–	–	–	–	–	–	–
Diarrhœa	2066	369	301	336	328	74	37	21	39	16	9	14	9
Dysentery	265	9	19	14	15	6	3	2	6	2	–	3	6
Cholera	86	6	10	13	6	4	5	2	11	2	1	3	2
Influenza	142	8	2	11	2	4	2	–	10	3	6	1	–
Purpura	64	1	1	1	2	1	2	3	9	4	7	3	3
Ague	9	–	–	–	–	–	–	–	1	–	–	–	1
Worms	12	1	1	–	1	2	4	1	2	–	–	–	–
Typhus	726	2	3	9	12	11	12	11	51	56	71	68	59
Enteric Fever	1455	1	5	18	46	66	45	48	202	175	183	141	81
Relapsing Fever	27	1	–	–	–	–	–	–	2	9	4	1	4
Simple Continued Fever	104	3	–	4	6	3	9	2	18	12	5	5	2
Infantile Remittent	80	7	7	4	16	18	11	6	11	–	–	–	–
Metria	378	–	–	–	–	–	–	–	–	–	20	83	106
Rheumatic Fever	144	–	–	–	–	2	1	1	17	16	17	7	13
Erysipelas	365	81	9	12	12	2	3	1	6	4	5	13	10
Pyæmia	102	4	–	4	3	1	–	–	6	7	11	7	11
Syphilis	193	69	55	17	10	4	–	–	–	–	–	2	4
Noma	13	1	1	–	6	–	1	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	6	1	–	–	2	–	–	–	–	–	–	–	1
II. Hæmorrhage	89	17	1	3	–	2	–	1	2	1	2	4	7
Dropsy	651	6	–	5	9	17	18	18	41	20	13	12	14
Abscess	236	20	4	13	10	1	–	5	12	8	14	18	12
Ulcer	93	5	3	4	3	2	–	–	–	1	–	1	1
Fistula	16	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	149	5	3	–	5	1	–	1	1	1	1	2	–
Cancer	1646	4	–	3	4	3	5	2	3	6	3	7	24
Gout	19	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	691	29	19	41	73	34	26	12	77	89	65	55	43
Tabes Mesenterica	962	65	69	126	235	113	61	32	118	45	28	21	12
Phthisis	7873	20	71	86	175	99	69	59	296	413	989	1239	1042
Hydrocephalus	1777	93	174	404	431	227	132	83	230	2	–	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	2478	2489	2583	2583	2930	2935	3526	3451	4351	3363	2734	1418	477	126	19	61
SPECIFIED CAUSES	2443	2449	2540	2542	2880	2864	3525	3450	4350	3362	2734	1418	477	126	19	54
Zymotic Class	371	337	269	216	228	174	220	190	223	163	119	66	16	2	1	5
Uncertain Seat	86	110	197	227	259	275	332	275	321	195	114	50	18	3	1	1
Tubercular Class	814	660	574	448	354	260	165	98	61	22	14	2	1	–	–	7
Brain, etc.	143	194	209	272	350	428	547	588	739	542	327	127	30	3	1	5
Heart, etc.	197	212	269	278	350	381	514	511	565	359	197	50	14	3	–	3
Respiratory Organs	257	337	441	490	667	714	826	814	833	613	396	138	29	6	1	4
Digestive Organs	151	193	209	246	285	271	290	269	312	172	99	33	9	2	–	2
Urinary Organs	76	88	64	84	86	77	107	112	151	101	59	27	4	–	–	–
Generative Organs	108	100	69	35	25	14	16	14	8	4	3	1	–	–	–	–
Locomotive Organs	16	29	23	17	27	24	32	29	42	28	20	4	–	2	–	–
Skin	2	3	4	2	3	5	5	4	6	6	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	9	9	10	24	47	95	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	319	432	987	1095	1341	897	350	105	15	2
Sudden Deaths	7	3	7	6	7	10	8	8	7	2	2	2	–	–	–	–
Violent Deaths	206	174	195	197	192	136	144	106	95	60	43	20	6	–	–	25
Small-pox	84	77	37	26	18	13	7	6	2	–	–	–	–	–	–	1
Measles	4	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–
Scarlatina	16	18	5	3	2	4	2	2	1	1	–	–	–	–	–	–
Diphtheria	5	8	5	7	5	5	1	3	3	–	1	–	–	–	–	1
Hooping-cough	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Croup	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	17	21	21	25	36	68	56	76	72	64	37	9	–	1	–
Dysentery	4	4	11	11	10	16	18	20	35	28	13	8	1	1	–	–
Cholera	2	3	1	1	3	1	3	3	2	1	–	1	–	–	–	–
Influenza	2	3	1	1	3	5	12	9	21	15	11	6	4	–	–	–
Purpura	1	4	5	4	5	1	2	2	2	1	–	–	–	–	–	–
Ague	1	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	45	48	49	61	33	32	16	13	10	5	2	–	–	–	1
Enteric Fever	68	60	55	57	53	33	37	26	29	15	8	3	–	–	–	–
Relapsing Fever	1	2	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	3	1	4	4	5	5	4	4	2	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	80	60	26	–	2	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	12	12	9	7	6	1	7	7	6	2	–	–	1	–	–	–
Erysipelas	16	10	24	19	17	19	16	30	22	14	10	7	1	1	–	1
Pyæmia	14	5	6	5	7	1	3	2	3	–	1	1	–	–	–	–
Syphilis	4	6	7	2	4	2	2	3	2	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage	5	8	5	8	7	1	6	–	6	2	1	–	–	–	–	–
Dropsy	19	21	31	29	33	36	68	49	85	52	29	18	7	1	–	–
Abscess	12	11	21	12	13	5	8	8	13	9	5	2	–	–	–	–
Ulcer	1	1	5	3	6	7	6	9	12	10	10	1	1	–	1	–
Fistula	2	2	3	3	–	1	2	–	–	–	–	1	–	–	–	1
Mortification	1	2	5	6	6	9	15	23	26	16	10	5	5	–	–	–
Cancer	46	65	126	166	193	214	225	181	174	104	58	23	5	2	–	–
Gout	–	–	1	–	1	2	2	5	5	2	1	–	–	–	–	–
Scrofula	29	13	22	18	9	14	6	7	3	4	3	–	–	–	–	–
Tabes Mesenterica	8	9	5	2	4	1	2	–	4	–	2	–	–	–	–	–
Phthisis	777	638	547	428	341	245	157	91	54	18	9	2	1	–	–	7
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	877	35	51	109	113	59	55	27	109	98	50	37	26
Apoplexy	1792	37	19	40	44	23	17	14	47	21	21	32	31
Paralysis	2033	2	1	2	6	–	2	2	15	7	9	15	20
Delirium Tremens	72	–	–	–	–	–	–	–	–	–	1	4	7
Chorea	12	–	–	–	–	–	1	–	1	6	–	–	–
Epilepsy	254	3	3	4	2	1	–	1	8	16	26	20	18
Tetanus	66	28	3	1	–	2	1	1	2	6	5	4	2
Insanity	67	–	–	–	–	–	–	–	–	–	2	4	6
Convulsions	1001	376	135	152	149	72	40	20	57	–	–	–	–
Brain Disease	1083	16	23	34	45	25	13	19	61	37	32	26	35
V. Pericarditis	104	1	–	–	–	–	1	2	13	8	9	6	7
Aneurism	113	–	–	–	–	–	–	–	–	4	1	1	2
Heart Disease	4194	24	6	7	6	3	6	6	47	68	69	101	110
VI. Laryngitis	208	10	11	20	21	23	18	6	17	3	8	7	4
Bronchitis	8667	752	633	1073	1107	403	165	116	211	59	46	50	72
Pleurisy	287	13	2	2	8	4	3	8	12	12	22	22	10
Pneumonia	3440	203	144	294	296	122	72	62	132	61	85	116	124
Asthma	474	2	–	1	2	1	–	2	2	–	1	1	7
Lung Disease	275	20	7	6	9	8	6	3	10	9	6	11	7
VII. Teething	782	7	50	308	369	44	3	1	–	–	–	–	–
Quinsey	79	12	4	11	12	9	3	1	5	4	–	2	–
Gastritis	227	36	21	10	20	2	5	2	5	2	5	6	7
Enteritis	926	232	106	112	81	27	19	15	40	23	25	22	15
Peritonitis	482	16	20	11	14	4	10	3	22	15	36	44	31
Ascites	80	3	–	–	–	–	1	2	9	2	2	2	2
Ulceration of Intestines	207	6	–	5	7	3	–	–	2	2	7	12	10
Hernia	118	7	2	–	1	–	1	–	1	1	–	1	3
Ileus	266	38	12	8	5	–	2	3	5	5	6	3	9
Intussusception	60	3	6	7	1	2	–	–	4	2	3	1	3
Stricture of Intestines	21	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	763	120	41	44	30	8	7	2	22	9	12	15	15
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	230	9	8	3	1	3	2	–	3	3	2	11	6
Jaundice	234	70	3	1	4	5	1	–	1	1	1	1	1
Liver Disease	759	26	6	6	5	1	2	–	7	5	13	18	18
Spleen Disease	20	–	1	–	1	–	1	–	1	–	2	–	2
VIII. Nephritis	167	1	1	3	13	9	8	9	26	8	6	5	7
Nephria	414	–	1	–	2	7	4	6	19	8	16	27	27
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	67	3	–	–	–	–	1	–	–	1	–	2	1
Diabetes	111	–	–	–	–	–	–	–	2	4	5	16	4
Stone	64	1	–	–	–	–	1	–	–	1	–	1	–
Cystitis	104	–	–	–	1	2	–	1	1	1	1	1	1
Stricture of Urethra	13	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	445	1	–	1	3	8	3	3	21	10	14	15	8
IX. Paramenia	19	–	–	–	–	–	–	–	–	–	2	5	4
Ovarian Dropsy	92	–	–	–	–	–	–	–	–	–	1	5	6
Childbirth	442	–	–	–	–	–	–	–	–	–	23	66	123
Organs of Generation	103	2	–	1	–	1	–	–	–	–	3	6	11
X. Bone Disease	75	1	–	–	2	1	–	1	10	13	10	4	5
Rheumatism	225	–	–	–	–	1	–	–	5	9	5	4	5
Joint Disease	223	1	1	3	6	6	7	3	31	34	33	20	9
XI. Carbuncle	31	–	2	2	1	–	–	–	–	–	–	–	–
Phlegmon	19	2	–	–	1	–	1	–	–	–	1	3	2
Skin Disease	52	9	8	13	7	3	2	–	1	2	1	–	–
XVII. Intemperance	234	–	–	–	–	–	–	–	–	–	3	4	17
Privation	13	3	1	2	–	–	1	–	1	–	–	–	–
Want of Breast Milk	134	93	26	13	2	–	–	–	–	–	–	–	–
Neglect	6	2	2	1	–	1	–	–	–	–	–	–	–
Cold	71	4	3	1	2	1	–	–	–	2	2	2	3
Poison	51	3	–	1	1	3	–	1	4	2	1	2	5
Poisoned Wounds	6	–	–	–	–	–	1	1	1	–	–	–	–
Burns and Scalds	292	2	2	13	42	37	30	19	32	8	9	3	8
Hanging, etc.	53	–	–	–	–	–	–	–	–	–	–	2	3
Suffocation	312	155	50	16	4	–	1	1	4	2	8	5	4
Drowning	643	4	–	1	20	19	5	5	40	25	58	78	67
Fracture and Contusion	1031	3	1	1	12	8	15	16	58	40	71	88	85
Gunshot Wounds	19	–	–	–	–		–	–	–	3	4	2	1
Cuts and Stabs	39	–	–	–	–	1	–	–	–	–	1	3	7
Other Violent Causes	199	15	–	–	–	3	2	2	7	13	13	11	18
Not specified	1539	609	133	124	97	50	31	22	68	27	19	32	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	23	11	12	11	10	10	15	5	9	1	1	–	–	–	–	–
Apoplexy	27	60	62	93	137	165	186	198	228	154	89	29	15	1	1	1
Paralysis	29	43	50	74	115	148	231	272	365	320	203	84	14	2	–	2
Delirium Tremens	3	14	7	11	8	5	5	2	2	3	–	–	–	–	–	–
Chorea	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	21	15	18	18	15	16	10	15	18	2	3	1	–	–	–	–
Tetanus	1	1	1	2	–	2	2	1	1	–	–	–	–	–	–	–
Insanity	3	6	5	6	2	7	8	6	4	5	–	2	–	–	–	1
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	35	44	53	56	63	75	89	89	112	57	31	11	1	–	–	1
Pericarditis	10	2	10	5	6	6	6	6	4	2	–	–	–	–	–	–
Aneurism	8	21	12	16	14	7	9	8	7	1	2	–	–	–	–	–
Heart Disease	179	189	247	257	330	368	499	497	554	356	195	50	14	3	–	3
Laryngitis	7	7	7	8	6	1	6	5	4	5	3	1	–	–	–	–
Bronchitis	90	135	211	256	366	422	528	544	550	421	314	111	25	4	–	3
Pleurisy	13	10	18	18	15	17	22	14	21	13	7	1	–	–	–	–
Pneumonia	124	153	165	153	203	205	189	171	171	125	47	16	4	2	1	–
Asthma	12	19	31	36	54	45	64	57	71	41	17	7	–	–	–	1
Lung Disease	11	13	9	19	23	24	17	23	16	8	8	2	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	5	–	1	1	–	1	2	1	3	1	1	–	–	–	–	–
Gastritis	5	13	9	8	16	10	13	8	18	3	2	–	1	–	–	–
Enteritis	18	17	13	27	29	15	19	20	21	15	8	3	4	–	–	–
Peritonitis	41	39	20	32	22	24	22	14	22	10	5	4	–	1	–	–
Ascites	3	1	3	6	8	7	5	7	5	8	2	1	–	–	–	1
Ulceration of Intestines	13	17	12	22	16	16	15	13	18	7	2	2	–	–	–	–
Hernia	3	1	7	9	10	11	8	14	15	11	10	1	–	1	–	–
Ileus	5	12	14	15	13	21	13	24	24	18	7	2	2	–	–	–
Intussusception	–	4	2	3	3	1	5	6	2	2	–	–	–	–	–	–
Stricture of Intestines	–	1	3	1	2	3	1	3	4	1	1	–	–	–	–	–
Stomach Disease	12	19	35	35	50	42	51	58	55	48	21	10	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	11	15	15	13	29	21	21	16	20	11	7	–	–	–	–	–
Jaundice	3	6	8	14	7	16	16	17	24	11	17	5	1	–	–	–
Liver Disease	32	46	66	58	78	83	99	64	80	26	15	5	–	–	–	–
Spleen Disease	–	2	1	2	2	–	–	4	1	–	–	–	–	–	–	–
Nephritis	10	5	9	9	8	5	7	6	5	2	3	2	–	–	–	–
Nephria	32	41	30	38	35	23	36	27	23	6	5	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ischuria	1	4	1	2	3	1	3	7	11	12	13	1	–	–	–	–
Diabetes	13	13	8	9	7	6	6	6	9	–	3	–	–	–	–	–
Stone	2	1	1	1	–	6	6	10	14	11	4	4	–	–	–	–
Cystitis	2	2	–	2	5	1	10	14	23	19	8	8	1	–	–	–
Stricture of Urethra	–	1	1	2	1	5	–	–	3	–	–	–	–	–	–	–
Kidney Disease	16	21	14	21	27	30	39	41	61	51	23	11	3	–	–	–
Paramenia	1	1	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	5	8	12	12	7	11	9	3	2	2	1	–	–	–	–
Childbirth	90	84	45	9	2	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	9	10	14	11	10	7	5	5	5	2	1	–	–	–	–	–
Bone Disease	2	6	2	3	1	4	2	3	–	2	2	1	–	–	–	–
Rheumatism	7	11	14	11	16	16	25	21	33	22	16	2	–	2	–	–
Joint Disease	7	12	7	3	10	4	5	5	9	4	2	1	–	–	–	–
Carbuncle	2	1	–	1	2	3	2	4	5	5	–	1	–	–	–	–
Phlegmon	–	1	3	1	1	2	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	1	–	–	–	2	–	1	1	–	–	–	–	–	–
Intemperance	22	26	35	29	33	19	23	14	5	4	–	–	–	–	–	–
Privation	–	–	1	–	1	–	–	1	1	–	–	1	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	5	5	4	4	7	3	5	5	4	5	1	–	–	–	–
Poison	3	3	1	3	2	5	3	5	2	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	9	3	8	7	7	7	7	9	9	9	9	3	–	–	–	–
Hanging, etc.	6	5	8	7	5	4	5	2	3	3	–	–	–	–	–	–
Suffocation	8	5	7	9	13	5	6	3	2	2	1	1	–	–	–	–
Drowning	41	53	43	37	43	21	25	12	16	5	2	–	–	–	–	23
Fracture and Contusion	92	58	70	84	67	60	58	42	42	23	22	10	4	–	–	1
Gunshot Wounds	3	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	3	6	2	3	1	1	2	2	1	–	1	–	–	–	–
Other Violent Causes	14	12	9	13	12	7	12	10	8	8	4	3	2	–	–	1
Not specified	35	40	43	41	50	71	1	1	1	1	–	–	–	–	–	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	40678	4443	1617	2632	3388	1831	1297	982	2537	1097	1307	1483	1304
SPECIFIED CAUSES	39871	4079	1547	2571	3339	1808	1283	969	2504	1083	1300	1467	1287
I. Zymotic Class	9359	500	407	769	1402	1009	813	641	1436	417	328	289	215
II. Diseases of Uncertain Seat	1158	30	8	12	22	16	14	14	37	20	16	21	29
III. Tubercular Class	5485	136	183	368	497	239	142	94	362	241	458	623	497
IV. Brain and Nervous System	3886	298	133	225	198	102	74	44	178	109	86	68	82
V. Organs of Circulation	2237	17	2	1	3	2	5	5	36	39	38	49	52
VI. Respiratory Organs	7059	583	482	761	771	293	136	111	197	80	96	127	135
VII. Organs of Digestion	2674	340	166	302	308	59	35	15	65	40	59	55	50
VIII. Urinary Organs	906	5	1	3	11	16	10	13	48	20	27	31	18
IX. Organs of Generation	2	1	–	–		–	–	–	–	–	–	–	–
X. Organs of Locomotion	249	–	–	1	4	2	5	1	24	30	28	18	12
XI. Skin, etc.	51	3	4	9	5	1	2	–	–	2	1	2	–
XII. Malformation	161	129	16	6	5	1	1	–	1	–	1	1	–
XIII. Premature Debility	2070	1870	109	91	–	–	–	–	–	–	–	–	–
XIV. Atrophy	212	–	–	–	69	22	13	8	17	7	3	4	3
XV. Age	2054	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	60	7	2	1	2	–	–	1	3	–	–	2	1
XVII. Violent Deaths	2248	160	34	22	42	46	33	22	100	78	159	177	193
I. Small-pox	742	50	33	15	13	11	6	14	53	60	106	120	90
Measles	586	7	14	100	241	90	50	25	43	4	2	2	2
Scarlatina	3265	25	32	161	441	517	472	391	937	193	37	17	17
Diphtheria	560	13	10	37	102	74	77	58	116	32	14	5	2
Hooping-cough	745	60	63	178	234	98	54	27	31	–	–	–	–
Croup	597	21	25	58	138	117	90	74	70	1	–	–	–
Thrush	15	10	2	2	1	–	–	–	–	–	–	–	–
Diarrhœa	960	204	162	156	160	34	22	12	17	5	3	5	3
Dysentery	133	6	10	12	13	3	2	1	5	1	–	1	6
Cholera	48	3	5	8	4	1	3	1	6	1	–	1	–
Influenza	64	5	2	4	1	2	1	–	2	2	2	–	–
Purpura	34	1	–	1	2	1	–	3	7	1	2	1	1
Ague	6	–	–	–	–	–	–	–	–	–	–	–	1
Worms	4	1	–	–	–	1	2	–	–	–	–	–	–
Typhus	375	2	2	5	8	6	3	6	27	21	34	38	33
Enteric Fever	704	1	4	12	25	36	19	24	93	74	102	82	32
Relapsing Fever	14	1	–	–	–	–	–	–	2	4	2	–	3
Simple Continued Fever	56	1	–	3	3	3	5	2	7	6	5	2	1
Infantile Remittent	34	4	4	2	6	10	5	–	3	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	77	–	–	–	–	1	–	1	11	5	8	4	9
Erysipelas	184	43	6	5	5	2	2	1	4	2	2	7	6
Pyæmia	50	4	–	2	1	–	–	–	2	4	9	3	5
Syphilis	99	38	32	8	2	2	–	–	–	–	–	1	4
Noma	6	–	1	–	2	–	–	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	48	7	1	1	–	1	–	1	2	–	2	2	4
Dropsy	297	5	–	1	6	10	11	9	25	11	7	4	7
Abscess	131	9	3	8	9	1	–	2	7	5	6	7	8
Ulcer	39	3	1	1	2	1	–	–	–	–	–	1	–
Fistula	10	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	71	4	3	–	2	1	–	1	1	1	–	2	–
Cancer	552	2	–	1	3	2	3	1	2	3	1	4	10
Gout	10	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	398	22	11	18	40	17	13	7	47	51	40	37	25
Tabes Mesenterica	511	41	41	73	123	64	26	19	61	23	13	11	2
Phthisis	3627	10	40	54	93	53	36	29	134	167	405	575	470
Hydrocephalus	949	63	91	223	241	105	67	39	120	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1172	1181	1283	1330	1496	1535	1703	1691	1998	1469	1107	545	171	34	2	43
SPECIFIED CAUSES	1162	1165	1262	1312	1475	1500	1703	1690	1997	1469	1107	545	171	34	2	40
Zymotic Class	152	135	123	111	117	81	103	82	80	68	44	30	5	–	–	2
Uncertain Seat	34	43	60	81	90	109	128	113	131	71	43	13	3	–	–	–
Tubercular Class	369	283	250	204	185	149	95	55	36	8	6	–	–	–	–	5
Brain, etc.	80	112	125	142	171	225	278	300	380	262	141	57	14	–	–	2
Heart, etc.	92	108	149	153	185	191	270	266	287	165	94	18	7	1	–	2
Respiratory Organs	143	201	245	272	365	395	393	405	361	274	164	51	13	2	–	3
Digestive Organs	56	82	100	119	138	137	127	133	142	71	52	16	6	–	–	1
Urinary Organs	42	49	36	45	53	50	71	84	117	84	48	21	3	–	–	–
Generative Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	8	12	15	12	9	12	5	12	16	11	10	1	–	1	–	–
Skin	–	1	2	1	1	3	3	3	3	4	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	–	5	7	14	37	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	120	165	380	417	492	329	119	30	2	–
Sudden Deaths	6	–	4	5	4	6	6	4	3	–	2	1	–	–	–	–
Violent Deaths	177	139	148	159	143	105	104	68	61	34	11	7	1	–	–	25
Small-pox	58	43	28	17	9	8	4	3	–	–	–	–	–	–	–	1
Measles	2	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–
Scarlatina	7	7	1	3	1	3	1	1	1	–	–	–	–	–	–	–
Diphtheria	–	3	2	5	1	2	1	3	2	–	1	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	4	5	7	9	11	27	22	27	24	22	14	2	–	–	–
Dysentery	3	1	6	7	5	9	5	8	11	12	3	3	–	–	–	–
Cholera	2	1	1	1	2	–	3	1	2	1	–	1	–	–	–	–
Influenza	2	1	–	1	2	2	6	3	8	6	8	2	2	–	–	–
Purpura	–	2	1	4	2	1	1	1	1	1	–	–	–	–	–	–
Ague	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	23	29	19	36	17	19	5	5	6	2	2	–	–	–	1
Enteric Fever	30	31	27	27	31	10	15	10	7	8	2	2	–	–	–	–
Relapsing Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	1	3	2	4	2	4	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	10	5	4	4	2	–	6	3	2	1	–	–	1	–	–	–
Erysipelas	7	5	10	11	8	14	7	15	8	5	4	5	–	–	–	–
Pyæmia	1	2	3	2	5	1	1	2	3	–	–	–	–	–	–	–
Syphilis	–	4	3	1	1	–	1	1	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	1	7	6	1	4	–	3	1	–	–	–	–	–	–
Dropsy	6	10	11	14	11	15	28	20	42	22	12	7	3	–	–	–
Abscess	7	9	10	7	7	4	4	6	5	3	4	–	–	–	–	–
Ulcer	1	–	2	1	3	3	4	3	3	4	6	–	–	–	–	–
Fistula	–	–	3	3	–	1	2	–	–	–	–	–	–	–	–	–
Mortification	1	2	5	3	3	3	6	12	9	6	5	1	–	–	–	–
Cancer	17	20	28	46	59	80	79	70	65	35	16	5	–	–	–	–
Gout	–	–	–	–	1	2	1	2	4	–	–	–	–	–	–	–
Scrofula	16	8	11	12	4	7	3	3	3	1	2	–	–	–	–	–
Tabes Mesenterica	2	5	1	1	–	1	1	–	3	–	–	–	–	–	–	–
Phthisis	351	270	238	191	181	141	91	52	30	7	4	–	–	–	–	5
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	524	20	30	72	67	31	35	12	67	56	31	18	15
Apoplexy	903	22	11	27	23	15	7	5	24	12	12	17	15
Paralysis	1029	2	–	1	2	–	1	1	7	2	6	9	15
Delirium Tremens	58	–	–	–	–	–	–	–	–	–	1	4	6
Chorea	4	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	135	–	2	2	1	–	–	–	7	10	14	6	10
Tetanus	49	23	2	1	–	2	1	–	2	6	4	2	1
Insanity	18	–	–	–	–	–	–	–	–	–	–	2	2
Convulsions	590	223	76	102	81	40	25	12	31	–	–	–	–
Brain Disease	576	8	12	20	24	14	5	14	39	23	18	10	18
V. Pericarditis	52	–	–	–	–	–	1	1	8	7	5	3	2
Aneurism	89	–	–	–	–	–	–	–	–	3	1	–	2
Heart Disease	2096	17	2	1	3	2	4	4	28	29	32	46	48
VI. Laryngitis	111	6	8	15	9	13	10	–	5	2	4	5	3
Bronchitis	4280	437	382	574	597	202	85	67	106	29	21	17	34
Pleurisy	181	7	2	1	5	2	1	5	6	8	15	18	6
Pneumonia	2068	120	86	169	156	68	37	36	71	35	52	83	84
Asthma	266	1	–	–	1	1	–	2	2	–	1	–	4
Lung Disease	153	12	4	2	3	7	3	1	7	6	3	4	4
VII. Teething	437	3	29	169	210	24	2	–	–	–	–	–	–
Quinsey	36	7	–	6	6	5	2	–	3	–	–	–	–
Gastritis	113	20	13	5	10	1	1	–	2	2	1	3	3
Enteritis	500	127	65	69	43	14	11	7	16	12	15	11	8
Peritonitis	188	7	13	8	6	2	8	2	13	10	18	7	6
Ascites	33	2	–	–	–	–	–	2	6	1	–	2	–
Ulceration of Intestines	103	4	–	3	2	1	–	–	1	2	6	6	6
Hernia	56	5	2	–	1	–	1	–	1	1	–	1	3
Ileus	128	22	5	4	3	–	1	2	3	3	4	3	4
Intussusception	39	2	5	6	1	2	–	–	2	–	3	1	2
Stricture of Intestines	9	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	396	77	22	27	20	6	6	2	13	5	3	4	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	100	4	5	2	–	1	1	–	2	1	2	6	3
Jaundice	116	44	1	1	4	2	–	–	1	–	–	–	–
Liver Disease	407	15	5	2	2	1	1	–	2	3	6	11	9
Spleen Disease	12	–	1	–	–	–	1	–	–	–	1	–	–
VIII. Nephritis	110	1	–	2	9	6	5	7	19	6	4	3	3
Nephria	207	–	1	–	–	4	3	5	12	2	9	10	10
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	56	3	–	–	–	–	1	–	–	–	–	2	–
Diabetes	74	–	–	–	–	–	–	–	2	2	4	9	2
Stone	56	–	–	–	–	–	–	–	–	1	–	1	–
Cystitis	88	–	–	–	–	–	–	–	1	1	1	1	–
Stricture of Urethra	13	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	300	1	–	1	2	6	1	1	14	8	9	5	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	43	–	–	–	2	–	–	–	8	8	5	4	5
Rheumatism	90	–	–	–	–	1	–	–	3	5	3	2	1
Joint Disease	116	–	–	1	2	1	5	1	13	17	20	12	6
XI. Carbuncle	21	–	2	1	1	–	–	–	–	–	–	–	–
Phlegmon	7	–	–	–	–	–	1	–	–	–	1	2	–
Skin Disease	23	3	2	8	4	1	1	–	–	2	–	–	–
XVII. Intemperance	153	–	–	–	–	–	–	–	–	–	3	4	15
Privation	9	3	–	2	–	–	–	–	–	–	–	–	–
Want of Breast Milk	77	54	15	6	2	–	–	–	–	–	–	–	–
Neglect	2	–	1	1	–	–	–	–	–	–	–	–	–
Cold	42	2	–	–	1	–	–	–	–	2	2	2	2
Poison	30	2	–	1	–	1	–	1	2	1	1	1	3
Poisoned Wounds	4	–	–	–	–	–	1	–	1	–	–	–	–
Burns and Scalds	149	2	2	6	22	25	15	8	16	3	8	3	5
Hanging, etc.	37	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	160	82	16	6	3	–	1	1	3	1	6	5	2
Drowning	536	3	–	–	10	12	4	2	28	22	55	65	61
Fracture and Contusion	849	1	–	–	4	5	10	8	46	35	67	84	81
Gunshot Wounds	16	–	–	–	–	–	–	–	–	3	4	1	1
Cuts and Stabs	28	–	–	–	–	1	–	–	–	–	1	2	6
Other Violent Causes	156	11	–	–	–	2	2	2	4	11	12	9	15
Not specified	807	364	70	61	49	23	14	13	33	14	7	16	17

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	17	7	9	8	4	7	9	2	5	1	1	–	–	–	–	–
Apoplexy	13	28	32	46	61	85	88	112	121	71	41	8	6	–	–	1
Paralysis	19	29	29	49	60	79	112	126	189	155	87	41	7	–	–	1
Delirium Tremens	2	12	6	6	6	5	5	2	1	2	–	–	–	–	–	–
Chorea	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	11	9	11	7	9	5	7	9	11	2	1	1	–	–	–	–
Tetanus	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Insanity	1	2	–	2	2	–	1	2	–	2	–	2	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	24	36	23	29	44	53	47	53	29	11	5	1	–	–	–
Pericarditis	5	1	8	5	1	1	2	1	1	–	–	–	–	–	–	–
Aneurism	6	19	9	15	12	4	7	5	6	–	–	–	–	–	–	–
Heart Disease	81	88	132	133	172	186	261	260	280	165	94	18	7	1	–	2
Laryngitis	2	3	6	5	4	–	2	4	1	3	–	1	–	–	–	–
Bronchitis	42	67	100	113	173	207	232	239	217	168	120	39	9	–	–	3
Pleurisy	7	6	12	15	8	12	15	10	10	5	4	1	–	–	–	–
Pneumonia	77	105	103	108	130	138	100	107	89	70	30	8	4	2	–	–
Asthma	9	11	19	23	34	28	35	30	33	23	7	2	–	–	–	–
Lung Disease	6	9	5	8	16	10	9	15	11	5	3	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	1	2	–	1	–	1	–	–	–	–	–
Gastritis	2	3	5	7	7	8	4	5	8	1	1	–	1	–	–	–
Enteritis	9	7	8	11	15	8	10	11	10	6	3	1	3	–	–	–
Peritonitis	9	10	7	10	8	11	11	6	8	5	2	1	–	–	–	–
Ascites	2	–	2	3	1	3	1	2	3	2	–	–	–	–	–	1
Ulceration of Intestines	4	8	7	7	9	8	8	7	11	2	1	–	–	–	–	–
Hernia	1	–	1	3	6	5	2	5	9	6	2	1	–	–	–	–
Ileus	3	8	5	5	9	7	5	8	12	7	3	1	1	–	–	–
Intussusception	–	2	1	3	–	1	2	4	1	1	–	–	–	–	–	–
Stricture of Intestines	–	1	1	1	–	1	–	2	2	–	–	–	–	–	–	–
Stomach Disease	6	3	19	20	22	18	19	30	28	22	13	5	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	3	5	4	8	10	11	11	5	6	5	5	–	–	–	–	–
Jaundice	2	2	1	6	5	6	5	7	10	4	9	5	1	–	–	–
Liver Disease	14	31	38	32	45	49	47	39	32	10	11	2	–	–	–	–
Spleen Disease	–	2	1	2	1	–	–	2	1	–	–	–	–	–	–	–
Nephritis	5	4	4	6	6	4	2	5	4	2	2	1	–	–	–	–
Nephria	14	22	18	17	22	11	21	9	13	3	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Ischuria	1	1	1	1	2	1	2	6	11	11	12	1	–	–	–	–
Diabetes	10	10	4	5	4	4	6	5	6	–	1	–	–	–	–	–
Stone	2	1	1	–	–	4	6	9	13	11	3	4	–	–	–	–
Cystitis	–	1	–	2	4	–	8	14	21	18	8	7	1	–	–	–
Stricture of Urethra	–	1	1	2	1	5	–	–	3	–	–	–	–	–	–	–
Kidney Disease	10	9	7	12	14	21	26	36	44	39	21	8	2	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	2	–	3	–	3	–	–	–	–	1	1	–	–	–	–
Rheumatism	4	3	10	6	6	5	4	9	12	8	7	–	–	1	–	–
Joint Disease	3	7	5	3	3	4	1	3	4	3	2	–	–	–	–	–
Carbuncle	–	1	–	1	1	2	1	3	3	4	–	1	–	–	–	–
Phlegmon	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	14	17	19	19	19	15	14	9	3	2	–	–	–	–	–	–
Privation	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	3	3	3	2	6	2	2	3	2	2	1	–	–	–	–
Poison	2	2	–	1	2	4	2	2	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	8	3	3	2	6	4	3	–	3	1	1	–	–	–	–	–
Hanging, etc.	5	3	5	4	3	3	3	2	3	3	–	–	–	–	–	–
Suffocation	4	4	3	6	7	2	5	2	1	–	–	–	–	–	–	–
Drowning	38	44	39	33	35	13	23	7	12	5	2	–	–	–	–	23
Fracture and Contusion	87	51	62	75	56	52	42	34	28	13	5	2	–	–	–	1
Gunshot Wounds	2	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	2	4	2	1	1	1	1	2	–	–	1	–	–	–	–
Other Violent Causes	12	9	7	12	11	5	8	7	5	7	1	2	1	–	–	1
Not specified	10	16	21	18	21	35	–	1	1	–	–	–	–	–	–	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	40042	3263	1311	2181	3014	1710	1236	918	2374	1110	1257	1477	1427
SPECIFIED CAUSES	39310	3018	1248	2118	2966	1683	1219	909	2339	1097	1245	1461	1408
I. Zymotic Class	9496	404	369	711	1331	974	814	621	1456	486	297	292	274
II. Diseases of Uncer. Seat	1741	27	3	16	9	10	9	13	22	17	17	24	29
III. Tubercular Class	5818	71	150	289	417	234	146	92	359	308	624	693	600
IV. Brain and Nervous Sys.	3371	199	102	117	161	80	55	40	122	82	60	74	63
V. Organs of Circulation	2174	8	4	6	3	1	2	3	24	41	41	59	67
VI. Respiratory Organs	6292	417	315	635	672	268	128	86	187	64	72	80	89
VII. Organs of Digestion	2581	246	114	224	243	49	22	14	62	34	55	83	72
VIII. Urinary Organs	482	1	1	1	8	10	7	6	21	13	15	36	30
IX. Organs of Generation	654	1	–	1	–	1	–	–	–	–	29	82	144
X. Organs of Locomotion	274	2	1	2	4	6	2	3	22	26	20	10	7
XI. Skin, etc.	51	8	6	6	4	2	1	–	1	–	1	1	2
XII. Malformation	120	95	13	4	3	2	–	–	2	1	–	–	–
XIII. Premature Debility	1604	1410	116	78	–	–	–	–	–	–	–	–	–
XIV. Atrophy	264	–	–	–	67	19	11	8	14	6	3	4	4
XV. Age	3489	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	44	5	3	1	3	–	–	–	–	2	–	–	2
XVII. Violent Deaths	855	124	51	27	41	27	22	23	47	17	11	23	25
I. Small-pox	504	51	43	14	12	8	9	12	40	73	52	47	43
Measles	517	5	10	80	183	87	51	30	53	7	5	1	2
Scarlatina	3056	13	25	133	396	463	460	370	878	179	61	32	17
Diphtheria	603	13	3	23	80	76	83	79	164	39	9	6	4
Hooping-cough	945	51	91	197	289	156	67	42	49	1	–	–	–
Croup	474	15	9	39	135	88	73	41	67	7	–	–	–
Thrush	9	6	2	–	1	–	–	–	–	–	–	–	–
Diarrhœa	1106	165	139	180	168	40	15	9	22	11	6	9	6
Dysentery	132	3	9	2	2	3	1	1	1	1	–	2	–
Cholera	38	3	5	5	2	3	2	1	5	1	1	2	2
Influenza	78	3	–	7	1	2	1	–	8	1	4	1	–
Purpura	30	–	1	–	–	–	2	–	2	3	5	2	2
Ague	3	–	–	–	–	–	–	–	1	–	–	–	–
Worms	8	–	1	–	1	1	2	1	2	–	–	–	–
Typhus	351	–	1	4	4	5	9	5	24	35	37	30	26
Enteric Fever	751	–	1	6	21	30	26	24	109	101	81	59	49
Relapsing Fever	13	–	–	–	–	–	–	–	–	5	2	1	1
Simple Cont. Fever	48	2	–	1	3	–	4	–	11	6	–	3	1
Infantile Remittent	46	3	3	2	10	8	6	6	8	–	–	–	–
Metria	378	–	–	–	–	–	–	–	–	–	20	83	106
Rheumatic Fever	67	–	–	–	–	1	1	–	6	11	9	3	4
Erysipelas	181	38	3	7	7	–	1	–	2	2	3	6	4
Pyæmia	52	–	–	2	2	1	–	–	4	3	2	4	6
Syphilis	94	31	23	9	8	2	–	–	–	–	–	1	–
Noma	7	1	–	–	4	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	5	1	–	–	2	–	–	–	–	–	–	–	1
II. Hæmorrhage	41	10	–	2	–	1	–	–	–	1	–	2	3
Dropsy	354	1	–	4	3	7	7	9	16	9	6	8	7
Abscess	105	11	1	5	1	–	–	3	5	3	8	11	4
Ulcer	54	2	2	3	1	1	–	–	–	1	–	–	1
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	78	1	–	–	3	–	–	–	–	–	1	–	–
Cancer	1094	2	–	2	1	1	2	1	1	3	2	3	14
Gout	9	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	293	7	8	23	33	17	13	5	30	38	25	18	18
Tabes Mesenterica	451	24	28	53	112	49	35	13	57	22	15	10	10
Phthisis	4246	10	31	32	82	46	33	30	162	246	584	664	572
Hydrocephalus	828	30	83	181	190	122	65	44	110	2	–	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874. – FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1306	1308	1300	1253	1434	1400	1823	1760	2353	1894	1627	873	306	92	17	18
SPECIFIED CAUSES	1281	1284	1278	1230	1405	1364	1822	1760	2353	1893	1627	873	306	92	17	14
Zymotic Class	219	202	146	105	111	93	117	108	143	95	75	36	11	2	1	3
Uncertain Seat	52	67	137	146	169	166	204	162	190	124	71	37	15	3	1	1
Tubercular Class	445	377	324	244	169	111	70	43	25	14	8	2	1	–	–	2
Brain, etc.	63	82	84	130	179	203	269	288	359	280	186	70	16	3	1	3
Heart, etc.	105	104	120	125	165	190	244	245	278	194	103	32	7	2	–	1
Respiratory Organs	114	136	196	218	302	319	433	409	472	339	232	87	16	4	1	1
Digestive Organs	95	111	109	127	147	134	163	136	170	101	47	17	3	2	–	1
Urinary Organs	34	39	28	39	33	27	36	28	34	17	11	6	1	–	–	–
Generative Organs	108	100	69	34	25	14	16	14	8	4	3	1	–	–	–	–
Locomotive Organs	8	17	8	5	18	12	27	17	26	17	10	3	–	1	–	–
Skin	2	2	2	1	2	2	2	1	3	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	9	5	17	33	58	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	199	267	607	678	849	568	231	75	13	2
Sudden Deaths	1	3	3	1	3	4	2	4	4	2	–	1	–	–	–	–
Violent Deaths	29	35	47	38	49	31	40	38	34	26	32	13	5	–	–	–
Small-pox	26	34	9	9	9	5	3	3	2	–	–	–	–	–	–	–
Measles	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	11	4	–	1	1	1	1	–	1	–	–	–	–	–	–
Diphtheria	5	5	3	2	4	3	–	–	1	–	–	–	–	–	–	1
Hooping-cough	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	13	16	14	16	25	41	34	49	48	42	23	7	–	1	–
Dysentery	1	3	5	4	5	7	13	12	24	16	10	5	1	1	–	–
Cholera	–	2	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Influenza	–	2	1	–	1	3	6	6	13	9	3	4	2	–	–	–
Purpura	1	2	4	–	3	–	1	1	1	–	–	–	–	–	–	–
Ague	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	22	19	30	25	16	13	11	8	4	3	–	–	–	–	–
Enteric Fever	38	29	28	30	22	23	22	16	22	7	6	1	–	–	–	–
Relapsing Fever	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	2	1	3	1	3	1	2	–	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	80	60	26	–	2	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	2	7	5	3	4	1	1	4	4	1	–	–	–	–	–	–
Erysipelas	9	5	14	8	9	5	9	15	14	9	6	2	1	1	–	1
Pyæmia	13	3	3	3	2	–	2	–	–	–	1	1	–	–	–	–
Syphilis	4	2	4	1	3	2	1	2	1	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	6	4	1	1	–	2	–	3	1	1	–	–	–	–	–
Dropsy	13	11	20	15	22	21	40	29	43	30	17	11	4	1	–	–
Abscess	5	2	11	5	6	1	4	2	8	6	1	2	–	–	–	–
Ulcer	–	1	3	2	3	4	2	6	9	6	4	1	1	–	1	–
Fistula	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Mortification	–	–	–	3	3	6	9	11	17	10	5	4	5	–	–	–
Cancer	29	45	98	120	134	134	146	111	109	69	42	18	5	2	–	–
Gout	–	–	1	–	–	–	1	3	1	2	1	–	–	–	–	–
Scrofula	13	5	11	6	5	7	3	4	–	3	1	–	–	–	–	–
Tabes Mesenterica	6	4	4	1	4	–	1	–	1	–	2	–	–	–	–	–
Phthisis	426	368	309	237	160	104	66	39	24	11	5	2	1	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	353	15	21	37	46	28	20	15	42	42	19	19	11
Apoplexy	889	15	8	13	21	8	10	9	23	9	9	15	16
Paralysis	1004	–	1	1	4	–	1	1	8	5	3	6	5
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	8	–	–	–	–	–	1	–	–	6	–	–	–
Epilepsy	119	3	1	2	1	1	–	1	1	6	12	14	8
Tetanus	17	5	1	–	–	–	–	1	–	–	1	2	1
Insanity	49	–	–	–	–	–	–	–	–	–	2	2	4
Convulsions	411	153	59	50	68	32	15	8	26	–	–	–	–
Brain Disease	507	8	11	14	21	11	8	5	22	14	14	16	17
V. Pericarditis	52	1	–	–	–	–	–	1	5	1	4	3	5
Aneurism	24	–	–	–	–	–	–	–	–	1	–	1	–
Heart Disease	2098	7	4	6	3	1	2	2	19	39	37	55	62
VI. Laryngitis	97	4	3	5	12	10	8	6	12	1	4	2	1
Bronchitis	4387	315	251	499	510	201	80	49	105	30	25	33	38
Pleurisy	106	6	–	1	3	2	2	3	6	4	7	4	4
Pneumonia	1372	83	58	125	140	54	35	26	61	26	33	33	40
Asthma	208	1	–	1	1	–	–	–	–	–	–	1	3
Lung Disease	122	8	3	4	6	1	3	2	3	3	3	7	3
VII. Teething	345	4	21	139	159	20	1	1	–	–	–	–	–
Quinsey	43	5	4	5	6	4	1	1	2	4	–	2	–
Gastritis	114	16	8	5	10	1	4	2	3	–	4	3	4
Enteritis	426	105	41	43	38	13	8	8	24	11	10	11	7
Peritonitis	294	9	7	3	8	2	2	1	9	5	18	37	25
Ascites	47	1	–	–	–	–	1	–	3	1	2	–	2
Ulceration of Intestines	104	2	–	2	5	2	–	–	1	–	1	6	4
Hernia	62	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	138	16	7	4	2	–	1	1	2	2	2	–	5
Intussusception	21	1	1	1	–	–	–	–	2	2	–	–	1
Stricture of Intestines	12	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	367	43	19	17	10	2	1	–	9	4	9	11	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	130	5	3	1	1	2	1	–	1	2	–	5	3
Jaundice	118	26	2	–	–	3	1	–	–	1	1	1	1
Liver Disease	352	11	1	4	3	–	1	–	5	2	7	7	9
Spleen Disease	8	–	–	–	1	–	–	–	1	–	1	–	2
VIII. Nephritis	57	–	1	1	4	3	8	2	7	2	2	2	4
Nephria	207	–	–	–	2	3	1	1	7	6	7	17	17
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	–	–	–	–	–	1	–	–	1
Diabetes	37	–	–	–	–	–	–	–	–	2	1	7	2
Stone	8	1	–	–	–	–	1	–	–	–	–	–	–
Cystitis	16	–	–	–	1	2	–	1	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	145	–	–	–	1	2	2	2	7	2	5	10	5
IX. Paramenia	19	–	–	–	–	–	–	–	–	–	2	5	4
Ovarian Dropsy	92	–	–	–	–	–	–	–	–	–	1	5	6
Childbirth	442	–	–	–	–	–	–	–	–	–	23	66	123
Organs of Generation	101	1	–	1	–	1	–	–	–	–	3	6	11
X. Bone Disease	32	1	–	–	–	1	–	1	2	5	5	–	–
Rheumatism	135	–	–	–	–	–	–	–	2	4	2	2	4
Joint Disease	107	1	1	2	4	5	2	2	18	17	13	8	3
XI. Carbuncle	10	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	12	2	–	–	1	–	–	–	–	–	–	1	2
Skin Disease	29	6	6	5	3	2	1	–	1	–	1	–	–
XVII. Intemperance	81	–	–	–	–	–	–	–	–	–	–	–	2
Privation	4	–	1	–	–	–	1	–	1	–	–	–	–
Want of Breast Milk	57	39	11	7	–	–	–	–	–	–	–	–	–
Neglect	4	2	1	–	–	1	–	–	–	–	–	–	–
Cold	29	2	3	1	1	1	–	–	–	–	–	–	1
Poison	21	1	–	–	1	2	–	–	2	1	–	1	2
Poisoned Wounds	2	–	–	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	143	–	–	7	20	12	15	11	16	5	1	–	3
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	152	73	34	10	1	–	–	–	1	1	2	–	2
Drowning	107	1	–	1	10	7	1	3	12	3	3	13	6
Fracture and Contusion	182	2	1	1	8	3	5	8	12	5	4	4	4
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	11	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	43	4	–	–	–	1	–	–	3	2	1	2	3
Not specified	732	245	63	63	48	27	17	9	35	13	12	16	19

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	4	3	3	6	3	6	3	4	–	–	–	–	–	–	–
Apoplexy	14	32	30	47	76	80	98	86	107	83	48	21	9	1	1	–
Paralysis	10	14	21	25	55	69	119	146	176	165	116	43	7	2	–	1
Delirium Tremens	1	2	1	5	2	–	–	–	1	1	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	6	7	11	6	11	3	6	7	–	2	–	–	–	–	–
Tetanus	–	–	–	2	–	2	–	1	1	–	–	–	–	–	–	–
Insanity	2	4	5	4	–	7	7	4	4	3	–	–	–	–	–	1
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	19	20	17	33	34	31	36	42	59	28	20	6	–	–	–	1
Pericarditis	5	1	2	–	5	5	4	5	3	2	–	–	–	–	–	–
Aneurism	2	2	3	1	2	3	2	3	1	1	2	–	–	–	–	–
Heart Disease	98	101	115	124	158	182	238	237	274	191	101	32	7	2	–	1
Laryngitis	5	4	1	3	2	1	4	1	3	2	3	–	–	–	–	–
Bronchitis	48	68	111	143	193	215	296	305	333	253	194	72	16	4	–	–
Pleurisy	6	4	6	3	7	5	7	4	11	8	3	–	–	–	–	–
Pneumonia	47	48	62	45	73	67	89	64	82	55	17	8	–	–	1	–
Asthma	3	8	12	13	20	17	29	27	38	18	10	5	–	–	–	1
Lung Disease	5	4	4	11	7	14	8	8	5	3	5	2	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	4	–	1	–	–	–	–	1	2	1	–	–	–	–	–	–
Gastritis	3	10	4	1	9	2	9	3	10	2	1	–	–	–	–	–
Enteritis	9	10	5	16	14	7	9	9	11	9	5	2	1	–	–	–
Peritonitis	32	29	13	22	14	13	11	8	14	5	3	3	–	1	–	–
Ascites	1	1	1	3	7	4	4	5	2	6	2	1	–	–	–	–
Ulceration of Intestines	9	9	5	15	7	8	7	6	7	5	1	2	–	–	–	–
Hernia	2	1	6	6	4	6	6	9	6	5	8	–	–	1	–	–
Ileus	2	4	9	10	4	14	8	16	12	11	4	1	1	–	–	–
Intussusception	–	2	1	–	3	–	3	2	1	1	–	–	–	–	–	–
Stricture of Intestines	–	–	2	–	2	2	1	1	2	1	1	–	–	–	–	–
Stomach Disease	6	16	16	15	28	24	32	28	27	26	8	5	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	10	11	5	19	10	10	11	14	6	2	–	–	–	–	–
Jaundice	1	4	7	8	2	10	11	10	14	7	8	–	–	–	–	–
Liver Disease	18	15	28	26	33	34	52	25	48	16	4	3	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Nephritis	5	1	5	3	2	1	5	1	1	–	1	1	–	–	–	–
Nephria	18	19	12	21	13	12	15	18	10	3	4	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	3	–	1	1	–	1	1	–	1	1	–	–	–	–	–
Diabetes	3	3	4	4	3	2	–	1	3	–	2	–	–	–	–	–
Stone	–	–	–	1	–	2	–	1	1	–	1	–	–	–	–	–
Cystitis	2	1	–	–	1	1	2	–	2	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	12	7	9	13	9	13	5	17	12	2	3	1	–	–	–
Paramenia	1	1	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	5	8	12	12	7	11	9	3	2	2	1	–	–	–	–
Childbirth	90	84	45	9	2	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	9	10	14	10	10	7	5	5	5	2	1	–	–	–	–	–
Bone Disease	1	4	2	–	1	1	2	3	–	2	1	–	–	–	–	–
Rheumatism	3	8	4	5	10	11	21	12	21	14	9	2	–	1	–	–
Joint Disease	4	5	2	–	7	–	4	2	5	1	–	1	–	–	–	–
Carbuncle	2	–	–	–	1	1	1	1	2	1	–	–	–	–	–	–
Phlegmon	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Intemperance	8	9	16	10	14	4	9	5	2	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	2	2	1	2	1	1	3	2	2	3	–	–	–	–	–
Poison	1	1	1	2	–	1	1	3	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	5	5	1	3	4	9	6	8	8	3	–	–	–	–
Hanging, etc.	1	2	3	3	2	1	2	–	–	–	–	–	–	–	–	–
Suffocation	4	1	4	3	6	3	1	1	1	2	1	1	–	–	–	–
Drowning	3	9	4	4	8	8	2	5	4	–	–	–	–	–	–	–
Fracture and Contusion	5	7	8	9	11	8	16	8	14	10	17	8	4	–	–	–
Gunshot Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	1	2	–	2	–	–	1	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	2	1	1	2	4	3	3	1	3	1	1	–	–	–
Not specified	25	24	22	23	29	36	1	–	–	1	–	–	–	–	–	4

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	32124	2995	1252	2208	3138	1790	1222	920	2220	835	957	1149	1141
SPECIFIED CAUSES	31980	2951	1237	2192	3130	1786	1220	914	2206	834	957	1148	1139
I. Zymotic Class	8253	390	363	706	1345	979	769	608	1276	327	220	220	193
II. Diseases of Uncertain Seat	1047	25	6	15	17	17	14	15	33	16	12	26	31
III. Tubercular Class	4834	88	134	285	433	271	152	103	344	205	415	489	430
IV. Brain and Nervous System	2825	226	114	163	196	97	72	31	129	70	53	60	64
V. Organs of Circulation	1609	3	1	1	1	2	2	4	24	37	35	51	61
VI. Respiratory Organs	6411	434	377	701	794	323	146	101	202	72	71	100	115
VII. Organs of Digestion	1836	236	92	200	233	45	18	15	54	20	40	61	44
VIII. Urinary Organs	514	1	–	2	7	10	8	11	37	18	23	26	25
IX. Organs of Generation	236	2	–	–	–	1	–	–	–	–	9	28	68
X. Organs of Locomotion	196	1	–	2	7	4	4	4	19	26	21	11	10
XI. Skin, etc.	37	3	5	5	5	–	–	–	–	2	2	2	1
XII. Malformation	85	69	11	1	2	1	–	–	1	–	–	–	–
XIII. Premature Debility	1508	1336	92	80	–	–	–	–	–	–	–	–	–
XIV. Atrophy	208	–	–	–	59	15	13	6	15	5	3	2	5
XV. Age	1098	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	52	7	2	1	1	–	–	–	1	2	–	2	1
XVII. Violent Deaths	1231	130	40	30	30	21	22	16	71	34	53	70	91
I. Small-pox	356	25	24	9	5	6	6	11	32	27	49	54	51
Measles	471	4	10	86	184	81	45	22	30	3	2	1	1
Scarlatina	3358	16	29	158	458	544	505	421	937	187	47	22	16
Diphtheria	308	8	3	16	63	49	39	41	62	12	4	2	1
Hooping-cough	948	40	80	201	307	157	72	43	47	1	–	–	–
Croup	358	10	13	45	110	60	50	31	34	5	–	–	–
Thrush	15	9	4	1	1	–	–	–	–	–	–	–	–
Diarrhœa	951	199	149	155	173	34	20	14	16	10	3	8	5
Dysentery	79	3	5	3	5	1	–	1	3	1	–	2	4
Cholera	30	2	5	4	–	2	2	1	5	1	–	1	1
Influenza	28	–	–	4	–	2	1	–	2	–	2	–	–
Purpura	20	–	–	–	–	–	2	1	1	2	3	2	–
Ague	7	–	–	–	–	–	–	–	–	–	–	–	1
Worms	2	–	–	–	–	–	2	–	–	–	–	–	–
Typhus	372	2	1	–	3	6	5	4	24	20	38	33	35
Enteric Fever	424	–	–	6	14	24	13	14	65	48	49	56	23
Relapsing Fever	10	–	–	–	–	–	–	–	–	2	2	1	2
Simple Continued Fever	20	–	–	1	2	2	2	–	7	–	1	–	–
Infantile Remittent	25	1	1	–	6	7	3	2	5	–	–	–	–
Metria	123	–	–	–	–	–	–	–	–	–	10	24	34
Rheumatic Fever	54	–	–	–	–	1	1	1	4	5	2	2	8
Erysipelas	140	30	4	4	5	–	1	–	1	–	3	7	7
Pyæmia	38	1	–	1	1	–	–	–	1	3	5	4	3
Syphilis	110	40	35	12	6	3	–	–	–	–	–	1	–
Noma	5	–	–	–	2	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	33	7	1	1	–	2	–	1	2	–	–	2	3
Dropsy	247	4	–	3	4	12	12	11	25	8	4	5	7
Abscess	114	11	1	9	6	–	–	2	4	6	7	14	4
Ulcer	37	–	2	1	–	2	–	–	–	–	–	–	1
Fistula	9	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	58	2	2	–	5	–	–	–	1	1	1	2	–
Cancer	543	1	–	1	2	1	2	1	1	1	–	3	16
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	277	12	7	18	32	21	18	8	44	35	20	17	11
Tabes Mesenterica	470	28	30	56	118	67	32	20	68	26	10	3	4
Phthisis	3288	10	36	36	80	65	34	36	135	144	385	469	415
Hydrocephalus	799	38	61	175	203	118	68	39	97	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1082	1118	1188	1152	1247	1196	1365	1134	1203	797	481	247	63	20	2	2
SPECIFIED CAUSES	1078	1114	1182	1148	1242	1189	1365	1133	1203	797	481	247	63	20	2	2
Zymotic Class	147	122	98	89	95	51	75	47	57	31	24	16	3	2	–	–
Uncertain Seat	39	47	84	85	106	96	114	89	92	35	25	5	1	1	1	–
Tubercular Class	341	319	271	206	146	95	60	24	14	8	1	–	–	–	–	–
Brain, etc.	59	89	93	112	148	179	219	197	203	150	71	27	3	–	–	–
Heart, etc.	97	110	129	130	157	171	189	147	154	64	27	9	1	1	–	1
Respiratory Organs	138	184	242	293	344	370	408	375	298	187	81	43	8	3	–	1
Digestive Organs	68	81	97	80	92	85	93	62	67	34	15	3	–	1	–	–
Urinary Organs	45	33	26	38	34	31	31	29	36	28	8	6	1	–	–	–
Generative Organs	38	34	29	10	4	3	5	3	1	1	–	–	–	–	–	–
Locomotive Organs	5	14	9	5	10	9	13	8	4	4	6	–	–	–	–	–
Skin	–	1	3	–	2	1	2	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	2	6	10	23	41	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	99	112	244	238	215	132	45	12	1	–
Sudden Deaths	5	3	3	4	2	5	5	4	3	–	–	1	–	–	–	–
Violent Deaths	93	75	92	86	79	52	52	35	29	16	8	5	1	–	–	–
Small-pox	19	17	7	7	2	3	1	–	1	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	7	7	1	–	1	–	–	2	–	–	–	–	–	–	–	–
Diphtheria	–	2	1	1	2	–	1	1	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	7	9	13	13	14	23	14	23	17	17	10	2	–	–	–
Dysentery	1	2	6	2	5	1	12	4	7	4	3	3	–	1	–	–
Cholera	1	1	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	2	1	3	1	4	2	1	1	1	–	–	–
Purpura	–	3	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Ague	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	29	30	34	35	16	12	6	5	1	2	1	–	–	–	–
Enteric Fever	25	17	17	11	15	3	10	6	7	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	1	–	2	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	32	19	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	7	3	5	4	1	1	1	1	–	–	–	–	–	–	–
Erysipelas	7	6	10	11	9	10	4	9	4	5	1	1	–	1	–	–
Pyæmia	8	2	3	1	1	1	2	1	–	–	–	–	–	–	–	–
Syphilis	4	–	3	1	2	1	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	2	4	1	1	1	–	1	–	–	–	–	–	–	–
Dropsy	13	7	14	6	18	16	24	16	18	10	8	–	1	1	–	–
Abscess	5	5	9	6	9	1	4	3	4	4	–	–	–	–	–	–
Ulcer	–	–	2	3	4	4	3	2	8	3	1	–	–	–	1	–
Fistula	1	2	1	3	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	2	1	4	4	6	9	9	2	4	2	–	–	–	–
Cancer	18	30	54	62	70	68	75	57	49	16	12	3	–	–	–	–
Gout	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–
Scrofula	12	3	6	5	–	4	1	–	1	1	1	–	–	–	–	–
Tabes Mesenterica	2	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Phthisis	327	314	264	200	145	91	58	24	13	7	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	367	12	22	47	63	34	32	10	43	28	14	14	15
Apoplexy	673	17	10	24	24	13	9	3	24	8	9	12	14
Paralysis	707	–	–	1	2	–	2	1	6	3	5	8	9
Delirium Tremens	31	–	–	–	–	–	–	–	–	–	1	1	5
Chorea	2	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	87	–	1	–	–	–	–	–	–	9	11	10	5
Tetanus	13	8	–	–	–	1	–	–	–	–	1	1	–
Insanity	32	–	–	–	–	–	–	–	–	–	–	4	4
Convulsions	514	181	72	75	91	36	22	8	29	–	–	–	–
Brain Disease	399	8	9	16	16	13	6	9	27	22	12	10	12
V. Pericarditis	41	–	–	–	–	–	–	1	6	5	5	2	2
Aneurism	64	–	–	–	–	–	–	–	–	1	1	–	1
Heart Disease	1504	3	1	1	1	2	2	3	18	31	29	49	58
VI. Laryngitis	75	2	7	10	7	9	8	2	2	1	1	3	2
Bronchitis	4391	333	308	514	609	243	96	67	119	30	18	29	44
Pleurisy	106	1	1	–	–	–	3	1	5	8	10	7	6
Pneumonia	1556	83	56	170	171	65	37	27	72	26	40	58	58
Asthma	150	1	–	1	1	–	–	1	–	–	–	1	2
Lung Disease	133	14	5	6	6	6	2	3	4	7	2	2	3
VII. Teething	347	2	20	130	172	22	–	1	–	–	–	–	–
Quinsey	22	4	2	2	5	4	–	1	1	–	–	2	–
Gastritis	102	27	11	6	11	2	3	1	1	–	3	2	3
Enteritis	302	85	28	40	26	10	7	7	21	8	7	8	3
Peritonitis	159	4	4	–	5	1	4	–	6	6	15	19	8
Ascites	24	–	–	–	–	–	1	2	3	–	–	–	1
Ulceration of Intestines	50	1	–	–	1	–	–	–	1	1	2	5	5
Hernia	45	1	–	–	1	–	–	–	1	–	–	1	2
Ileus	86	21	7	4	2	–	–	2	2	1	–	1	3
Intussusception	15	2	–	1	–	–	–	–	2	–	–	–	1
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	244	53	16	11	7	2	2	1	12	1	6	6	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	74	2	1	2	1	2	–	–	–	–	1	5	3
Jaundice	64	22	–	–	–	1	1	–	1	–	–	–	–
Liver Disease	291	12	2	4	2	1	–	–	3	3	6	12	9
Spleen Disease	4	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	78	1	–	2	5	5	4	5	17	4	6	2	4
Nephria	174	–	–	–	1	2	2	4	8	6	9	13	13
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	15	–	–	–	–	–	1	–	–	–	–	1	1
Diabetes	34	–	–	–	–	–	–	–	1	2	2	3	2
Stone	17	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	33	–	–	–	–	–	–	–	–	1	1	1	–
Stricture of Urethra	8	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	155	–	–	–	1	3	1	2	11	4	5	6	5
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	30	–	–	–	–	–	–	–	–	–	–	2	1
Childbirth	174	–	–	–	–	–	–	–	–	–	7	24	63
Organs of Generation	29	2	–	–	–	1	–	–	–	–	1	1	4
X. Bone Disease	38	1	–	–	2	1	–	1	6	4	7	1	4
Rheumatism	64	–	–	–	–	1	–	–	2	3	2	1	2
Joint Disease	94	–	–	2	5	2	4	3	11	19	12	9	4
XI. Carbuncle	6	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	9	–	–	–	–	–	–	–	–	–	1	2	1
Skin Disease	22	3	5	5	4	–	–	–	–	2	1	–	–
XVII. Intemperance	117	–	–	–	–	–	–	–	–	–	–	1	11
Privation	4	3	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	62	43	11	7	1	–	–	–	–	–	–	–	–
Neglect	3	–	1	1	–	1	–	–	–	–	–	–	–
Cold	7	–	–	1	–	–	–	–	–	–	–	–	–
Poison	24	1	–	1	1	2	–	–	1	1	–	1	4
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	126	1	1	8	18	10	14	8	16	4	4	1	2
Hanging, etc.	22	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	141	72	26	10	1	–	–	1	1	1	3	2	2
Drowning	180	2	–	1	2	2	2	1	13	5	18	23	20
Fracture and Contusion	420	–	1	1	7	2	5	5	37	14	24	28	35
Gunshot Wounds	7	–	–	–	–	–	–	–	–	2	–	2	1
Cuts and Stabs	20	–	–	–	–	1	–	–	–	–	–	2	4
Other Violent Causes	96	8	–	–	–	3	–	1	3	7	4	9	12
Not specified	144	44	15	16	8	4	2	6	14	1	–	1	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, a different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	4	6	5	–	2	6	1	1	–	–	–	–	–	–	–
Apoplexy	12	30	31	46	61	67	66	67	65	34	17	8	2	–	–	–
Paralysis	14	25	19	29	53	61	104	100	103	98	47	16	1	–	–	–
Delirium Tremens	1	7	4	6	3	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	3	4	4	7	11	5	5	2	1	–	1	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	4	3	2	5	3	3	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	17	24	19	22	31	34	21	30	17	7	2	–	–	–	–
Pericarditis	5	1	3	3	3	1	1	1	2	–	–	–	–	–	–	–
Aneurism	6	11	9	11	10	3	5	5	1	–	–	–	–	–	–	–
Heart Disease	86	98	117	116	144	167	183	141	151	64	27	9	1	1	–	1
Laryngitis	3	1	3	6	1	1	2	2	1	1	–	–	–	–	–	–
Bronchitis	59	86	141	168	235	234	302	280	230	134	68	35	7	2	–	–
Pleurisy	4	6	10	9	4	6	7	8	6	3	1	–	–	–	–	–
Pneumonia	61	77	78	82	78	96	71	54	44	35	10	5	1	1	–	–
Asthma	6	9	9	19	13	18	20	23	12	11	–	2	–	–	–	1
Lung Disease	5	5	1	9	13	15	6	8	5	3	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	2	8	4	–	9	3	2	1	2	1	–	–	–	–	–	–
Enteritis	7	4	4	10	6	4	9	4	2	–	2	–	–	–	–	–
Peritonitis	20	16	5	9	6	8	5	6	9	3	–	–	–	–	–	–
Ascites	2	–	–	2	4	1	3	1	1	3	–	–	–	–	–	–
Ulceration of Intestines	4	4	6	5	4	3	5	1	2	–	–	–	–	–	–	–
Hernia	2	–	3	5	5	6	3	4	4	3	3	–	–	1	–	–
Ileus	–	6	6	3	4	8	2	4	5	4	1	–	–	–	–	–
Intussusception	–	2	1	1	2	–	2	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	2	–	1	3	–	–	–	–	1	–	–	–	–	–
Stomach Disease	3	8	12	11	17	10	16	19	9	12	2	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	5	9	5	8	7	4	4	6	1	–	–	–	–	–	–
Jaundice	1	3	2	5	2	8	5	1	5	3	4	–	–	–	–	–
Liver Disease	19	25	42	22	24	24	37	17	22	3	1	1	–	–	–	–
Spleen Disease	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	5	–	2	6	5	3	1	–	–	–	1	–	–	–	–	–
Nephria	21	20	12	12	16	8	9	9	5	3	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	1	1	–	1	–	2	2	2	1	–	–	–	–	–
Diabetes	8	3	5	3	1	1	–	2	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	3	4	2	3	3	–	–	–	–	–	–
Cystitis	–	–	–	1	2	–	3	–	9	8	2	4	1	–	–	–
Stricture of Urethra	–	–	1	2	1	3	–	–	1	–	–	–	–	–	–	–
Kidney Disease	10	9	4	13	9	12	14	14	15	12	3	2	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	7	2	1	4	2	–	1	–	–	–	–	–	–
Childbirth	34	27	18	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	4	7	1	2	2	1	1	1	–	–	–	–	–	–	–
Bone Disease	1	3	–	1	–	2	1	2	–	1	–	–	–	–	–	–
Rheumatism	2	6	5	3	7	5	11	5	2	3	4	–	–	–	–	–
Joint Disease	2	5	4	1	3	2	1	1	2	–	2	–	–	–	–	–
Carbuncle	–	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intemperance	13	18	21	14	11	9	12	4	1	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	1	1	–	–	–	–	–	1	–	1	–	–	–	–
Poison	3	1	–	–	2	3	–	1	2	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	5	4	2	4	2	5	4	2	2	1	–	–	–	–
Hanging, etc.	5	2	3	3	1	1	2	2	2	–	–	–	–	–	–	–
Suffocation	4	1	2	4	6	1	3	–	–	–	–	1	–	–	–	–
Drowning	9	21	12	15	15	7	4	4	2	2	–	–	–	–	–	–
Fracture and Contusion	40	22	39	36	36	24	21	14	15	6	5	2	1	–	–	–
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	5	1	–	1	1	1	–	1	–	–	–	–	–	–
Other Violent Causes	9	5	4	8	5	2	7	3	3	2	1	–	–	–	–	–
Not specified	4	4	6	4	5	7	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16245	1710	687	1232	1643	921	618	486	1193	436	465	555	549
SPECIFIED CAUSES	16166	1682	681	1222	1640	920	616	482	1186	436	465	555	548
I. Zymotic Class	4119	205	181	377	671	491	378	315	651	159	107	106	91
II. Diseases of Uncertain Seat	424	11	5	7	11	10	7	8	22	10	5	12	16
III. Tubercular Class	2357	53	80	167	237	135	79	53	190	94	166	210	188
IV. Brain and Nervous System	1562	133	70	108	113	59	38	16	79	45	28	32	36
V. Organs of Circulation	834	3	1	–	–	2	1	3	15	17	16	24	26
VI. Respiratory Organs	3274	248	217	387	421	171	77	60	106	43	43	61	73
VII. Organs of Digestion	919	135	52	113	126	22	9	6	29	14	21	26	25
VIII. Urinary Organs	315	1	–	2	3	5	6	8	23	11	14	10	6
IX. Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	93	–	–	1	3	2	3	1	10	13	14	6	7
XI. Skin, etc.	22	1	2	4	3	–	–	–	–	2	1	2	–
XII. Malformation	56	45	9	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	856	767	48	41	–	–	–	–	–	–	–	–	–
XIV. Atrophy	95	–	–	–	36	10	5	4	9	3	1	2	2
XV. Age	348	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	30	2	1	1	1	–	–	–	1	–	–	2	–
XVII. Violent Deaths	861	77	15	13	14	13	13	8	51	25	49	62	78
I. Small-pox	210	13	9	4	1	3	2	7	17	14	30	40	35
Measles	248	2	6	51	100	39	19	10	15	1	2	1	–
Scarlatina	1743	8	15	89	238	281	256	223	497	101	15	7	6
Diphtheria	155	4	3	10	33	27	19	15	31	4	2	1	1
Hooping-cough	414	21	34	96	131	64	33	18	17	–	–	–	–
Croup	200	7	7	25	61	36	28	20	15	1	–	–	–
Thrush	8	5	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	455	106	77	83	84	16	9	7	6	3	1	2	2
Dysentery	40	3	3	3	4	–	–	1	2	1	–	–	4
Cholera	14	–	2	3	–	–	2	1	2	–	–	1	–
Influenza	12	–	–	–	–	1	1	–	1	–	–	–	–
Purpura	8	–	–	–	–	–	–	1	–	–	–	1	–
Ague	5	–	–	–	–	–	–	–	–	–	–	–	1
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	195	2	1	–	3	3	2	2	14	8	19	15	19
Enteric Fever	209	–	–	4	7	13	4	8	25	22	30	29	8
Relapsing Fever	5	–	–	–	–	–	–	–	–	1	2	–	2
Simple Continued Fever	12	–	–	–	1	2	1	–	4	–	1	–	–
Infantile Remittent	10	1	1	–	2	3	1	–	2	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	29	–	–	–	–	1	–	1	3	1	–	2	6
Erysipelas	68	12	2	1	3	–	–	–	–	–	1	4	4
Pyæmia	23	1	–	–	1	–	–	–	–	2	4	2	3
Syphilis	52	20	19	7	1	2	–	–	–	–	–	1	–
Noma	3	–	–	–	1	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	17	1	1	–	–	1	–	1	2	–	–	1	2
Dropsy	116	3	–	1	3	8	6	5	15	4	1	2	4
Abscess	65	6	1	6	5	–	–	1	3	5	4	6	2
Ulcer	14	–	1	–	–	1	–	–	–	–	–	–	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	28	1	2	–	2	–	–	–	1	1	–	2	–
Cancer	174	–	–	–	1	–	1	1	1	–	–	1	8
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	162	9	4	6	21	10	8	6	24	18	15	10	8
Tabes Mesenterica	262	16	18	30	67	37	16	12	41	16	4	1	1
Phthisis	1495	6	24	24	37	35	18	19	68	60	147	199	179
Hydrocephalus	438	22	34	107	112	53	37	16	57	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	527	543	623	596	627	613	636	516	497	317	155	72	19	8	–	1
SPECIFIED CAUSES	525	540	621	593	625	609	636	515	497	317	155	72	19	8	–	1
Zymotic Class	58	56	50	43	55	28	35	21	16	13	7	4	1	–	–	–
Uncertain Seat	16	21	26	33	32	40	38	41	34	9	10	–	–	–	–	–
Tubercular Class	163	133	124	96	78	48	37	14	8	3	1	–	–	–	–	–
Brain, etc.	37	57	62	62	75	94	113	104	94	69	27	10	1	–	–	–
Heart, etc.	46	57	84	71	83	86	106	74	72	29	12	3	1	1	–	1
Respiratory Organs	76	104	121	152	166	188	175	156	113	76	26	11	2	1	–	–
Digestive Organs	24	35	55	38	41	41	40	25	25	10	6	1	–	–	–	–
Urinary Organs	25	16	20	23	23	20	18	20	24	24	6	6	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	6	6	4	4	6	1	1	2	–	2	–	–	–	–	–
Skin	–	1	1	–	1	1	2	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	2	5	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	34	34	93	75	58	35	13	6	–	–
Sudden Deaths	5	–	2	3	1	4	4	2	–	–	–	1	–	–	–	–
Violent Deaths	74	54	68	66	61	39	33	23	16	8	–	1	–	–	–	–
Small-pox	11	11	5	4	1	3	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	4	4	6	5	9	5	8	6	5	3	–	–	–	–
Dysentery	1	–	4	1	3	1	4	1	1	2	1	–	–	–	–	–
Cholera	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	2	–	1	1	1	1	1	–	1	–	–	–
Purpura	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	16	17	16	21	8	7	2	2	–	–	1	–	–	–	–
Enteric Fever	12	12	10	3	10	2	4	3	2	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	3	1	2	2	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	4	4	7	5	8	2	6	1	2	–	–	–	–	–	–
Pyæmia	1	2	2	1	1	1	1	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	3	1	1	–	–	1	–	–	–	–	–	–	–
Dropsy	5	4	5	4	6	7	14	7	7	1	4	–	–	–	–	–
Abscess	2	5	3	4	4	1	1	3	2	1	–	–	–	–	–	–
Ulcer	–	–	1	1	2	1	2	1	2	1	1	–	–	–	–	–
Fistula	–	–	1	3	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	2	1	2	2	2	6	2	–	1	–	–	–	–	–
Cancer	8	11	13	17	17	26	18	23	18	6	4	–	–	–	–	–
Gout	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–
Scrofula	6	2	4	5	–	2	1	–	1	1	1	–	–	–	–	–
Tabes Mesenterica	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	157	129	120	90	78	46	36	14	7	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	238	8	13	32	41	19	19	4	32	20	8	7	8
Apoplexy	352	9	6	18	11	9	2	1	11	4	6	7	6
Paralysis	356	–	–	1	–	–	1	–	3	1	3	5	8
Delirium Tremens	24	–	–	–	–	–	–	–	–	–	1	1	4
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	46	–	1	–	–	–	–	–	–	7	3	3	3
Tetanus	12	7	–	–	–	1	–	–	–	–	1	1	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	2	2
Convulsions	308	105	44	48	52	23	14	5	17	–	–	–	–
Brain Disease	217	4	6	9	9	7	2	6	16	13	6	6	5
V. Pericarditis	22	–	–	–	–	–	–	1	4	4	2	1	–
Aneurism	53	–	–	–	–	–	–	–	–	1	1	–	1
Heart Disease	759	3	1	–	–	2	1	2	11	12	13	23	25
VI. Laryngitis	43	2	5	9	3	6	3	–	–	1	–	2	1
Bronchitis	2074	185	181	275	324	123	52	41	64	16	8	9	21
Pleurisy	67	1	1	–	–	–	1	–	1	5	7	6	4
Pneumonia	933	50	28	101	92	37	20	17	39	17	26	43	43
Asthma	86	–	–	–	–	–	–	1	–	–	–	–	1
Lung Disease	71	10	2	2	2	5	1	1	2	4	2	1	3
VII. Teething	189	–	10	74	95	10	–	–	–	–	–	–	–
Quinsey	9	2	–	1	3	2	–	–	–	–	–	–	–
Gastritis	51	14	8	2	6	1	1	–	1	–	1	2	2
Enteritis	153	49	18	23	12	7	3	2	8	4	5	3	2
Peritonitis	69	1	3	–	2	–	3	–	6	5	10	3	3
Ascites	12	–	–	–	–	–	–	2	3	–	–	–	–
Ulceration of Intestines	29	–	–	–	–	–	–	–	–	1	1	3	4
Hernia	21	1	–	–	1	–	–	–	1	–	–	1	2
Ileus	36	10	2	1	1	–	–	1	–	1	–	1	2
Intussusception	6	1	–	1	–	–	–	–	1	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	124	33	7	9	5	1	2	1	7	1	2	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	1	1	1	–	–	–	–	–	–	1	4	1
Jaundice	34	14	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	154	9	2	1	1	1	–	–	1	2	1	8	7
Spleen Disease	4	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	50	1	–	2	2	3	3	4	11	3	4	2	1
Nephria	78	–	–	–	–	–	2	3	5	1	5	4	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	12	–	–	–	–	–	1	–	–	–	–	1	–
Diabetes	22	–	–	–	–	–	–	–	1	2	1	1	1
Stone	16	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	31	–	–	–	–	–	–	–	–	1	1	1	–
Stricture of Urethra	8	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	98	–	–	–	1	2	–	1	6	3	3	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	22	–	–	–	2	–	–	–	5	2	4	1	4
Rheumatism	21	–	–	–	–	1	–	–	1	2	1	1	–
Joint Disease	50	–	–	1	1	1	3	1	4	9	9	4	3
XI. Carbuncle	5	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	5	–	–	–	–	–	–	–	–	–	1	2	–
Skin Disease	12	1	2	4	2	–	–	–	–	2	–	–	–
XVII. Intemperance	71	–	–	–	–	–	–	–	–	–	–	1	9
Privation	3	3	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	37	27	6	3	1	–	–	–	–	–	–	–	–
Neglect	2	–	1	1	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	14	1	–	1	–	1	–	–	–	–	–	1	2
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	64	1	1	4	9	7	6	4	9	1	3	1	1
Hanging, etc.	18	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	66	38	7	4	1	–	–	1	1	–	2	2	–
Drowning	156	2	–	–	1	2	2	–	11	4	18	20	18
Fracture and Contusion	334	–	–	–	2	–	5	2	29	12	22	26	33
Gunshot Wounds	5	–	–	–	–	–	–	–	–	2	–	1	1
Cuts and Stabs	14	–	–	–	–	1	–	–	–	–	–	1	4
Other Violent Causes	73	5	–	–	–	2	–	1	1	6	4	8	10
Not specified	79	28	6	10	3	1	2	4	7	–	–	–	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	4	6	4	–	2	3	1	1	–	–	–	–	–	–	–
Apoplexy	8	15	18	26	29	35	32	40	35	15	6	2	1	–	–	–
Paralysis	9	19	11	18	28	32	54	45	49	43	19	7	–	–	–	–
Delirium Tremens	1	5	4	3	2	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	2	3	2	4	5	4	2	1	1	–	1	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	10	19	9	10	18	19	15	8	10	2	–	–	–	–	–
Pericarditis	3	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	10	8	10	8	2	4	3	1	–	–	–	–	–	–	–
Heart Disease	39	46	73	58	75	84	102	71	71	29	12	3	1	1	–	1
Laryngitis	1	–	2	5	1	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	25	39	57	69	102	107	119	106	76	47	19	8	1	–	–	–
Pleurisy	2	3	7	7	3	4	6	6	3	–	–	–	–	–	–	–
Pneumonia	40	53	48	57	46	62	38	26	22	19	5	2	1	1	–	–
Asthma	5	4	7	12	6	10	9	13	9	8	–	1	–	–	–	–
Lung Disease	3	5	–	2	8	5	2	4	3	2	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	2	3	–	4	2	–	–	1	1	–	–	–	–	–	–
Enteritis	2	2	1	2	2	2	3	2	–	–	1	–	–	–	–	–
Peritonitis	5	5	4	2	3	4	3	2	3	2	–	–	–	–	–	–
Ascites	1	–	–	2	–	1	1	–	1	1	–	–	–	–	–	–
Ulceration of Intestines	2	1	5	4	1	2	3	1	1	–	–	–	–	–	–	–
Hernia	–	–	1	2	3	3	2	2	1	1	–	–	–	–	–	–
Ileus	–	4	2	1	4	1	1	1	1	1	1	–	–	–	–	–
Intussusception	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	8	7	8	5	6	9	5	2	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	2	2	1	4	1	1	2	–	–	–	–	–	–	–
Jaundice	1	2	–	3	2	3	2	1	2	1	2	–	–	–	–	–
Liver Disease	10	16	27	10	13	13	18	6	8	–	–	–	–	–	–	–
Spleen Disease	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	2	4	4	2	–	–	–	–	–	–	–	–	–	–
Nephria	9	11	9	5	9	3	3	4	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	1	–	1	–	1	2	2	1	–	–	–	–	–
Diabetes	6	2	4	2	–	1	–	1	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	2	4	2	3	3	–	–	–	–	–	–
Cystitis	–	–	–	1	2	–	2	–	8	8	2	4	1	–	–	–
Stricture of Urethra	–	–	1	2	1	3	–	–	1	–	–	–	–	–	–	–
Kidney Disease	7	3	2	8	7	8	9	12	9	10	3	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	2	4	2	3	2	1	–	1	–	–	–	–	–	–	–
Joint Disease	1	3	2	1	1	2	–	1	1	–	2	–	–	–	–	–
Carbuncle	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	7	11	14	8	5	6	5	3	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Poison	2	1	–	–	2	2	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	4	3	1	1	2	3	1	–	1	1	–	–	–	–	–	–
Hanging, etc.	4	1	3	2	1	1	1	2	2	–	–	–	–	–	–	–
Suffocation	1	1	–	2	3	–	3	–	–	–	–	–	–	–	–	–
Drowning	9	16	11	14	12	4	4	4	2	2	–	–	–	–	–	–
Fracture and Contusion	37	17	32	31	31	20	15	11	7	2	–	–	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	4	1	–	1	1	–	–	–	–	–	–	–	–	
Other Violent Causes	8	3	3	7	5	2	3	2	2	1	–	–	–	–	–	
Not specified	2	3	2	3	2	4	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15879	1285	565	976	1495	869	604	434	1027	399	492	594	592
SPECIFIED CAUSES	15814	1269	556	970	1490	866	604	432	1020	398	492	593	591
I. Zymotic Class	4134	185	182	329	674	488	391	293	625	168	113	114	102
II. Diseases of Uncertain Seat	623	14	1	8	6	7	7	7	11	6	7	14	15
III. Tubercular Class	2477	35	54	118	196	136	73	50	154	111	249	279	242
IV. Brain and Nervous System	1263	93	44	55	83	38	34	15	50	25	25	28	28
V. Organs of Circulation	775	–	–	1	1	–	1	1	9	20	19	27	35
VI. Respiratory Organs	3137	186	160	314	373	152	69	41	96	29	28	39	42
VII. Organs of Digestion	917	101	40	87	107	23	9	9	25	6	19	35	19
VIII. Urinary Organs	199	–	–	–	4	5	2	3	14	7	9	16	19
IX. Organs of Generation	235	1	–	–	–	1	–	–	–	–	9	28	68
X. Organs of Locomotion	103	1	–	1	4	2	1	3	9	13	7	5	3
XI. Skin, etc.	15	2	3	1	2	–	–	–	–	–	1	–	1
XII. Malformation	29	24	2	–	1	1	–	–	1	–	–	–	–
XIII. Premature Debility	652	569	44	39	–	–	–	–	–	–	–	–	–
XIV. Atrophy	113	–	–	–	23	5	8	2	6	2	2	–	3
XV. Age	750	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	22	5	1	–	–	–	–	–	–	2	–	–	1
XVII. Violent Deaths	370	53	25	17	16	8	9	8	20	9	4	8	13
I. Small-pox	146	12	15	5	4	3	4	4	15	13	19	14	16
Measles	223	2	4	35	84	42	26	12	15	2	–	–	1
Scarlatina	1615	8	14	69	220	263	249	198	440	86	32	15	10
Diphtheria	153	4	–	6	30	22	20	26	31	8	2	1	–
Hooping-cough	534	19	46	105	176	93	39	25	30	1	–	–	–
Croup	158	3	6	20	49	24	22	11	19	4	–	–	–
Thrush	7	4	2	–	1	–	–	–	–	–	–	–	–
Diarrhœa	496	93	72	72	89	18	11	7	10	7	2	6	3
Dysentery	39	–	2	–	1	1	–	–	1	–	–	2	–
Cholera	16	2	3	1	–	2	–	–	3	1	–	–	1
Influenza	16	–	–	4	–	1	–	–	1	–	2	–	–
Purpura	12	–	–	–	–	–	2	–	1	2	3	1	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	177	–	–	–	–	3	3	2	10	12	19	18	16
Enteric Fever	215	–	–	2	7	11	9	6	40	26	19	27	15
Relapsing Fever	5	–	–	–	–	–	–	–	–	1	–	1	–
Simple Continued Fever	8	–	–	1	1	–	1	–	3	–	–	–	–
Infantile Remittent	15	–	–	–	4	4	2	2	3	–	–	–	–
Metria	123	–	–	–	–	–	–	–	–	–	10	24	34
Rheumatic Fever	25	–	–	–	–	–	1	–	1	4	2	–	2
Erysipelas	72	18	2	3	2	–	1	–	1	–	2	3	3
Pyæmia	15	–	–	1	–	–	–	–	1	1	1	2	–
Syphilis	58	20	16	5	5	1	–	–	–	–	–	–	–
Noma	2	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	16	6	–	1	–	1	–	–	–	–	–	1	1
Dropsy	131	1	–	2	1	4	6	6	10	4	3	3	3
Abscess	49	5	–	3	1	–	–	1	1	1	3	8	2
Ulcer	23	–	1	1	–	1	–	–	–	–	–	–	1
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	30	1	–	–	3	–	–	–	–	–	1	–	–
Cancer	369	1	–	1	1	1	1	–	–	1	–	2	8
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	115	3	3	12	11	11	10	2	20	17	5	7	3
Tabes Mesenterica	208	12	12	26	51	30	16	8	27	10	6	2	3
Phthisis	1793	4	12	12	43	30	16	17	67	84	238	270	236
Hydrocephalus	361	16	27	68	91	65	31	23	40	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	555	575	565	556	620	583	729	618	706	480	326	175	44	12	2	1
SPECIFIED CAUSES	553	574	561	555	617	580	729	618	706	480	326	175	44	12	2	1
Zymotic Class	89	66	48	46	40	23	40	26	41	18	17	12	2	2	–	–
Uncertain Seat	23	26	58	52	74	56	76	48	58	26	15	5	1	1	1	–
Tubercular Class	178	186	147	110	68	47	23	10	6	5	–	–	–	–	–	–
Brain, etc.	22	32	31	50	73	85	106	93	109	81	44	17	2	–	–	–
Heart, etc.	51	53	45	59	74	85	83	73	82	35	15	6	–	–	–	–
Respiratory Organs	62	80	121	141	178	182	233	219	185	111	55	32	6	2	–	1
Digestive Organs	44	46	42	42	51	44	53	37	42	24	9	2	–	1	–	–
Urinary Organs	20	17	6	15	11	11	13	9	12	4	2	–	–	–	–	–
Generative Organs	38	34	29	10	4	3	5	3	1	1	–	–	–	–	–	–
Locomotive Organs	4	8	3	1	6	3	12	7	2	4	4	–	–	–	–	–
Skin	–	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	2	4	8	18	27	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	65	78	151	163	157	97	32	6	1	–
Sudden Deaths	–	3	1	1	1	1	1	2	3	–	–	–	–	–	–	–
Violent Deaths	19	21	24	20	18	13	19	12	13	8	8	4	1	–	–	–
Small-pox	8	6	2	3	1	–	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	5	5	9	7	9	14	9	15	11	12	7	2	–	–	–
Dysentery	–	2	2	1	2	–	8	3	6	2	2	3	–	1	–	–
Cholera	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	2	–	3	1	–	1	–	–	–	–
Purpura	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	13	13	18	14	8	5	4	3	1	2	–	–	–	–	–
Enteric Fever	13	5	7	8	5	1	6	3	5	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	32	19	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	4	2	3	2	1	–	1	1	–	–	–	–	–	–	–
Erysipelas	5	2	6	4	4	2	2	3	3	3	1	1	–	1	–	–
Pyæmia	7	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	4	–	3	–	1	1	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	8	3	9	2	12	9	10	9	11	9	4	–	1	1	–	–
Abscess	3	–	6	2	5	–	3	–	2	3	–	–	–	–	–	–
Ulcer	–	–	1	2	2	3	1	1	6	2	–	–	–	–	1	–
Fistula	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	2	4	3	7	2	3	2	–	–	–	–
Cancer	10	19	41	45	53	42	57	34	31	10	8	3	–	–	–	–
Gout	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Scrofula	6	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Phthisis	170	185	144	110	67	45	22	10	6	5	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	129	4	9	15	22	15	13	6	11	8	6	7	7
Apoplexy	321	8	4	6	13	4	7	2	13	4	3	5	8
Paralysis	351	–	–	–	2	–	1	1	3	2	2	3	1
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	41	–	–	–	–	–	–	–	–	2	8	7	2
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	24	–	–	–	–	–	–	–	–	–	–	2	2
Convulsions	206	76	28	27	39	13	8	3	12	–	–	–	–
Brain Disease	182	4	3	7	7	6	4	3	11	9	6	4	7
V. Pericarditis	19	–	–	–	–	–	–	–	2	1	3	1	2
Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	745	–	–	1	1	–	1	1	7	19	16	26	33
VI. Laryngitis	32	–	2	1	4	3	5	2	2	–	1	1	1
Bronchitis	2317	148	127	239	285	120	44	26	55	14	10	20	23
Pleurisy	39	–	–	–	–	–	2	1	4	3	3	1	2
Pneumonia	623	33	28	69	79	28	17	10	33	9	14	15	15
Asthma	64	1	–	1	1	–	–	–	–	–	–	1	1
Lung Disease	62	4	3	4	4	1	1	2	2	3	–	1	–
VII. Teething	158	2	10	56	77	12	–	1	–	–	–	–	–
Quinsey	13	2	2	1	2	2	–	1	1	–	–	2	–
Gastritis	51	13	3	4	5	1	2	1	–	–	2	–	1
Enteritis	149	36	10	17	14	3	4	5	13	4	2	5	1
Peritonitis	90	3	1	–	3	1	1	–	–	1	5	16	5
Ascites	12	–	–	–	–	–	1	–	–	–	–	–	1
Ulceration of Intestines	21	1	–	–	1	–	–	–	1	–	1	2	1
Hernia	24	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	50	11	5	3	1	–	–	1	2	–	–	–	1
Intussusception	9	1	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	120	20	9	2	2	1	–	–	5	–	4	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	48	1	–	1	1	2	–	–	–	–	–	1	2
Jaundice	30	8	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	137	3	–	3	1	–	–	–	2	1	5	4	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	28	–	–	–	3	2	1	1	6	1	2	–	3
Nephria	96	–	–	–	1	2	–	1	3	5	4	9	10
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	12	–	–	–	–	–	–	–	–	–	1	2	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	57	–	–	–	–	1	1	1	5	1	2	5	4
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	30	–	–	–	–	–	–	–	–	–	–	2	1
Childbirth	174	–	–	–	–	–	–	–	–	–	7	24	63
Organs of Generation	28	1	–	–	–	1	–	–	–	–	1	1	4
X. Bone Disease	16	1	–	–	–	1	–	1	1	2	3	–	–
Rheumatism	43	–	–	–	–	–	–	–	1	1	1	–	2
Joint Disease	44	–	–	1	4	1	1	2	7	10	3	5	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	10	2	3	1	2	–	–	–	–	–	1	–	–
XVII. Intemperance	46	–	–	–	–	–	–	–	–	–	–	–	2
Privation	1	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	25	16	5	4	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	
Cold	4	–	–	1	–	–	–	–	–	–	–	–	–
Poison	10	–	–	–	1	1	–	–	1	1	–	–	2
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–		
Burns and Scalds	62	–	–	4	9	3	8	4	7	3	1	–	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	75	34	19	6	–	–	–	–	–	1	1		2
Drowning	24	–	–	1	1	–	–	1	2	1	–	3	2
Fracture and Contusion	86	–	1	1	5	2	–	3	8	2	2	2	2
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	23	3	–	–	–	1	–	–	2	1	–	1	2
Not specified	65	16	9	6	5	3	–	2	7	1	–	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–
Apoplexy	4	15	13	20	32	32	34	27	30	19	11	6	1	–	–	–
Paralysis	5	6	8	11	25	29	50	55	54	55	28	9	1	–	–	–
Delirium Tremens	–	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	1	1	2	3	6	1	3	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	4	3	–	5	3	2	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	7	5	10	12	13	15	6	22	7	5	2	–	–	–	–
Pericarditis	2	–	–	–	3	1	1	1	2	–	–	–	–	–	–	–
Aneurism	2	1	1	1	2	1	1	2	–	–	–	–	–	–	–	–
Heart Disease	47	52	44	58	69	83	81	70	80	35	15	6	–	–	–	–
Laryngitis	2	1	1	1	–	1	1	1	1	1	–	–	–	–	–	–
Bronchitis	34	47	84	99	133	127	183	174	154	87	49	27	6	2	–	–
Pleurisy	2	3	3	2	1	2	1	2	3	3	1	–	–	–	–	–
Pneumonia	21	24	30	25	32	34	33	28	22	16	5	3	–	–	–	–
Asthma	1	5	2	7	7	8	11	10	3	3	–	1	–	–	–	1
Lung Disease	2	–	1	7	5	10	4	4	2	1	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	6	1	–	5	1	2	1	1	–	–	–	–	–	–	–
Enteritis	5	2	3	8	4	2	6	2	2	–	1	–	–	–	–	–
Peritonitis	15	11	1	7	3	4	2	4	6	1	–	–	–	–	–	–
Ascites	1	–	–	–	4	–	2	1	–	2	–	–	–	–	–	–
Ulceration of Intestines	2	3	1	1	3	1	2	–	1	–	–	–	–	–	–	–
Hernia	2	–	2	3	2	3	1	2	3	2	3	–	–	1	–	–
Ileus	–	2	4	2	–	7	1	3	4	3	–	–	–	–	–	–
Intussusception	–	1	1	–	2	–	2	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	2	–	–	–	–	1	–	–	–	–	–
Stomach Disease	2	8	4	4	9	5	10	10	4	10	1	1	–	–	–	–
Pancréas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	3	7	3	7	3	3	3	4	1	–	–	–	–	–	–
Jaundice	–	1	2	2	–	5	3	–	3	2	2	–		–	–	–
Liver Disease	9	9	15	12	11	11	19	11	14	3	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	3	–	–	2	1	1	1	–	–	–	1	–	–	–	–	–
Nephria	12	9	3	7	7	5	6	5	4	2	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–
Ischuria	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	2	1	1	1	1	–	–	1	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	6	2	5	2	4	5	2	6	2	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	7	2	1	4	2	–	1	–	–	–	–	–	–
Childbirth	34	27	18	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	4	7	1	2	2	1	1	1	–	–	–	–	–	–	–
Bone Disease	1	2	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Rheumatism	2	4	1	1	4	3	10	5	1	3	4	–	–	–	–	–
Joint Disease	1	2	2	–	2	–	1	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	6	7	7	6	6	3	7	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	4	3	–	1	1	5	3	1	2	1	–	–	–	–
Hanging, etc.	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	3	–	2	2	3	1	–	–	–	–	–	1	–	–	–	–
Drowning	–	5	1	1	3	3	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	5	7	5	5	4	6	3	8	4	5	2	1	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Other Violent Causes	1	2	1	1	–	–	4	1	1	1	1	–	–	–	–	–
Not specified	2	1	4	1	3	3	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	10026	991	402	664	911	479	356	278	684	278	344	382	345
Specified Causes	9897	944	390	655	901	473	353	275	678	276	344	382	341
I. Zymotic Class	2649	121	100	200	406	269	238	179	410	116	87	95	72
II. Diseases of Uncertain Seat	324	8	1	2	–	4	5	7	5	7	6	5	10
III. Tubercular Class	1526	36	67	112	152	70	32	31	105	60	156	171	133
IV. Brain and Nervous System	949	63	25	50	41	20	19	8	44	24	16	18	21
V. Organs of Circulation	454	3	–	2	–	–	2	1	11	9	9	10	16
VI. Respiratory Organs	1627	133	111	192	195	76	36	30	50	20	24	25	28
VII. Organs of Digestion	619	66	38	69	74	9	6	3	19	10	11	19	17
VIII. Urinary Organs	164	1	1	1	5	4	3	3	10	7	1	10	4
IX. Organs of Generation	70	–	–	–	–	–	–	–	–	–	6	9	21
X. Organs of Locomotion	55	–	1	–	–	4	–	–	6	6	8	2	1
XI. Skin, etc.	8	1	–	–	2	1	–	–	–	–	–	–	–
XII. Malformation	34	24	3	1	3	1	–	–	–	1	1	–	–
XIII. Premature Debility	516	455	38	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	53	–	–	–	12	7	3	3	5	1	1	–	–
XV. Age	535	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	14	2	–	–	3	–	–	1	–	–	–	–	–
XVII. Violent Deaths	300	31	5	3	8	8	9	9	13	15	18	18	18
I. Small-pox	314	23	14	9	9	5	3	10	25	42	31	37	35
Measles	166	2	3	17	66	23	26	10	14	1	1	–	–
Scarlatina	891	6	10	40	112	149	128	120	257	35	14	8	4
Diphtheria	168	3	–	11	33	23	27	18	35	7	2	1	–
Hooping-cough	203	12	13	47	81	19	19	3	7	–	–	–	–
Croup	127	4	6	6	36	25	21	10	18	–	–	–	–
Thrush	3	2	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	275	37	40	55	45	11	4	–	6	1	1	–	–
Dysentery	48	1	3	4	7	2	–	–	–	–	–	–	–
Cholera	5	1	1	2	–	–	–	–	1	–	–	–	–
Influenza	14	2	–	2	–	–	1	–	2	–	–	–	–
Purpura	11	–	1	–	1	1	–	1	2	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	78	–	1	1	2	1	1	2	8	7	6	8	6
Enteric Fever	161	–	1	–	6	7	6	5	28	16	20	16	8
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	8	1	–	–	1	–	–	–	3	1	–	–	–
Infantile Remittent	8	1	1	1	2	2	1	–	–	–	–	–	–
Metria	64	–	–	–	–	–	–	–	–	–	5	23	16
Rheumatic Fever	16	–	–	–	–	1	–	–	1	3	5	–	–
Erysipelas	55	18	1	2	3	–	–	–	1	1	1	1	–
Pyæmia	11	–	–	–	–	–	–	–	2	1	–	1	2
Syphilis	22	8	5	2	2	–	–	–	–	–	–	–	1
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	2	–	–	–	–	–	–	–	–	1	–	3
Dropsy	78	–	–	–	–	2	5	4	4	4	3	–	2
Abscess	32	4	1	2	–	1	–	1	1	1	2	1	1
Ulcer	6	2	–	–	–	–	–	–	–	–	–	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	12	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	178	–	–	–	–	–	–	1	–	2	–	2	4
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	72	5	4	9	11	1	1	1	10	7	6	2	4
Tabes Mesenterica	134	13	15	19	29	14	10	5	14	1	3	5	2
Phthisis	1027	4	11	24	33	14	9	12	45	52	147	163	127
Hydrocephalus	293	14	37	60	79	41	12	13	36	–	–	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	316	321	303	298	358	356	419	378	447	331	230	102	31	9	2	11
SPECIFIED CAUSES	312	317	299	294	351	354	419	378	447	330	230	102	31	9	2	10
Zymotic Class	63	56	36	28	31	30	29	21	31	17	8	2	3	–	–	1
Uncertain Seat	8	15	24	27	33	25	37	30	34	19	8	3	1	–	–	–
Tubercular Class	101	86	74	39	34	27	17	15	4	1	–	–	–	–	–	3
Brain, etc.	25	33	36	44	47	64	87	63	85	71	36	7	2	–	–	–
Heart, etc.	27	22	26	24	40	44	54	59	49	32	9	4	–	–	–	1
Respiratory Organs	32	35	46	54	85	94	99	79	78	51	39	10	2	–	–	3
Digestive Organs	24	24	24	33	30	33	26	33	26	10	8	4	1	–	–	2
Urinary Organs	7	11	10	10	13	6	20	11	13	8	4	–	1	–	–	–
Generative Organs	7	10	4	5	2	3	1	–	1	1	–	–	–	–	–	–
Locomotive Organs	3	4	2	1	5	3	2	2	4	–	1	–	–	–	–	–
Skin	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	4	6	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	33	57	114	116	114	70	20	9	2	–
Sudden Deaths	1	–	2	–	2	2	1	–	–	–	–	–	–	–	–	–
Violent Deaths	14	21	14	24	23	13	12	7	8	3	3	2	1	–	–	–
Small-pox	25	22	11	4	4	–	4	1	–	–	–	–	–	–	–	–
Measles	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	4	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	2	–	1	2	1	–	–	1	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Croup	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	3	6	4	4	9	11	6	11	8	5	1	3	–	–	–
Dysentery	2	1	–	5	3	7	1	4	5	3	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	3	–	4	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	3	3	4	6	4	3	2	2	1	–	–	–	–	–	–
Enteric Fever	6	8	5	7	4	5	3	2	4	4	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	7	9	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	5	2	3	1	1	4	3	1	1	1	–	–	–	1
Pyæmia	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	1	2	1	–	1	–	1	–	–	–	–	–	–	–
Dropsy	–	6	4	4	3	2	8	6	12	5	–	3	1	–	–	–
Abscess	2	1	6	1	2	–	1	1	–	2	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	3	3	–	1	1	–	–	–	–	–
Cancer	3	6	13	19	26	22	23	19	21	11	6	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	3	1	–	1	1	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	98	82	71	38	34	26	16	13	4	1	–	–	–	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	108	3	7	20	9	8	9	1	19	11	6	1	2
Apoplexy	242	7	2	2	6	3	5	2	3	3	–	10	3
Paralysis	257	1	–	1	1	–	–	–	3	1	–	–	6
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	42	1	–	1	1	–	–	–	3	2	5	5	2
Tetanus	7	3	1	–	–	–	–	–	–	1	–	–	–
Insanity	17	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	117	46	11	23	17	6	2	4	8	–	–	–	–
Brain Disease	147	2	4	3	7	3	3	1	7	5	5	1	6
V. Pericarditis	21	–	–	–	–	–	–	1	4	1	3	1	2
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	420	3	–	2	–	–	2	–	7	8	6	9	14
VI. Laryngitis	17	1	1	1	2	1	1	–	1	–	–	–	1
Bronchitis	1047	103	85	155	151	49	25	13	27	6	7	7	9
Pleurisy	21	–	–	–	–	1	–	2	1	–	3	–	1
Pneumonia	460	26	24	36	41	25	9	15	19	13	11	16	16
Asthma	50	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	32	3	1	–	1	–	1	–	2	1	3	2	–
VII. Teething	83	–	5	31	43	4	–	–	–	–	–	–	–
Quinsey	10	1	–	3	1	1	1	–	2	–	–	–	–
Gastritis	26	4	2	1	1	–	1	1	2	–	1	–	1
Enteritis	98	22	15	13	11	1	1	–	2	4	2	6	2
Peritonitis	63	1	2	2	2	–	1	1	5	3	2	7	6
Ascites	14	–	–	–	–	–	–	–	2	1	–	1	–
Ulceration of Intestines	24	1	–	2	1	–	–	–	1	–	–	1	1
Hernia	14	2	1	–	–	–	1	–	–	–	–	–	–
Ileus	32	1	–	2	1	–	1	1	1	1	2	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	116	21	9	13	12	2	–	–	3	1	–	1	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	–	2	–	–	–	–	–	–	–	1	1	–
Jaundice	27	11	–	–	1	1	–	–	–	–	1	1	–
Liver Disease	81	2	2	2	1	–	–	–	1	–	2	1	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	24	–	–	1	3	2	1	2	5	2	–	–	–
Nephria	52	–	1	–	–	1	1	1	1	–	–	4	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	18	–	–	–	–	–	–	–	–	–	–	2	1
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	8	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	56	–	–	–	2	–	1	–	4	5	1	4	2
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	2
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	48	–	–	–	–	–	–	–	–	–	5	9	17
Organs of Generation	11	–	–	–	–	–	–	–	–	–	1	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	21	–	–	–	–	–	–	–	–	3	1	–	–
Joint Disease	31	–	1	–	–	4	–	–	5	3	7	2	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	1	–	–	2	1	–	–	–	–	–	–	–
XVII. Intemperance	28	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	9	–	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	–	–	–	–	–	–	–	–	–	–	–
Poison	6	1	–	–	–	–	–	–	2	1	1	–	–
Poisoned Wounds	1	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	30	1	–	–	4	5	3	5	2	–	1	–	1
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	34	14	5	1	1	–	–	–	1	–	1	–	–
Drowning	45	2	–	–	2	1	1	–	5	2	3	3	2
Fracture and Contusion	113	–	–	–	1	2	3	4	3	9	9	14	10
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	3	–	–	–	–	1	–	–	2	3	–	2
Not specified	129	47	12	9	10	6	3	3	6	2	–	–	4

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.—(*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	1	1	1	1	4	–	–	–	1	–	–	–	–	–
Apoplexy	9	13	9	9	18	20	27	19	24	27	15	5	1	–	–	–
Paralysis	3	5	16	17	14	29	35	30	44	33	16	1	1	–	–	–
Delirium Tremens	–	1	–	1	2	–	3	–	–	1	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	1	4	2	1	1	3	3	1	1	–	–	–	–	–
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	3	–	2	–	1	2	–	1	3	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	8	9	9	10	11	15	11	13	6	3	1	–	–	–	–
Pericarditis	3	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–
Aneurism	1	4	1	2	3	–	2	–	–	–	–	–	–	–	–	–
Heart Disease	23	17	25	20	36	43	51	59	49	32	9	4	–	–	–	1
Laryngitis	1	2	2	–	1	–	1	–	–	–	–	1	–	–	–	–
Bronchitis	11	14	21	31	38	54	60	48	54	36	30	8	2	–	–	3
Pleurisy	1	–	1	1	2	2	3	1	1	1	–	–	–	–	–	–
Pneumonia	16	17	16	16	35	27	28	23	12	12	6	1	–	–	–	–
Asthma	–	1	5	3	7	10	5	4	10	2	2	–	–	–	–	–
Lung Disease	3	1	1	3	2	1	2	3	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	3	2	–	1	1	–	1	–	1	–	–	–	–	–
Enteritis	3	3	4	–	1	–	1	3	2	2	–	–	–	–	–	–
Peritonitis	6	3	5	5	1	5	1	2	1	–	–	2	–	–	–	–
Ascites	1	–	1	1	1	1	1	2	–	1	–	–	–	–	–	1
Ulceration of Intestines	2	1	1	4	1	1	1	1	3	1	–	1	–	–	–	–
Hernia	–	–	1	1	–	1	–	2	1	1	3	–	–	–	–	–
Ileus	–	1	1	3	1	3	2	5	3	1	1	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	4	3	3	4	6	6	6	7	8	–	1	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	6	1	1	3	1	2	4	1	1	1	–	–	–	–	–
Jaundice	–	–	–	3	1	1	2	1	3	1	–	–	–	–	–	–
Liver Disease	4	5	4	9	14	13	9	4	3	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	1	3	–	1	–	3	–	–	–	–	–	–	–	–	–
Nephria	3	6	5	6	3	4	7	5	3	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	3	1	1	3	4	–	3	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	2	3	1	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	1	5	2	6	2	7	6	3	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	2	1	1	–	–	1	–	–	–	–	–	–
Childbirth	6	8	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	2	3	–	2	–	–	1	–	–	–	–	–	–	–
Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	1	2	2	1	3	3	1	1	3	–	–	–	–	–	–	–
Joint Disease	1	2	–	–	2	–	1	1	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	2	2	5	2	8	2	3	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	–	2	2	2	–	–	–	–	–
Hanging, etc.	–	2	–	2	1	1	–	–	1	–	–	–	–	–	–	–
Suffocation	–	1	1	2	4	–	1	1	1	–	–	–	–	–	–	–
Drowning	1	6	1	3	4	3	2	3	–	–	1	–	–	–	–	–
Fracture and Contusion	9	8	6	13	5	6	5	3	1	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	1	–	–	2	–	–	1	1	–	–	–
Not specified	4	4	4	4	7	2	–	–	–	1	–	–	–	–	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	5079	593	223	344	479	242	199	140	348	143	162	183	174
SPECIFIED CAUSES	5011	565	215	341	476	239	196	138	347	141	162	183	172
I. Zymotic Class	1296	68	47	91	208	134	123	84	194	53	42	50	40
II. Diseases of Uncertain Seat	133	4	1	1	–	3	4	5	3	3	3	4	5
III. Tubercular Class	727	25	35	63	85	33	17	16	53	27	62	67	66
IV. Brain and Nervous System	510	42	12	35	25	11	13	3	28	14	10	9	13
V. Organs of Circulation	230	3	–	–	–	–	2	–	9	3	4	4	9
VI. Respiratory Organs	908	86	73	99	100	39	22	17	28	13	10	19	17
VII. Organs of Digestion	322	38	26	39	46	8	5	2	11	5	8	8	3
VIII. Urinary Organs	108	1	1	–	4	1	2	3	9	7	1	5	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	21	–	–	–	–	–	–	–	3	1	2	2	–
XI. Skin, etc.	5	1	–	–	1	1	–	–	–	–	–	–	–
XII. Malformation	20	12	3	1	2	1	–	–	–	–	1	–	–
XIII. Premature Debility	292	265	15	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	21	–	–	–	3	3	2	1	1	1	1	–	–
XV. Age	199	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	2	–	–	–	–	–	1	–	–	–	–	–
XVII. Violent Deaths	211	18	2	–	2	5	6	6	8	14	18	15	17
I. Small-pox	197	13	7	4	7	3	3	6	12	19	19	29	26
Measles	75	2	1	7	32	10	14	3	5	–	–	–	–
Scarlatina	441	3	7	19	53	76	67	56	127	18	5	3	3
Diphtheria	78	1	–	7	16	10	13	10	13	2	2	1	–
Hooping-cough	94	4	2	25	41	8	10	1	3	–	–	–	–
Croup	73	3	5	4	21	14	10	6	9	–	–	–	–
Thrush	3	2	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	112	21	22	19	21	5	1	–	2	–	–	–	–
Dysentery	27	1	–	4	6	1	–	–	–	–	–	–	–
Cholera	3	1	–	1	–	–	–	–	1	–	–	–	–
Influenza	7	2	–	–	–	–	–	–	–	–	–	–	–
Purpura	9	–	–	–	1	1	–	1	2	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	–	–	2	–	–	1	2	1	2	7	3
Enteric Fever	85	–	1	–	4	4	4	–	13	10	9	9	6
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	1	–	–	–	–	–	–	2	–	–	–	–
Infantile Remittent	5	1	–	–	1	2	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	9	–	–	–	–	–	–	–	1	1	3	–	–
Erysipelas	25	10	–	–	2	–	–	–	1	1	1	1	–
Pyæmia	4	–	–	–	–	–	–	–	1	–	–	–	1
Syphilis	9	3	2	–	1	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–		–		–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–		–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	–	–	–	–	–	–	–	–	1	–	2
Dropsy	40	–	–	–	–	1	4	4	3	2	2	–	1
Abscess	16	1	1	1	–	1	–	–	–	–	–	–	1
Ulcer	4	2	–	–	–	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	7	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	57	–	–	–	–	–	–	–	–	1	–	2	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	46	4	2	6	6	1	–	–	9	7	3	2	2
Tabes Mesenterica	68	8	9	8	12	9	5	4	6	–	2	4	–
Phthisis	454	2	5	16	22	6	5	4	19	20	57	61	64
Hydrocephalus	159	11	19	33	45	17	7	8	19	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	153	167	143	160	178	187	207	175	198	137	83	40	10	4	–	7
SPECIFIED CAUSES	152	165	141	158	175	185	207	175	198	137	83	40	10	4	–	6
Zymotic Class	32	24	17	14	13	18	17	6	10	8	2	–	1	–	–	–
Uncertain Seat	2	6	9	8	14	5	16	10	14	8	2	2	1	–	–	–
Tubercular Class	38	40	26	18	19	15	9	8	2	1	–	–	–	–	–	2
Brain, etc.	15	23	19	23	21	33	40	28	44	33	16	–	–	–	–	–
Heart, etc.	16	10	14	17	20	20	29	33	22	12	2	1	–	–	–	–
Respiratory Organs	19	23	28	33	49	60	52	46	35	19	12	5	1	–	–	3
Digestive Organs	10	11	10	15	12	18	9	14	11	6	5	–	1	–	–	1
Urinary Organs	5	9	6	6	7	1	14	5	9	6	3	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	2	1	2	2	–	–	2	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	1	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	20	45	42	39	32	5	4	–	–
Sudden Deaths	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	12	18	8	21	16	7	8	4	4	1	1	–	–	–	–	–
Small-pox	19	12	9	3	2	–	3	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	1	–	4	5	1	2	3	2	–	1	–	–	–
Dysentery	1	–	–	4	2	4	–	2	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	2	1	3	4	2	–	1	1	–	–	–	–	–	–
Enteric Fever	4	6	2	4	3	2	2	–	–	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	2	–	1	–	1	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	3	1	–	–	–	5	3	6	2	–	2	1	–	–	–
Abscess	2	–	5	–	1	–	–	1	–	1	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	–	2	–	–	1	1	–	–	–	–	–
Cancer	–	3	3	5	11	5	8	6	8	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	37	39	25	18	19	15	8	7	2	1	–	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	60	2	4	11	4	4	6	–	11	5	4	1	1
Apoplexy	122	6	1	1	5	2	3	–	2	2	–	5	2
Paralysis	122	1	–	–	–	–	–	–	2	–	–	–	4
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	29	–	–	1	1	–	–	–	3	2	3	2	2
Tetanus	3	2	–	–	–	–	–	–	–	1	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	76	30	6	19	11	2	2	2	4	–	–	–	–
Brain Disease	85	1	1	3	4	3	2	1	5	4	3	–	4
V. Pericarditis	13	–	–	–	–	–	–	–	3	1	2	1	1
Aneurism	10	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	207	3	–	–	–	–	2	–	6	2	2	3	8
VI. Laryngitis	11	–	–	–	1	–	1	–	1	–	–	–	1
Bronchitis	559	67	56	79	80	25	15	7	14	3	3	6	6
Pleurisy	13	–	–	–	–	–	–	2	1	–	2	–	–
Pneumonia	274	18	16	20	19	14	5	8	10	9	4	11	9
Asthma	31	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	20	1	1	–	–	–	1	–	2	1	1	2	–
VII. Teething	54	–	3	19	29	3	–	–	–	–	–	–	–
Quinsey	7	1	–	1	1	1	1	–	2	–	–	–	–
Gastritis	12	2	1	–	–	–	–	–	1	–	–	–	–
Enteritis	58	14	11	6	6	1	1	–	2	2	2	4	–
Peritonitis	23	1	2	2	1	–	1	1	2	2	1	1	1
Ascites	6	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	11	1	–	2	–	–	–	–	1	–	–	1	–
Hernia	5	1	1	–	–	–	1	–	–	–	–	–	–
Ileus	17	1	–	1	–	–	1	1	1	1	2	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	62	11	6	7	7	2	–	–	1	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	11	6	–	–	1	1	–	–	–	–	–	–	–
Liver Disease	46	–	2	1	1	–	–	–	1	–	2	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	15	–	–	–	3	1	1	2	4	2	–	–	–
Nephria	26	–	1	–	–	–	–	1	1	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	13	–	–	–	–	–	–	–	–	–	–	2	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	42	–	–	–	1	–	1	–	4	5	1	2	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	9	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	10	–	–	–	–	–	–	–	3	1	2	2	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	–	1	1	–	–	–	–	–	–	–
XVII. Intemperance	21	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	4	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	1	–	–	–	–	–	–	1	1	1	–	–
Poisoned Wounds	1	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	15	1	–	–	1	3	2	3	1	–	1	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	9	2	–	1	–	–	–	1	–	1	–	–
Drowning	32	1	–	–	–	–	1	–	4	2	3	2	1
Fracture and Contusion	96	–	–	–	–	2	1	3	1	8	9	13	10
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	13	2	–	–	–	–	1	–	–	2	3	–	2
Not specified	68	28	8	3	3	3	3	2	1	2	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	–	1	2	–	–	–	1	–	–	–	–	–
Apoplexy	4	8	4	2	5	13	15	9	14	11	8	–	–	–	–	–
Paralysis	3	3	10	13	7	12	13	12	21	16	5	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	–	3	–	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	1	2	2	–	1	1	2	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	7	4	5	6	7	5	6	7	3	2	–	–	–	–	–
Pericarditis	2	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	3	–	2	3	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	13	7	14	13	17	19	28	33	22	12	2	1	–	–	–	–
Laryngitis	1	1	2	–	1	–	1	–	–	–	–	1	–	–	–	–
Bronchitis	5	9	11	17	20	31	28	25	22	13	10	3	1	–	–	3
Pleurisy	–	–	1	1	–	2	3	1	–	–	–	–	–	–	–	–
Pneumonia	10	11	9	12	22	21	16	16	5	6	2	1	–	–	–	–
Asthma	–	1	5	3	4	5	3	2	7	–	–	–	–	–	–	–
Lung Disease	3	1	–	–	2	1	1	2	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	1	2	–	1	–	–	1	–	1	–	–	–	–	–
Enteritis	1	1	3	–	–	–	–	2	1	1	–	–	–	–	–	–
Peritonitis	1	1	–	2	–	3	–	1	–	–	–	–	–	–	–	–
Ascites	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1
Ulceration of Intestines	–	–	–	2	–	1	–	–	2	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Ileus	–	–	1	1	1	1	–	2	–	1	1	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	3	1	3	2	2	2	4	4	4	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	–	1	–	–	1	–	–	1	1	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	2	4	1	5	8	8	4	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	4	5	3	2	1	4	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	2	1	–	2	3	–	3	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	2	3	1	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	1	2	–	5	2	5	4	2	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	1	–	2	1	1	2	–	–	2	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	1	2	2	7	1	2	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	5	1	3	4	1	2	1	–	–	1	–	–	–	–	–
Fracture and Contusion	8	8	5	12	3	5	3	3	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not specified	1	2	2	2	3	2	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4947	398	179	320	432	237	157	138	336	135	182	199	171
SPECIFIED CAUSES	4886	379	175	314	425	234	157	137	331	135	182	199	169
I. Zymotic Class	1353	53	53	109	198	135	115	95	216	63	45	45	32
II. Diseases of Uncertain Seat	191	4	–	1	–	1	1	2	2	4	3	1	5
III. Tubercular Class	799	11	32	49	67	37	15	15	52	33	94	104	67
IV. Brain and Nervous System	439	21	13	15	16	9	6	5	16	10	6	9	8
V. Organs of Circulation	224	–	–	2	–	–	–	1	2	6	5	6	7
VI. Respiratory Organs	719	47	38	93	95	37	14	13	22	7	14	6	11
VII. Organs of Digestion	297	28	12	30	28	1	1	1	8	5	3	11	14
VIII. Urinary Organs	56	–	–	1	1	3	1	–	1	–	–	5	2
IX. Organs of Generation	70	–	–	–	–	–	–	–	–	–	6	9	21
X. Organs of Locomotion	34	–	1	–	–	4	–	–	3	5	6	–	1
XI. Skin, etc.	3	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	14	12	–	–	1	–	–	–	–	1	–	–	–
XIII. Premature Debility	224	190	23	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	32	–	–	–	9	4	1	2	4	–	–	–	–
XV. Age	336	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	–	–	3	–	–	–	–	–	–	–	–
XVII. Violent Deaths	89	13	3	3	6	3	3	3	5	1	–	3	1
I. Small-pox	117	10	7	5	2	2	–	4	13	23	12	8	9
Measles	91	–	2	10	34	13	12	7	9	1	1	–	–
Scarlatina	450	3	3	21	59	73	61	64	130	17	9	5	1
Diphtheria	90	2	–	4	17	13	14	8	22	5	–	–	–
Hooping-cough	109	8	11	22	40	11	9	2	4	–	–	–	–
Croup	54	1	1	2	15	11	11	4	9	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	163	16	18	36	24	6	3	–	4	1	1	–	–
Dysentery	21	–	3	–	1	1	–	–	–	–	–	–	–
Cholera	2	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	7	–	–	2	–	–	1	–	2	–	–	–	–
Purpura	2	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	42	–	1	1	–	1	1	1	6	6	4	1	3
Enteric Fever	76	–	–	–	2	3	2	5	15	6	11	7	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	1	–	–	–	1	1	–	–	–
Infantile Remittent	3	–	1	1	1	–	–	–	–	–	–	–	–
Metria	64	–	–	–	–	–	–	–	–	–	5	23	16
Rheumatic Fever	7	–	–	–	–	1	–	–	–	2	2	–	–
Erysipelas	30	8	1	2	1	–	–	–	–	–	–	–	–
Pyæmia	7	–	–	–	–	–	–	–	1	1	–	1	1
Syphilis	13	5	3	2	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	–	–	–	–	–	–	–	–	–	–	1
Dropsy	38	–	–	–	–	1	1	–	1	2	1	–	1
Abscess	16	3	–	1	–	–	–	1	1	1	2	1	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	121	–	–	–	–	–	–	1	–	1	–	–	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	26	1	2	3	5	–	1	1	1	–	3	–	2
Tabes Mesenterica	66	5	6	11	17	5	5	1	8	1	1	1	2
Phthisis	573	2	6	8	11	8	4	8	26	32	90	102	63
Hydrocephalus	134	3	18	27	34	24	5	5	17	–	–	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	163	154	160	138	180	169	212	203	249	194	147	62	21	5	2	4
SPECIFIED CAUSES .	160	152	158	136	176	169	212	203	249	193	147	62	21	5	2	4
Zymotic Class . .	31	32	19	14	18	12	12	15	21	9	6	2	2	–	–	1
Uncertain Seat .	6	9	15	19	19	20	21	20	20	11	6	1	–	–	–	–
Tubercular Class .	63	46	48	21	15	12	8	7	2	–	–	–	–	–	–	1
Brain, etc. . .	10	10	17	21	26	31	47	35	41	38	20	7	2	–	–	–
Heart, etc. . .	11	12	12	7	20	24	25	26	27	20	7	3	–	–	–	1
Respiratory Organs .	13	12	18	21	36	34	47	33	43	32	27	5	1	–	–	–
Digestive Organs .	14	13	14	18	18	15	17	19	15	4	3	4	–	–	–	1
Urinary Organs .	2	2	4	4	6	5	6	6	4	2	1	–	–	–	–	–
Generative Organs .	7	10	4	5	2	3	1	–	1	1	–	–	–	–	–	–
Locomotive Organs .	1	3	–	–	3	1	2	2	2	–	–	–	–	–	–	–
Skin . . .	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	2	5	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	21	37	69	74	75	38	15	5	2	–
Sudden Deaths .	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths .	2	3	6	3	7	6	4	3	4	2	2	2	1	–	–	–
Small-pox . .	6	10	2	1	2	–	1	–	–	–	–	–	–	–	–	–
Measles . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . .	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria . .	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Hooping-cough .	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Croup . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	3	2	6	3	4	5	6	5	9	5	3	1	2	–	–	–
Dysentery . .	1	1	–	1	1	3	1	2	4	2	–	–	–	–	–	–
Cholera . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Purpura . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	3	3	1	3	3	–	1	2	1	–	–	–	–	–	–	–
Enteric Fever . .	2	2	3	3	1	3	1	2	4	2	–	–	–	–	–	–
Relapsing Fever .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria . . .	7	9	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . .	1	2	3	2	2	1	–	3	1	–	1	1	–	–	–	1
Pyæmia . . .	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Noma . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy . . .	–	3	3	4	3	2	3	3	6	3	–	1	–	–	–	–
Abscess . . .	–	1	1	1	1	–	1	–	–	1	–	–	–	–	–	–
Ulcer . . .	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Fistula . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–
Cancer . . .	3	3	10	14	15	17	15	13	13	7	6	–	–	–	–	–
Gout . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	1	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica .	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	61	43	46	20	15	11	8	6	2	–	–	–	–	–	–	1
Hydrocephalus .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	48	1	3	9	5	4	3	1	8	6	2	–	1
Apoplexy	120	1	1	1	1	1	2	2	1	1	–	5	1
Paralysis	135	–	–	1	1	–	–	–	1	1	–	–	2
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	13	1	–	–	–	–	–	–	–	–	2	3	–
Tetanus	4	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	12	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	41	16	5	4	6	4	–	2	4	–	–	–	–
Brain Disease	62	1	3	–	3	–	1	–	2	1	2	1	2
V. Pericarditis	8	–	–	–	–	–	–	1	1	–	1	–	1
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	213	–	–	2	–	–	–	–	1	6	4	6	6
VI. Laryngitis	6	1	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	488	36	29	76	71	24	10	6	13	3	4	1	3
Pleurisy	8	–	–	–	–	1	–	–	–	–	1	–	1
Pneumonia	186	8	8	16	22	11	4	7	9	4	7	5	7
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	2	–	–	1	–	–	–	–	–	2	–	–
VII. Teething	29	–	2	12	14	1	–	–	–	–	–	–	–
Quinsey	3	–	–	2	–	–	–	–	–	–	–	–	–
Gastritis	14	2	1	1	1	–	1	1	1	–	1	–	1
Enteritis	40	8	4	7	5	–	–	–	–	2	–	2	2
Peritonitis	40	–	–	–	1	–	–	–	3	1	1	6	5
Ascites	8	–	–	–	–	–	–	–	2	1	–	–	–
Ulceration of Intestines	13	–	–	–	1	–	–	–	–	–	–	–	1
Hernia	9	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	15	–	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	54	10	3	6	5	–	–	–	2	1	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	18	–	2	–	–	–	–	–	–	–	–	1	–
Jaundice	16	5	–	–	–	–	–	–	–	–	1	1	–
Liver Disease	35	2	–	1	–	–	–	–	–	–	–	–	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	9	–	–	1	–	1	–	–	1	–	–	–	–
Nephria	26	–	–	–	–	1	1	–	–	–	–	3	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	–	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	1	–	–	–	–	–	–	2	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	2
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	48	–	–	–	–	–	–	–	–	–	5	9	17
Organs of Generation	11	–	–	–	–	–	–	–	–	–	1	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	12	–	–	–	–	–	–	–	–	3	1	–	–
Joint Disease	21	–	1	–	–	4	–	–	2	2	5	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	5	–	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	15	–	–	–	3	2	1	2	1	–	–	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	15	5	3	1	–	–	–	–	–	–	–	–	–
Drowning	13	1	–	–	2	1	–	–	1	–	–	1	1
Fracture and Contusion	17	–	–	–	1	–	2	1	2	1	–	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	–	–
Not specified	61	19	4	6	7	3	–	1	5	–	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	5	5	5	7	13	7	12	10	10	16	7	5	1	–	–	–
Paralysis	–	2	6	4	7	17	22	18	23	17	11	1	1	–	–	–
Delirium Tremens	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	1	–	2	1	–	1	–	–	–	–	–
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	2	2	–	1	–	1	1	–	1	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	5	4	4	4	10	5	6	3	1	1	–	–	–	–
Pericarditis	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	10	10	11	7	19	24	23	26	27	20	7	3	–	–	–	1
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	5	10	14	18	23	32	23	32	23	20	5	1	–	–	–
Pleurisy	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Pneumonia	6	6	7	4	13	6	12	7	7	6	4	–	–	–	–	–
Asthma	–	–	–	–	3	5	2	2	3	2	2	–	–	–	–	–
Lung Disease	–	–	1	3	–	–	1	1	–	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	2	2	1	–	1	–	1	1	1	1	–	–	–	–	–	–
Peritonitis	5	2	5	3	1	2	1	1	1	–	–	2	–	–	–	–
Ascites	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	1	1	2	1	–	1	1	1	–	–	1	–	–	–	–
Hernia	–	–	1	1	–	1	–	2	–	–	3	–	–	–	–	–
Ileus	–	1	–	2	–	2	2	3	3	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	–	2	4	4	2	3	4	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	1	–	3	1	1	4	1	–	–	–	–	–	–	–
Jaundice	–	–	–	3	–	–	2	1	2	1	–	–	–	–	–	–
Liver Disease	2	1	3	4	6	5	5	–	2	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	3	–	1	–	2	–	–	–	–	–	–	–	–	–
Nephria	1	2	–	3	1	3	3	5	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	3	2	1	–	2	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	2	1	1	–	–	1	–	–	–	–	–	–
Childbirth	6	8	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	2	3	–	2	–	–	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	2	–	–	2	1	1	1	1	–	–	–	–	–	–	–
Joint Disease	1	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	–	1	3	–	1	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–
Hanging, etc.	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	2	–	1	1	1	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	1	1	2	1	2	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–
Not specified	3	2	2	2	4	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17560	1795	653	1024	1314	689	520	377	1003	504	602	675	574
SPECIFIED CAUSES	17196	1631	616	993	1291	678	515	374	988	498	596	669	568
I. Zymotic Class	4198	211	167	312	544	417	342	253	606	233	166	154	108
II. Diseases of Uncertain Seat	664	10	2	8	10	2	3	2	10	4	9	8	7
III. Tubercular Class	2447	40	72	150	201	79	60	31	147	138	255	297	251
IV. Brain and Nervous System	1588	99	47	74	78	33	21	28	66	29	26	29	29
V. Organs of Circulation	1050	8	3	2	4	1	2	1	12	19	16	20	25
VI. Respiratory Organs	2509	219	160	255	247	83	51	37	58	20	32	44	40
VII. Organs of Digestion	1241	130	73	133	145	30	13	5	26	15	22	27	25
VIII. Urinary Organs	288	3	–	–	3	6	5	5	15	5	9	15	8
IX. Organs of Generation	145	–	–	1	–	–	–	–	–	–	10	24	20
X. Organs of Locomotion	99	–	–	1	–	–	1	–	7	11	9	6	4
XI. Skin, etc.	30	4	3	9	2	–	1	–	1	–	–	–	1
XII. Malformation	77	64	7	3	1	–	1	–	1	–	–	–	–
XIII. Premature Debility	873	774	62	37	–	–	–	–	–	–	–	–	–
XIV. Atrophy	113	–	–	–	35	12	4	2	10	4	–	–	2
XV. Age	1151	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	3	–	1	–	–	–	–	2	–	–	–	1
XVII. Violent Deaths	702	66	20	7	21	15	11	10	27	20	42	45	47
I. Small-pox	445	46	27	7	10	7	6	5	28	44	55	66	34
Measles	218	2	6	40	79	37	13	14	20	3	2	1	–
Scarlatina	1224	9	10	60	177	183	188	126	341	84	18	11	6
Diphtheria	280	4	7	19	41	32	35	36	68	13	6	4	2
Hooping-cough	246	23	26	54	68	44	14	10	7	–	–	–	–
Croup	265	4	4	22	62	61	47	29	34	2	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	456	80	61	81	67	18	6	5	9	3	2	3	2
Dysentery	54	3	2	5	1	1	1	–	–	–	–	1	1
Cholera	29	2	2	3	4	1	3	–	2	1	–	1	–
Influenza	33	3	1	2	1	–	–	–	3	–	1	–	–
Purpura	15	1	–	1	1	–	–	1	2	–	3	–	1
Ague	2	–	–	–	–	–	–	–	1	–	–	–	–
Worms	6	–	1	–	1	2	1	–	1	–	–	–	–
Typhus	144	–	1	3	5	2	3	5	10	14	13	12	8
Enteric Fever	445	1	2	6	12	23	17	19	61	54	52	30	23
Relapsing Fever	11	1	–	–	–	–	–	–	1	3	2	–	2
Simple Continued Fever	35	1	–	–	2	–	3	1	4	5	3	3	1
Infantile Remittent	22	2	3	2	5	3	3	2	2	–	–	–	–
Metria	87	–	–	–	–	–	–	–	–	–	3	18	22
Rheumatic Fever	30	–	–	–	–	–	–	–	7	4	4	3	2
Erysipelas	82	15	4	3	–	1	2	–	3	2	1	–	1
Pyæmia	22	1	–	1	1	1	–	–	2	1	1	1	2
Syphilis	39	11	10	3	2	1	–	–	–	–	–	–	1
Noma	4	–	–	–	4	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	2	–	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	19	2	–	2	–	–	–	–	–	1	–	2	–
Dropsy	152	1	–	2	5	2	1	1	6	2	5	4	3
Abscess	43	2	2	1	1	–	–	1	3	1	2	1	3
Ulcer	24	–	–	2	2	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	33	2	–	–	–	–	–	–	–	–	–	–	–
Cancer	384	3	–	1	2	–	2	–	1	–	2	1	1
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	149	5	1	5	18	4	3	1	14	22	27	12	11
Tabes Mesenterica	212	12	12	29	56	21	14	4	22	13	6	8	1
Phthisis	1680	1	14	18	34	13	12	7	56	101	222	277	239
Hydrocephalus	406	22	45	98	93	41	31	19	55	2	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	505	503	534	559	630	615	775	793	1035	792	648	306	105	22	2	6
SPECIFIED CAUSES	500	497	525	549	625	601	775	793	1035	792	648	306	105	22	2	4
Zymotic Class	92	97	72	48	57	54	53	58	55	47	29	19	2	–	–	2
Uncertain Seat	17	24	49	65	51	66	77	61	79	56	29	13	2	–	–	–
Tubercular Class	173	113	109	96	74	62	40	23	22	6	5	1	1	–	–	1
Brain, etc.	33	30	37	56	82	85	109	162	195	120	77	34	8	–	–	1
Heart, etc.	42	36	63	60	77	80	133	139	140	97	59	6	5	–	–	–
Respiratory Organs	35	60	77	80	124	126	155	145	170	154	103	27	6	1	–	–
Digestive Organs	22	51	38	68	74	53	73	60	80	43	29	4	2	–	–	–
Urinary Organs	13	17	8	16	15	16	25	27	44	17	11	4	1	–	–	–
Generative Organs	26	23	13	10	5	1	3	4	4	–	–	1	–	–	–	–
Locomotive Organs	5	5	4	3	6	5	5	7	10	8	1	1	–	–	–	–
Skin	–	2	–	–	–	1	2	1	2	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	6	1	7	8	20	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	59	74	213	225	290	192	75	21	2	–
Sudden Deaths	1	–	1	1	3	2	1	–	1	1	2	1	–	–	–	–
Violent Deaths	39	33	53	39	49	30	40	32	20	17	13	3	3	–	–	–
Small-pox	33	30	16	12	7	6	2	4	–	–	–	–	–	–	–	–
Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	3	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Diphtheria	2	2	2	2	–	1	–	1	2	–	1	–	–	–	–	–
Hooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	6	2	–	5	7	18	15	19	18	14	12	1	–	–	–
Dysentery	1	1	2	2	1	4	4	4	9	6	5	–	–	–	–	–
Cholera	1	2	1	1	–	1	2	–	1	1	–	–	–	–	–	–
Influenza	1	–	–	1	–	3	2	3	6	3	2	–	1	–	–	–
Purpura	–	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	9	9	4	16	7	8	3	2	5	1	–	–	–	–	1
Enteric Fever	20	19	17	17	18	15	6	11	10	7	3	2	–	–	–	–
Relapsing Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	2	–	1	3	2	1	–	2	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	15	7	–	1	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	–	1	2	1	1	–	2	2	1	–	–	–	–	–	–	–
Erysipelas	3	1	5	4	2	5	6	10	3	4	3	4	–	–	–	–
Pyæmia	2	1	2	2	3	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	4	3	–	1	–	–	2	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	1	1	2	–	3	–	1	1	–	–	–	–	–	–
Dropsy	4	2	10	12	5	11	17	10	23	14	6	6	–	–	–	–
Abscess	3	3	5	2	2	–	1	1	4	2	2	1	–	–	–	–
Ulcer	1	1	1	–	1	1	–	3	3	4	4	1	–	–	–	–
Fistula	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Mortification	–	–	1	3	–	2	3	5	8	6	1	2	–	–	–	–
Cancer	9	15	30	47	41	51	52	40	40	27	15	2	2	–	–	–
Gout	–	–	–	–	–	1	1	2	–	2	1	–	–	–	–	–
Scrofula	4	5	5	3	1	3	2	1	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	4	2	–	2	–	–	–	2	–	1	–	–	–	–	–
Phthisis	166	104	102	93	71	59	38	22	19	5	4	1	1	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	194	14	14	28	27	11	7	10	27	13	8	6	4
Apoplexy	398	6	5	10	10	2	2	6	8	4	5	4	6
Paralysis	449	1	–	–	1	–	–	1	2	1	2	4	1
Delirium Tremens	18	–	–	–	–	–	–	–	–	–	–	2	1
Chorea	4	–	–	–	–	–	–	–	–	3	–	–	–
Epilepsy	59	2	1	1	–	–	–	1	2	1	5	3	5
Tetanus	16	3	–	–	–	–	1	1	1	3	2	2	1
Insanity	6	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	188	69	22	30	26	16	9	5	11	–	–	–	–
Brain Disease	256	4	5	5	14	4	2	4	15	4	3	8	11
V. Pericarditis	14	–	–	–	–	–	1	–	1	1	–	–	1
Aneurism	14	–	–	–	–	–	–	–	–	2	–	–	1
Heart Disease	1022	8	3	2	4	1	1	1	11	16	16	20	23
VI. Laryngitis	44	5	1	5	6	5	5	2	3	–	2	2	–
Bronchitis	1568	154	130	210	189	56	28	20	24	9	7	8	8
Pleurisy	52	2	–	–	2	2	–	2	5	1	6	6	1
Pneumonia	683	56	29	40	48	19	15	12	24	9	17	24	26
Asthma	105	–	–	–	–	–	–	1	–	–	–	–	3
Lung Disease	57	2	–	–	2	1	3	–	2	1	–	4	2
VII. Teething	197	3	15	75	95	9	–	–	–	–	–	–	–
Quinsey	20	3	2	3	2	2	1	–	–	1	–	–	–
Gastritis	44	3	5	2	5	–	–	–	2	1	–	2	–
Enteritis	249	61	29	30	25	11	4	4	7	5	4	5	4
Peritonitis	113	4	5	6	4	2	2	1	5	3	8	10	10
Ascites	15	–	–	–	–	–	–	–	4	–	1	–	1
Ulceration of Intestines	47	1	–	2	3	1	–	–	–	1	1	1	1
Hernia	17	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	47	3	4	1	–	–	–	–	1	1	2	1	3
Intussusception	21	–	3	3	1	2	–	–	1	–	1	–	1
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	182	28	8	10	5	2	3	–	3	2	2	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	58	1	–	1	–	–	1	–	1	–	–	4	–
Jaundice	60	17	1	–	3	1	–	–	–	1	–	–	–
Liver Disease	160	6	1	–	1	–	1	–	2	–	2	1	3
Spleen Disease	5	–	–	–	1	–	1	–	–	–	1	–	–
VIII. Nephritis	32	–	–	–	2	2	3	2	2	1	–	1	2
Nephria	72	–	–	–	1	1	1	1	8	1	2	6	5
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	21	1	–	–	–	–	–	–	–	1	–	1	–
Diabetes	23	–	–	–	–	–	–	–	–	2	1	4	–
Stone	11	1	–	–	–	–	1	–	–	–	–	–	–
Cystitis	26	–	–	–	–	1	–	1	1	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	101	1	–	–	–	2	–	1	4	–	6	3	1
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	15	–	–	–	–	–	–	–	–	–	1	1	1
Childbirth	99	–	–	–	–	–	–	–	–	–	7	21	14
Organs of Generation	27	–	–	1	–	–	–	–	–	–	1	2	4
X. Bone Disease	10	–	–	–	–	–	–	–	1	3	1	–	–
Rheumatism	44	–	–	–	–	–	–	–	2	–	1	2	1
Joint Disease	45	–	–	1	–	–	1	–	4	8	7	4	3
XI. Carbuncle	9	–	1	2	–	–	–	–	–	–	–	–	–
Phlegmon	5	1	–	–	1	–	–	–	–	–	–	–	1
Skin Disease	16	3	2	7	1	–	1	–	1	–	–	–	–
XVII. Intemperance	49	–	–	–	–	–	–	–	–	–	–	2	3
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	34	22	9	2	1	–	–	–	–	–	–	–	–
Neglect	3	2	1	–	–	–	–	–	–	–	–	–	–
Cold	18	–	–	–	1	–	–	–	–	1	–	–	1
Poison	9	1	–	–	–	–	–	–	1	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	63	–	1	3	9	10	4	3	5	1	1	1	3
Hanging, etc.	9	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	68	37	9	2	–	–	–	–	1	–	2	–	1
Drowning	179	–	–	–	6	3	2	3	12	8	11	26	17
Fracture and Contusion	224	2	–	–	4	2	5	4	7	7	22	15	19
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	2	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	1	2
Other Violent Causes	35	2	–	–	–	–	–	–	1	3	4	–	–
Not specified	364	164	37	31	23	11	5	3	15	6	6	6	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	2	–	3	5	2	1	1	6	–	–	–	–	–	–	–
Apoplexy	5	8	10	16	32	41	41	50	58	36	22	5	6	–	–	–
Paralysis	5	5	7	15	22	25	42	78	93	65	51	26	1	–	–	1
Delirium Tremens	1	4	1	1	2	2	1	1	–	2	–	–	–	–	–	–
Chorea	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	5	5	5	3	2	1	4	8	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	2	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	6	12	15	18	12	22	26	30	16	4	3	1	–	–	–
Pericarditis	–	–	3	–	–	2	2	2	1	–	–	–	–	–	–	–
Aneurism	–	2	2	2	–	2	–	–	3	–	–	–	–	–	–	–
Heart Disease	42	34	58	58	77	76	131	137	136	97	59	6	5	–	–	–
Laryngitis	1	1	1	2	–	–	–	–	1	2	–	–	–	–	–	–
Bronchitis	10	17	30	31	57	73	84	95	106	108	86	24	4	–	–	–
Pleurisy	1	1	2	3	–	2	5	2	5	2	2	–	–	–	–	–
Pneumonia	19	30	30	28	44	39	47	32	48	31	11	2	2	1	–	–
Asthma	3	7	10	9	19	8	15	12	7	7	3	1	–	–	–	–
Lung Disease	1	4	4	7	4	4	4	4	3	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–
Gastritis	–	2	–	4	3	2	4	1	6	1	–	–	1	–	–	–
Enteritis	2	5	2	12	11	4	3	5	8	5	2	–	1	–	–	–
Peritonitis	8	13	4	7	4	2	6	1	3	3	2	–	–	–	–	–
Ascites	–	1	1	–	1	1	–	1	3	–	1	–	–	–	–	–
Ulceration of Intestines	2	5	4	3	4	7	3	4	3	1	–	–	–	–	–	–
Hernia	–	1	1	1	2	1	2	1	5	2	1	–	–	–	–	–
Ileus	2	2	2	2	3	2	5	5	3	2	3	–	–	–	–	–
Intussusception	–	1	1	1	1	–	1	3	1	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	2	2	1	–	–	–	–	–	–
Stomach Disease	2	6	10	11	9	10	13	14	15	15	5	4	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	4	6	10	6	6	4	7	2	2	–	–	–	–	–
Jaundice	–	2	1	4	2	2	6	6	6	3	5	–	–	–	–	–
Liver Disease	4	10	8	16	23	16	22	12	16	8	8	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	4	1	1	1	1	–	2	3	3	–	–	1	–	–	–	–
Nephria	4	4	4	8	6	3	8	4	4	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	1	–	1	1	–	1	3	6	2	3	–	–	–	–	–
Diabetes	–	5	1	1	–	2	1	1	3	–	2	–	–	–	–	–
Stone	1	1	–	–	–	2	–	1	2	1	–	1	–	–	–	–
Cystitis	2	–	–	1	1	–	4	6	4	3	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	5	2	4	6	8	9	9	21	11	4	1	1	–	–	–
Paramenia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	1	2	1	1	2	2	–	–	1	–	–	–	–
Childbirth	21	21	10	4	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	1	3	4	2	–	2	2	2	–	–	–	–	–	–	–
Bone Disease	–	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Rheumatism	2	2	2	3	3	3	4	5	7	6	1	–	–	–	–	–
Joint Disease	3	1	2	–	2	2	–	1	3	2	–	1	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	1	2	1	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	3	6	7	6	4	6	6	3	1	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	1	1	2	3	–	1	2	1	2	–	–	–	–	–
Poison	–	1	1	2	–	–	–	1	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	3	1	3	1	2	3	1	3	3	–	–	–	–	–
Hanging, etc.	1	–	3	1	2	1	1	–	–	–	–	–	–	–	–	–
Suffocation	3	1	3	–	2	3	1	2	–	1	–	–	–	–	–	–
Drowning	11	12	18	8	12	8	12	3	6	1	–	–	–	–	–	–
Fracture and Contusion	19	12	13	15	16	9	16	11	8	6	7	2	3	–	–	–
Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	2	3	3	4	1	2	4	–	3	1	1	–	–	–	–
Not specified	5	6	9	10	5	14	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	8852	1030	365	560	719	356	257	195	500	225	336	353	270
SPECIFIED CAUSES	8652	931	343	546	707	352	254	193	493	220	332	349	267
I. Zymotic Class	2091	124	96	174	291	216	164	130	294	94	100	85	46
II. Diseases of Uncertain Seat	256	6	1	1	7	–	3	1	4	2	5	3	3
III. Tubercular Class	1177	30	40	79	110	41	28	18	63	55	119	150	106
IV. Brain and Nervous System	839	55	26	48	39	18	13	13	36	14	18	18	17
V. Organs of Circulation	523	4	1	1	2	–	1	1	9	11	10	9	11
VI. Respiratory Organs	1389	126	97	134	143	47	23	21	32	10	17	23	25
VII. Organs of Digestion	612	72	40	74	82	13	9	2	13	8	9	8	7
VIII. Urinary Organs	195	2	–	–	2	4	2	2	10	–	6	7	6
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	48	–	–	–	–	–	–	–	4	7	8	4	2
XI. Skin, etc.	12	1	1	5	1	–	–	–	–	–	–	–	–
XII. Malformation	45	38	3	2	–	–	1	–	1	–	–	–	–
XIII. Premature Debility	487	435	30	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	51	–	–	–	17	4	4	1	6	3	–	–	1
XV. Age	399	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	3	–	–	–	–	–	–	2	–	–	–	–
XVII. Violent Deaths	516	35	8	6	13	9	6	4	19	16	40	42	43
I. Small-pox	263	20	13	5	4	4	1	1	22	18	43	45	22
Measles	115	2	5	20	48	18	7	7	5	2	–	–	–
Scarlatina	635	8	7	36	100	105	88	62	172	37	8	6	3
Diphtheria	129	3	4	14	23	15	13	16	25	5	4	1	1
Hooping-cough	114	15	13	29	33	15	4	3	2	–	–	–	–
Croup	146	1	3	15	31	31	29	19	17	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	213	48	32	35	33	9	5	4	5	1	1	2	–
Dysentery	22	2	–	4	1	1	1	–	–	–	–	1	1
Cholera	18	1	2	1	3	–	1	–	1	1	–	–	–
Influenza	17	3	1	2	–	–	–	–	–	–	1	–	–
Purpura	10	1	–	1	1	–	–	1	2	–	1	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	1	–	–	–	–	–	–
Typhus	76	–	1	2	2	2	1	3	4	5	7	8	6
Enteric Fever	204	1	2	4	8	13	7	13	30	18	29	19	8
Relapsing Fever	5	1	–	–	–	–	–	–	1	1	–	–	1
Simple Continued Fever	19	–	–	–	2	–	2	1	1	3	3	1	–
Infantile Remittent	7	–	2	1	1	1	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	13	–	–	–	–	–	–	–	4	1	2	2	1
Erysipelas	47	9	4	3	–	1	2	–	2	1	–	–	1
Pyæmia	9	1	–	1	–	–	–	–	1	1	1	–	–
Syphilis	23	7	7	1	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	1	–	1	–	–	–	–	–	–	–	1	–
Dropsy	69	1	–	–	3	–	1	–	3	2	3	1	1
Abscess	20	–	1	–	1	–	–	1	1	–	1	1	2
Ulcer	8	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	14	2	–	–	–	–	–	–	–	–	–	–	–
Cancer	131	2	–	–	2	–	2	–	–	–	1	–	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	84	3	1	3	11	3	2	1	7	12	16	9	5
Tabes Mesenterica	107	11	7	20	28	11	3	1	9	4	3	4	–
Phthisis	770	–	7	7	17	7	7	4	23	39	100	137	101
Hydrocephalus	216	16	25	49	54	20	16	12	24	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	228	223	262	288	338	317	378	392	487	340	274	112	33	10	–	4
SPECIFIED CAUSES	226	220	260	285	334	311	378	392	487	340	274	112	33	10	–	3
Zymotic Class	38	34	31	25	29	17	20	19	19	22	9	12	1	–	–	1
Uncertain Seat	6	9	15	26	18	26	31	23	34	19	11	2	–	–	–	–
Tubercular Class	78	46	48	42	35	41	22	10	13	1	1	–	–	–	–	1
Brain, etc.	16	14	22	25	42	43	58	91	100	60	31	17	4	–	–	1
Heart, etc.	18	19	28	36	47	39	64	61	77	42	27	3	2	–	–	–
Respiratory Organs	21	35	51	51	76	73	79	78	81	73	55	13	4	1	–	–
Digestive Organs	4	19	14	36	36	27	33	33	39	17	13	2	2	–	–	–
Urinary Organs	5	13	3	10	10	12	17	24	35	14	7	4	–	–	–	–
Generative Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	3	1	1	3	1	3	3	3	1	–	–	–	–	–
Skin	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	2	3	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	21	29	72	78	112	58	20	9	–	–
Sudden Deaths	–	–	1	1	2	–	–	–	–	–	2	–	–	–	–	–
Violent Deaths	37	29	43	29	35	22	31	20	13	10	5	1	–	–	–	–
Small-pox	23	15	11	9	2	2	1	2	–	–	–	–	–	–	–	–
Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	1	2	–	1	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	2	2	5	4	9	4	5	5	–	–	–	–
Dysentery	1	1	1	–	–	1	–	1	1	4	1	–	–	–	–	–
Cholera	1	1	1	1	–	–	2	–	1	1	–	–	–	–	–	–
Influenza	1	–	–	1	–	1	2	1	1	2	–	–	1	–	–	–
Purpura	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	5	–	10	1	4	1	1	4	–	–	–	–	–	1
Enteric Fever	7	4	8	7	10	3	1	2	2	5	1	2	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	2	–	–	–	2	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	3	1	4	3	4	1	–	1	4	–	–	–	–
Pyæmia	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	3	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	–	1	2	–	2	–	–	1	–	–	–	–	–	–
Dropsy	–	1	4	8	2	6	5	2	16	6	3	1	–	–	–	–
Abscess	2	2	1	1	2	–	1	1	1	–	1	–	–	–	–	–
Ulcer	1	–	1	–	–	1	–	–	1	1	2	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	–	–	1	1	3	3	1	1	–	–	–	–
Cancer	3	4	7	15	12	18	22	18	13	8	4	–	–	–	–	–
Gout	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Scrofula	2	3	3	1	–	1	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	2	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Phthisis	75	41	44	41	35	40	22	10	10	1	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	111	7	9	18	13	7	5	5	13	5	5	6	3
Apoplexy	197	5	3	5	6	2	2	2	4	2	3	2	4
Paralysis	233	1	–	–	1	–	–	1	1	1	1	3	–
Delirium Tremens	17	–	–	–	–	–	–	–	–	–	–	2	1
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	24	–	–	1	–	–	–	–	2	–	4	1	1
Tetanus	12	2	–	–	–	–	1	–	1	3	2	1	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	105	39	11	22	11	8	5	2	7	–	–	–	–
Brain Disease	138	1	3	2	8	1	–	3	8	3	3	3	8
V. Pericarditis	7	–	–	–	–	–	1	–	1	1	–	–	–
Aneurism	10	–	–	–	–	–	–	–	–	1	–	–	1
Heart Disease	506	4	1	1	2	–	–	1	8	9	10	9	10
VI. Laryngitis	25	3	1	4	4	4	3	–	1	–	–	2	–
Bronchitis	819	93	77	110	106	31	13	12	9	4	2	1	3
Pleurisy	35	–	–	–	2	2	–	1	4	1	4	5	1
Pneumonia	413	29	19	20	30	9	6	7	16	4	11	15	19
Asthma	63	–	–	–	–	–	–	1	–	–	–	–	2
Lung Disease	34	1	–	–	1	1	1	–	2	1	–	–	–
VII. Teething	109	2	9	37	56	5	–	–	–	–	–	–	–
Quinsey	10	1	–	3	1	–	1	–	–	–	–	–	–
Gastritis	24	2	2	2	1	–	–	–	–	1	–	1	–
Enteritis	126	29	16	19	13	4	3	2	2	2	2	1	2
Peritonitis	41	2	4	3	2	1	1	–	3	2	4	2	1
Ascites	5	–	–	–	–	–	–	–	3	–	–	–	–
Ulceration of Intestines	21	1	–	1	1	–	–	–	–	1	1	–	–
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	21	2	2	1	–	–	–	–	1	1	–	1	–
Intussusception	16	–	2	3	1	2	–	–	–	–	1	–	1
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	92	21	5	4	4	1	2	–	3	1	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	28	–	–	1	–	–	1	–	1	–	–	2	–
Jaundice	29	10	–	–	3	–	–	–	–	–	–	–	–
Liver Disease	79	2	–	–	–	–	–	–	–	–	1	–	1
Spleen Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
VIII. Nephritis	22	–	–	–	2	2	1	1	2	–	–	–	2
Nephria	44	–	–	–	–	1	1	1	4	–	1	2	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	16	1	–	–	–	–	–	–	–	–	–	1	–
Diabetes	14	–	–	–	–	–	–	–	–	–	1	2	–
Stone	9	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	20	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	68	1	–	–	–	1	–	–	3	–	4	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	4	–	–	–	–	–	–	–	1	2	1	–	–
Rheumatism	18	–	–	–	–	–	–	–	2	–	1	1	–
Joint Disease	26	–	–	–	–	–	–	–	1	5	6	3	2
XI. Carbuncle	6	–	1	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	1	–	4	1	–	–	–	–	–	–	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	2	3
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	22	13	6	2	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	12	–	–	–	1	–	–	–	–	1	–	–	–
Poison	5	–	–	–	–	–	–	–	1	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	33	–	1	2	5	6	3	–	3	–	1	1	2
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	35	19	1	2	–	–	–	–	–	–	1	–	1
Drowning	150	–	–	–	4	2	1	1	9	7	10	23	16
Fracture and Contusion	186	1	–	–	2	1	2	3	6	6	22	15	18
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	2	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	1	2
Other Violent Causes	28	2	–	–	–	–	–	–	–	2	4	–	–
Not specified	200	99	22	14	12	4	3	2	7	5	4	4	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	1	–	3	2	1	–	1	3	–	–	–	–	–	–	–
Apoplexy	1	2	5	6	18	19	20	29	27	15	11	2	2	–	–	–
Paralysis	3	3	3	8	12	14	19	42	49	36	19	14	1	–	–	1
Delirium Tremens	1	4	1	1	2	2	1	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	2	1	1	–	1	3	4	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	3	10	5	7	7	16	14	17	8	1	1	1	–	–	–
Pericarditis	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Aneurism	–	2	1	2	–	1	–	–	2	–	–	–	–	–	–	–
Heart Disease	18	17	25	34	47	38	63	61	74	42	27	3	2	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Bronchitis	6	9	20	14	28	37	41	47	52	48	42	12	2	–	–	–
Pleurisy	1	1	1	2	–	1	3	1	2	1	2	–	–	–	–	–
Pneumonia	12	19	21	22	30	24	25	23	24	16	9	–	2	1	–	–
Asthma	2	4	5	7	14	8	8	5	–	4	2	1	–	–	–	–
Lung Disease	–	2	3	6	4	3	2	2	2	3	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	3	1	2	3	1	4	–	–	–	1	–	–	–
Enteritis	1	2	2	7	7	2	2	2	3	1	1	–	1	–	–	–
Peritonitis	1	3	1	2	1	1	3	1	2	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Ulceration of Intestines	1	3	2	–	1	3	1	3	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	3	2	–	–	–	–	–	–
Ileus	–	2	–	1	1	2	2	2	2	1	–	–	–	–	–	–
Intussusception	–	1	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stomach Disease	–	2	3	5	3	4	5	8	8	6	2	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	4	4	3	3	3	2	2	1	–	–	–	–	–
Jaundice	–	–	–	2	1	1	3	2	3	1	3	–	–	–	–	–
Liver Disease	1	5	4	10	15	9	8	8	6	3	6	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	3	1	–	1	1	–	–	3	2	–	–	1	–	–	–	–
Nephria	1	3	2	5	5	2	6	2	3	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	3	6	2	2	–	–	–	–	–
Diabetes	–	5	–	1	–	1	1	1	2	–	–	–	–	–	–	–
Stone	1	1	–	–	–	2	–	1	2	1	–	1	–	–	–	–
Cystitis	–	–	–	1	–	–	4	6	3	3	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	1	2	3	6	6	8	16	8	3	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	1	1	1	1	1	3	1	2	1	–	–	–	–	–
Joint Disease	1	1	2	–	–	2	–	–	2	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	3	3	2	4	5	3	1	1	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	1	1	1	2	–	–	1	1	2	–	–	–	–	–
Poison	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	2	–	3	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	3	–	1	2	1	2	–	–	–	–	–	–	–	–
Drowning	11	11	16	7	10	5	11	1	4	1	–	–	–	–	–	–
Fracture and Contusion	19	12	13	13	13	8	12	9	6	3	2	–	–	–	–	–
Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	2	2	3	3	–	2	3	–	3	–	1	–	–	–	–
Not specified	2	3	2	3	4	6	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8708	765	288	464	595	333	263	182	503	279	266	322	304
SPECIFIED CAUSES	8544	700	273	447	584	326	261	181	495	278	264	320	301
I. Zymotic Class	2107	87	71	138	253	201	178	123	312	139	66	69	62
II. Diseases of Uncertain Seat	408	4	1	7	3	2	–	1	6	2	4	5	4
III. Tubercular Class	1270	10	32	71	91	38	32	13	84	83	136	147	145
IV. Brain and Nervous System	749	44	21	26	39	15	8	15	30	15	8	11	12
V. Organs of Circulation	527	4	2	1	2	1	1	–	3	8	6	11	14
VI. Respiratory Organs	1120	93	63	121	104	36	28	16	26	10	15	21	15
VII. Organs of Digestion	629	58	33	59	63	17	4	3	13	7	13	19	18
VIII. Urinary Organs	93	1	–	–	1	2	3	3	5	5	3	8	2
IX. Organs of Generation	144	–	–	1	–	–	–	–	–	–	10	24	20
X. Organs of Locomotion	51	–	–	1	–	–	1	–	3	4	1	2	2
XI. Skin, etc.	18	3	2	4	1	–	1	–	1	–	–	–	1
XII. Malformation	32	26	4	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	386	339	32	15	–	–	–	–	–	–	–	–	–
XIV. Atrophy	62	–	–	–	18	8	–	1	4	1	–	–	1
XV. Age	752	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	–	–	1	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	186	31	12	1	8	6	5	6	8	4	2	3	4
I. Small-pox	182	26	14	2	6	3	5	4	6	26	12	21	12
Measles	103	–	1	20	31	19	6	7	15	1	2	1	–
Scarlatina	589	1	3	24	77	78	100	64	169	47	10	5	3
Diphtheria	151	1	3	5	18	17	22	20	43	8	2	3	1
Hooping-cough	132	8	13	25	35	29	10	7	5	–	–	–	–
Croup	119	3	1	7	31	30	18	10	17	2	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	243	32	29	46	34	9	1	1	4	2	1	1	2
Dysentery	32	1	2	1	–	–	–	–	–	–	–	–	–
Cholera	11	1	–	2	1	1	2	–	1	–	–	1	–
Influenza	16	–	–	–	1	–	–	–	3	–	–	–	–
Purpura	5	–	–	–	–	–	–	–	–	–	2	–	–
Ague	1	–	–	–	–	–	–	–	1	–	–	–	–
Worms	4	–	1	–	1	1	–	–	1	–	–	–	–
Typhus	68	–	–	1	3	–	2	2	6	9	6	4	2
Enteric Fever	241	–	–	2	4	10	10	6	31	36	23	11	15
Relapsing Fever	6	–	–	–	–	–	–	–	–	2	2	–	1
Simple Continued Fever	16	1	–	–	–	–	1	–	3	2	–	2	1
Infantile Remittent	15	2	1	1	4	2	1	2	2	–	–	–	–
Metria	87	–	–	–	–	–	–	–	–	–	3	18	22
Rheumatic Fever	17	–	–	–	–	–	–	–	3	3	2	1	1
Erysipelas	35	6	–	–	–	–	–	–	1	1	1	–	–
Pyæmia	13	–	–	–	1	1	–	–	1	–	–	1	2
Syphilis	16	4	3	2	2	1	–	–	–	–	–	–	–
Noma	3	–	–	–	3	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	–	1	–	–	–	–	–	1	–	1	–
Dropsy	83	–	–	2	2	2	–	1	3	–	2	3	2
Abscess	23	2	1	1	–	–	–	–	2	1	1	–	1
Ulcer	16	–	–	2	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	253	1	–	1	–	–	–	–	1	–	1	1	1
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	65	2	–	2	7	1	1	–	7	10	11	3	6
Tabes Mesenterica	105	1	5	9	28	10	11	3	13	9	3	4	1
Phthisis	910	1	7	11	17	6	5	3	33	62	122	140	138
Hydrocephalus	190	6	20	49	39	21	15	7	31	2	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	277	280	272	271	292	298	397	401	548	452	374	194	72	12	2	2
SPECIFIED CAUSES	274	277	265	264	291	290	397	401	548	452	374	194	72	12	2	1
Zymotic Class	54	63	41	23	28	37	33	39	36	25	20	7	1	–	–	1
Uncertain Seat	11	15	34	39	33	40	46	38	45	37	18	11	2	–	–	–
Tubercular Class	95	67	61	54	39	21	18	13	9	5	4	1	1	–	–	–
Brain, etc.	17	16	15	31	40	42	51	71	95	60	46	17	4	–	–	–
Heart, etc.	24	17	35	24	30	41	69	78	63	55	32	3	3	–	–	–
Respiratory Organs	14	25	26	29	48	53	76	67	89	81	48	14	2	–	–	–
Digestive Organs	18	32	24	32	38	26	40	27	41	26	16	2	–	–	–	–
Urinary Organs	8	4	5	6	5	4	8	3	9	3	4	–	1	–	–	–
Generative Organs	26	23	13	9	5	1	3	4	4	–	–	1	–	–	–	–
Locomotive Organs	3	3	1	2	5	2	4	4	7	5	–	1	–	–	–	–
Skin	–	2	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	6	–	5	5	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	38	45	141	147	178	134	55	12	2	–
Sudden Deaths	1	–	–	–	1	2	1	–	1	1	–	1	–	–	–	–
Violent Deaths	2	4	10	10	14	8	9	12	7	7	8	2	3	–	–	–
Small-pox	10	15	5	3	5	4	1	2	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Diphtheria	2	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	5	1	–	3	5	13	11	10	14	9	7	1	–	–	–
Dysentery	–	–	1	2	1	3	4	3	8	2	4	–	–	–	–	–
Cholera	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	2	–	2	5	1	2	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	4	4	6	6	4	2	1	1	1	–	–	–	–	–
Enteric Fever	13	15	9	10	8	12	5	9	8	2	2	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	2	–	–	1	2	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	15	7	–	1	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	–	1	2	–	1	–	1	1	1	–	–	–	–	–	–	–
Erysipelas	1	1	4	1	1	1	3	6	2	4	2	–	–	–	–	–
Pyæmia	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Dropsy	4	1	6	4	3	5	12	8	7	8	3	5	–	–	–	–
Abscess	1	1	4	1	–	–	–	–	3	2	1	1	–	–	–	–
Ulcer	–	1	–	–	1	–	–	3	2	3	2	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Mortification	–	–	–	2	–	2	2	4	5	3	–	1	–	–	–	–
Cancer	6	11	23	32	29	33	30	22	27	19	11	2	2	–	–	–
Gout	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–
Scrofula	2	2	2	2	1	2	2	1	–	1	–	–	–	–	–	–
Tabes Mesenterica	2	2	1	–	2	–	–	–	–	–	1	–	–	–	–	–
Phthisis	91	63	58	52	36	19	16	12	9	4	3	1	1	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	83	7	5	10	14	4	2	5	14	8	3	–	1
Apoplexy	201	1	2	5	4	–	–	4	4	2	2	2	2
Paralysis	216	–	–	–	–	–	–	–	1	–	1	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	–	3	–	–	–
Epilepsy	35	2	1	–	–	–	–	1	–	1	1	2	4
Tetanus	4	1	–	–	–	–	–	1	–	–	–	1	1
Insanity	5	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	83	30	11	8	15	8	4	3	4	–	–	–	–
Brain Disease	118	3	2	3	6	3	2	1	7	1	–	5	3
V. Pericarditis	7	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	4	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	516	4	2	1	2	1	1	–	3	7	6	11	13
VI. Laryngitis	19	2	–	1	2	1	2	2	2	–	2	–	–
Bronchitis	749	61	53	100	83	25	15	8	15	5	5	7	5
Pleurisy	17	2	–	–	–	–	–	1	1	–	2	1	–
Pneumonia	270	27	10	20	18	10	9	5	8	5	6	9	7
Asthma	42	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	23	1	–	–	1	–	2	–	–	–	–	4	2
VII. Teething	88	1	6	38	39	4	–	–	–	–	–	–	–
Quinsey	10	2	2	–	1	2	–	–	–	1	–	–	–
Gastritis	20	1	3	–	4	–	–	–	2	–	–	1	–
Enteritis	123	32	13	11	12	7	1	2	5	3	2	4	2
Peritonitis	72	2	1	3	2	1	1	1	2	1	4	8	9
Ascites	10	–	–	–	–	–	–	–	1	–	1	–	1
Ulceration of Intestines	26	–	–	1	2	1	–	–	–	–	–	1	1
Hernia	11	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	26	1	2	–	–	–	–	–	–	–	2	–	3
Intussusception	5	–	1	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	90	7	3	6	1	1	1	–	–	1	2	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	1	–	–	–	–	–	–	–	–	–	2	–
Jaundice	31	7	1	–	–	1	–	–	–	1	–	–	–
Liver Disease	81	4	1	–	1	–	1	–	2	–	1	1	2
Spleen Disease	3	–	–	–	1	–	–	–	–	–	1	–	–
VIII. Nephritis	10	–	–	–	–	–	2	1	–	1	–	1	–
Nephria	28	–	–	–	1	–	–	–	4	1	1	4	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	9	–	–	–	–	–	–	–	–	2	–	2	–
Stone	2	1	–	–	–	–	1	–	–	–	–	–	–
Cystitis	6	–	–	–	–	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	1	–	1	1	–	2	1	1
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	15	–	–	–	–	–	–	–	–	–	1	1	1
Childbirth	99	–	–	–	–	–	–	–	–	–	7	21	14
Organs of Generation	26	–	–	1	–	–	–	–	–	–	1	2	4
X. Bone Disease	6	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	26	–	–	–	–	–	–	–	–	–	–	1	1
Joint Disease	19	–	–	1	–	–	1	–	3	3	1	1	1
XI. Carbuncle	3	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	5	1	–	–	1	–	–	–	–	–	–	–	1
Skin Disease	10	2	2	3	–	–	1	–	1	–	–	–	–
XVII. Intemperance	19	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	12	9	3	–	–	–	–	–	–	–	–	–	–
Neglect	3	2	1	–	–	–	–	–	–	–	–	–	–
Cold	6	–	–	–	–	–	–	–	–	–	–	–	1
Poison	4	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	30	–	–	1	4	4	1	3	2	1	–	–	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	33	18	8	–	–	–	–	–	1	–	1	–	–
Drowning	29	–	–	–	2	1	1	2	3	1	1	3	1
Fracture and Contusion	38	1	–	–	2	1	3	1	1	1	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	–	–	–	–	–	–	–	1	1	–	–	–
Not specified	164	65	15	17	11	7	2	1	8	1	2	2	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	3	1	1	–	3	–	–	–	–	–	–	–
Apoplexy	4	6	5	10	14	22	21	21	31	21	11	3	4	–	–	–
Paralysis	2	2	4	7	10	11	23	36	44	29	32	12	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	4	3	4	2	2	–	1	4	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	3	2	10	11	5	6	12	13	8	3	2	–	–	–	–
Pericarditis	–	–	1	–	–	2	1	2	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Heart Disease	24	17	33	24	30	38	68	76	62	55	32	3	3	–	–	–
Laryngitis	1	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	4	8	10	17	29	36	43	48	54	60	44	12	2	–	–	–
Pleurisy	–	–	1	1	–	1	2	1	3	1	–	–	–	–	–	–
Pneumonia	7	11	9	6	14	15	22	9	24	15	2	2	–	–	–	–
Asthma	1	3	5	2	5	–	7	7	7	3	1	–	–	–	–	–
Lung Disease	1	2	1	1	–	1	2	2	1	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	2	–	1	2	–	1	–	2	1	–	–	–	–	–	–
Enteritis	1	3	–	5	4	2	1	3	5	4	1	–	–	–	–	–
Peritonitis	7	10	3	5	3	1	3	–	1	2	2	–	–	–	–	–
Ascites	–	1	1	–	1	1	–	1	1	–	1	–	–	–	–	–
Ulceration of Intestines	1	2	2	3	3	4	2	1	1	1	–	–	–	–	–	–
Hernia	–	1	1	1	1	1	2	1	2	–	1	–	–	–	–	–
Ileus	2	–	2	1	2	–	3	3	1	1	3	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Stomach Disease	2	4	7	6	6	6	8	6	7	9	3	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	3	2	6	3	3	1	5	–	1	–	–	–	–	–
Jaundice	–	2	1	2	1	1	3	4	3	2	2	–	–	–	–	–
Liver Disease	3	5	4	6	8	7	14	4	10	5	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	1	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–
Nephria	3	1	2	3	1	1	2	2	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Diabetes	–	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	2	1	2	3	2	3	1	5	3	1	–	1	–	–	–
Paramenia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	1	2	1	1	2	2	–	–	1	–	–	–	–
Childbirth	21	21	10	4	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	1	3	3	2	–	2	2	2	–	–	–	–	–	–	–
Bone Disease	–	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Rheumatism	1	1	1	2	2	2	3	2	6	4	–	–	–	–	–	–
Joint Disease	2	–	–	–	2	–	–	1	1	1	–	1	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	3	4	4	–	1	3	2	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Poison	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	1	–	1	2	3	–	3	2	–	–	–	–	–
Hanging, etc.	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Drowning	–	1	2	1	2	3	1	2	2	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	2	3	1	4	2	2	3	5	2	3	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	1	–	1	–	–	1	–	–	–	–	–
Not specified	3	3	7	7	1	8	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	18816	1755	579	857	950	540	406	304	967	540	599	668	576
SPECIFIED CAUSES	18182	1481	529	805	915	520	389	296	941	526	590	655	564
I. Zymotic Class	3512	168	139	243	407	303	261	211	581	214	141	99	104
II. Diseases of Uncertain Seat	800	14	2	3	4	3	1	2	11	8	6	6	9
III. Tubercular Class	2290	43	58	108	121	45	44	20	122	136	231	326	244
IV. Brain and Nervous System	1768	91	48	54	42	32	13	17	60	62	45	32	29
V. Organs of Circulation	1217	10	2	2	–	–	1	1	12	13	18	26	17
VI. Respiratory Organs	2585	199	142	237	188	72	30	25	70	31	41	31	31
VII. Organs of Digestion	1433	148	74	116	94	23	20	5	28	25	36	31	32
VIII. Urinary Organs	392	1	1	1	4	6	1	–	7	3	9	14	11
IX. Organs of Generation	179	–	–	–	–	–	–	–	–	–	4	18	30
X. Organs of Locomotion	136	1	–	–	1	–	2	–	13	12	9	9	4
XI. Skin, etc.	26	3	2	1	–	2	2	–	–	–	–	1	–
XII. Malformation	83	66	8	5	2	1	–	–	1	–	–	–	–
XIII. Premature Debility	740	681	32	27	–	–	–	–	–	–	–	–	–
XIV. Atrophy	97	–	–	–	30	6	4	5	1	3	2	5	–
XV. Age	2145	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	17	–	3	–	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	762	56	18	8	21	27	10	10	35	19	48	57	52
I. Small-pox	128	7	11	4	1	1	–	–	8	20	23	9	13
Measles	235	4	5	35	88	35	16	9	32	3	2	1	3
Scarlatina	820	6	8	35	89	100	106	93	271	63	18	7	8
Diphtheria	396	11	3	13	43	43	57	42	114	38	11	4	3
Hooping-cough	267	36	31	68	59	31	15	10	17	–	–	–	–
Croup	274	9	9	19	55	55	39	38	48	1	–	–	–
Thrush	4	3	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	371	51	50	45	43	11	6	2	8	1	3	3	2
Dysentery	76	2	9	2	2	2	2	1	2	1	–	–	1
Cholera	22	1	2	4	2	1	–	1	3	–	1	1	1
Influenza	58	2	1	2	–	2	–	–	3	2	2	1	–
Purpura	18	–	–	–	–	–	–	–	4	1	–	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	1	–	–	–	–	1	1	1	–	–	–	–
Typhus	110	–	–	3	2	2	3	–	9	15	12	9	9
Enteric Fever	395	–	2	5	14	12	9	10	46	52	59	37	23
Relapsing Fever	6	–	–	–	–	–	–	–	1	4	–	–	–
Simple Continued Fever	33	–	–	2	–	1	3	1	4	6	–	2	1
Infantile Remittent	24	3	2	1	3	6	4	2	3	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	1	15	28
Rheumatic Fever	39	–	–	–	–	–	–	–	5	3	4	2	3
Erysipelas	84	18	–	3	3	1	–	1	1	1	–	5	2
Pyæmia	29	2	–	2	1	–	–	–	1	2	5	1	3
Syphilis	22	10	5	–	–	–	–	–	–	–	–	1	2
Noma	3	1	1	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	3	1	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	19	6	–	–	–	–	–	–	–	–	1	–	1
Dropsy	149	1	–	–	–	1	–	2	6	4	1	3	2
Abscess	46	3	–	1	3	–	–	–	4	–	3	2	4
Ulcer	24	3	1	1	1	–	–	–	–	1	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	43	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	510	–	–	1	–	2	1	–	1	3	1	1	2
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	183	7	7	9	11	8	4	2	9	24	11	24	14
Tabes Mesenterica	138	12	10	22	30	7	5	3	14	5	9	5	5
Phthisis	1696	5	10	8	25	6	14	3	57	107	211	297	225
Hydrocephalus	273	19	31	69	55	24	21	12	42	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at di erent Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes . .	507	493	497	529	621	690	876	1017	1480	1236	1166	644	229	55	11	24
Specified Causes .	496	480	485	511	607	660	875	1017	1479	1236	1166	644	229	55	11	20
Zymotic Class . .	64	59	53	46	40	35	59	59	76	59	56	26	6	–	1	2
Uncertain Seat .	20	20	40	46	65	82	99	86	103	76	48	29	14	2	–	1
Tubercular Class .	176	129	113	100	89	66	48	34	20	5	8	1	–	–	–	3
Brain, etc. . .	23	42	37	57	67	95	127	154	240	186	133	57	17	3	1	4
Heart, etc. . .	30	41	48	60	71	79	126	153	213	158	98	28	7	2	–	1
Respiratory Organs .	45	53	71	60	108	112	154	197	263	199	158	52	13	2	1	–
Digestive Organs .	33	36	45	56	79	92	84	101	128	75	45	20	6	1	–	–
Urinary Organs .	11	26	18	18	24	22	31	42	53	39	33	16	1	–	–	–
Generative Organs .	33	29	18	9	14	7	5	6	2	1	3	–	–	–	–	–
Locomotive Organs .	2	5	7	6	5	6	8	9	13	11	9	2	–	2	–	–
Skin . . .	2	–	–	1	1	3	–	1	3	3	–	1	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	4	1	2	3	9	22	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	100	140	325	400	561	402	164	43	8	2
Sudden Deaths .	–	–	1	1	–	1	1	4	3	1	–	–	–	–	–	–
Violent Deaths .	53	39	32	48	35	38	33	31	37	23	14	10	1	–	–	7
Small-pox . .	7	8	3	3	4	3	–	1	1	–	–	–	–	–	–	1
Measles . . .	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Scarlatina . .	3	4	3	3	1	–	1	–	1	–	–	–	–	–	–	–
Diphtheria . .	2	2	2	2	1	3	–	1	–	–	–	–	–	–	–	1
Hooping-cough .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	1	3	4	3	6	14	20	23	27	27	14	2	–	1	–
Dysentery . .	–	–	3	2	1	4	1	6	13	12	5	4	1	–	–	–
Cholera . . .	–	–	–	–	2	–	–	1	1	–	–	1	–	–	–	–
Influenza . . .	1	2	1	–	1	1	3	5	6	9	8	4	2	–	–	–
Purpura . . .	–	–	3	1	3	–	1	–	1	1	–	–	–	–	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	6	2	2	6	2	6	9	5	4	2	2	–	–	–	–	–
Enteric Fever . .	16	16	11	19	15	8	18	7	8	2	5	1	–	–	–	–
Relapsing Fever .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	1	–	1	1	1	–	1	3	2	1	2	–	–	–	–	–
Infantile Remittent .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria . . .	18	17	11	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	3	3	3	1	–	–	3	3	4	2	–	–	–	–	–	–
Erysipelas . .	4	1	4	2	3	3	5	7	10	3	5	1	1	–	–	–
Pyæmia . . .	2	1	1	1	2	–	1	–	2	–	1	1	–	–	–	–
Syphilis . . .	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Noma . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	1	1	1	2	–	1	–	2	1	1	–	–	–	–	–
Dropsy . . .	2	4	3	7	4	6	17	14	27	19	12	9	5	–	–	–
Abscess . . .	2	2	1	3	–	4	2	3	5	1	2	1	–	–	–	–
Ulcer . . .	–	–	2	–	–	1	2	3	1	2	5	–	1	–	–	–
Fistula . . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1
Mortification . .	1	1	2	1	2	2	3	5	7	7	4	1	5	–	–	–
Cancer . . .	14	12	29	34	56	69	72	60	59	46	24	18	3	2	–	–
Gout . . .	–	–	1	–	1	–	1	1	2	–	–	–	–	–	–	–
Scrofula . . .	10	4	8	9	8	4	2	3	1	2	2	–	–	–	–	–
Tabes Mesenterica .	2	–	2	1	1	1	1	–	2	–	1	–	–	–	–	–
Phthisis . . .	164	125	103	90	80	61	45	31	17	3	5	1	–	–	–	3
Hydrocephalus .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	196	6	8	14	13	6	6	6	20	43	21	14	5
Apoplexy	462	6	2	4	4	5	–	3	11	5	6	6	7
Paralysis	570	–	1	–	2	–	–	–	4	2	1	3	4
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	–	–	–	–	–	2	–	–	–
Epilepsy	63	–	1	2	1	1	–	–	3	4	5	2	6
Tetanus	23	7	2	1	–	1	–	–	1	2	2	1	1
Insanity	8	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	170	71	30	23	14	14	6	3	9	–	–	–	–
Brain Disease	259	1	4	10	8	5	1	5	12	4	10	6	5
V. Pericarditis	27	1	–	–	–	–	–	–	2	1	1	3	2
Aneurism	19	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	1171	9	2	2	–	–	1	1	10	12	17	22	15
VI. Laryngitis	70	2	2	4	5	8	4	2	11	2	5	2	1
Bronchitis	1546	157	104	186	146	49	15	14	38	14	14	4	7
Pleurisy	79	1	1	1	2	–	–	1	–	3	3	6	1
Pneumonia	707	37	35	46	34	13	11	8	17	12	17	16	21
Asthma	141	1	–	–	1	1	–	–	2	–	1	–	–
Lung Disease	42	1	–	–	–	1	–	–	2	–	1	3	1
VII. Teething	144	2	10	66	55	8	3	–	–	–	–	–	–
Quinsey	25	4	–	2	4	2	1	–	2	3	–	–	–
Gastritis	44	2	3	1	3	–	1	–	–	–	1	2	2
Enteritis	264	63	33	28	19	5	7	3	10	5	9	3	5
Peritonitis	142	7	8	3	3	1	3	1	6	3	11	8	7
Ascites	20	3	–	–	–	–	–	–	–	–	1	1	–
Ulceration of Intestines	81	3	–	1	2	2	–	–	–	–	4	5	2
Hernia	37	3	1	–	–	–	–	–	–	1	–	–	1
Ileus	89	11	–	1	2	–	1	–	1	2	1	1	2
Intussusception	23	1	3	3	–	–	–	–	1	2	2	1	1
Stricture of Intestines	6	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	199	18	8	10	5	2	2	1	4	4	4	5	3
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	63	4	5	–	–	1	1	–	2	3	–	1	3
Jaundice	74	20	2	1	–	2	–	–	–	–	–	–	1
Liver Disease	213	6	1	–	1	–	1	–	1	2	2	4	4
Spleen Disease	8	–	–	–	–	–	–	–	1	–	1	–	1
VIII. Nephritis	30	–	1	–	3	–	–	–	2	1	–	2	1
Nephria	111	–	–	–	–	3	–	–	2	1	5	4	8
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	25	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	32	–	–	–	–	–	–	–	1	–	2	6	1
Stone	27	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	36	–	–	–	1	–	–	–	–	–	–	–	1
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	127	–	–	1	–	3	1	–	2	1	2	1	–
IX. Paramenia	10	–	–	–	–	–	–	–	–	–	–	4	1
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	–	2	2
Childbirth	103	–	–	–	–	–	–	–	–	–	4	9	24
Organs of Generation	33	–	–	–	–	–	–	–	–	–	–	3	3
X. Bone Disease	22	–	–	–	–	–	–	–	2	5	2	3	1
Rheumatism	64	–	–	–	–	–	–	–	1	3	1	1	2
Joint Disease	50	1	–	–	1	–	2	–	10	4	6	5	1
XI. Carbuncle	14	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	1	–	–	–	–	1	–
Skin Disease	8	2	1	1	–	2	1	–	–	–	–	–	–
XVII. Intemperance	38	–	–	–	–	–	–	–	–	–	3	1	–
Privation	8	–	1	2	–	–	–	–	1	–	–	–	–
Want of Breast Milk	27	19	6	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	28	3	1	–	–	1	–	–	–	–	1	1	2
Poison	12	–	–	–	–	1	–	1	–	–	–	1	–
Poisoned Wounds	3	–	–	–	–	–	–	1	1	–	–	–	–
Burns and Scalds	65	–	–	1	9	12	6	3	8	3	3	1	2
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	–	3
Suffocation	68	31	10	3	2	–	1	–	1	1	2	3	1
Drowning	174	–	–	–	10	11	–	1	10	4	19	17	20
Fracture and Contusion	266	1	–	–	–	2	2	3	11	10	15	31	19
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	2	–	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	1	–	1
Other Violent Causes	45	2	–	–	–	–	1	1	3	1	2	2	4
Not specified	634	274	50	52	35	20	17	8	26	14	9	13	12

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	4	4	2	2	5	3	3	2	1	–	–	–	–	–	–
Apoplexy	1	9	11	22	26	36	50	57	80	56	35	11	6	1	1	1
Paralysis	6	8	6	12	23	31	49	60	114	111	79	40	11	2	–	1
Delirium Tremens	1	2	2	3	1	1	–	1	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	4	5	6	5	3	2	3	3	5	–	2	–	–	–	–	–
Tetanus	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	3	–	–	1	–	2	–	–	–	1
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	13	8	12	12	19	17	29	36	17	17	4	–	–	–	1
Pericarditis	2	–	4	–	2	2	1	3	1	2	–	–	–	–	–	–
Aneurism	1	4	–	1	1	1	2	3	3	1	1	–	–	–	–	–
Heart Disease	27	37	44	59	68	76	123	147	209	155	97	28	7	2	–	1
Laryngitis	2	3	1	–	3	–	3	3	2	2	3	–	–	–	–	–
Bronchitis	8	16	17	26	35	54	75	114	147	132	119	41	12	2	–	–
Pleurisy	6	3	4	5	8	5	7	3	9	6	3	1	–	–	–	–
Pneumonia	25	26	41	24	45	41	41	59	65	43	20	8	1	–	1	–
Asthma	2	2	6	5	13	9	23	13	35	16	10	1	–	–	–	–
Lung Disease	2	3	2	–	4	3	5	5	5	–	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	3	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Gastritis	2	1	1	1	3	2	5	3	9	1	1	–	–	–	–	–
Enteritis	6	5	3	4	11	6	6	7	8	8	4	3	3	–	–	–
Peritonitis	6	7	6	10	11	9	9	4	9	4	3	2	–	1	–	–
Ascites	–	–	–	3	1	4	–	3	1	2	1	–	–	–	–	–
Ulceration of Intestines	5	7	1	8	6	5	6	7	9	5	2	1	–	–	–	–
Hernia	1	–	2	2	2	3	2	7	4	5	2	1	–	–	–	–
Ileus	2	3	5	6	5	7	4	10	11	9	2	2	1	–	–	–
Intussusception	–	1	–	1	–	–	2	3	1	1	–	–	–	–	–	–
Stricture of Intestines	–	–	1	1	–	–	1	–	2	–	–	–	–	–	–	–
Stomach Disease	1	2	8	8	16	15	12	16	21	18	12	3	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	–	2	1	1	6	6	8	4	5	6	4	–	–	–	–	–
Jaundice	2	1	4	2	2	4	1	7	9	3	8	4	1	–	–	–
Liver Disease	5	5	12	9	15	30	28	29	37	12	5	4	–	–	–	–
Spleen Disease	–	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Nephritis	1	2	3	2	1	2	1	2	2	1	2	1	–	–	–	–
Nephria	4	11	7	11	10	8	12	8	11	3	2	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ischuria	–	2	–	–	2	–	2	2	3	4	8	1	–	–	–	–
Diabetes	2	4	1	2	2	2	2	3	3	–	1	–	–	–	–	–
Stone	1	–	–	–	–	1	2	5	8	4	3	2	–	–	–	–
Cystitis	–	2	–	–	2	1	2	5	7	7	5	3	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Kidney Disease	3	5	7	3	7	7	10	16	17	20	12	8	1	–	–	–
Paramenia	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	2	3	6	4	3	4	1	–	2	–	–	–	–	–
Childbirth	26	24	13	2	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	4	1	3	6	3	2	2	1	1	1	–	–	–	–	–
Bone Disease	–	–	2	2	–	2	–	–	–	1	1	1	–	–	–	–
Rheumatism	1	1	4	2	2	4	6	7	10	8	8	1	–	2	–	–
Joint Disease	1	4	1	2	3	–	2	2	3	2	–	–	–	–	–	–
Carbuncle	2	–	–	1	1	2	–	1	3	2	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	3	3	3	6	8	4	2	4	–	1	–	–	–	–	–	–
Privation	–	–	1	–	–	–	–	1	1	–	–	1	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	1	2	–	3	1	3	3	2	1	–	–	–	–	–
Poison	–	1	–	–	–	2	3	3	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	2	2	3	1	2	2	1	2	–	–	–	–
Hanging, etc.	–	1	2	1	1	1	2	–	–	2	–	–	–	–	–	–
Suffocation	1	2	1	3	1	1	1	–	1	1	1	–	–	–	–	–
Drowning	16	12	9	11	9	3	4	2	8	2	1	–	–	–	–	5
Fracture and Contusion	24	15	12	20	10	20	15	14	18	10	8	5	–	–	–	1
Gunshot Wounds	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–
Other Violent Causes	3	3	2	2	2	2	2	3	2	3	2	1	1	–	–	1
Not specified	11	13	12	18	14	30	1	–	1	–	–	–	–	–	–	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	9419	1000	317	466	499	290	209	152	474	265	311	344	261
SPECIFIED CAUSES	9096	839	294	441	480	280	204	147	461	259	308	338	257
I. Zymotic Class	1734	95	78	119	213	161	139	106	285	104	74	43	36
II. Diseases of Uncertain Seat	313	9	1	3	4	3	–	–	8	5	3	2	5
III. Tubercular Class	1125	28	26	58	62	24	18	6	55	61	99	175	116
IV. Brain and Nervous System	902	52	25	33	20	14	9	12	34	33	27	8	15
V. Organs of Circulation	606	6	–	–	–	–	1	1	3	6	7	12	6
VI. Respiratory Organs	1381	111	91	136	99	33	13	12	29	14	26	22	14
VII. Organs of Digestion	753	91	46	71	51	16	12	4	12	9	19	13	11
VIII. Urinary Organs	267	1	–	1	2	6	–	–	6	2	6	8	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	69	–	–	–	1	–	2	–	6	8	3	6	3
XI. Skin, etc.	11	–	1	–	–	–	2	–	–	–	–	–	–
XII. Malformation	39	34	1	2	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	413	383	15	15	–	–	–	–	–	–	–	–	–
XIV. Atrophy	43	–	–	–	13	5	2	2	1	–	1	1	–
XV. Age	854	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	–	1	–	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	575	29	9	3	12	18	6	4	22	17	43	48	46
I. Small-pox	71	4	4	2	1	1	–	–	2	9	14	6	7
Measles	138	1	2	21	54	22	10	5	18	1	–	1	2
Scarlatina	426	5	3	16	50	51	57	50	135	34	9	1	5
Diphtheria	193	5	3	6	29	22	30	17	47	20	6	2	–
Hooping-cough	112	20	11	28	25	10	7	3	8	–	–	–	–
Croup	152	5	8	12	19	35	21	25	26	–	–	–	–
Thrush	3	2	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	175	27	31	19	22	4	6	1	4	1	1	1	1
Dysentery	40	–	7	1	2	1	1	–	2	–	–	–	1
Cholera	13	1	1	3	1	1	–	–	2	–	–	–	–
Influenza	24	–	1	1	–	1	–	–	1	1	1	–	–
Purpura	7	–	–	–	–	–	–	–	3	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	–	2	1	1	–	–	7	7	5	4	5
Enteric Fever	194	–	1	3	6	6	4	3	24	22	32	24	9
Relapsing Fever	4	–	–	–	–	–	–	–	1	2	–	–	–
Simple Continued Fever	17	–	–	2	–	1	2	1	–	3	–	1	1
Infantile Remittent	12	2	1	1	2	4	1	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	24	–	–	–	–	–	–	–	3	2	2	–	2
Erysipelas	42	12	–	1	–	1	–	1	1	–	–	2	1
Pyæmia	13	2	–	1	–	–	–	–	–	1	4	1	–
Syphilis	15	8	4	–	–	–	–	–	–	–	–	–	2
Noma	2	–	1	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	4	–	–	–	–	–	–	–	–	1	–	–
Dropsy	59	1	–	–	–	1	–	–	4	3	1	1	1
Abscess	30	2	–	1	3	–	–	–	3	–	1	–	3
Ulcer	11	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	178	–	–	1	–	2	–	–	1	2	–	1	1
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	101	6	4	3	2	3	3	–	7	14	5	16	8
Tabes Mesenterica	68	6	5	15	15	4	2	2	5	3	4	2	1
Phthisis	823	2	4	7	15	4	6	1	23	44	90	157	107
Hydrocephalus	133	14	13	33	30	13	7	3	20	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	236	229	221	267	318	377	440	546	729	588	501	267	90	8	1	13
SPECIFIED CAUSES	233	226	214	260	312	362	440	546	728	588	501	267	90	8	1	12
Zymotic Class	22	21	19	28	18	16	29	35	33	23	24	12	–	–	–	1
Uncertain Seat	9	4	10	14	23	35	41	33	42	30	18	9	2	–	–	–
Tubercular Class	85	61	49	45	48	40	27	22	12	2	4	–	–	–	–	2
Brain, etc.	9	18	18	30	29	52	65	71	135	93	62	28	9	–	–	1
Heart, etc.	12	21	21	27	34	42	62	91	110	77	52	10	4	–	–	1
Respiratory Organs	21	37	42	34	72	67	83	116	121	96	66	20	6	–	–	–
Digestive Organs	16	16	19	25	43	47	40	54	61	35	27	12	3	–	–	–
Urinary Organs	7	11	6	6	13	16	22	33	45	31	30	10	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	4	5	1	1	2	6	5	6	4	1	–	1	–	–
Skin	–	–	–	1	–	2	–	1	2	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	–	1	1	5	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	42	61	131	180	209	159	64	7	1	–
Sudden Deaths	–	–	–	1	–	1	1	2	3	–	–	–	–	–	–	–
Violent Deaths	48	35	25	43	26	34	26	21	28	14	5	5	1	–	–	7
Small-pox	5	5	3	1	3	3	–	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scarlatina	2	2	1	3	–	–	1	–	1	–	–	–	–	–	–	–
Diphtheria	–	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	2	1	–	8	12	8	11	9	6	–	–	–	–
Dysentery	–	–	1	2	–	3	1	4	7	4	1	2	–	–	–	–
Cholera	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	1	–	1	3	3	7	2	–	–	–	–
Purpura	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	1	2	1	4	6	2	1	1	2	–	–	–	–	–
Enteric Fever	6	9	5	13	8	2	8	5	3	–	1	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	3	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	2	1	–	–	3	2	2	1	–	–	–	–	–	–
Erysipelas	2	1	3	1	1	2	1	4	3	1	3	1	–	–	–	–
Pyæmia	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Dropsy	1	–	1	2	1	2	4	7	10	10	3	4	2	–	–	–
Abscess	1	2	1	2	–	3	2	1	2	1	2	–	–	–	–	–
Ulcer	–	–	–	–	–	–	2	2	–	1	3	–	–	–	–	–
Fistula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	1	2	–	1	1	1	4	2	2	2	–	–	–	–	–
Cancer	5	1	5	9	19	29	29	19	25	16	8	5	–	–	–	–
Gout	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Scrofula	7	3	3	6	4	2	1	2	1	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Phthisis	77	58	46	39	44	37	25	20	10	2	3	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	107	3	4	11	8	1	4	3	11	23	14	3	3
Apoplexy	224	2	1	3	1	2	–	2	6	4	2	3	3
Paralysis	290	–	–	–	1	–	–	–	1	–	1	1	3
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	33	–	1	–	–	–	–	–	2	1	4	–	4
Tetanus	15	5	2	1	–	1	–	–	1	2	1	–	1
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	92	41	15	12	7	7	4	3	3	–	–	–	–
Brain Disease	127	1	2	6	3	3	1	4	10	3	5	1	–
V. Pericarditis	9	–	–	–	–	–	–	–	–	1	1	1	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	583	6	–	–	–	–	1	1	3	5	6	11	5
VI. Laryngitis	32	1	2	2	1	3	3	–	3	1	4	1	1
Bronchitis	771	87	65	107	81	20	4	7	17	6	8	1	2
Pleurisy	49	–	1	–	1	–	–	1	–	2	2	5	–
Pneumonia	430	22	23	27	15	8	6	4	6	5	11	14	10
Asthma	78	1	–	–	1	1	–	–	2	–	1	–	–
Lung Disease	21	–	–	–	–	1	–	–	1	–	–	1	1
VII. Teething	79	1	7	36	27	6	2	–	–	–	–	–	–
Quinsey	9	3	–	–	1	2	–	–	1	–	–	–	–
Gastritis	18	2	2	1	3	–	–	–	–	–	–	–	–
Enteritis	154	35	19	20	12	2	4	2	4	3	6	3	3
Peritonitis	52	3	4	3	1	1	3	1	2	1	3	1	1
Ascites	7	2	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	39	2	–	–	1	1	–	–	–	–	4	2	1
Hernia	22	2	1	–	–	–	–	–	–	1	–	–	1
Ileus	45	7	–	1	2	–	–	–	1	–	1	1	1
Intussusception	16	1	3	2	–	–	–	–	1	–	2	1	1
Stricture of Intestines	3	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	109	12	4	7	4	2	2	1	2	2	1	2	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	34	2	4	–	–	1	–	–	1	1	–	–	2
Jaundice	40	14	1	1	–	1	–	–	–	–	–	–	–
Liver Disease	120	4	1	–	–	–	1	–	–	1	1	2	1
Spleen Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	21	–	–	–	2	–	–	–	2	1	–	1	–
Nephria	58	–	–	–	–	3	–	–	2	1	3	3	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	22	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	21	–	–	–	–	–	–	–	1	–	2	3	1
Stone	24	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	29	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	89	–	–	1	–	3	–	–	1	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	13	–	–	–	–	–	–	–	2	3	–	3	1
Rheumatism	28	–	–	–	–	–	–	–	–	3	1	–	1
Joint Disease	28	–	–	–	1	–	2	–	4	2	2	3	1
XI. Carbuncle	8	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	29	–	–	–	–	–	–	–	–	–	3	1	–
Privation	5	–	–	2	–	–	–	–	–	–	–	–	–
Want of Breast Milk	14	10	3	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	19	2	–	–	–	–	–	–	–	–	1	1	2
Poison	6	–	–	–	–	–	–	1	–	–	–	–	–
Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	34	–	–	–	6	9	2	1	3	2	3	1	1
Hanging, etc.	10	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	39	15	6	–	1	–	1	–	1	1	2	3	1
Drowning	138	–	–	–	5	7	–	1	4	4	17	11	19
Fracture and Contusion	227	–	–	–	–	2	2	–	10	9	13	30	18
Gunshot Wounds	6	–	–	–	–	–	–	–	–	–	2	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	39	2	–	–	–	–	1	1	3	1	1	1	3
Not specified	323	161	23	25	19	10	5	5	13	6	3	6	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	1	3	1	1	3	3	–	1	1	–	–	–	–	–	–
Apoplexy	–	3	4	12	9	17	20	32	45	29	16	4	3	–	–	1
Paralysis	3	4	4	9	11	19	26	24	65	54	39	19	6	–	–	–
Delirium Tremens	–	2	1	2	1	1	–	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	1	4	3	2	2	–	1	3	4	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	4	3	4	5	12	13	11	19	8	6	3	–	–	–	–
Pericarditis	–	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Aneurism	1	4	–	1	1	–	2	2	3	–	–	–	–	–	–	–
Heart Disease	11	17	18	26	32	42	60	88	107	77	52	10	4	–	–	1
Laryngitis	–	2	1	–	2	–	–	3	–	2	–	–	–	–	–	–
Bronchitis	5	9	11	13	22	26	42	58	60	56	45	14	5	–	–	–
Pleurisy	3	2	2	5	5	4	3	2	5	3	2	1	–	–	–	–
Pneumonia	12	21	25	15	31	31	20	40	37	27	14	5	1	–	–	–
Asthma	1	2	2	1	10	5	14	9	15	8	5	–	–	–	–	–
Lung Disease	–	1	1	–	2	1	4	4	4	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	1	1	1	1	2	2	–	–	–	–	–	–	–
Enteritis	5	2	2	1	6	3	5	4	5	4	1	1	2	–	–	–
Peritonitis	2	1	2	3	4	3	4	1	3	2	2	1	–	–	–	–
Ascites	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	4	–	1	6	2	4	3	5	1	1	–	–	–	–	–
Hernia	1	–	–	1	2	2	–	3	3	2	2	1	–	–	–	–
Ileus	2	2	2	2	3	3	2	3	7	3	1	1	–	–	–	–
Intussusception	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	–	4	5	8	7	3	9	11	12	8	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	–	–	1	1	4	4	5	1	2	2	3	–	–	–	–	–
Jaundice	1	–	1	1	1	1	–	3	4	2	4	4	1	–	–	–
Liver Disease	1	5	6	6	8	19	15	20	16	7	4	2	–	–	–	–
Spleen Disease	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Nephritis	–	2	2	1	1	2	1	1	2	1	2	–	–	–	–	–
Nephria	2	4	1	4	6	5	8	3	8	2	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	1	–	–	1	–	2	2	3	3	8	1	–	–	–	–
Diabetes	2	2	–	–	1	1	2	3	2	–	1	–	–	–	–	–
Stone	1	–	–	–	–	–	2	5	7	4	2	2	–	–	–	–
Cystitis	–	1	–	–	2	–	1	5	7	6	5	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Kidney Disease	2	1	3	1	2	7	6	14	14	15	12	5	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–
Rheumatism	1	–	3	1	–	–	1	4	4	4	4	–	–	1	–	–
Joint Disease	1	2	1	2	1	–	1	2	1	2	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	1	–	1	2	1	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	3	–	6	5	4	2	3	–	–	–	–	–	–	–	–
Privation	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	1	2	–	3	1	2	2	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	1	1	2	–	–	2	–	–	–	–	–	–
Suffocation	1	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–
Drowning	15	11	8	9	6	3	3	1	6	2	1	–	–	–	–	5
Fracture and Contusion	23	13	12	19	9	18	11	11	14	7	3	2	–	–	–	1
Gunshot Wounds	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–
Other Violent Causes	2	3	2	2	2	2	2	2	2	3	1	1	1	–	–	1
Not specified	3	3	7	7	6	15	–	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9397	755	262	391	451	250	197	152	493	275	288	324	315
SPECIFIED CAUSES	9086	642	235	364	435	240	185	149	480	267	282	317	307
I. Zymotic Class	1778	73	61	124	194	142	122	105	296	110	67	56	68
II. Diseases of Uncertain Seat	487	5	1	–	–	–	1	2	3	3	3	4	4
III. Tubercular Class	1165	15	32	50	59	21	26	14	67	75	132	151	128
IV. Brain and Nervous System	866	39	23	21	22	18	4	5	26	29	18	24	14
V. Organs of Circulation	611	4	2	2	–	–	–	–	9	7	11	14	11
VI. Respiratory Organs	1204	88	51	101	89	39	17	13	41	17	15	9	17
VII. Organs of Digestion	680	57	28	45	43	7	8	1	16	16	17	18	21
VIII. Urinary Organs	125	–	1	–	2	–	1	–	1	1	3	6	7
IX. Organs of Generation	179	–	–	–	–	–	–	–	–	–	4	18	30
X. Organs of Locomotion	67	1	–	–	–	–	–	–	7	4	6	3	1
XI. Skin, etc.	15	3	1	1	–	2	–	–	–	–	–	1	–
XII. Malformation	44	32	7	3	–	1	–	–	1	–	–	–	–
XIII. Premature Debility	327	298	17	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	54	–	–	–	17	1	2	3	–	3	1	4	–
XV. Age	1291	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	187	27	9	5	9	9	4	6	13	2	5	9	6
I. Small-pox	57	3	7	2	–	–	–	–	6	11	9	3	6
Measles	97	3	3	14	34	13	6	4	14	2	2	–	1
Scarlatina	394	1	5	19	39	49	49	43	136	29	9	6	3
Diphtheria	203	6	–	7	14	21	27	25	67	18	5	2	3
Hooping-cough	155	16	20	40	34	21	8	7	9	–	–	–	–
Croup	122	4	1	7	36	20	18	13	22	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	196	24	19	26	21	7	–	1	4	–	2	2	1
Dysentery	36	2	2	1	–	1	1	1	–	1	–	–	–
Cholera	9	–	1	1	1	–	–	1	1	–	1	1	1
Influenza	34	2	–	1	–	1	–	–	2	1	1	1	–
Purpura	11	–	–	–	–	–	–	–	1	1	–	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	1	1	1	–	–	–	–
Typhus	54	–	–	1	1	1	3	–	2	8	7	5	4
Enteric Fever	201	–	1	2	8	6	5	7	22	30	27	13	14
Relapsing Fever	2	–	–	–	–	–	–	–	–	2	–	–	–
Simple Continued Fever	16	–	–	–	–	–	1	–	4	3	–	1	–
Infantile Remittent	12	1	1	–	1	2	3	2	2	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	1	15	28
Rheumatic Fever	15	–	–	–	–	–	–	–	2	1	2	2	1
Erysipelas	42	6	–	2	3	–	–	–	–	1	–	3	1
Pyæmia	16	–	–	1	1	–	–	–	1	1	1	–	3
Syphilis	7	2	1	–	–	–	–	–	–	–	–	1	–
Noma	1	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	3	1	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	2	–	–	–	–	–	–	–	–	–	–	1
Dropsy	90	–	–	–	–	–	–	2	2	1	–	2	1
Abscess	16	1	–	–	–	–	–	–	1	–	2	2	1
Ulcer	13	2	1	–	–	–	–	–	–	1	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	24	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	332	–	–	–	–	–	1	–	–	1	1	–	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	82	1	3	6	9	5	1	2	2	10	6	8	6
Tabes Mesenterica	70	6	5	7	15	3	3	1	9	2	5	3	4
Phthisis	873	3	6	1	10	2	8	2	34	63	121	140	118
Hydrocephalus	140	5	18	36	25	11	14	9	22	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	271	264	276	262	303	313	436	471	751	648	665	377	139	47	10	11
SPECIFIED CAUSES	263	254	271	251	295	298	435	471	751	648	665	377	139	47	10	8
Zymotic Class	42	38	34	18	22	19	30	24	43	36	32	14	6	–	1	1
Uncertain Seat	11	16	30	32	42	47	58	53	61	46	30	20	12	2	–	1
Tubercular Class	91	68	64	55	41	26	21	12	8	3	4	1	–	–	–	1
Brain, etc.	14	24	19	27	38	43	62	83	105	93	71	29	8	3	1	3
Heart, etc.	18	20	27	33	37	37	64	62	103	81	46	18	3	2	–	–
Respiratory Organs	24	16	29	26	36	45	71	81	142	103	92	32	7	2	1	–
Digestive Organs	17	20	26	31	36	45	44	47	67	40	18	8	3	1	–	–
Urinary Organs	4	15	12	12	11	6	9	9	8	8	3	6	–	–	–	–
Generative Organs	33	29	18	9	14	7	5	6	2	1	3	–	–	–	–	–
Locomotive Organs	–	3	3	1	4	5	6	3	8	5	5	1	–	1	–	–
Skin	2	–	–	–	1	1	–	–	1	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	1	2	4	13	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	79	194	220	352	243	100	36	7	2
Sudden Deaths	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–
Violent Deaths	5	4	7	5	9	4	7	10	9	9	9	5	–	–	–	–
Small-pox	2	3	–	2	1	–	–	1	1	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	1	1	–	2	–	–	–	–	–	–	–	–	–	1
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	3	2	2	6	6	8	15	16	18	8	2	–	1	–
Dysentery	–	–	2	–	1	1	–	2	6	8	4	2	1	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	2	1	–	1	–	3	4	3	6	1	2	2	–	–	–
Purpura	–	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	1	4	1	2	3	3	3	1	–	–	–	–	–	–
Enteric Fever	10	7	6	6	7	6	10	2	5	2	4	1	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	1	1	–	1	–	1	–	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	18	17	11	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	1	–	–	–	–	1	2	1	–	–	–	–	–	–
Erysipelas	2	–	1	1	2	1	4	3	7	2	2	–	1	–	–	–
Pyæmia	2	1	1	–	1	–	1	–	–	–	1	1	–	–	–	–
Syphilis	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	1	–	–	–	1	1	1	–	–	–	–	–
Dropsy	1	4	2	5	3	4	13	7	17	9	9	5	3	–	–	–
Abscess	1	–	–	1	–	1	–	2	3	–	–	1	–	–	–	–
Ulcer	–	–	2	–	–	1	–	1	1	1	2	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	–	–	–	1	1	1	2	1	5	5	2	1	5	–	–	–
Cancer	9	11	24	25	37	40	43	41	34	30	16	13	3	2	–	–
Gout	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	3	1	5	3	4	2	1	1	–	2	1	–	–	–	–	–
Tabes Mesenterica	1	–	2	1	1	–	–	–	1	–	1	–	–	–	–	–
Phthisis	87	67	57	51	36	24	20	11	7	1	2	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	89	3	4	3	5	5	2	3	9	20	7	11	2
Apoplexy	238	4	1	1	3	3	–	1	5	1	4	3	4
Paralysis	280	–	1	–	1	–	–	–	3	2	–	2	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	–	2	–	–	–
Epilepsy	30	–	–	2	1	1	–	–	1	3	1	2	2
Tetanus	8	2	–	–	–	–	–	–	–	–	1	1	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	78	30	15	11	7	7	2	–	6	–	–	–	–
Brain Disease	132	–	2	4	5	2	–	1	2	1	5	5	5
V. Pericarditis	18	1	–	–	–	–	–	–	2	–	–	2	1
Aneurism	5	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	588	3	2	2	–	–	–	–	7	7	11	11	10
VI. Laryngitis	38	1	–	2	4	5	1	2	8	1	1	1	–
Bronchitis	775	70	39	79	65	29	11	7	21	8	6	3	5
Pleurisy	30	1	–	1	1	–	–	–	–	1	1	1	1
Pneumonia	277	15	12	19	19	5	5	4	11	7	6	2	11
Asthma	63	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	21	1	–	–	–	–	–	–	1	–	1	2	–
VII. Teething	65	1	3	30	28	2	1	–	–	–	–	–	–
Quinsey	16	1	–	2	3	–	1	–	1	3	–	–	–
Gastritis	26	–	1	–	–	–	1	–	–	–	1	2	2
Enteritis	110	28	14	8	7	3	3	1	6	2	3	–	2
Peritonitis	90	4	4	–	2	–	–	–	4	2	8	7	6
Ascites	13	1	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	42	1	–	1	1	1	–	–	–	–	–	3	1
Hernia	15	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	44	4	–	–	–	–	1	–	–	2	–	–	1
Intussusception	7	–	–	1	–	–	–	–	–	2	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	90	6	4	3	1	–	–	–	2	2	3	3	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	29	2	1	–	–	–	1	–	1	2	–	1	1
Jaundice	34	6	1	–	–	1	–	–	–	–	–	–	1
Liver Disease	93	2	–	–	1	–	–	–	1	1	1	2	3
Spleen Disease	3	–	–	–	–	–	–	–	1	–	–	–	1
VIII. Nephritis	9	–	1	–	1	–	–	–	–	–	–	1	1
Nephria	53	–	–	–	–	–	–	–	–	–	2	1	5
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	–	–	–	–	3	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	1	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	38	–	–	–	–	–	1	–	1	1	1	1	–
IX. Paramenia	10	–	–	–	–	–	–	–	–	–	–	4	1
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	–	2	2
Childbirth	103	–	–	–	–	–	–	–	–	–	4	9	24
Organs of Generation	33	–	–	–	–	–	–	–	–	–	–	3	3
X. Bone Disease	9	–	–	–	–	–	–	–	–	2	2	–	–
Rheumatism	36	–	–	–	–	–	–	–	1	–	–	1	1
Joint Disease	22	1	–	–	–	–	–	–	6	2	4	2	–
XI. Carbuncle	6	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	7	2	1	1	–	2	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	3	–	1	–	–	–	–	–	1	–	–	–	–
Want of Breast Milk	13	9	3	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	9	1	1	–	–	1	–	–	–	–	–	–	–
Poison	6	–	–	–	–	1	–	–	–	–	–	1	–
Poisoned Wounds	1	–	–	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	31	–	–	1	3	3	4	2	5	1	–	–	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	29	16	4	3	1	–	–	–	–	–	–	–	–
Drowning	36	–	–	–	5	4	–	–	6	–	2	6	1
Fracture and Contusion	39	1	–	–	–	–	–	3	1	1	2	1	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	6	–	–	–	–	–	–	–	–	–	1	1	1
Not specified	311	113	27	27	16	10	12	3	13	8	6	7	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	1	1	1	2	–	3	1	–	–	–	–	–	–	–
Apoplexy	1	6	7	10	17	19	30	25	35	27	19	7	3	1	1	–
Paralysis	3	4	2	3	12	12	23	36	49	57	40	21	5	2	–	1
Delirium Tremens	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	3	3	1	2	2	–	1	–	1	–	–	–	–	–
Tetanus	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	1
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	9	5	8	7	7	4	18	17	9	11	1	–	–	–	1
Pericarditis	2	–	1	–	1	2	1	2	1	2	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–
Heart Disease	16	20	26	33	36	34	63	59	102	78	45	18	3	2	–	–
Laryngitis	2	1	–	–	1	–	3	–	2	–	3	–	–	–	–	–
Bronchitis	3	7	6	13	13	28	33	56	87	76	74	27	7	2	–	–
Pleurisy	3	1	2	–	3	1	4	1	4	3	1	–	–	–	–	–
Pneumonia	13	5	16	9	14	10	21	19	28	16	6	3	–	–	1	–
Asthma	1	–	4	4	3	4	9	4	20	8	5	1	–	–	–	–
Lung Disease	2	2	1	–	2	2	1	1	1	–	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Gastritis	1	1	–	–	2	1	4	1	7	1	1	–	–	–	–	–
Enteritis	1	3	1	3	5	3	1	3	3	4	3	2	1	–	–	–
Peritonitis	4	6	4	7	7	6	5	3	6	2	1	1	–	1	–	–
Ascites	–	–	–	2	1	3	–	1	1	2	1	–	–	–	–	–
Ulceration of Intestines	4	3	1	7	–	3	2	4	4	4	1	1	–	–	–	–
Hernia	–	–	2	1	–	1	2	4	1	3	–	–	–	–	–	–
Ileus	–	1	3	4	2	4	2	7	4	6	1	1	1	–	–	–
Intussusception	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Stomach Disease	–	2	4	3	8	8	9	7	10	6	4	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	2	2	3	3	3	4	1	–	–	–	–	–
Jaundice	1	1	3	1	1	3	1	4	5	1	4	–	–	–	–	–
Liver Disease	4	–	6	3	7	11	13	9	21	5	1	2	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	2	7	6	7	4	3	4	5	3	1	2	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	2	1	2	1	1	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Cystitis	–	1	–	–	–	1	1	–	–	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	4	2	5	–	4	2	3	5	–	3	–	–	–	–
Paramenia	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	2	3	6	4	3	4	1	–	2	–	–	–	–	–
Childbirth	26	24	13	2	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	4	1	3	6	3	2	2	1	1	1	–	–	–	–	–
Bone Disease	–	–	2	–	–	1	–	–	–	1	1	–	–	–	–	–
Rheumatism	–	1	1	1	2	4	5	3	6	4	4	1	–	1	–	–
Joint Disease	–	2	–	–	2	–	1	–	2	–	–	–	–	–	–	–
Carbuncle	2	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	1	–	3	–	3	–	–	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
Poison	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	1	1	1	1	1	2	1	2	–	–	–	–
Hanging, etc.	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	1	–	1	–	–	–	1	1	–	–	–	–	–
Drowning	1	1	1	2	3	–	1	1	2	–	–	–	–	–	–	–
Fracture and Contusion	1	2	–	1	1	2	4	3	4	3	5	3	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Not specified	8	10	5	11	8	15	1	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2194	170	42	60	89	43	29	21	37	50	62	86	95
SPECIFIED CAUSES	1926	90	23	44	68	34	25	19	30	46	58	74	83
I. Zymotic Class	243	14	7	19	31	15	17	11	19	13	11	13	12
II. Diseases of Uncertain Seat	64	–	–	–	–	–	–	1	–	2	–	–	1
III. Tubercular Class	206	–	2	2	7	8	–	1	3	10	25	33	39
IV. Brain and Nervous System	127	18	1	1	2	–	4	–	1	6	6	3	2
V. Organs of Circulation	81	1	–	–	1	–	–	1	1	2	1	1	–
VI. Respiratory Organs	219	15	7	11	19	7	1	4	4	1	–	7	10
VII. Organs of Digestion	126	6	3	8	5	1	–	1	–	4	5	–	4
VIII. Urinary Organs	30	–	–	–	–	–	–	–	–	–	–	2	–
IX. Organs of Generation	26	–	–	–	–	–	–	–	–	–	–	3	5
X. Organs of Locomotion	37	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	–	–	–	–	–	–	–	–	–	1	–
XIII. Premature Debility	37	34	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	1	–	–	–	–	–	1	–
XV. Age	614	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	108	1	2	1	3	2	3	–	1	7	9	10	10
I. Small-pox	3	–	–	–	–	–	–	–	–	–	–	1	–
Measles	13	–	–	2	7	1	1	–	–	1	–	–	–
Scarlatina	28	1	–	1	1	4	5	1	9	3	1	1	–
Diphtheria	11	–	–	1	2	3	2	–	1	1	–	–	–
Hooping-cough	26	–	4	5	8	3	1	3	2	–	–	–	–
Croup	47	9	2	5	10	4	6	7	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	2	1	–	–	–	1	–	–	1	–	–	–
Dysentery	8	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	1	–	1	1	–	–	–	–	1	1	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	2	–	–	–	–	–	–	2	6	1
Enteric Fever	30	–	–	1	–	–	–	–	2	5	3	2	4
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	8	1	–	1	1	–	1	–	–	–	1	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	13	–	–	–	–	–	–	–	–	–	1	3	6
Rheumatic Fever	5	–	–	–	–	–	–	–	–	1	2	–	–
Erysipelas	4	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	–	–	–	–	–	2	–	–	–
Abscess	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	31	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	–	1	–	–	–	–	1	1	–	3
Tabes Mesenterica	8	–	2	–	2	4	–	–	–	–	–	–	–
Phthisis	182	–	–	–	3	1	–	1	3	9	24	33	36
Hydrocephalus	6	–	–	2	1	3	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	68	54	61	45	74	78	91	129	186	207	209	119	49	20	2	18
SPECIFIED CAUSES	57	41	49	40	55	60	91	129	186	207	209	119	49	20	2	18
Zymotic Class	5	3	10	5	5	4	4	5	4	9	2	3	2	–	–	–
Uncertain Seat	2	4	–	4	4	6	5	9	13	9	4	–	–	–	–	–
Tubercular Class	23	13	7	7	11	10	–	2	1	2	–	–	–	–	–	–
Brain, etc.	3	–	6	3	6	5	5	12	16	15	10	2	–	–	–	–
Heart, etc.	1	3	3	4	5	7	12	13	9	8	4	3	1	–	–	–
Respiratory Organs	7	5	5	3	6	12	10	18	24	22	15	6	–	–	–	–
Digestive Organs	4	1	5	9	10	8	14	13	11	10	2	2	–	–	–	–
Urinary Organs	–	1	2	2	–	2	–	3	5	9	3	1	–	–	–	–
Generative Organs	4	4	5	1	–	–	2	1	–	1	–	–	–	–	–	–
Locomotive Organs	1	1	1	2	1	1	4	3	11	5	3	1	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	28	49	91	116	161	101	46	20	2	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	7	6	4	–	6	3	7	1	1	1	5	–	–	–	–	18
Small-pox	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	2	1	–	2	1	–	1	–	–	–
Dysentery	–	–	–	–	–	–	–	2	1	3	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	4	1	2	–	–	–	–	1	–	1	–	–	–	–
Enteric Fever	1	–	5	3	1	2	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	2	–	–	3	1	2	3	5	4	3	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Cancer	2	2	–	4	–	4	3	5	5	4	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	13	7	7	11	8	–	1	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	–	–	1	–	1	–	–	3	1	2	–
Apoplexy	17	1	–	–	–	–	1	–	1	1	1	–	1
Paralysis	50	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	7	7	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	12	9	–	1	1	–	1	–	–	–	–	–	–
Brain Disease	22	1	1	–	–	–	1	–	–	2	2	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	77	1	–	–	1	–	–	1	1	1	1	1	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	115	5	6	8	12	6	1	2	3	–	–	2	4
Pleurisy	29	9	–	1	4	1	–	2	1	–	–	3	1
Pneumonia	34	1	–	2	2	–	–	–	–	1	–	2	3
Asthma	28	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	11	–	1	–	–	–	–	–	–	–	–	–	1
VII. Teething	11	–	–	6	4	1	–	–	–	–	–	–	–
Quinsey	2	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	11	–	–	–	–	–	–	–	–	1	–	–	1
Enteritis	13	1	1	1	–	–	–	1	–	1	3	–	1
Peritonitis	5	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	7	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	5	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	2	1	–	–	–	–	–	–	–	1	–	1
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	–	–	–	1	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	9	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	6	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	18	–	–	–	–	–	–	–	–	–	–	3	5
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	32	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	1	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	15	–	2	–	1	–	–	–	–	1	1	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	2	–	3	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	65	–	–	–	–	2	–	–	–	6	7	9	8
Fracture and Contusion	8	–	–	–	–	–	–	–	–	–	1	–	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	268	80	19	16	21	9	4	2	7	4	4	12	12

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	1	2	5	1	1	–	–	–	–	–	–
Paralysis	1	–	2	1	3	2	1	4	11	13	10	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	2	1	2	3	1	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Heart Disease	1	3	3	4	5	6	11	13	9	8	3	3	1	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	2	–	1	7	7	7	13	11	11	3	–	–	–	–
Pleurisy	1	–	1	–	1	2	–	–	–	1	1	–	–	–	–	–
Pneumonia	3	3	–	3	1	2	2	3	2	4	–	–	–	–	–	–
Asthma	1	–	1	–	2	–	1	5	7	5	2	3	–	–	–	–
Lung Disease	–	–	1	–	–	1	–	3	2	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	1	2	1	3	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	–	1	–	–	2	–	1	–	–	–	–
Ulceration of Intestines	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Ileus	1	–	–	1	–	1	–	–	2	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	2	1	2	1	4	2	2	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	1	1	–	1	1	–	–	–	–	–	–
Jaundice	–	–	1	–	–	1	2	2	1	1	–	1	–	–	–	–
Liver Disease	–	1	–	2	2	–	3	2	2	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Nephria	–	–	2	1	–	–	–	1	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	1	3	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	1	–	–	2	1	–	–	–	–	–	–	–	–
Childbirth	3	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	2	1	1	3	3	11	5	3	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	2	1	1	1	–	–	2	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	2	3	–	3	–	3	–	–	–	–	–	–	–	–	18
Fracture and Contusion	–	1	–	–	–	1	1	–	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Not specified	11	13	12	5	19	18	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1083	110	25	30	48	22	14	9	22	28	33	48	50
SPECIFIED CAUSES	946	62	14	21	36	17	13	9	17	27	33	42	43
I. Zymotic Class	119	8	5	8	19	7	9	6	12	7	5	5	2
II. Diseases of Uncertain Seat	32	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	99	–	2	1	3	6	–	1	1	4	12	21	21
IV. Brain and Nervous System	73	16	–	1	1	–	1	–	1	3	3	1	1
V. Organs of Circulation	44	1	–	–	1	–	–	–	–	2	1	–	–
VI. Respiratory Organs	107	12	4	5	8	3	1	1	2	–	–	2	6
VII. Organs of Digestion	68	4	2	5	3	–	–	1	–	4	2	–	4
VIII. Urinary Organs	21	–	–	–	–	–	–	–	–	–	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	18	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	–	–	–	–	–	–	–	–	1	–
XIII. Premature Debility	22	20	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	–	–	–	–	–	–	–	1	–
XV. Age	254	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	85	1	–	–	1	1	2	–	–	6	9	10	9
I. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	–	–	1	7	1	–	–	–	–	–	–	–
Scarlatina	20	1	–	1	–	4	4	–	6	3	–	–	–
Diphtheria	5	–	–	–	1	–	2	–	–	1	–	–	–
Hooping-cough	11	–	3	–	4	1	–	2	1	–	–	–	–
Croup	26	5	2	2	6	1	2	4	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	2	–	–	–	–	1	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	1	1	–	–	–	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	–	–	1	–	–	–	–	–	–	1	4	–
Enteric Fever	12	–	–	1	–	–	–	–	1	2	2	1	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	1	–	–	–	–	–	–	1	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	–	–	1	–	2
Tabes Mesenterica	6	–	2	–	1	3	–	–	–	–	–	–	–
Phthisis	85	–	–	–	2	1	–	1	1	4	11	21	19
Hydrocephalus	3	–	–	1	–	2	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	28	19	34	19	35	41	42	62	87	87	94	54	19	4	1	18
SPECIFIED CAUSES	26	14	26	16	29	33	42	62	87	87	94	54	19	4	1	18
Zymotic Class	2	–	6	1	2	2	2	1	2	2	2	2	2	–	–	–
Uncertain Seat	1	3	–	–	3	3	2	6	7	5	2	–	–	–	–	–
Tubercular Class	5	3	3	3	5	5	–	1	1	1	–	–	–	–	–	–
Brain, etc.	3	–	4	2	4	3	2	6	7	7	5	2	–	–	–	–
Heart, etc.	–	1	2	2	1	4	9	7	6	5	1	1	–	–	–	–
Respiratory Organs	6	2	3	2	2	7	4	9	11	10	5	2	–	–	–	–
Digestive Organs	2	1	2	5	6	4	5	7	6	3	1	1	–	–	–	–
Urinary Organs	–	–	1	–	–	1	–	2	4	9	2	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	1	–	1	2	4	2	2	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	21	39	42	74	45	17	4	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	3	4	–	5	3	6	–	–	1	–	–	–	–	–	18
Small-pox	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	4	–	1	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	2	–	–	2	–	–	1	3	3	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Cancer	1	1	–	–	–	2	2	4	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	3	3	3	5	3	–	1	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	–	–	–	1	–	1	–	–	3	–	1	–
Apoplexy	8	–	–	–	–	–	–	–	1	–	1	–	–
Paralysis	28	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	7	7	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	8	–	1	–	–	–	–	–	–	–	–	–
Brain Disease	9	1	–	–	–	–	–	–	–	–	1	–	1
V Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	41	1	–	–	1	–	–	–	–	1	1	–	–
VI Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	57	5	3	3	6	3	1	–	2	–	–	–	2
Pleurisy	17	6	–	1	2	–	–	1	–	–	–	2	1
Pneumonia	18	1	–	1	–	–	–	–	–	–	–	–	3
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	1	–	–	–	–	–	–	–	–	–	–
VII. Teething	6	–	–	3	3	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	8	–	–	–	–	–	–	–	–	1	–	–	1
Enteritis	9	–	1	1	–	–	–	1	–	1	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	3	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	2	1	–	–	–	–	–	–	–	1	–	1
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	–	–	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	14	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	1	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	–	–	–	–	–	–	–	–	1	1	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	2	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	60	–	–	–	–	1	–	–	–	5	7	9	7
Fracture and Contusion	6	–	–	–	–	–	–	–	–	–	1	–	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	137	48	11	9	12	5	1	–	5	1	–	6	7

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	1	1	2	–	1	–	–	–	–	–	–
Paralysis	1	–	1	1	2	2	–	3	5	6	5	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	1	–	–	1	2	–	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	2	1	3	8	7	6	5	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	–	1	6	2	3	7	4	4	2	–	–	–	–
Pleurisy	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Pneumonia	3	1	–	2	1	–	1	2	1	2	–	–	–	–	–	–
Asthma	1	–	–	–	–	–	1	1	2	3	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	3	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	1	1	–	1	–	–	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Liver Disease	–	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	1	1	–	1	2	4	2	2	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	1	3	–	3	–	3	–	–	–	–	–	–	–	–	18
Fracture and Contusion	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Not specified	2	5	8	3	6	8	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1111	60	17	30	41	21	15	12	15	22	29	38	45
SPECIFIED CAUSES	980	28	9	23	32	17	12	10	13	19	25	32	40
I. Zymotic Class	124	6	2	11	12	8	8	5	7	6	6	8	10
II. Diseases of Uncertain Seat	32	–	–	–	–	–	–	1	–	2	–	–	1
III. Tubercular Class	107	–	–	1	4	2	–	–	2	6	13	12	18
IV. Brain and Nervous System	54	2	1	–	1	–	3	–	–	3	3	2	1
V. Organs of Circulation	37	–	–	–	–	–	–	1	1	–	–	1	–
VI. Respiratory Organs	112	3	3	6	11	4	–	3	2	1	–	5	4
VII. Organs of Digestion	58	2	1	3	2	1	–	–	–	–	3	–	–
VIII. Urinary Organs	9	–	–	–	–	–	–	–	–	–	–	1	–
IX. Organs of Generation	26	–	–	–	–	–	–	–	–	–	–	3	5
X. Organs of Locomotion	19	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	15	14	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	1	–	–	–	–	–	–	–
XV. Age	360	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	23	–	2	1	2	1	1	–	1	1	–	–	1
I. Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	–
Measles	3	–	–	1	–	–	1	–	–	1	–	–	–
Scarlatina	8	–	–	–	1	–	1	1	3	–	1	1	–
Diphtheria	6	–	–	1	1	3	–	–	1	–	–	–	–
Hooping-cough	15	–	1	5	4	2	1	1	1	–	–	–	–
Croup	21	4	–	3	4	3	4	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	–	1	–	–	–	–	–	–	1	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	1	–	–	–	–	–	–	–	–	1	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	–	–	1	–	–	–	–	–	–	1	2	1
Enteric Fever	18	–	–	–	–	–	–	–	1	3	1	1	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	1	–	–	1	–	1	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	13	–	–	–	–	–	–	–	–	–	1	3	6
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	1	–	–
Erysipelas	2	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	–	–	–	–	2	–	–	–
Abscess	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	1	–	–	–	–	1	–	–	1
Tabes Mesenterica	2	–	–	–	1	1	–	–	–	–	–	–	–
Phthisis	97	–	–	–	1	–	–	–	2	5	13	12	17
Hydrocephalus	3	–	–	1	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	40	35	27	26	39	37	49	67	99	120	115	65	30	16	1	–
Specified Causes	31	27	23	24	26	27	49	67	99	120	115	65	30	16	1	–
Zymotic Class	3	3	4	4	3	2	2	4	2	7	–	1	–	–	–	–
Uncertain Seat	1	1	–	4	1	3	3	3	6	4	2	–	–	–	–	–
Tubercular Class	18	10	4	4	6	5	–	1	–	1	–	–	–	–	–	–
Brain, etc.	–	–	2	1	2	2	3	6	9	8	5	–	–	–	–	–
Heart, etc.	1	2	1	2	4	3	3	6	3	3	3	2	1	–	–	–
Respiratory Organs	1	3	2	1	4	5	6	9	13	12	10	4	–	–	–	–
Digestive Organs	2	–	3	4	4	4	9	6	5	7	1	1	–	–	–	–
Urinary Organs	–	1	1	2	–	1	–	1	1	–	1	–	–	–	–	–
Generative Organs	4	4	5	1	–	–	2	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	1	3	1	7	3	1	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	17	28	52	74	87	56	29	16	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	3	–	–	1	–	1	1	1	–	5	–	–	–	–	–
Small-pox	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	2	1	–	2	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	–	–	3	3	1	1	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	1	2	2	2	1	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	–	4	–	2	1	1	4	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	10	4	4	6	5	–	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	–	–	1	1	–
Apoplexy	9	1	–	–	–	–	1	–	–	1	–	–	1
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	3	1	–	–	1	–	1	–	–	–	–	–	–
Brain Disease	13	–	1	–	–	–	1	–	–	2	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	–	–	–	–	–	–	1	1	–	–	1	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	58	–	3	5	6	3	–	2	1	–	–	2	2
Pleurisy	12	3	–	–	2	1	–	1	1	–	–	1	–
Pneumonia	16	–	–	1	2	–	–	–	–	1	–	2	–
Asthma	20	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	5	–	–	3	1	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	1	–	–	–	–	–	–	–	–	3	–	–
Peritonitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	18	–	–	–	–	–	–	–	–	–	–	3	5
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	18	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	8	–	2	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	1	1	–	1	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	1	–	–	–	1	–	–	1
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	131	32	8	7	9	4	3	2	2	3	4	6	5

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–
Paralysis	–	–	1	–	1	–	1	1	6	7	5	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	–	2	1	1	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	1	2	1	2	4	3	3	6	3	3	2	2	1	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	–	–	1	5	4	6	7	7	1	–	–	–	–
Pleurisy	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Pneumonia	–	2	–	1	–	2	1	1	1	2	–	–	–	–	–	–
Asthma	–	–	1	–	2	–	–	4	5	2	2	3	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
Ulceration of Intestines	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	1	1	3	2	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Jaundice	–	–	1	–	–	1	2	1	1	1	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	–	1	1	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	1	–	–	2	1	–	–	–	–	–	–	–	–
Childbirth	3	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	–	1	2	1	7	3	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not specified	9	8	4	2	13	10	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	15845	1362	662	1216	1837	986	628	484	1169	436	464	573	563
Specified Causes	15766	1341	655	1208	1832	984	627	480	1162	436	464	572	561
I. Zymotic Class	4132	155	181	372	760	529	388	310	644	162	94	110	105
II. Diseases of Uncertain Seat	403	4	–	7	7	7	6	9	18	10	4	11	14
III. Tubercular Class	2462	41	71	157	238	149	87	59	197	114	218	244	208
IV. Brain and Nervous System	1235	100	61	88	118	52	33	17	60	42	20	26	27
V. Organs of Circulation	649	2	1	1	1	–	2	3	12	17	19	22	31
VI. Respiratory Organs	3650	203	206	396	500	197	85	63	132	43	40	62	68
VII. Organs of Digestion	956	128	59	124	154	23	9	9	33	7	17	22	25
VIII. Urinary Organs	201	1	–	2	4	2	3	4	18	9	7	11	8
IX. Organs of Generation	110	1	–	–	–	–	–	–	–	–	4	18	29
X. Organs of Locomotion	95	1	–	–	–	3	1	–	8	13	12	3	6
XI. Skin, etc.	11	1	3	1	1	–	–	–	–	1	–	1	–
XII. Malformation	28	19	6	–	1	1	–	–	1	–	–	–	–
XIII. Premature Debility	721	626	50	45	–	–	–	–	–	–	–	–	–
XIV. Atrophy	102	–	–	–	32	11	7	1	6	2	1	1	1
XV. Age	390	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	36	5	1	–	1	–	–	–	1	–	–	2	1
XVII. Violent Deaths	585	54	16	15	15	10	6	5	32	16	28	39	38
I. Small-pox	214	13	14	3	2	4	4	6	22	17	26	40	35
Measles	262	2	7	43	109	47	29	9	15	–	1	–	–
Scarlatina	1673	6	12	83	237	284	239	214	457	97	19	8	9
Diphtheria	135	4	1	6	29	20	17	17	31	5	1	1	1
Hooping-cough	673	21	48	139	220	120	53	34	37	1	–	–	–
Croup	144	3	7	20	49	19	18	8	17	3	–	–	–
Thrush	2	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa	401	70	68	64	90	14	10	7	9	4	1	1	3
Dysentery	35	1	4	–	4	1	–	1	1	–	–	–	3
Cholera	12	–	2	–	–	1	1	1	2	–	–	1	1
Influenza	11	–	–	–	–	–	–	–	1	–	2	–	–
Purpura	11	–	–	–	–	–	2	1	1	1	1	–	–
Ague	4	–	–	–	–	–	–	–	–	–	–	–	1
Worms	2	–	–	–	–	–	2	–	–	–	–	–	–
Typhus	113	–	–	–	2	1	2	1	7	5	12	14	12
Enteric Fever	211	–	–	5	11	13	9	8	35	24	25	29	13
Relapsing Fever	6	–	–	–	–	–	–	–	–	1	1	1	1
Simple Continued Fever	9	–	–	1	2	1	–	–	4	–	1	–	–
Infantile Remittent	9	–	1	–	2	2	1	2	1	–	–	–	–
Metria	48	–	–	–	–	–	–	–	–	–	1	10	16
Rheumatic Fever	22	–	–	–	–	1	–	–	3	3	–	–	3
Erysipelas	69	18	2	1	–	–	1	–	–	–	–	3	5
Pyæmia	17	1	–	1	–	–	–	–	1	1	3	1	2
Syphilis	47	16	13	6	2	1	–	–	–	–	–	1	–
Noma	2	–	–	–	1	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	1	–	–	–	–	–	1	1	–	–	2	2
Dropsy	112	1	–	3	1	5	4	7	15	5	1	3	3
Abscess	44	–	–	3	2	–	–	1	1	5	3	4	1
Ulcer	17	–	–	1	–	2	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	14	1	–	–	3	–	–	–	–	–	–	2	–
Cancer	193	1	–	–	1	–	2	–	1	–	–	–	8
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	123	4	1	3	13	11	11	4	25	19	9	10	5
Tabes Mesenterica	283	9	17	31	66	44	23	13	47	16	6	3	3
Phthisis	1681	9	24	26	58	38	22	30	95	79	203	231	200
Hydrocephalus	375	19	29	97	101	56	31	12	30	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	528	549	592	565	615	563	619	470	452	243	171	76	14	5	1	2
SPECIFIED CAUSES	526	545	590	563	610	558	619	469	452	243	171	76	14	5	1	2
Zymotic Class	72	47	38	31	29	19	29	20	20	9	3	5	–	–	–	–
Uncertain Seat	19	20	32	38	49	32	40	29	27	11	8	–	–	1	–	–
Tubercular Class	144	148	138	102	67	41	24	10	5	–	–	–	–	–	–	–
Brain, etc.	28	41	38	53	67	66	89	72	77	34	19	6	1	–	–	–
Heart, etc.	51	53	56	43	66	75	65	47	52	13	11	5	–	–	–	1
Respiratory Organs	89	115	154	181	208	220	228	187	136	85	35	13	1	2	–	1
Digestive Organs	29	40	45	42	47	37	38	27	22	10	8	1	–	–	–	–
Urinary Organs	22	15	13	16	18	13	10	8	5	5	6	1	–	–	–	–
Generative Organs	14	15	17	5	2	–	4	–	1	–	–	–	–	–	–	–
Locomotive Organs	3	8	5	3	7	4	7	5	1	2	3	–	–	–	–	–
Skin	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	2	1	6	10	20	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	52	44	92	70	75	43	11	2	1	–
Sudden Deaths	4	2	3	2	2	3	4	2	3	–	–	–	–	–	–	–
Violent Deaths	50	39	49	41	38	27	28	18	11	4	3	2	1	–	–	–
Small-pox	12	8	3	3	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	2	4	4	4	5	8	8	11	5	2	4	–	–	–	–
Dysentery	1	1	1	2	2	1	7	1	–	2	1	1	–	–	–	–
Cholera	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	1	2	–	3	1	–	–	–	–	–	–
Purpura	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	11	7	9	10	3	3	–	1	–	–	–	–	–	–	–
Enteric Fever	9	5	7	3	5	–	4	5	1	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	14	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	3	2	2	–	1	–	1	1	–	–	–	–	–	–	–
Erysipelas	6	3	6	4	4	6	3	5	1	1	–	–	–	–	–	–
Pyæmia	3	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Syphilis	2	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	1	3	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	6	3	5	2	8	5	10	6	8	6	4	–	–	1	–	–
Abscess	3	2	3	6	4	–	1	1	3	1	–	–	–	–	–	–
Ulcer	–	–	1	1	3	3	1	–	3	1	1	–	–	–	–	–
Fistula	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	1	3	2	–	–	–	–	–	–	–
Cancer	9	12	21	23	33	22	26	18	10	3	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Scrofula	1	1	1	2	–	3	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	142	145	136	100	67	38	23	10	5	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	194	4	15	28	40	21	14	5	18	19	5	8	9
Apoplexy	272	5	7	14	14	6	6	–	13	5	3	4	4
Paralysis	258	–	–	–	1	–	1	1	–	2	2	2	2
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	1	–	2
Chorea	2	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	45	–	1	–	–	–	–	–	–	6	6	5	4
Tetanus	6	3	–	–	–	1	–	–	–	–	–	1	–
Insanity	17	–	–	–	–	–	–	–	–	–	–	2	1
Convulsions	256	87	31	37	53	17	9	4	18	–	–	–	–
Brain Disease	172	1	7	9	10	7	2	7	11	10	3	4	5
V. Pericarditis	25	–	–	–	–	–	–	1	4	1	3	2	2
Aneurism	26	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	598	2	1	1	1	–	2	2	8	16	16	20	28
VI. Laryngitis	30	–	3	5	3	5	4	1	1	–	–	1	1
Bronchitis	2547	145	165	297	382	153	57	48	78	22	15	21	24
Pleurisy	48	1	–	–	–	–	1	–	3	2	5	4	4
Pneumonia	858	53	35	92	109	34	21	12	46	15	19	34	36
Asthma	86	–	–	–	1	–	–	–	–	–	–	1	2
Lung Disease	81	4	3	2	5	5	2	2	4	4	1	1	1
VII. Teething	196	1	8	69	109	9	–	–	–	–	–	–	–
Quinsey	10	1	1	2	3	1	–	–	1	–	–	1	–
Gastritis	77	25	10	6	10	2	2	1	1	–	3	1	2
Enteritis	186	41	20	32	19	9	5	4	15	3	2	4	3
Peritonitis	56	1	1	–	2	1	2	–	2	–	7	7	3
Ascites	7	–	–	–	–	–	–	1	1	–	–	–	–
Ulceration of Intestines	19	–	–	–	1	–	–	–	–	1	1	–	4
Hernia	24	–	–	–	1	–	–	–	1	–	–	–	1
Ileus	44	17	5	2	1	–	–	2	2	–	–	–	1
Intussusception	8	1	–	1	–	–	–	–	1	–	–	–	1
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	121	32	10	7	5	1	–	1	7	–	2	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	48	1	1	2	1	–	–	–	–	–	–	3	3
Jaundice	22	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	135	3	2	3	2	–	–	–	2	3	2	4	5
Spleen Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	39	1	–	2	2	1	1	3	9	2	1	–	2
Nephria	74	–	–	–	1	1	1	–	4	3	4	7	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	–	–	–	–	–	–	–	–	–	–	1	1
Diabetes	12	–	–	–	–	–	–	–	–	1	1	1	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	53	–	–	–	1	–	1	1	5	3	1	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	83	–	–	–	–	–	–	–	–	–	4	16	26
Organs of Generation	16	1	–	–	–	–	–	–	–	–	–	1	3
X. Bone Disease	22	1	–	–	–	1	–	–	2	3	5	1	3
Rheumatism	38	–	–	–	–	1	–	–	1	1	1	–	–
Joint Disease	35	–	–	–	–	1	1	–	5	9	6	2	3
XI. Carbuncle	2	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	6	1	3	1	–	–	–	–	–	1	–	–	–
XVII. Intemperance	61	–	–	–	–	–	–	–	–	–	–	1	6
Privation	3	2	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	22	12	5	4	1	–	–	–	–	–	–	–	–
Neglect	2	–	–	1	–	1	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	14	1	–	–	1	1	–	–	1	1	–	–	2
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	46	1	–	5	7	5	4	1	5	1	3	1	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	67	36	10	4	1	–	–	–	–	–	1	–	–
Drowning	80	1	–	–	–	–	–	–	3	2	10	8	12
Fracture and Contusion	219	–	1	1	5	2	1	4	20	8	13	19	11
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	1	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	52	1	–	–	–	1	–	–	3	3	1	7	6
Not specified	79	21	7	8	5	2	1	4	7	–	–	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	5	14	13	22	30	25	28	18	26	8	1	1	–	–	–	–
Paralysis	8	12	7	14	22	21	45	37	36	22	17	5	1	–	–	–
Delirium Tremens	1	3	1	2	2	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	3	2	3	–	3	3	2	–	1	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	2	2	4	1	2	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	8	10	8	11	13	11	13	13	3	1	–	–	–	–	–
Pericarditis	3	1	2	2	2	–	1	1	–	–	–	–	–	–	–	–
Aneurism	3	6	3	5	3	2	2	1	–	–	–	–	–	–	–	–
Heart Disease	45	46	51	36	61	73	62	45	52	13	11	5	–	–	–	1
Laryngitis	1	–	1	2	1	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	39	56	97	113	150	140	177	149	115	61	30	10	1	2	–	–
Pleurisy	3	3	7	2	2	2	3	1	3	2	–	–	–	–	–	–
Pneumonia	38	45	44	45	40	51	35	22	11	16	3	2	–	–	–	–
Asthma	4	7	5	14	7	14	10	10	5	4	–	1	–	–	–	1
Lung Disease	4	4	–	5	8	13	3	4	2	2	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	5	1	–	4	2	1	–	–	–	–	–	–	–	–	–
Enteritis	2	2	2	7	3	3	4	2	2	–	2	–	–	–	–	–
Peritonitis	8	5	1	5	3	2	1	2	1	2	–	–	–	–	–	–
Ascites	1	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	2	1	1	3	1	3	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	3	4	3	2	2	2	3	1	–	–	–	–	–	–
Ileus	–	2	3	2	2	3	–	–	2	–	–	–	–	–	–	–
Intussusception	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	5	4	8	2	8	10	4	5	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	4	6	4	5	5	2	3	3	–	–	–	–	–	–	–
Jaundice	–	2	1	3	2	3	1	–	2	–	3	–	–	–	–	–
Liver Disease	9	15	21	10	11	12	17	8	5	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	2	4	5	2	–	–	–	–	–	–	–	–	–	–
Nephria	9	9	7	5	8	3	4	2	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
Diabetes	3	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	2	–	–	–	2	1	–	–	–	–
Stricture of Urethra	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Kidney Disease	7	5	1	2	3	4	3	4	2	4	3	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	3	3	1	–	3	–	–	–	–	–	–	–	–	–
Childbirth	14	12	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	3	4	1	1	–	1	–	1	–	–	–	–	–	–	–
Bone Disease	1	2	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Rheumatism	1	4	3	3	7	2	7	2	1	2	2	–	–	–	–	–
Joint Disease	1	2	2	–	–	1	–	1	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	5	12	13	6	4	4	8	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	1	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Hanging, etc.	3	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Suffocation	2	1	1	3	5	–	2	–	–	–	–	1	–	–	–	–
Drowning	7	12	4	8	2	5	2	3	–	1	–	–	–	–	–	–
Fracture and Contusion	19	9	25	15	20	14	9	9	8	2	2	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	3	2	4	3	1	6	3	–	–	1	–	–	–	–	–
Not specified	2	4	2	2	5	5	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8118	777	362	663	963	522	314	268	635	235	215	290	278
SPECIFIED CAUSES	8074	765	359	659	962	521	313	265	631	235	215	290	277
I. Zymotic Class	2104	83	91	194	380	262	195	166	336	79	50	63	50
II. Diseases of Uncertain Seat	162	2	–	3	4	5	3	4	11	7	3	6	7
III. Tubercular Class	1221	23	39	94	129	84	47	35	106	57	83	104	93
IV. Brain and Nervous System	707	64	35	56	73	36	15	9	38	27	10	12	14
V. Organs of Circulation	325	2	1	–	–	–	1	2	8	8	7	10	13
VI. Respiratory Organs	1884	116	120	210	263	104	43	40	75	29	19	40	47
VII. Organs of Digestion	472	63	36	71	79	15	3	3	15	4	9	10	17
VIII. Urinary Organs	117	1	–	2	2	1	1	2	9	5	2	3	1
IX. Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	44	–	–	–	–	1	1	–	4	6	6	3	5
XI. Skin, etc.	9	–	2	1	1	–	–	–	–	1	–	1	–
XII. Malformation	18	12	6	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	417	370	25	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	45	–	–	–	22	7	–	1	5	1	1	1	–
XV. Age	122	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	22	1	1	–	1	–	–	–	1	–	–	2	–
XVII. Violent Deaths	404	27	3	6	8	6	4	3	23	11	25	35	30
I. Small-pox	125	8	4	1	–	1	1	4	11	9	16	29	23
Measles	140	1	4	26	62	22	12	5	7	–	1	–	–
Scarlatina	888	3	6	48	124	154	120	120	250	51	6	2	2
Diphtheria	70	1	1	2	16	11	10	7	18	1	–	–	1
Hooping-cough	292	9	21	65	95	45	27	14	16	–	–	–	–
Croup	82	3	4	11	27	12	12	5	7	1	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	198	40	38	33	42	6	6	3	3	1	–	–	1
Dysentery	24	1	3	–	4	–	–	1	–	–	–	–	3
Cholera	5	–	–	–	–	–	1	1	–	–	–	1	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	5	–	–	–	–	–	–	1	–	–	–	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	1
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	66	–	–	–	2	1	2	1	6	2	7	8	7
Enteric Fever	108	–	–	4	6	6	3	3	13	11	15	19	5
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	1	–	1
Simple Continued Fever	6	–	–	–	1	1	–	–	3	–	1	–	–
Infantile Remittent	2	–	1	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	9	–	–	–	–	1	–	–	2	1	–	–	1
Erysipelas	36	6	2	–	–	–	–	–	–	–	–	2	3
Pyæmia	11	1	–	–	–	–	–	–	–	1	3	1	2
Syphilis	24	10	6	4	–	1	–	–	–	–	–	1	–
Noma	2	–	–	–	1	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	–	–	–	–	–	1	1	–	–	1	1
Dropsy	45	1	–	1	–	4	2	2	9	3	1	2	1
Abscess	26	–	–	2	2	–	–	1	–	4	2	1	1
Ulcer	10	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	1	–	–	1	–	–	–	–	–	–	2	–
Cancer	59	–	–	–	1	–	1	–	1	–	–	–	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	75	3	–	2	8	5	5	4	14	13	8	5	4
Tabes Mesenterica	162	5	10	18	34	26	12	9	31	12	1	1	1
Phthisis	768	5	14	16	25	21	13	15	46	32	74	98	88
Hydrocephalus	216	10	15	58	62	32	17	7	15	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	260	275	313	307	310	280	289	199	170	102	57	26	5	2	–	1
SPECIFIED CAUSES	258	272	312	305	308	277	289	198	170	102	57	26	5	2	–	1
Zymotic Class	28	25	18	16	22	9	15	10	4	6	1	1	–	–	–	–
Uncertain Seat	8	7	10	19	12	13	11	12	9	2	4	–	–	–	–	–
Tubercular Class	65	64	65	49	42	22	14	3	3	–	–	–	–	–	–	–
Brain, etc.	16	26	25	28	31	36	54	37	36	17	8	4	–	–	–	–
Heart, etc.	21	24	39	27	31	34	35	24	24	10	2	1	–	–	–	1
Respiratory Organs	51	68	76	101	101	108	101	72	49	36	11	3	1	–	–	–
Digestive Organs	8	18	27	19	21	16	15	9	5	4	4	1	–	–	–	–
Urinary Organs	15	9	11	11	11	8	5	5	3	3	6	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	3	2	3	3	1	1	–	–	1	–	–	–	–	–
Skin	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	11	30	22	20	15	4	2	–	–
Sudden Deaths	4	–	2	1	1	3	4	1	–	–	–	–	–	–	–	–
Violent Deaths	41	28	35	31	33	18	15	13	7	2	–	–	–	–	–	–
Small-pox	7	5	2	2	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	2	1	2	2	4	3	3	3	1	1	–	–	–	–
Dysentery	1	–	1	1	2	1	4	1	–	1	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Purpura	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	8	3	3	7	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever	5	4	3	2	4	–	2	3	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	3	3	3	4	2	3	–	1	–	–	–	–	–	–
Pyæmia	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	1	2	1	2	1	4	1	3	–	1	–	–	–	–	–
Abscess	1	2	1	4	2	–	–	1	2	–	–	–	–	–	–	–
Ulcer	–	–	1	1	2	1	1	–	1	1	1	–	–	–	–	–
Fistula	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Cancer	4	4	4	7	5	9	6	8	2	1	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	65	62	64	47	42	21	14	3	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—MALES. (*Continued*).

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	122	3	8	19	24	13	7	2	13	14	2	4	6
Apoplexy	142	3	4	10	8	4	1	–	7	2	3	2	1
Paralysis	138	–	–	–	–	–	–	–	–	1	2	1	2
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	1	–	2
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	26	–	1	–	–	–	–	–	–	4	2	1	2
Tetanus	6	3	–	–	–	1	–	–	–	–	–	1	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	162	55	18	23	34	13	7	2	10	–	–	–	–
Brain Disease	96	–	4	4	7	5	–	5	8	6	–	3	1
V. Pericarditis	11	–	–	–	–	–	–	1	2	1	–	1	–
Aneurism	23	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	291	2	1	–	–	–	1	1	6	7	7	9	12
VI. Laryngitis	21	–	3	5	2	3	2	–	–	–	–	1	–
Bronchitis	1209	81	96	152	203	77	32	30	44	12	6	9	13
Pleurisy	33	1	–	–	–	–	–	–	1	2	3	4	3
Pneumonia	529	32	19	53	56	20	8	10	28	11	9	26	29
Asthma	50	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	42	2	2	–	2	4	1	–	2	4	1	–	1
VII. Teething	108	–	5	40	57	6	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	1	–	–	–	–	–	–	–
Gastritis	39	13	8	2	5	1	–	–	1	–	1	1	1
Enteritis	89	20	11	18	9	6	2	–	5	1	2	2	2
Peritonitis	20	–	1	–	1	–	1	–	2	–	4	–	2
Ascites	3	–	–	–	–	–	–	1	1	–	–	–	–
Ulceration of Intestines	12	–	–	–	–	–	–	–	–	1	1	–	4
Hernia	12	–	–	–	1	–	–	–	1	–	–	–	1
Ileus	19	8	2	1	1	–	–	1	–	–	–	–	1
Intussusception	3	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	64	16	5	6	3	1	–	1	4	–	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	17	1	1	1	–	–	–	–	–	–	–	3	1
Jaundice	11	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	70	2	2	1	1	–	–	–	1	2	–	4	4
Spleen Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	24	1	–	2	1	1	–	2	5	1	–	–	–
Nephria	31	–	–	–	–	–	1	–	2	–	1	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	6	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	8	–	–	–	–	–	–	–	–	1	1	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	34	–	–	–	1	–	–	–	2	3	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	11	–	–	–	–	–	–	–	1	1	3	1	3
Rheumatism	13	–	–	–	–	1	–	–	1	1	–	–	–
Joint Disease	20	–	–	–	–	–	1	–	2	4	3	2	2
XI. Carbuncle	2	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	4	–	2	1	–	–	–	–	–	1	–	–	–
XVII. Intemperance	41	–	–	–	–	–	–	–	–	–	–	1	5
Privation	2	2	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	1	1	1	–	–	–	–	–	–	–	–
Neglect	1	–	–	1	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	1	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	29	1	–	2	5	4	3	1	2	1	2	1	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	28	15	2	2	1	–	–	–	–	–	1	–	–
Drowning	69	1	–	–	–	–	–	–	3	1	10	7	11
Fracture and Contusion	168	–	–	–	1	–	1	2	17	6	11	18	9
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	37	1	–	–	–	1	–	–	1	2	1	6	4
Not specified	44	12	3	4	1	1	1	3	4	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	7	7	13	8	13	15	9	16	6	–	–	–	–	–	–
Paralysis	3	7	4	8	14	12	28	18	18	9	7	4	–	–	–	–
Delirium Tremens	1	3	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	2	1	–	3	3	1	–	1	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	7	3	5	8	7	9	2	1	1	–	–	–	–	–
Pericarditis	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	6	3	4	3	2	2	1	–	–	–	–	–	–	–	–
Heart Disease	19	17	34	21	28	32	33	23	24	10	2	1	–	–	–	1
Laryngitis	–	–	1	2	1	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	15	26	38	52	68	63	70	50	40	22	7	2	1	–	–	–
Pleurisy	2	2	5	2	1	1	3	1	2	–	–	–	–	–	–	–
Pneumonia	28	32	28	34	23	33	22	13	3	9	2	1	–	–	–	–
Asthma	4	4	4	10	3	8	5	4	4	3	–	–	–	–	–	–
Lung Disease	2	4	–	1	5	3	1	3	–	2	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Enteritis	1	2	–	2	1	2	1	1	–	–	1	–	–	–	–	–
Peritonitis	2	–	1	1	2	1	1	–	–	1	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	2	1	–	2	1	1	1	–	–	–	–	–	–
Ileus	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	5	2	5	1	3	4	3	1	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Jaundice	–	2	–	2	2	–	–	–	–	–	2	–	–	–	–	–
Liver Disease	2	9	15	5	6	6	7	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	2	3	4	1	–	–	–	–	–	–	–	–	–	–
Nephria	4	5	6	2	4	1	1	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
Diabetes	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	1	–	–	–	2	1	–	–	–	–
Stricture of Urethra	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Kidney Disease	6	3	1	1	2	3	2	4	1	2	3	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	2	2	3	1	1	–	–	–	–	–	–	–	–	–
Joint Disease	1	1	1	–	–	1	–	1	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	8	8	5	3	2	3	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	3	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Suffocation	–	1	–	1	3	–	2	–	–	–	–	–	–	–	–	–
Drowning	7	8	4	7	2	2	2	3	–	1	–	–	–	–	–	–
Fracture and Contusion	17	7	19	13	19	11	6	7	4	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	2	2	3	3	1	2	2	–	–	–	–	–	–	–	–
Not specified	2	3	1	2	2	3	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7727	585	300	553	874	464	314	216	534	201	249	283	285
SPECIFIED CAUSES	7692	576	296	549	870	463	314	215	531	201	249	282	284
I. Zymotic Class	2028	72	90	178	380	267	193	144	308	83	44	47	55
II. Diseases of Uncertain Seat	241	2	–	4	3	2	3	5	7	3	1	5	7
III. Tubercular Class	1241	18	32	63	109	65	40	24	91	57	135	140	115
IV. Brain and Nervous System	528	36	26	32	45	16	18	8	22	15	10	14	13
V. Organs of Circulation	324	–	–	1	1	–	1	1	4	9	12	12	18
VI. Respiratory Organs	1766	87	86	186	237	93	42	23	57	14	21	22	21
VII. Organs of Digestion	484	65	23	53	75	8	6	6	18	3	8	12	8
VIII. Urinary Organs	84	–	–	–	2	1	2	2	9	4	5	8	7
IX. Organs of Generation	109	–	–	–	–	–	–	–	–	–	4	18	29
X. Organs of Locomotion	51	1	–	–	–	2	–	–	4	7	6	–	1
XI. Skin, etc.	2	1	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	10	7	–	–	1	1	–	–	1	–	–	–	–
XIII. Premature Debility	304	256	25	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	57	–	–	–	10	4	7	–	1	1	–	–	1
XV. Age	268	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	14	4	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	181	27	13	9	7	4	2	2	9	5	3	4	8
I. Small-pox	89	5	10	2	2	3	3	2	11	8	10	11	12
Measles	122	1	3	17	47	25	17	4	8	–	–	–	–
Scarlatina	785	3	6	35	113	130	119	94	207	46	13	6	7
Diphtheria	65	3	–	4	13	9	7	10	13	4	1	1	–
Hooping-cough	381	12	27	74	125	75	26	20	21	1	–	–	–
Croup	62	–	3	9	22	7	6	3	10	2	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	203	30	30	31	48	8	4	4	6	3	1	1	2
Dysentery	11	–	1	–	–	1	–	–	1	–	–	–	–
Cholera	7	–	2	–	–	1	–	–	2	–	–	–	1
Influenza	7	–	–	–	–	–	–	–	1	–	2	–	–
Purpura	6	–	–	–	–	–	2	–	1	1	1	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	47	–	–	–	–	–	–	–	1	3	5	6	5
Enteric Fever	103	–	–	1	5	7	6	5	22	13	10	10	8
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	1	–
Simple Continued Fever	3	–	–	1	1	–	–	–	1	–	–	–	–
Infantile Remittent	7	–	–	–	2	1	1	2	1	–	–	–	–
Metria	48	–	–	–	–	–	–	–	–	–	1	10	16
Rheumatic Fever	13	–	–	–	–	–	–	–	1	2	–	–	2
Erysipelas	33	12	–	1	–	–	1	–	–	–	–	1	2
Pyæmia	6	–	–	1	–	–	–	–	1	–	–	–	–
Syphilis	23	6	7	2	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	1	–	–	–	–	–	–	–	–	–	1	1
Dropsy	67	–	–	2	1	1	2	5	6	2	–	1	2
Abscess	18	–	–	1	–	–	–	–	1	1	1	3	–
Ulcer	7	–	–	1	–	1	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	134	1	–	–	–	–	1	–	–	–	–	–	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	48	1	1	1	5	6	6	–	11	6	1	5	1
Tabes Mesenterica	121	4	7	13	32	18	11	4	16	4	5	2	2
Phthisis	913	4	10	10	33	17	9	15	49	47	129	133	112
Hydrocephalus	159	9	14	39	39	24	14	5	15	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	268	274	279	258	305	283	330	271	282	141	114	50	9	3	1	1
SPECIFIED CAUSES	268	273	278	258	302	281	330	271	282	141	114	50	9	3	1	1
Zymotic Class	44	22	20	15	7	10	14	10	16	3	2	4	–	–	–	–
Uncertain Seat	11	13	22	19	37	19	29	17	18	9	4	–	–	1	–	–
Tubercular Class	79	84	73	53	25	19	10	7	2	–	–	–	–	–	–	–
Brain, etc.	12	15	13	25	36	30	35	35	41	17	11	2	1	–	–	–
Heart, etc.	30	29	17	16	35	41	30	23	28	3	9	4	–	–	–	–
Respiratory Organs	38	47	78	80	107	112	127	115	87	49	24	10	–	2	–	1
Digestive Organs	21	22	18	23	26	21	23	18	17	6	4	–	–	–	–	–
Urinary Organs	7	6	2	5	7	5	5	3	2	2	–	–	–	–	–	–
Generative Organs	14	15	17	5	2	–	4	–	1	–	–	–	–	–	–	–
Locomotive Organs	2	5	2	1	4	1	6	4	1	2	2	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	2	1	5	10	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	34	33	62	48	55	28	7	–	1	–
Sudden Deaths	–	2	1	1	1	–	–	1	3	–	–	–	–	–	–	–
Violent Deaths	9	11	14	10	5	9	13	5	4	2	3	2	1	–	–	–
Small-pox	5	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	3	2	3	4	5	8	2	1	3	–	–	–	–
Dysentery	–	1	–	1	–	–	3	–	–	1	1	1	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	3	4	6	3	2	2	–	1	–	–	–	–	–	–	–
Enteric Fever	4	1	4	1	1	–	2	2	1	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	14	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	2	–	1	–	1	1	–	–	–	–	–	–	–
Erysipelas	4	1	3	1	1	2	1	2	1	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	2	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	3	2	3	1	6	4	6	5	5	6	3	–	–	1	–	–
Abscess	2	–	2	2	2	–	1	–	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Cancer	5	8	17	16	28	13	20	10	8	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	77	83	72	53	25	17	9	7	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	72	1	7	9	16	8	7	3	5	5	3	4	3
Apoplexy	130	2	3	4	6	2	5	–	6	3	–	2	3
Paralysis	120	–	–	–	1	–	1	1	–	1	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	19	–	–	–	–	–	–	–	–	2	4	4	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	15	–	–	–	–	–	–	–	–	–	–	2	1
Convulsions	94	32	13	14	19	4	2	2	8	–	–	–	–
Brain Disease	76	1	3	5	3	2	2	2	3	4	3	1	4
V. Pericarditis	14	–	–	–	–	–	–	–	2	–	3	1	2
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	307	–	–	1	1	–	1	1	2	9	9	11	16
VI. Laryngitis	9	–	–	–	1	2	2	1	1	–	–	–	1
Bronchitis	1338	64	69	145	179	76	25	18	34	10	9	12	11
Pleurisy	15	–	–	–	–	–	1	–	2	–	2	–	1
Pneumonia	329	21	16	39	53	14	13	2	18	4	10	8	7
Asthma	36	–	–	–	1	–	–	–	–	–	–	1	1
Lung Disease	39	2	1	2	3	1	1	2	2	–	–	1	–
VII. Teething	88	1	3	29	52	3	–	–	–	–	–	–	–
Quinsey	7	1	1	1	2	–	–	–	1	–	–	1	–
Gastritis	38	12	2	4	5	1	2	1	–	–	2	–	1
Enteritis	97	21	9	14	10	3	3	4	10	2	–	2	1
Peritonitis	36	1	–	–	1	1	1	–	–	–	3	7	1
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	12	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	25	9	3	1	–	–	–	1	2	–	–	–	–
Intussusception	5	1	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	57	16	5	1	2	–	–	–	3	–	1	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	31	–	–	1	1	–	–	–	–	–	–	–	2
Jaundice	11	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	65	1	–	2	1	–	–	–	1	1	2	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	15	–	–	–	1	–	1	1	4	1	1	–	2
Nephria	43	–	–	–	1	1	–	–	2	3	3	5	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	19	–	–	–	–	–	1	1	3	–	1	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	83	–	–	–	–	–	–	–	–	–	4	16	26
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	3
X. Bone Disease	11	1	–	–	–	1	–	–	1	2	2	–	–
Rheumatism	25	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	15	–	–	–	–	1	–	–	3	5	3	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	13	6	4	3	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	1	–	–	–	1	1	–	–	2
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	17	–	–	3	2	1	1	–	3	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	39	21	8	2	–	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	–	–	–	–	–	1	–	1	1
Fracture and Contusion	51	–	1	1	4	2	–	2	3	2	2	1	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	15	–	–	–	–	–	–	–	2	1	–	1	2
Not specified	35	9	4	4	4	1	–	1	3	–	–	1	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	7	6	9	22	12	13	9	10	2	1	1	–	–	–	–
Paralysis	5	5	3	6	8	9	17	19	18	13	10	1	1	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	2	–	4	1	2	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	3	5	6	5	4	4	11	2	–	–	–	–	–	–
Pericarditis	2	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Aneurism	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	29	17	15	33	41	29	22	28	3	9	4	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	24	30	59	61	82	77	107	99	75	39	23	8	–	2	–	–
Pleurisy	1	1	2	–	1	1	–	–	1	2	–	–	–	–	–	–
Pneumonia	10	13	16	11	17	18	13	9	8	7	1	1	–	–	–	–
Asthma	–	3	1	4	4	6	5	6	1	1	–	1	–	–	–	1
Lung Disease	2	–	–	4	3	10	2	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	3	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	2	5	2	1	3	1	2	–	1	–	–	–	–	–
Peritonitis	6	5	–	4	1	1	–	2	1	1	–	–	–	–	–	–
Ascites	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	2	2	2	2	–	1	2	–	–	–	–	–	–	–
Ileus	–	1	2	1	–	3	–	–	2	–	–	–	–	–	–	–
Intussusception	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	–	2	3	1	5	6	1	4	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	3	5	2	4	3	1	2	3	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	3	1	–	2	–	1	–	–	–	–	–
Liver Disease	7	6	6	5	5	6	10	6	4	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Nephria	5	4	1	3	4	2	3	2	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	1	1	1	1	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	3	3	1	–	3	–	–	–	–	–	–	–	–	–
Childbirth	14	12	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	3	4	1	1	–	1	–	1	–	–	–	–	–	–	–
Bone Disease	1	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Rheumatism	1	3	1	1	4	1	6	2	1	2	2	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	4	5	1	1	2	5	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	2	2	–	–	–	–	–	–	1	–	–	–	–
Drowning	–	4	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	6	2	1	3	3	2	4	2	2	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	1	–	–	4	1	–	–	1	–	–	–	–	–
Not specified	–	1	1	–	3	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	3587	360	150	285	383	211	148	111	282	86	112	135	123
SPECIFIED CAUSES	3535	341	146	281	381	211	145	109	280	85	112	135	122
I. Zymotic Class	983	40	44	85	158	115	96	69	174	29	24	20	24
II. Diseases of Uncertain Seat	103	4	–	–	–	2	1	4	–	1	2	3	3
III. Tubercular Class	638	10	27	56	77	35	16	14	50	25	55	64	50
IV. Brain and Nervous System	308	27	7	24	22	10	6	2	16	5	6	9	11
V. Organs of Circulation	117	–	–	1	–	–	1	1	3	3	4	2	5
VI. Respiratory Organs	616	49	37	81	80	31	18	12	19	6	8	15	10
VII. Organs of Digestion	186	22	9	23	33	4	4	–	7	3	3	9	4
VIII. Urinary Organs	52	–	1	–	2	3	1	1	3	3	–	2	1
IX. Organs of Generation	24	–	–	–	–	–	–	–	–	–	2	4	8
X. Organs of Locomotion	27	–	1	–	–	2	–	–	3	5	1	1	–
XI. Skin, etc.	3	–	–	–	1	1	–	–	–	–	–	–	–
XII. Malformation	13	11	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	190	164	16	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	23	–	–	–	4	4	1	1	2	–	1	–	–
XV. Age	152	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	2	–	–	2	–	–	–	–	–	–	–	–
XVII. Violent Deaths	94	12	3	–	2	4	1	5	3	5	6	6	6
I. Small-pox	42	2	5	–	1	–	–	–	2	3	5	4	6
Measles	36	2	–	4	10	8	5	4	2	–	–	–	–
Scarlatina	436	2	6	25	53	70	63	54	131	16	5	3	4
Diphtheria	57	1	–	6	9	11	11	5	10	2	–	–	–
Hooping-cough	105	8	4	23	42	11	10	3	4	–	–	–	–
Croup	44	1	6	1	15	9	4	1	7	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	100	10	17	19	21	2	–	–	2	1	–	–	–
Dysentery	11	1	2	2	2	–	–	–	–	–	–	–	–
Cholera	2	–	–	2	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	1	–	–	–	–	1	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	–	1	1	3	2	2	–	2
Enteric Fever	46	–	–	–	2	2	–	1	10	4	7	4	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	–	1	1	1	2	1	–	–	–	–	–	–
Metria	25	–	–	–	–	–	–	–	–	–	3	9	9
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	22	8	1	–	1	–	–	–	–	1	1	–	–
Pyæmia	5	–	–	–	–	–	–	–	1	–	–	–	1
Syphilis	11	5	2	1	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	21	–	–	–	–	1	1	2	–	–	–	–	1
Abscess	14	2	–	–	–	–	–	1	–	–	2	1	1
Ulcer	6	2	–	–	–	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	6	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	51	–	–	–	–	–	–	1	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	32	1	–	6	1	1	–	–	9	4	2	–	1
Tabes Mesenterica	56	2	4	7	18	6	3	2	8	–	1	2	2
Phthisis	418	2	7	17	19	10	5	6	19	21	52	62	47
Hydrocephalus	132	5	16	26	39	18	8	6	14	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	106	121	128	108	118	116	138	115	115	73	41	12	6	1	–	3
Specified Causes	103	119	125	106	116	115	138	115	115	73	41	12	6	1	–	2
Zymotic Class	16	21	12	11	6	14	10	5	5	4	1	–	–	–	–	–
Uncertain Seat	3	5	8	9	9	7	16	13	4	7	1	1	–	–	–	–
Tubercular Class	34	35	33	15	15	11	5	8	2	–	–	–	–	–	–	1
Brain, etc.	8	14	13	16	19	15	23	19	21	11	4	–	–	–	–	–
Heart, etc.	11	4	8	6	10	12	18	15	8	3	2	–	–	–	–	–
Respiratory Organs	12	18	26	20	35	34	35	25	23	9	11	1	–	–	–	1
Digestive Organs	7	8	10	12	6	10	1	5	3	2	1	–	–	–	–	–
Urinary Organs	3	3	6	2	2	2	9	2	3	2	–	–	1	–	–	–
Generative Organs	2	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	1	–	3	3	1	1	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	3	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	22	43	34	21	10	5	1	–	–
Sudden Deaths	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	7	4	11	7	3	4	–	1	–	–	–	–	–	–	–
Small-pox	5	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	3	2	–	5	5	1	3	3	1	–	–	–	–	–
Dysentery	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	2	2	2	2	1	–	–	–	–	–	–	–	–	–
Enteric Fever	2	3	2	3	–	1	1	1	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	2	–	3	1	1	1	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	1	1	–	5	3	1	2	–	1	–	–	–	–
Abscess	2	1	2	–	–	–	–	1	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–
Cancer	1	2	4	8	7	7	6	7	3	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	2	–	–	1	–	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	33	33	31	15	15	10	5	6	2	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	46	1	4	9	7	5	5	–	9	1	1	–	1
Apoplexy	65	3	–	1	2	–	–	–	1	2	–	5	2
Paralysis	74	–	–	1	–	–	–	–	2	1	–	–	4
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	–	2	4	1
Tetanus	2	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	55	23	3	12	9	4	–	2	2	–	–	–	–
Brain Disease	51	–	–	1	4	1	1	–	2	–	3	–	3
V. Pericarditis	12	–	–	–	–	–	–	1	2	1	1	1	2
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	102	–	–	1	–	–	1	–	1	2	3	1	3
VI. Laryngitis	4	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	364	32	24	59	52	19	11	3	9	1	2	2	2
Pleurisy	6	–	–	–	–	–	–	1	–	–	1	–	–
Pneumonia	217	14	13	21	28	12	6	8	10	5	4	12	8
Asthma	18	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	3	–	–	–	–	1	–	–	–	1	1	–
VII. Teething	28	–	1	5	19	3	–	–	–	–	–	–	–
Quinsey	5	1	–	2	1	–	1	–	–	–	–	–	–
Gastritis	9	2	–	–	–	–	1	–	2	–	1	–	–
Enteritis	33	3	5	6	4	–	–	–	1	2	1	4	1
Peritonitis	18	–	1	–	1	–	1	–	1	–	–	3	3
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	1	–	1	1	–	–	–	–	–	–	–	–
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	1	–	1	–	–	1	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	33	8	2	8	5	1	–	–	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	12	5	–	–	1	–	–	–	–	–	1	1	–
Liver Disease	22	–	–	–	1	–	–	–	1	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	1	1	–	–	1	2	–	–	–
Nephria	23	–	1	–	–	1	1	1	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	–	–	1	–	–	–	2	1	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	17	–	–	–	–	–	–	–	–	–	1	4	8
Organs of Generation	6	–	–	–	–	–	–	–	–	–	1	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	14	–	–	–	–	–	–	–	–	3	–	–	–
Joint Disease	13	–	1	–	–	2	–	–	3	2	1	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	1	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	1	–	–	1	3	–	3	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	3	3	–	–	–	–	–	–	–	–	–	–
Drowning	16	2	–	–	–	–	–	–	3	–	1	2	1
Fracture and Contusion	41	–	–	–	1	1	1	2	–	5	4	4	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	2	–	–	–	–	–	–	–	–	–	–	1
Not specified	52	19	4	4	2	–	3	2	2	1	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Apoplexy	4	4	3	4	7	5	8	4	3	7	–	–	–	–	–	–
Paralysis	1	3	6	4	7	7	8	11	13	4	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	6	3	6	5	1	4	4	5	–	1	–	–	–	–	–
Pericarditis	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	9	3	8	5	9	12	16	15	8	3	2	–	–	–	–	–
Laryngitis	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	8	13	13	15	19	27	15	17	6	9	1	–	–	–	1
Pleurisy	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Pneumonia	6	8	9	5	18	10	5	8	3	2	2	–	–	–	–	–
Asthma	–	–	3	2	2	3	2	2	3	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	3	–	1	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	3	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	3	1	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	3	3	–	4	2	4	1	–	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	2	2	2	–	2	5	2	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	1	–	1	–	1	2	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	3	3	1	1	1	–	–	–	–	–	–	–
Joint Disease	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	3	6	3	2	3	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not specified	3	2	3	2	2	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1848	220	83	147	189	112	80	46	146	49	53	63	60
SPECIFIED CAUSES	1815	208	79	145	189	112	77	45	146	48	53	63	59
I. Zymotic Class	451	20	21	40	70	57	46	27	82	13	12	7	10
II. Diseases of Uncertain Seat	46	3	–	–	–	2	1	2	–	–	–	2	3
III. Tubercular Class	318	8	12	33	43	21	9	6	30	14	22	25	24
IV. Brain and Nervous System	179	20	4	17	15	5	4	1	10	2	4	4	7
V. Organs of Circulation	60	–	–	–	–	–	1	–	1	3	1	1	3
VI. Respiratory Organs	346	30	23	38	38	18	12	6	10	5	6	11	6
VII. Organs of Digestion	98	14	8	9	19	3	3	–	4	3	1	4	–
VIII. Urinary Organs	36	–	1	–	2	–	–	1	3	3	–	2	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	1	–	1	–
XI. Skin, etc.	3	–	–	–	1	1	–	–	–	–	–	–	–
XII. Malformation	9	7	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	94	8	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	1	2	–	–	1	–	1	–	–
XV. Age	63	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	73	10	1	–	–	3	1	2	3	4	6	6	5
I. Small-pox	27	2	2	–	1	–	–	–	–	1	4	4	4
Measles	17	2	–	2	3	3	4	1	2	–	–	–	–
Scarlatina	206	1	5	12	23	35	31	22	61	7	2	1	3
Diphtheria	24	–	–	4	3	3	5	2	5	–	–	–	–
Hooping-cough	43	3	–	12	17	4	4	1	2	–	–	–	–
Croup	27	–	5	1	10	7	1	–	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	40	5	8	6	10	1	–	–	1	–	–	–	–
Dysentery	6	1	–	2	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	–	–	–	–	–	–	1	1	–	1	–	1
Enteric Fever	28	–	–	–	1	2	–	–	5	4	4	2	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	–	–	2	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	8	3	–	–	–	–	–	–	–	1	1	–	–
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	6	3	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	12	–	–	–	–	1	1	2	–	–	–	–	1
Abscess	6	1	–	–	–	–	–	–	–	–	–	–	1
Ulcer	4	2	–	–	–	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	4	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	1	–	3	1	1	–	–	8	4	1	–	1
Tabes Mesenterica	29	2	1	3	6	4	3	2	6	–	–	2	–
Phthisis	191	1	2	11	14	5	3	1	8	10	21	23	23
Hydrocephalus	76	4	9	16	22	11	3	3	8	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	43	72	61	62	59	62	73	46	56	34	21	5	3	–	–	3
SPECIFIED CAUSES	42	70	60	61	57	61	73	46	56	34	21	5	3	–	–	2
Zymotic Class	7	10	4	5	1	9	6	1	1	1	1	–	–	–	–	–
Uncertain Seat	2	1	3	1	5	2	8	4	3	3	–	1	–	–	–	–
Tubercular Class	8	19	13	9	8	5	2	5	1	–	–	–	–	–	–	1
Brain, etc.	5	11	6	7	8	8	14	6	12	6	3	–	–	–	–	–
Heart, etc.	5	3	5	5	5	2	9	9	5	1	1	–	–	–	–	–
Respiratory Organs	6	12	17	15	20	21	19	12	10	6	4	–	–	–	–	1
Digestive Organs	2	4	4	6	2	7	–	2	1	1	1	–	–	–	–	–
Urinary Organs	2	3	3	1	2	1	6	–	2	2	–	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	1	–	1	2	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	7	20	13	11	4	2	–	–	–
Sudden Deaths	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	6	3	10	5	2	3	–	–	–	–	–	–	–	–	–
Small-pox	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	–	2	4	–	–	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	3	–	2	–	1	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	3	–	1	1	–	1	–	–	–	–
Abscess	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Cancer	–	1	1	1	4	2	2	3	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	19	12	9	8	5	2	4	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	26	–	3	4	3	3	3	–	6	–	1	–	1
Apoplexy	33	2	–	1	2	–	–	–	1	1	–	2	1
Paralysis	40	–	–	–	–	–	–	–	1	–	–	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	1	2	1
Tetanus	1	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	40	18	1	11	8	1	–	1	–	–	–	–	–
Brain Disease	32	–	–	1	2	1	1	–	2	–	2	–	2
V. Pericarditis	5	–	–	–	–	–	–	–	1	1	–	1	1
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	52	–	–	–	–	–	1	–	–	2	1	–	2
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	189	20	16	25	24	11	7	2	4	1	1	2	1
Pleurisy	5	–	–	–	–	–	–	1	–	–	1	–	–
Pneumonia	132	9	7	13	14	7	4	3	6	4	3	8	5
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	1	–	–	–	–	1	–	–	–	1	1	–
VII. Teething	17	–	1	2	12	2	–	–	–	–	–	–	–
Quinsey	3	1	–	–	1	–	1	–	–	–	–	–	–
Gastritis	4	1	–	–	–	–	–	–	1	–	–	–	–
Enteritis	18	2	5	1	–	–	–	–	1	2	1	3	–
Peritonitis	4	–	1	–	1	–	1	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	1	–	–	–	–	1	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	5	1	5	3	1	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	2	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	15	–	–	–	1	–	–	–	1	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	1	–	–	–	1	2	–	–	–
Nephria	13	–	1	–	–	–	–	1	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	–	–	1	–	–	–	2	1	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	5	–	–	–	–	–	–	–	2	1	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	1	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	1	–	–	–	2	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	3	1	–	–	–	–	–	–	–	–	–	–
Drowning	13	1	–	–	–	–	–	–	3	–	1	2	–
Fracture and Contusion	35	–	–	–	–	1	1	1	–	4	4	4	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	–	–	1
Not specified	33	12	4	2	–	–	3	1	–	1	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Apoplexy	2	3	1	1	1	3	4	3	1	4	–	–	–	–	–	–
Paralysis	1	3	4	3	5	4	5	1	8	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	5	1	3	2	1	2	2	3	–	1	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	2	5	4	5	2	8	9	5	1	1	–	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	5	7	9	6	10	14	7	7	4	3	–	–	–	–	1
Pleurisy	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Pneumonia	3	6	6	4	12	8	2	5	–	2	1	–	–	–	–	–
Asthma	–	–	3	2	2	1	2	–	3	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	1	3	–	3	1	3	–	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	2	1	–	1	3	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	1	–	1	–	1	2	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	6	2	1	3	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	1	2	1	1	2	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1739	140	67	138	194	99	68	65	136	37	59	72	63
SPECIFIED CAUSES	1720	133	67	136	192	99	68	64	134	37	59	72	63
I. Zymotic Class	532	20	23	45	88	58	50	42	92	16	12	13	14
II. Diseases of Uncertain Seat	57	1	–	–	–	–	–	2	–	1	2	1	–
III. Tubercular Class	320	2	15	23	34	14	7	8	20	11	33	39	26
IV. Brain and Nervous System	129	7	3	7	7	5	2	1	6	3	2	5	4
V. Organs of Circulation	57	–	–	1	–	–	–	1	2	–	3	1	2
VI. Respiratory Organs	270	19	14	43	42	13	6	6	9	1	2	4	4
VII. Organs of Digestion	88	8	1	14	14	1	1	–	3	–	2	5	4
VIII. Urinary Organs	16	–	–	–	–	3	1	–	–	–	–	–	–
IX. Organs of Generation	24	–	–	–	–	–	–	–	–	–	2	4	8
X. Organs of Locomotion	16	–	1	–	–	2	–	–	1	4	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	81	70	8	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	3	2	1	1	1	–	–	–	–
XV. Age	89	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	2	–	–	–	–	–	–	–	–
XVII. Violent Deaths	21	2	2	–	2	1	–	3	–	1	–	–	1
I. Small-pox	15	–	3	–	–	–	–	–	2	2	1	–	2
Measles	19	–	–	2	7	5	1	3	–	–	–	–	–
Scarlatina	230	1	1	13	30	35	32	32	70	9	3	2	1
Diphtheria	33	1	–	2	6	8	6	3	5	2	–	–	–
Hooping-cough	62	5	4	11	25	7	6	2	2	–	–	–	–
Croup	17	1	1	–	5	2	3	1	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	5	9	13	11	1	–	–	1	1	–	–	–
Dysentery	5	–	2	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	1	–	–	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	–	–	1	–	2	2	1	–	1
Enteric Fever	18	–	–	–	1	–	–	1	5	–	3	2	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	1	1	1	–	–	–	–	–	–	–	–
Metria	25	–	–	–	–	–	–	–	–	–	3	9	9
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	14	5	1	–	1	–	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	5	2	1	1	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	8	1	–	–	–	–	–	1	–	–	2	1	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	34	–	–	–	–	–	–	1	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	3	–	–	–	–	1	–	1	–	–
Tabes Mesenterica	27	–	3	4	12	2	–	–	2	–	1	–	2
Phthisis	227	1	5	6	5	5	2	5	11	11	31	39	24
Hydrocephalus	56	1	7	10	17	7	5	3	6	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	49	67	46	59	54	65	69	59	39	20	7	3	1	–	–
SPECIFIED CAUSES	61	49	65	45	59	54	65	69	59	39	20	7	3	1	–	–
Zymotic Class	9	11	8	6	5	5	4	4	4	3	–	–	–	–	–	–
Uncertain Seat	1	4	5	8	4	5	8	9	1	4	1	–	–	–	–	–
Tubercular Class	26	16	20	6	7	6	3	3	1	–	–	–	–	–	–	–
Brain, etc.	3	3	7	9	11	7	9	13	9	5	1	–	–	–	–	–
Heart, etc.	6	1	3	1	5	10	9	6	3	2	1	–	–	–	–	–
Respiratory Organs	6	6	9	5	15	13	16	13	13	3	7	1	–	–	–	–
Digestive Organs	5	4	6	6	4	3	1	3	2	1	–	–	–	–	–	–
Urinary Organs	1	–	3	1	–	1	3	2	1	–	–	–	–	–	–	–
Generative Organs	2	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	15	23	21	10	6	3	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	1	1	2	1	1	–	1	–	–	–	–	–	–	–
Small-pox	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	3	1	–	3	1	1	3	3	–	–	–	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	1	2	2	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	1	–	2	3	–	1	–	–	–	–	–	–
Abscess	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	1	1	3	7	3	5	4	4	1	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	25	14	19	6	7	5	3	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	20	1	1	5	4	2	2	–	3	1	–	–	–
Apoplexy	32	1	–	–	–	–	–	–	–	1	–	3	1
Paralysis	34	–	–	1	–	–	–	–	1	1	–	–	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	1	2	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	5	2	1	1	3	–	1	2	–	–	–	–
Brain Disease	19	–	–	–	2	–	–	–	–	–	1	–	1
V. Pericarditis	7	–	–	–	–	–	–	1	1	–	1	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	50	–	–	1	–	–	–	–	1	–	2	1	1
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	175	12	8	34	28	8	4	1	5	–	1	–	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	85	5	6	8	14	5	2	5	4	1	1	4	3
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	2	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	11	–	–	3	7	1	–	–	–	–	–	–	–
Quinsey	2	–	–	2	–	–	–	–	–	–	–	–	–
Gastritis	5	1	–	–	–	–	1	–	1	–	1	–	–
Enteritis	15	1	–	5	4	–	–	–	–	–	–	1	1
Peritonitis	14	–	–	–	–	–	–	–	1	–	–	3	3
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	3	1	3	2	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	3	–	–	–	–	–	–	–	–	1	1	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	10	–	–	–	–	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	17	–	–	–	–	–	–	–	–	–	1	4	8
Organs of Generation	6	–	–	–	–	–	–	–	–	–	1	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	3	–	–	–
Joint Disease	8	–	1	–	–	2	–	–	1	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	1	1	–	2	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	3	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	6	–	–	–	1	–	–	1	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	19	7	–	2	2	–	–	1	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	2	3	6	2	4	1	2	3	–	–	–	–	–	–
Paralysis	–	–	2	–	2	3	3	10	5	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	2	3	3	–	2	2	2	–	–	–	–	–	–	–
Pericarditis	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	1	3	1	4	10	8	6	3	2	1	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	3	6	4	9	9	13	8	10	2	6	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	2	3	1	6	2	3	3	3	–	1	–	–	–	–	–
Asthma	–	–	–	–	–	2	–	2	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	3	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	2	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	–	1	2	2	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not specified	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	5011	472	162	276	369	200	151	107	239	108	128	180	181
Specified Causes	4999	469	162	274	368	198	150	107	239	108	128	180	181
I. Zymotic Class	1033	68	57	106	148	101	80	58	133	30	30	28	19
II. Diseases of Uncertain Seat	244	7	1	5	4	4	3	2	3	5	1	5	5
III. Tubercular Class	765	18	20	31	70	35	27	19	35	26	46	77	70
IV. Brain and Nervous System	547	38	16	23	22	12	13	7	20	11	5	15	10
V. Organs of Circulation	377	–	–	–	–	1	–	1	4	6	6	15	6
VI. Respiratory Organs	878	68	44	84	99	37	14	12	15	12	10	10	18
VII. Organs of Digestion	283	37	8	12	8	1	2	–	8	6	8	13	11
VIII. Urinary Organs	122	–	–	–	1	2	1	2	6	2	5	6	7
IX. Organs of Generation	40	1	–	–	–	–	–	–	–	–	2	3	12
X. Organs of Locomotion	46	–	–	–	2	–	1	3	4	4	7	2	4
XI. Skin, etc.	11	1	1	–	3	–	–	–	–	1	2	–	–
XII. Malformation	22	20	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	190	176	8	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	25	–	–	–	7	1	–	1	1	1	1	–	–
XV. Age	192	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	220	35	6	5	4	4	9	2	10	4	5	6	19
I. Small-pox	7	–	1	1	–	–	–	–	–	1	–	1	–
Measles	91	1	2	19	33	16	7	4	6	–	–	1	1
Scarlatina	265	2	2	14	28	31	38	30	88	20	6	3	1
Diphtheria	68	1	1	4	12	13	7	12	11	–	1	1	–
Hooping-cough	111	9	13	26	37	12	7	2	5	–	–	–	–
Croup	62	2	1	4	21	12	12	3	6	1	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	154	42	20	28	13	6	2	1	2	1	–	3	–
Dysentery	10	1	1	2	–	–	–	–	–	–	–	–	–
Cholera	6	–	2	2	–	–	1	–	–	–	–	–	–
Influenza	12	–	–	4	–	2	1	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	1	–	1	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	102	–	1	–	–	2	–	3	5	1	15	4	8
Enteric Fever	60	–	–	–	1	4	2	2	7	5	7	9	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	6	–	–	–	–	–	1	–	3	–	–	–	–
Infantile Remittent	3	–	–	–	–	2	1	–	–	–	–	–	–
Metria	11	–	–	–	–	–	–	–	–	–	–	1	4
Rheumatic Fever	10	–	–	–	–	–	1	1	–	–	–	2	1
Erysipelas	16	4	1	–	2	–	–	–	–	–	1	2	–
Pyæmia	7	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	22	5	11	2	1	1	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	4	1	1	1	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	–	1	3	3	1	2	3	–	–	2
Abscess	26	5	–	3	3	–	–	–	1	1	1	2	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	161	–	–	1	–	1	–	1	–	1	–	3	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	43	1	1	5	5	4	3	1	2	4	7	1	–
Tabes Mesenterica	67	12	4	7	18	9	2	5	4	4	–	–	1
Phthisis	516	–	2	2	6	4	4	3	12	18	39	76	69
Hydrocephalus	139	5	13	17	41	18	18	10	17	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	196	204	205	213	223	214	272	243	264	219	99	68	13	5	–	–
SPECIFIED CAUSES	196	204	203	212	223	214	272	243	264	219	99	68	13	5	–	–
Zymotic Class	21	20	17	23	27	10	14	12	11	9	6	4	–	1	–	–
Uncertain Seat	7	10	16	19	26	20	27	27	24	11	9	3	–	–	–	–
Tubercular Class	80	56	48	40	27	17	14	4	3	2	–	–	–	–	–	–
Brain, etc.	11	16	23	14	27	37	49	48	44	55	22	8	1	–	–	–
Heart, etc.	6	24	31	30	39	39	55	41	43	22	6	2	–	–	–	–
Respiratory Organs	18	31	32	39	35	43	54	68	59	41	19	14	1	1	–	–
Digestive Organs	18	14	12	19	14	22	29	13	17	10	–	1	–	–	–	–
Urinary Organs	8	8	6	9	5	9	10	10	12	9	1	3	–	–	–	–
Generative Organs	8	8	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Locomotive Organs	2	3	1	1	3	1	2	2	2	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	1	5	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	13	39	54	32	31	11	3	–	–
Sudden Deaths	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	17	14	15	15	14	10	7	1	9	3	4	2	–	–	–	–
Small-pox	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	6	4	2	5	2	3	5	5	2	–	–	–	–
Dysentery	–	–	1	–	1	–	–	–	2	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	9	8	12	14	6	5	2	2	–	1	–	–	–	–	–
Enteric Fever	8	3	3	2	1	–	1	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	1	–	2	1	–	–	–	–	1	–	–
Pyæmia	2	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	1	–	5	1	1	–	3	–	–	–	–	–
Abscess	1	3	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	–	2	4	4	2	3	1	–	–	–	–
Cancer	5	6	10	19	21	20	19	21	17	8	3	2	–	–	–	–
Gout	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Scrofula	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	74	54	46	40	27	17	14	4	3	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	73	7	4	7	7	6	8	3	10	5	1	4	2
Apoplexy	133	4	1	2	1	–	1	1	3	–	–	3	1
Paralysis	150	–	–	–	1	–	–	–	2	–	2	4	1
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	–	2	1	1	–
Tetanus	3	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	9	–	–	–	–	–	–	–	–	–	–	1	3
Convulsions	63	22	10	12	11	4	2	1	1	–	–	–	–
Brain Disease	91	2	1	2	2	2	2	2	4	4	1	2	1
V. Pericarditis	8	–	–	–	–	–	–	–	2	1	2	–	–
Aneurism	19	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	350	–	–	–	–	1	–	1	2	4	4	15	6
VI. Laryngitis	16	–	1	1	–	1	1	–	–	–	–	1	–
Bronchitis	524	50	34	52	74	26	8	6	7	3	1	1	9
Pleurisy	33	–	–	–	–	–	1	1	2	4	3	2	1
Pneumonia	250	12	7	27	24	9	4	5	6	3	5	5	7
Asthma	28	1	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	27	5	2	3	1	1	–	–	–	2	1	1	1
VII. Teething	14	–	2	7	5	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	–	–	–	–	–	1	–
Gastritis	3	1	–	–	–	–	1	–	–	–	–	–	–
Enteritis	25	11	2	1	1	–	1	–	–	3	–	–	–
Peritonitis	43	2	–	–	1	–	–	–	2	1	3	3	4
Ascites	7	–	–	–	–	–	–	–	1	–	–	–	1
Ulceration of Intestines	12	1	–	–	–	–	–	–	–	–	1	2	–
Hernia	9	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	14	2	1	1	–	–	–	–	–	1	–	1	1
Intussusception	5	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	52	7	3	3	–	–	–	–	3	1	2	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	1	–	–	–	1	–	–	–	–	–	–	–
Jaundice	16	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	70	6	–	–	–	–	–	–	1	–	2	2	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	10	–	–	–	1	1	1	–	1	–	1	1	1
Nephria	45	–	–	–	–	–	–	2	2	1	2	3	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	–	1	1	1	1
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	10	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	41	–	–	–	–	1	–	–	3	–	1	1	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	27	–	–	–	–	–	–	–	–	–	2	1	12
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	13	–	–	–	1	–	–	1	3	1	2	–	1
Rheumatism	11	–	–	–	–	–	–	–	–	–	–	–	2
Joint Disease	22	–	–	–	1	–	1	2	1	3	5	2	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	1	–	–
Skin Disease	9	1	1	–	3	–	–	–	–	1	1	–	–
XVII. Intemperance	29	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	19	13	4	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	1	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	–	–	–	–	–	1	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	–	–	–	3	1	5	1	1	–	1	–	1
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	27	15	2	2	–	–	–	–	1	1	1	1	2
Drowning	5	–	–	–	1	1	–	–	–	2	–	–	–
Fracture and Contusion	72	–	–	–	–	–	4	–	8	–	2	3	9
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	8	–	–	–	–	1	–	–	–	–	–	1	1
Other Violent Causes	22	6	–	–	–	1	–	1	–	1	1	–	4
Not specified	12	3	–	2	1	2	1	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	1	–	1	3	–	1	–	–	–	–	–	–	–
Apoplexy	2	6	6	6	11	15	16	20	12	10	7	4	1	–	–	–
Paralysis	3	4	3	1	8	10	18	19	21	37	12	4	–	–	–	–
Delirium Tremens	–	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	3	2	1	2	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	8	4	4	8	10	7	9	8	3	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Aneurism	2	4	2	3	4	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	4	20	28	27	35	38	54	40	41	22	6	2	–	–	–	–
Laryngitis	2	1	1	2	–	1	1	1	1	1	–	–	–	–	–	–
Bronchitis	8	9	9	16	23	24	33	38	41	26	15	10	1	–	–	–
Pleurisy	–	–	1	7	–	2	2	6	–	–	1	–	–	–	–	–
Pneumonia	7	20	18	10	9	13	12	17	16	8	3	2	–	1	–	–
Asthma	1	1	2	1	1	2	4	6	1	6	–	1	–	–	–	–
Lung Disease	–	–	1	3	2	1	2	–	–	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	2	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Peritonitis	5	4	–	3	2	4	3	1	5	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	1	–	4	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	2	–	2	1	1	–	–	–	–	–	–
Ileus	–	1	1	–	–	–	–	2	1	2	–	–	–	–	–	–
Intussusception	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	2	3	3	5	3	3	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	2	1	1	–	1	–	–	–	–	–	–
Jaundice	1	1	–	2	–	2	2	–	1	1	–	–	–	–	–	–
Liver Disease	6	2	9	7	5	5	13	2	6	1	–	1	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	4	5	3	3	3	4	2	4	3	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	5	4	–	1	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	2	1	4	2	3	6	5	3	3	–	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	2	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Childbirth	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Rheumatism	1	1	1	–	–	1	1	2	1	1	–	–	–	–	–	–
Joint Disease	1	1	–	–	3	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intemperance	6	4	4	2	4	2	3	1	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	2	1	1	1	1	–	1	–	1	–	–	–	–	–
Hanging, etc.	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	7	3	8	6	3	3	–	4	1	3	1	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	3	1	1	–	–	2	–	–	–	–	–	–	–
Not specified	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2515	268	92	162	203	100	78	57	116	56	68	87	98
SPECIFIED CAUSES	2510	267	92	160	203	100	77	57	116	56	68	87	98
I. Zymotic Class	515	38	31	60	77	54	38	32	56	15	12	15	7
II. Diseases of Uncertain Seat	108	3	1	1	3	2	1	2	1	2	–	3	4
III. Tubercular Class	376	14	11	19	37	14	11	7	17	12	19	36	40
IV. Brain and Nervous System	294	22	15	17	12	6	8	4	13	8	4	9	6
V. Organs of Circulation	210	–	–	–	–	1	–	1	3	3	5	7	3
VI. Respiratory Organs	434	38	24	49	59	17	10	6	6	4	9	4	12
VII. Organs of Digestion	144	28	2	5	7	–	2	–	7	5	4	6	3
VIII. Urinary Organs	73	–	–	–	–	2	1	2	2	1	3	1	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	21	–	–	–	1	–	1	1	3	1	6	1	2
XI. Skin, etc.	5	–	–	–	2	–	–	–	–	1	1	–	–
XII. Malformation	14	13	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	95	87	4	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	1	–	–	–	1	–	–	–
XV. Age	59	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	148	24	4	3	–	3	5	2	8	3	5	5	17
I. Small-pox	4	–	1	–	–	–	–	–	–	1	–	1	–
Measles	52	–	1	12	19	9	3	3	3	–	–	1	–
Scarlatina	133	1	1	10	14	15	22	16	39	10	3	2	–
Diphtheria	30	–	1	3	6	7	1	5	4	–	–	1	–
Hooping-cough	47	6	6	11	14	6	2	1	1	–	–	–	–
Croup	38	1	1	3	14	8	6	2	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	77	22	10	16	8	3	–	1	1	1	–	1	–
Dysentery	6	1	–	2	–	–	–	–	–	–	–	–	–
Cholera	4	–	2	1	–	–	1	–	–	–	–	–	–
Influenza	4	–	–	–	–	1	1	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	1	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	50	–	1	–	–	1	–	1	2	–	4	1	4
Enteric Fever	26	–	–	–	–	2	1	2	2	3	4	4	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	2	–	–	–	–	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	–	–	–	–	–	–	1	–	–	–	2	1
Erysipelas	9	2	–	–	2	–	–	–	–	–	1	1	–
Pyæmia	6	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	14	4	7	2	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	17	–	–	–	1	2	1	1	–	1	–	–	2
Abscess	16	3	–	1	2	–	–	–	1	1	–	2	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	65	–	–	–	–	–	–	1	–	–	–	1	2
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	23	1	1	2	4	1	1	–	2	1	3	–	–
Tabes Mesenterica	31	8	2	2	9	3	1	2	1	3	–	–	–
Phthisis	253	–	2	2	5	2	1	3	6	8	16	36	40
Hydrocephalus	69	5	6	13	19	8	8	2	8	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	95	103	106	112	107	118	133	115	106	88	26	17	1	3	–	–
SPECIFIED CAUSES	95	103	106	111	107	118	133	115	106	88	26	17	1	3	–	–
Zymotic Class	9	6	10	11	14	7	7	6	5	3	1	1	–	–	–	–
Uncertain Seat	3	7	7	5	10	6	12	14	13	5	3	–	–	–	–	–
Tubercular Class	39	24	24	23	11	6	8	3	1	–	–	–	–	–	–	–
Brain, etc.	8	13	15	6	13	22	23	24	15	25	4	2	–	–	–	–
Heart, etc.	3	16	19	21	22	22	33	24	15	8	3	1	–	–	–	–
Respiratory Organs	9	16	11	18	15	25	22	30	23	15	6	5	–	1	–	–
Digestive Organs	9	5	4	8	6	15	14	3	9	2	–	–	–	–	–	–
Urinary Organs	4	6	5	4	4	4	6	7	6	8	–	3	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	14	22	9	4	1	2	–	–
Sudden Deaths	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	11	10	10	12	8	9	4	–	4	–	–	1	–	–	–	–
Small-pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	3	1	2	2	–	2	1	1	1	–	–	–	–
Dysentery	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	5	7	9	3	3	2	2	–	–	–	–	–	–	–
Enteric Fever	2	2	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Pyæmia	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	–	4	1	–	–	2	–	–	–	–	–
Abscess	–	3	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	2	2	1	–	–	–	–	–	–	–
Cancer	3	3	6	5	7	6	5	10	10	5	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Scrofula	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	36	22	22	23	11	6	8	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	50	5	4	5	5	2	6	1	9	4	1	1	–
Apoplexy	71	4	1	2	1	–	1	1	1	–	–	2	1
Paralysis	69	–	–	–	–	–	–	–	1	–	1	3	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	2	1	1	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	1	2
Convulsions	37	10	9	9	5	3	–	1	–	–	–	–	–
Brain Disease	46	1	1	1	1	1	1	1	2	2	1	1	1
V. Pericarditis	6	–	–	–	–	–	–	–	2	1	2	–	–
Aneurism	14	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	190	–	–	–	–	1	–	1	1	1	3	7	3
VI. Laryngitis	6	–	–	1	–	1	1	–	–	–	–	–	–
Bronchitis	248	27	21	29	47	12	5	4	3	1	1	–	4
Pleurisy	18	–	–	–	–	–	1	–	–	2	2	1	1
Pneumonia	136	6	3	17	12	3	3	2	3	1	5	2	6
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	13	5	–	2	–	1	–	–	–	–	1	1	1
VII. Teething	6	–	–	2	4	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	2	1	–	–	–	–	1	–	–	–	–	–	–
Enteritis	18	8	2	1	1	–	1	–	–	2	–	–	–
Peritonitis	20	–	–	–	1	–	–	–	2	1	2	1	1
Ascites	4	–	–	–	–	–	–	–	1	–	–	–	
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	5	1	–	–	–	–	–	–	–	1	–	1	–
Intussusception	2	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	6	–	2	–	–	–	–	3	1	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	12	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	38	6	–	–	–	–	–	–	–	–	1	2	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	–	1	1	–	–	–	1	1	1
Nephria	25	–	–	–	–	–	–	2	1	–	1	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	1	–	–	1
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	19	–	–	–	–	1	–	–	1	–	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	8	–	–	–	1	–	–	–	3	1	1	–	1
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	10	–	–	–	–	–	1	1	–	–	5	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	1	–	–
Skin Disease	4	–	–	–	2	–	–	–	–	1	–	–	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	14	9	3	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	–	1	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	–	–	–	1	1	1	–	1	–	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	16	11	1	1	–	–	–	–	1	–	1	1	–
Drowning	4	–	–	–	–	1	–	–	–	2	–	–	–
Fracture and Contusion	56	–	–	–	–	–	4	–	6	–	2	3	9
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	6	–	–	–	–	1	–	–	–	–	–	–	1
Other Violent Causes	17	3	–	–	–	1	–	1	–	1	1	–	4
Not specified	5	1	–	2	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Apoplexy	2	5	4	3	6	8	10	12	3	3	–	1	–	–	–	–
Paralysis	3	4	1	1	3	7	8	6	8	17	4	1	–	–	–	–
Delirium Tremens	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	2	1	1	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	7	1	2	4	3	5	2	5	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	3	1	3	3	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	13	17	18	19	22	32	24	15	8	3	1	–	–	–	–
Laryngitis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	2	5	11	13	15	16	11	7	5	3	–	–	–	–
Pleurisy	–	–	–	5	–	1	1	4	–	–	–	–	–	–	–	–
Pneumonia	5	13	8	7	3	9	4	6	11	4	1	1	–	1	–	–
Asthma	–	–	1	–	–	1	1	4	1	4	–	1	–	–	–	–
Lung Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	2	–	1	1	3	1	–	3	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	1	3	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–
Liver Disease	5	2	3	2	3	3	7	–	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	5	3	1	2	2	1	2	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	4	4	–	1	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	2	–	3	4	–	3	–	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	3	2	2	1	1	2	1	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	1	1	1	1	1	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	6	3	7	4	2	2	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	3	1	1	–	–	1	–	–	–	–	–	–	–
Not specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2496	204	70	114	166	100	73	50	123	52	60	93	83
SPECIFIED CAUSES	2489	202	70	114	165	98	73	50	123	52	60	93	83
I. Zymotic Class	518	30	26	46	71	47	42	26	77	15	18	13	12
II. Diseases of Uncertain Seat	136	4	–	4	1	2	2	–	2	3	1	2	1
III. Tubercular Class	389	4	9	12	33	21	16	12	18	14	27	41	30
IV. Brain and Nervous System	253	16	1	6	10	6	5	3	7	3	1	6	4
V. Organs of Circulation	167	–	–	–	–	–	–	–	1	3	1	8	3
VI. Respiratory Organs	444	30	20	35	40	20	4	6	9	8	1	6	6
VII. Organs of Digestion	139	9	6	7	1	1	–	–	1	1	4	7	8
VIII. Urinary Organs	49	–	–	–	1	–	–	–	4	1	2	5	3
IX. Organs of Generation	40	1	–	–	–	–	–	–	–	–	2	3	12
X. Organs of Locomotion	25	–	–	–	1	–	–	2	1	3	1	1	2
XI. Skin, etc.	6	1	1	–	1	–	–	–	–	–	1	–	–
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	95	89	4	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	2	–	–	1	1	–	1	–	–
XV. Age	133	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	72	11	2	2	4	1	4	–	2	1	–	1	2
I. Small-pox	3	–	–	1	–	–	–	–	–	–	–	–	–
Measles	39	1	1	7	14	7	4	1	3	–	–	–	1
Scarlatina	132	1	1	4	14	16	16	14	49	10	3	1	1
Diphtheria	38	1	–	1	6	6	6	7	7	–	1	–	–
Hooping-cough	64	3	7	15	23	6	5	1	4	–	–	–	–
Croup	24	1	–	1	7	4	6	1	3	1	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	77	20	10	12	5	3	2	–	1	–	–	2	–
Dysentery	4	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	8	–	–	4	–	1	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	52	–	–	–	–	1	–	2	3	1	11	3	4
Enteric Fever	34	–	–	–	1	2	1	–	5	2	3	5	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	–	1	–	2	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	11	–	–	–	–	–	–	–	–	–	–	1	4
Rheumatic Fever	4	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	7	2	1	–	–	–	–	–	–	–	–	1	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	1	4	–	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	3	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	1	2	–	2	2	–	–	–
Abscess	10	2	–	2	1	–	–	–	–	–	1	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	96	–	–	1	–	1	–	–	–	1	–	2	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	–	–	3	1	3	2	1	–	3	4	1	–
Tabes Mesenterica	36	4	2	5	9	6	1	3	3	1	–	–	1
Phthisis	263	–	–	–	1	2	3	–	6	10	23	40	29
Hydrocephalus	70	–	7	4	22	10	10	8	9	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	101	101	99	101	116	96	139	128	158	131	73	51	12	2	–	–
SPECIFIED CAUSES	101	101	97	101	116	96	139	128	158	131	73	51	12	2	–	–
Zymotic Class	12	14	7	12	13	3	7	6	6	6	5	3	–	1	–	–
Uncertain Seat	4	3	9	14	16	14	15	13	11	6	6	3	–	–	–	–
Tubercular Class	41	32	24	17	16	11	6	1	2	2	–	–	–	–	–	–
Brain, etc.	3	3	8	8	14	15	26	24	29	30	18	6	1	–	–	–
Heart, etc.	3	8	12	9	17	17	22	17	28	14	3	1	–	–	–	–
Respiratory Organs	9	15	21	21	20	18	32	38	36	26	13	9	1	–	–	–
Digestive Organs	9	9	8	11	8	7	15	10	8	8	–	1	–	–	–	–
Urinary Organs	4	2	1	5	1	5	4	3	6	1	1	–	–	–	–	–
Generative Organs	8	8	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Locomotive Organs	2	3	–	–	2	–	2	2	1	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	9	25	32	23	27	10	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	6	4	5	3	6	1	3	1	5	3	4	1	–	–	–	–
Small-pox	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	3	3	–	3	2	1	4	4	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	3	5	5	3	2	–	–	–	1	–	–	–	–	–
Enteric Fever	6	1	2	2	–	–	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Abscess	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	2	3	2	3	1	–	–	–	–
Cancer	2	3	4	14	14	14	14	11	7	3	2	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	38	32	24	17	16	11	6	1	2	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	23	2	–	2	2	4	2	2	1	1	–	3	2
Apoplexy	62	–	–	–	–	–	–	–	2	–	–	1	–
Paralysis	81	–	–	–	1	–	–	–	1	–	1	1	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	26	12	1	3	6	1	2	–	1	–	–	–	–
Brain Disease	45	1	–	1	1	1	1	1	2	2	–	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	160	–	–	–	–	–	–	–	1	3	1	8	3
VI. Laryngitis	10	–	1	–	–	–	–	–	–	–	–	1	–
Bronchitis	276	23	13	23	27	14	3	2	4	2	–	1	5
Pleurisy	15	–	–	–	–	–	–	1	2	2	1	1	–
Pneumonia	114	6	4	10	12	6	1	3	3	2	–	3	1
Asthma	15	1	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	14	–	2	1	1	–	–	–	–	2	–	–	–
VII. Teething	8	–	2	5	1	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	3	–	–	–	–	–	–	–	1	–	–	–
Peritonitis	23	2	–	–	–	–	–	–	–	–	1	2	3
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	6	1	–	–	–	–	–	–	–	–	1	1	–
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	1	1	1	–	–	–	–	–	–	–	–	1
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	1	3	1	–	–	–	–	–	–	1	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	1	–	–	–	1	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	32	–	–	–	–	–	–	–	1	–	1	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	20	–	–	–	–	–	–	–	1	1	1	3	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	22	–	–	–	–	–	–	–	2	–	–	1	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	27	–	–	–	–	–	–	–	–	–	2	1	12
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	5	–	–	–	–	–	–	1	–	–	1	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	2
Joint Disease	12	–	–	–	1	–	–	1	1	3	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	1	1	–	1	–	–	–	–	–	1	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	4	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	1	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	–	3	1	4	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	4	1	1	–	–	–	–	–	1	–	–	2
Drowning	1	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	16	–	–	–	–	–	–	–	2	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	5	3	–	–		–	–	–	–	–	–	–	–
Not specified	7	2	–	–	1	2	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	3	5	7	6	8	9	7	7	3	1	–	–	–
Paralysis	–	–	2	–	5	3	10	13	13	20	8	3	–	–	–	–
Delirium Tremens	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	1	3	2	4	7	2	7	3	3	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Aneurism	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Heart Disease	3	7	11	9	16	16	22	16	26	14	3	1	–	–	–	–
Laryngitis	1	1	1	1	–	1	–	1	1	1	–	–	–	–	–	–
Bronchitis	5	6	7	11	12	11	18	22	30	19	10	7	1	–	–	–
Pleurisy	–	–	1	2	–	1	1	2	–	–	1	–	–	–	–	–
Pneumonia	2	7	10	3	6	4	8	11	5	4	2	1	–	–	–	–
Asthma	1	1	1	1	1	1	3	2	–	2	–	–	–	–	–	–
Lung Disease	–	–	1	3	1	–	2	–	–	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	4	2	–	2	1	1	2	1	2	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	2	–	2	–	–	–	–	–	–
Intussusception	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	1	2	2	2	3	2	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Jaundice	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	6	5	2	2	6	2	3	1	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	1	–	–	2	1	2	1	2	2	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	2	1	3	–	3	3	1	3	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	2	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Childbirth	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Joint Disease	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	3	2	2	1	3	–	2	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	1	2	1	1	–	3	1	3	1	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Not specified	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	4170	474	166	288	402	272	228	153	376	101	131	130	127
Specified Causes	4159	474	165	285	401	272	228	152	373	101	131	130	127
I. Zymotic Class	1393	69	53	103	215	176	175	116	250	56	30	31	19
II. Diseases of Uncertain Seat	115	3	2	1	2	2	2	2	3	1	3	1	3
III. Tubercular Class	531	6	11	36	43	24	10	6	40	15	58	55	54
IV. Brain and Nervous System	342	39	16	23	25	14	13	5	21	5	10	7	4
V. Organs of Circulation	171	–	–	–	–	1	–	–	2	6	3	7	9
VI. Respiratory Organs	787	74	59	101	86	39	19	15	25	2	12	11	10
VII. Organs of Digestion	151	15	5	9	14	7	3	2	6	2	7	9	2
VIII. Urinary Organs	57	–	–	–	2	3	4	3	8	3	1	2	5
IX. Organs of Generation	23	–	–	–	–	–	–	–	–	–	1	1	10
X. Organs of Locomotion	13	–	–	–	1	–	–	–	4	2	–	1	–
XI. Skin, etc.	5	–	–	–	–	–	–	–	–	–	–	–	1
XII. Malformation	17	15	1	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	253	236	9	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	26	–	–	–	5	2	2	1	2	–	–	–	2
XV. Age	133	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	2	1	–	–	–	–	–	–	1	–	–	–
XVII. Violent Deaths	137	15	8	4	7	4	–	2	12	8	6	5	8
I. Small-pox	5	1	–	–	–	–	–	–	1	–	2	–	–
Measles	33	–	–	6	11	6	3	4	1	1	1	–	–
Scarlatina	842	5	12	40	117	134	148	101	223	39	9	6	4
Diphtheria	48	1	1	4	16	8	7	4	5	1	1	–	–
Hooping-cough	53	4	6	13	17	6	4	1	2	–	–	–	–
Croup	34	1	–	8	11	6	4	3	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	175	41	27	26	38	8	6	3	4	3	1	1	–
Dysentery	14	–	–	1	1	–	–	–	2	–	–	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	74	1	–	–	–	3	1	–	3	5	6	9	9
Enteric Fever	38	–	–	1	–	3	2	–	8	6	4	5	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	20	–	–	–	–	–	–	–	–	–	4	8	3
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	–	–	2
Erysipelas	15	4	–	1	1	–	–	–	–	–	1	1	1
Pyæmia	4	–	–	–	–	–	–	–	–	1	1	–	–
Syphilis	22	9	7	3	1	1	–	–	–	–	–	–	–
Noma	2	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	33	1	–	–	–	2	2	1	3	–	2	–	1
Abscess	9	–	1	1	1	–	–	1	–	–	1	1	1
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	–	1	–	1	–	–	–	–	1	–	–	–
Cancer	55	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	1	1	3	1	1	–	1	6	2	–	3	2
Tabes Mesenterica	35	2	2	8	12	3	2	–	4	1	1	–	–
Phthisis	376	–	5	5	6	10	3	–	7	12	57	52	52
Hydrocephalus	93	3	3	20	24	10	5	5	23	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	94	125	153	127	137	131	157	126	132	73	41	20	5	1	–	–
Specified Causes	94	125	151	127	137	131	157	126	132	73	41	20	5	1	–	–
Zymotic Class	15	13	12	11	15	4	15	5	8	–	1	1	–	–	–	–
Uncertain Seat	3	6	13	10	7	15	15	7	10	3	1	–	–	–	–	–
Tubercular Class	30	43	33	22	16	15	9	2	2	1	–	–	–	–	–	–
Brain, etc.	8	5	14	13	20	22	22	19	20	11	5	1	–	–	–	–
Heart, etc.	10	10	13	19	21	9	18	18	19	4	–	1	1	–	–	–
Respiratory Organs	10	20	34	34	35	46	60	40	30	18	4	3	–	–	–	–
Digestive Organs	6	11	11	5	9	6	3	8	6	2	2	–	–	1	–	–
Urinary Organs	5	3	1	1	3	1	4	1	5	2	–	–	–	–	–	–
Generative Organs	2	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	5	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	18	31	30	28	14	4	–	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	8	12	12	5	5	2	8	1	1	–	–	–	–	–	–
Small-pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	3	2	4	2	2	–	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	3	2	3	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	7	7	8	1	4	1	–	–	–	–	–	–	–	–
Enteric Fever	2	1	–	–	3	–	2	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Continued Fever	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	2	–	1	–	–	–	–	–	1	–	–	–	–
Pyæmia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	5	1	3	3	3	1	2	1	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	1	2	1	2	–	–	–	–	–	–	–
Cancer	1	4	7	8	4	10	9	5	5	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	43	30	22	16	15	9	2	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	50	1	2	7	8	3	5	1	10	1	3	2	–
Apoplexy	89	6	–	5	3	2	2	2	2	1	2	2	1
Paralysis	81	–	–	1	–	–	1	–	1	–	–	1	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	86	31	13	9	14	8	5	2	4	–	–	–	–
Brain Disease	32	1	1	1	–	1	–	–	4	3	5	1	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	2	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	168	–	–	–	–	1	–	–	2	4	2	7	9
VI. Laryngitis	7	–	1	1	1	–	–	1	–	–	1	1	–
Bronchitis	568	70	54	75	69	31	11	8	17	2	1	5	5
Pleurisy	7	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	192	3	4	25	16	8	8	6	8	–	9	5	4
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	24	–	2	8	10	4	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	5	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	29	8	2	1	2	1	–	2	4	1	2	3	–
Peritonitis	16	–	–	–	1	–	1	–	–	1	1	2	–
Ascites	5	–	–	–	–	–	1	–	1	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	1
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	20	2	1	–	–	1	1	–	1	–	2	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	6	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	25	1	–	–	–	–	–	–	–	–	2	2	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	18	–	–	–	2	3	2	2	6	2	–	–	1
Nephria	21	–	–	–	–	–	1	1	1	1	1	2	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	17	–	–	–	–	–	–	–	–	–	–	1	8
Organs of Generation	5	–	–	–	–	–	–	–	–	–	1	–	1
X. Bone Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	1	1	–	–	–
Joint Disease	7	–	–	–	–	–	–	–	3	1	–	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	6	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	25	–	–	1	6	3	–	1	6	2	–	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	8	8	3	–	–	–	–	–	–	–	–	–
Drowning	22	–	–	–	–	–	–	1	3	1	2	2	2
Fracture and Contusion	39	–	–	–	1	–	–	–	3	4	4	3	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	1	–	–	–	–	–	–	–	1	–	–	1
Not specified	11	–	1	3	1	–	–	1	3	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	2	–	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	4	1	4	5	10	9	4	6	10	6	1	1	–	–	–	–
Paralysis	–	3	4	5	10	11	15	11	8	5	4	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	1	4	–	–	1	2	1	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	10	13	19	21	9	18	18	19	4	–	1	1	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	9	22	19	21	30	47	31	17	15	3	2	–	–	–	–
Pleurisy	–	2	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	6	8	9	13	13	14	10	8	10	3	1	1	–	–	–	–
Asthma	–	1	–	1	–	–	2	–	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	4	1	–	–	2	–	2	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Ileus	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Stomach Disease	–	1	1	2	1	1	1	4	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–
Liver Disease	2	3	5	2	4	–	1	1	2	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	3	3	1	2	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	2	1	–	–	–	2	1	–	–	–	–	–	–	–
Hanging, etc.	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	3	2	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	3	5	3	2	2	–	3	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	2		–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2059	274	94	162	202	135	117	80	209	49	57	48	49
SPECIFIED CAUSES	2052	274	93	159	201	135	117	79	209	49	57	48	49
I. Zymotic Class	697	38	26	55	115	87	87	60	133	28	14	3	9
II. Diseases of Uncertain Seat	35	1	2	1	1	–	–	–	3	1	–	1	–
III. Tubercular Class	242	3	10	18	18	11	5	3	28	4	19	25	19
IV. Brain and Nervous System	181	18	11	17	12	6	6	1	14	3	6	5	3
V. Organs of Circulation	70	–	–	–	–	1	–	–	1	2	2	2	3
VI. Respiratory Organs	395	42	33	55	39	24	11	9	10	1	7	5	5
VII. Organs of Digestion	75	8	3	6	9	2	2	2	3	2	2	2	1
VIII. Urinary Organs	35	–	–	–	1	1	4	3	7	2	1	1	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	1	–	–	–	1	–	–	–	–
XI. Skin, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	10	9	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	154	143	5	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	2	1	2	1	1	–	–	–	2
XV. Age	46	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	89	11	3	1	2	2	–	–	8	6	6	4	6
I. Small-pox	4	1	–	–	–	–	–	–	1	–	2	–	–
Measles	15	–	–	3	5	3	1	1	1	–	1	–	–
Scarlatina	430	3	6	18	65	67	73	53	117	21	2	1	2
Diphtheria	30	1	1	4	8	6	4	1	3	1	1	–	–
Hooping-cough	23	2	2	10	5	2	2	–	–	–	–	–	–
Croup	23	1	–	4	9	1	4	3	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	91	21	14	15	23	5	3	2	2	1	1	–	–
Dysentery	3	–	–	1	–	–	–	–	2	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	36	1	–	–	–	1	–	–	2	1	4	2	5
Enteric Fever	18	–	–	–	–	2	–	–	4	3	3	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	2
Erysipelas	6	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	7	4	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	1	–	–	–	–	–	–	3	–	–	–	–
Abscess	5	–	1	1	1	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	1	–	–	–	–	–	–	1	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	1	1	–	–	1	–	1	5	1	–	3	1
Tabes Mesenterica	20	1	2	5	7	1	1	–	2	1	–	–	–
Phthisis	160	–	5	4	2	4	1	–	6	2	19	22	18
Hydrocephalus	46	1	2	9	9	5	3	2	15	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	40	59	75	58	64	57	67	64	53	27	12	4	3	–	–	–
SPECIFIED CAUSES	40	59	74	58	64	57	67	64	53	27	12	4	3	–	–	–
Zymotic Class	7	7	5	4	9	1	5	2	2	–	–	–	–	–	–	–
Uncertain Seat	1	3	4	–	2	5	5	2	2	1	–	–	–	–	–	–
Tubercular Class	13	22	12	10	8	6	5	1	1	1	–	–	–	–	–	–
Brain, etc.	4	4	9	9	11	11	10	10	7	2	2	–	–	–	–	–
Heart, etc.	4	3	7	6	10	3	9	7	9	–	–	–	1	–	–	–
Respiratory Organs	4	9	18	18	13	21	24	23	12	11	–	1	–	–	–	–
Digestive Organs	1	4	7	3	5	1	2	6	4	–	–	–	–	–	–	–
Urinary Organs	2	–	–	–	1	1	3	1	4	2	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	7	12	9	10	3	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	5	10	8	3	4	1	5	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	2	5	3	4	–	3	–	–	–	–	–	–	–	–	–
Enteric Fever	2	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	2	2	2	1	1	1	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	–	2	2	–	–	2	2	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	22	11	10	8	6	5	1	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	32	–	1	5	6	1	2	–	8	–	2	2	–
Apoplexy	43	1	–	3	–	2	–	–	1	1	1	1	1
Paralysis	35	–	–	1	–	–	1	–	1	–	–	–	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	48	16	9	7	6	3	3	1	3	–	–	–	–
Brain Disease	19	1	1	1	–	–	–	–	1	2	3	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	2	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	67	–	–	–	–	1	–	–	1	–	1	2	3
VI. Laryngitis	4	–	1	1	–	–	–	–	–	–	–	1	–
Bronchitis	266	39	30	41	30	18	4	5	8	1	–	–	2
Pleurisy	6	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	109	2	2	13	9	6	7	4	2	–	6	4	2
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	13	–	1	5	7	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	15	3	2	1	1	1	–	2	2	1	1	1	–
Peritonitis	6	–	–	–	–	–	1	–	–	1	1	–	–
Ascites	2	–	–	–	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	2	–	–	–	–	1	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	–	–	–	1	1	2	2	5	2	–	–	–
Nephria	7	–	–	–	–	–	1	1	1	–	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	5	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	2	2	–	–	4	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	5	3	1	–	–	–	–	–	–	–	–	–
Drowning	17	–	–	–	–	–	–	–	2	1	2	2	1
Fracture and Contusion	32	–	–	–	–	–	–	–	2	4	4	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	1	–	–	–	–	–	–	–	1	–	–	1
Not specified	7	–	1	3	1	–	–	1	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	2	1	2	4	7	5	1	2	6	2	–	–	–	–	–	–
Paralysis	–	3	2	3	4	4	7	6	–	–	2	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	3	–	–	1	1	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	7	6	10	3	9	7	9	–	–	–	1	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	8	8	4	12	16	18	7	8	–	1	–	–	–	–
Pleurisy	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	5	7	8	8	7	6	4	3	3	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	1	–	1	3	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	1	1	5	1	2	–	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	3	1	–	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	3	1	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	2	5	2	2	2	–	2	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2111	200	72	126	200	137	111	73	167	52	74	82	78
SPECIFIED CAUSES	2107	200	72	126	200	137	111	73	164	52	74	82	78
I. Zymotic Class	696	31	27	48	100	89	88	56	117	28	16	28	10
II. Diseases of Uncertain Seat	80	2	–	–	1	2	2	2	–	–	3	–	3
III. Tubercular Class	289	3	1	18	25	13	5	3	12	11	39	30	35
IV. Brain and Nervous System	161	21	5	6	13	8	7	4	7	2	4	2	1
V. Organs of Circulation	101	–	–	–	–	–	–	–	1	4	1	5	6
VI. Respiratory Organs	392	32	26	46	47	15	8	6	15	1	5	6	5
VII. Organs of Digestion	76	7	2	3	5	5	1	–	3	–	5	7	1
VIII. Urinary Organs	22	–	–	–	1	2	–	–	1	1	–	1	4
IX. Organs of Generation	23	–	–	–	–	–	–	–	–	–	1	1	10
X. Organs of Locomotion	8	–	–	–	–	–	–	–	3	2	–	1	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
XII. Malformation	7	6	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	99	93	4	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	3	1	–	–	1	–	–	–	–
XV. Age	87	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	1	–	–	–	–	–	–	1	–	–	–
XVII. Violent Deaths	48	4	5	3	5	2	–	2	4	2	–	1	2
I. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	–	–	3	6	3	2	3	–	1	–	–	–
Scarlatina	412	2	6	22	52	67	75	48	106	18	7	5	2
Diphtheria	18	–	–	–	8	2	3	3	2	–	–	–	–
Hooping-cough	30	2	4	3	12	4	2	1	2	–	–	–	–
Croup	11	–	–	4	2	5	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	84	20	13	11	15	3	3	1	2	2	–	1	–
Dysentery	11	–	–	–	1	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	38	–	–	–	–	2	1	–	1	4	2	7	4
Enteric Fever	20	–	–	1	–	1	2	–	4	3	1	5	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	20	–	–	–	–	–	–	–	–	–	4	8	3
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	2	–	1	1	–	–	–	–	–	1	1	1
Pyæmia	3	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	15	5	4	3	1	1	–	–	–	–	–	–	–
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	–	2	2	1	–	–	2	–	1
Abscess	4	–	–	–	–	–	–	1	–	–	1	–	1
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	3	1	–	–	–	1	1	–	–	1
Tabes Mesenterica	15	1	–	3	5	2	1	–	2	–	1	–	–
Phthisis	216	–	–	1	4	6	2	–	1	10	38	30	34
Hydrocephalus	47	2	1	11	15	5	2	3	8	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	66	78	69	73	74	90	62	79	46	29	16	2	1	–	–
SPECIFIED CAUSES	54	66	77	69	73	74	90	62	79	46	29	16	2	1	–	–
Zymotic Class	8	6	7	7	6	3	10	3	6	–	1	1	–	–	–	–
Uncertain Seat	2	3	9	10	5	10	10	5	8	2	1	–	–	–	–	–
Tubercular Class	17	21	21	12	8	9	4	1	1	–	–	–	–	–	–	–
Brain, etc.	4	1	5	4	9	11	12	9	13	9	3	1	–	–	–	–
Heart, etc.	6	7	6	13	11	6	9	11	10	4	–	1	–	–	–	–
Respiratory Organs	6	11	16	16	22	25	36	17	18	7	4	2	–	–	–	–
Digestive Organs	5	7	4	2	4	5	1	2	2	2	2	–	–	1	–	–
Urinary Organs	3	3	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Generative Organs	2	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	4	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	11	19	21	18	11	2	–	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	3	2	4	2	1	1	3	1	1	–	–	–	–	–	–
Small-pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	1	2	4	–	2	–	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	3	2	3	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	2	4	4	1	1	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Continued Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	4	1	1	1	1	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
Cancer	1	2	5	8	4	8	7	5	5	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	21	19	12	8	9	4	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	18	1	1	2	2	2	3	1	2	1	1	–	–
Apoplexy	46	5	–	2	3	–	2	2	1	–	1	1	–
Paralysis	46	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	38	15	4	2	8	5	2	1	1	–	–	–	–
Brain Disease	13	–	–	–	–	1	–	–	3	1	2	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	101	–	–	–	–	–	–	–	1	4	1	5	6
VI. Laryngitis	3	–	–	–	1	–	–	1	–	–	1	–	–
Bronchitis	302	31	24	34	39	13	7	3	9	1	1	5	3
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	83	1	2	12	7	2	1	2	6	–	3	1	2
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	11	–	1	3	3	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	5	–	–	1	–	–	–	2	–	1	2	–
Peritonitis	10	–	–	–	1	–	–	–	–	–	–	2	–
Ascites	3	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	1
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	1	–	–	1	–	–	1	–	2	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	1	–	–	–	–	–	–	–	–	2	2	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	5	–	–	–	1	2	–	–	1	–	–	–	1
Nephria	14	–	–	–	–	–	–	–	–	1	–	1	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	17	–	–	–	–	–	–	–	–	–	–	1	8
Organs of Generation	5	–	–	–	–	–	–	–	–	–	1	–	1
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	1	1	–	–	–
Joint Disease	4	–	–	–	–	–	–	–	2	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	17	–	–	1	4	1	–	1	2	2	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	3	5	2	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	1	1	–	–	–	1
Fracture and Contusion	7	–	–	–	1	–	–	–	1	–	–	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	4	–	–	–	–	–	–	–	3	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	2	1	3	4	3	4	4	4	1	1	–	–	–	–
Paralysis	–	–	2	2	6	7	8	5	8	5	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	7	6	13	11	6	9	11	10	4	–	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	6	14	11	17	18	31	13	10	7	3	1	–	–	–	–
Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	3	2	5	5	7	4	4	7	–	1	1	–	–	–	–
Asthma	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	3	1	–	–	2	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Stomach Disease	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Liver Disease	1	2	–	1	2	–	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	2	1	–	–	–	2	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2066	217	75	128	126	83	49	38	93	58	75	72	75
Specified Causes	2061	216	73	128	126	83	49	38	92	58	75	72	75
I. Zymotic Class	462	36	20	45	65	38	25	25	46	18	23	16	10
II. Diseases of Uncertain Seat	98	6	1	2	1	1	–	–	2	–	4	2	5
III. Tubercular Class	287	2	7	10	13	16	6	4	21	17	24	31	27
IV. Brain and Nervous System	209	22	7	12	5	8	3	1	8	5	7	3	8
V. Organs of Circulation	138	–	–	–	–	–	–	–	1	5	2	1	5
VI. Respiratory Organs	342	32	23	33	19	13	12	3	7	5	3	4	8
VII. Organs of Digestion	133	11	7	18	21	5	2	2	1	1	1	2	3
VIII. Urinary Organs	67	–	–	–	–	2	–	1	4	3	6	3	4
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	1	2	4
X. Organs of Locomotion	16	–	–	1	–	–	–	–	1	3	2	2	–
XI. Skin, etc.	4	1	–	2	1	–	–	–	–	–	–	–	–
XII. Malformation	9	8	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	87	80	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	–	1	–	–	–	–	–
XV. Age	123	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	67	18	3	2	1	–	1	1	1	1	2	6	1
I. Small-pox	31	4	2	–	1	–	–	–	2	–	7	2	–
Measles	68	1	–	17	23	8	6	3	7	2	–	–	–
Scarlatina	69	–	–	1	8	8	10	9	21	2	4	4	1
Diphtheria	14	1	–	1	2	2	1	2	4	1	–	–	–
Hooping-cough	39	3	5	10	12	5	2	2	–	–	–	–	–
Croup	32	–		2	6	11	4	7	2	–	–	–	–
Thrush	6	5	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	73	17	10	14	9	2	–	1	1	–	1	1	–
Dysentery	5	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	–	–	–	1	–	3	4	2	2	1
Enteric Fever	36	–	–	–	2	1	–	1	3	3	5	4	2
Relapsing Fever	2	–	–	–	–	–	–	–	–	1	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	–	–	–	1	1	1	–	3	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	1	2	4
Rheumatic Fever	7	–	–	–	–	–	–	–	–	2	–	–	1
Erysipelas	14	1	1	–	–	–	–	–	–	–	1	–	1
Pyæmia	5	–	–	–	1	–	–	–	–	1	–	1	–
Syphilis	7	4	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	2	–	–	–	1	–	–	–	–	–	–	1
Dropsy	11	1	–	–	1	–	–	–	1	–	1	–	–
Abscess	13	3	–	2	–	–	–	–	1	–	2	2	–
Ulcer	7	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	58	–	–	–	–	–	–	–	–	–	–	–	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	–	–	1	–	–	2	1	2	–	–
Tabes Mesenterica	21	–	1	2	3	4	3	1	6	1	–	–	–
Phthisis	215	–	2	1	2	3	2	1	3	15	22	31	27
Hydrocephalus	41	1	4	7	8	8	1	2	10	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	79	61	61	73	73	102	113	124	106	71	33	13	4	1	–
SPECIFIED CAUSES	63	79	61	61	73	72	102	113	124	106	71	33	13	4	1	–
Zymotic Class	15	12	6	6	13	7	6	3	9	6	6	2	3	1	–	–
Uncertain Seat	1	4	8	5	6	6	12	10	13	6	2	–	–	–	1	–
Tubercular Class	27	26	17	12	7	7	7	2	2	1	1	–	–	–	–	–
Brain, etc.	3	10	5	3	7	11	15	21	19	14	7	5	–	–	–	–
Heart, etc.	4	6	6	12	12	13	19	20	12	13	6	–	–	1	–	–
Respiratory Organs	7	7	6	8	14	12	24	31	29	20	12	7	3	–	–	–
Digestive Organs	–	4	6	5	4	7	6	6	7	10	4	–	–	–	–	–
Urinary Organs	3	2	3	5	5	1	2	8	7	6	1	1	–	–	–	–
Generative Organs	1	2	2	1	–	2	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	–	3	–	–	1	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	10	22	28	30	17	7	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Violent Deaths	2	5	2	3	5	1	4	2	3	2	1	–	–	–	–	–
Small-pox	4	4	–	–	1	2	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	1	1	–	2	–	2	2	3	2	2	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	3	3	1	3	–	2	1	–	–	–	–	–	–	–
Enteric Fever	1	1	1	2	4	2	1	–	3	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	2	–	–	1	1	3	1	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	3	1	–	–	–	–	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cancer	–	4	7	5	5	5	10	8	5	4	1	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	26	17	11	7	7	7	2	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	1	1	1	2	1	–	1	1	2	–	–
Apoplexy	36	–	–	–	–	1	–	–	1	–	1	–	1
Paralysis	62	–	–	–	–	–	–	–	1	–	1	–	4
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	1	2	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	50	21	6	9	4	5	2	1	2	–	–	–	–
Brain Disease	35	1	–	2	–	–	–	–	3	4	2	1	3
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	126	–	–	–	–	–	–	–	1	4	2	1	5
VI. Laryngitis	8	2	–	–	–	1	2	–	1	–	–	–	–
Bronchitis	253	26	22	26	18	10	10	1	4	2	–	2	3
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia	62	4	1	7	1	2	–	1	2	3	3	2	4
Asthma	16	–	–	–	–	–	–	1	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	44	–	4	16	20	3	–	1	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	1	1	–	1	–	–	–	–	1	–	–	–
Peritonitis	9	1	1	–	–	–	1	–	1	–	1	2	–
Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	4	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	16	1	1	1	–	–	–	–	–	–	–	–	1
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	1	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	10	5	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	16	–	–	1	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	–	–	1	–	2	1	–
Nephria	19	–	–	–	–	1	–	1	1	1	2	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	36	–	–	–	–	1	–	–	2	1	2	2	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	12	–	–	1	–	–	–	–	1	3	1	2	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	1	–	2	1	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	10	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	–	–	1	1	1	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	7	3	1	–	–	–	–	–	–	–	1	–
Drowning	14	1	–	–	1	–	–	–	–	–	2	5	–
Fracture and Contusion	12	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	1	–	–	–
Not specified	5	1	2	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	4	2	1	1	5	4	4	6	3	2	–	–	–	–	–
Paralysis	–	2	2	1	3	3	6	16	10	8	2	3	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	2	2	3	–	2	3	3	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	2	1	3	–	2	3	–	–	–	–	–	–	–	–
Heart Disease	4	6	4	11	9	13	17	17	12	13	6	–	–	1	–	–
Laryngitis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	5	5	4	5	7	4	15	26	24	14	10	7	3	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	1	1	4	7	6	1	3	4	2	–	–	–	–	–
Asthma	1	–	1	1	3	1	1	4	2	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Ileus	–	1	2	1	1	3	–	1	–	2	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	1	3	2	–	4	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	2	2	2	5	2	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	1	1	1	–	2	2	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	3	4	1	–	5	7	4	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	3	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	1	–	1	3	–	3	–	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	983	127	37	73	66	43	24	20	52	32	36	28	28
SPECIFIED CAUSES	980	126	36	73	66	43	24	20	51	32	36	28	28
I. Zymotic Class	204	17	8	23	30	23	12	11	22	8	8	5	4
II. Diseases of Uncertain Seat	38	3	1	2	1	–	–	–	2	–	2	1	3
III. Tubercular Class	140	2	3	7	8	7	4	3	12	11	13	13	8
IV. Brain and Nervous System	104	14	2	8	3	4	2	1	4	2	1	1	5
V. Organs of Circulation	72	–	–	–	–	–	–	–	1	2	1	1	2
VI. Respiratory Organs	176	21	15	23	11	7	5	3	3	4	2	–	4
VII. Organs of Digestion	60	7	4	7	12	2	1	1	1	–	1	–	2
VIII. Urinary Organs	42	–	–	–	–	–	–	–	4	2	4	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	12	–	–	–	–	–	–	–	1	2	2	1	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	43	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	1	–	–	–	–	–	–	1	–	–	–	–	–
XV. Age	31	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	43	11	1	–	1	–	–	–	1	1	2	4	–
I. Small-pox	14	2	1	–	1	–	–	–	1	–	2	1	–
Measles	33	1	–	10	9	4	3	1	3	1	–	–	–
Scarlatina	29	–	–	1	3	4	6	3	9	1	–	1	1
Diphtheria	11	1	–	1	1	1	1	1	4	1	–	–	–
Hooping-cough	20	2	2	2	7	4	1	2	–	–	–	–	–
Croup	16	–	–	–	3	8	1	3	1	–	–	–	–
Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	7	3	9	3	1	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	–	–	–	–	1	2	2	1	–
Enteric Fever	20	–	–	–	1	1	–	1	1	2	3	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	–	1	–	–	–	2	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	5	1	–	–	–	–	–	–	–	–	–	–	1
Pyæmia	1	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	1
Dropsy	7	1	–	–	1	–	–	–	1	–	–	–	–
Abscess	8	1	–	2	–	–	–	–	1	–	2	1	–
Ulcer	1	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	1	–	–	–	1	–	–	–	1	2	–	–
Tabes Mesenterica	11	–	–	1	3	2	1	–	4	–	–	–	–
Phthisis	97	–	1	–	1	2	2	1	2	10	11	13	8
Hydrocephalus	24	1	2	6	4	2	1	2	6	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	27	26	29	24	44	39	44	54	59	38	22	8	2	1	–	–
SPECIFIED CAUSES	27	26	29	24	44	39	44	54	59	38	22	8	2	1	–	–
Zymotic Class	4	4	3	2	6	5	2	1	3	1	1	–	1	–	–	–
Uncertain Seat	1	–	1	2	4	3	3	3	5	–	1	–	–	–	–	–
Tubercular Class	10	6	8	4	5	4	6	2	2	1	1	–	–	–	–	–
Brain, etc.	3	6	4	–	4	4	4	9	12	6	3	2	–	–	–	–
Heart, etc.	2	2	5	4	7	7	10	10	8	5	4	–	–	1	–	–
Respiratory Organs	3	3	3	4	7	9	10	16	10	8	4	1	–	–	–	–
Digestive Organs	–	1	3	3	3	3	2	2	1	2	2	–	–	–	–	–
Urinary Organs	2	–	1	2	4	1	1	7	5	6	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	2	11	7	5	3	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Violent Deaths	2	3	1	2	4	1	4	2	1	2	–	–	–	–	–	–
Small-pox	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	1	1	2	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	2	4	2	2	2	3	–	–	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	6	8	3	5	4	6	2	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	–	–	1	–	1	1	–	1	–	–	–	–
Apoplexy	22	–	–	–	–	1	–	–	–	–	–	–	1
Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	13	2	6	3	2	1	1	1	–	–	–	–
Brain Disease	18	1	–	1	–	–	–	–	2	2	1	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	64	–	–	–	–	–	–	–	1	2	1	1	2
VI. Laryngitis	4	2	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	122	17	15	17	10	5	5	1	2	2	–	–	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	36	2	–	6	1	1	–	1	1	2	2	–	3
Asthma	13	–	–	–	–	–	–	1	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	22	–	2	7	11	2	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	1	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	5	1	1	–	–	–	1	–	1	–	1	–	–
Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	1	–	1	1	–
Nephria	9	–	–	–	–	–	–	–	1	1	2	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	–	–	–	–	–	2	–	1	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	9	–	–	–	–	–	–	–	1	2	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	6	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	4	1	–	–	–	–	–	–	–	–	1	–
Drowning	12	1	–	–	1	–	–	–	–	–	2	3	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	1	–	–	–
Not specified	3	1	1	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	–	1	3	2	3	5	1	2	–	–	–	–	–
Paralysis	–	2	2	–	2	–	–	5	6	2	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	1	2	–	1	3	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	2	1	2	–	1	2	–	–	–	–	–	–	–	–
Heart Disease	2	2	3	3	5	7	9	8	8	5	4	–	–	1	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	2	2	3	2	6	12	7	5	3	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	1	3	6	2	–	1	2	1	–	–	–	–	–
Asthma	1	–	1	–	1	1	1	4	2	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	1	1	–	–	–	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	2	3	1	–	4	5	4	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	3	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	1	3	–	3	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1083	90	38	55	60	40	25	18	41	26	39	44	47
SPECIFIED CAUSES	1081	90	37	55	60	40	25	18	41	26	39	44	47
I. Zymotic Class	258	19	12	22	35	15	13	14	24	10	15	11	6
II. Diseases of Uncertain Seat	60	3	–	–	–	1	–	–	–	–	2	1	2
III. Tubercular Class	147	–	4	3	5	9	2	1	9	6	11	18	19
IV. Brain and Nervous System	105	8	5	4	2	4	1	–	4	3	6	2	3
V. Organs of Circulation	66	–	–	–	–	–	–	–	–	3	1	–	3
VI. Respiratory Organs	166	11	8	10	8	6	7	–	4	1	1	4	4
VII. Organs of Digestion	73	4	3	11	9	3	1	1	–	1	–	2	1
VIII. Urinary Organs	25	–	–	–	–	2	–	1	–	1	2	1	4
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	1	2	4
X. Organs of Locomotion	4	–	–	1	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	2	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	41	37	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	92	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	7	2	2	–	–	1	1	–	–	–	2	1
I. Small-pox	17	2	1	–	–	–	–	–	1	–	5	1	–
Measles	35	–	–	7	14	4	3	2	4	1	–	–	–
Scarlatina	40	–	–	–	5	4	4	6	12	1	4	3	–
Diphtheria	3	–	–	–	1	1	–	1	–	–	–	–	–
Hooping-cough	19	1	3	8	5	1	1	–	–	–	–	–	–
Croup	16	–	–	2	3	3	3	4	1	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	48	10	7	5	6	1	–	1	1	–	1	1	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	–	–	1	–	2	2	–	1	1
Enteric Fever	16	–	–	–	1	–	–	–	2	1	2	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	–	–	1	1	–	1	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	1	2	4
Rheumatic Fever	4	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	9	–	1	–	–	–	–	–	–	–	1	–	–
Pyæmia	4	–	–	–	–	–	–	–	–	1	–	1	–
Syphilis	5	3	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	5	2	–	–	–	–	–	–	–	–	–	1	–
Ulcer	6	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	–	–	–	–	2	–	–	–	–
Tabes Mesenterica	10	–	1	1	–	2	2	1	2	1	–	–	–
Phthisis	118	–	1	1	1	1	–	–	1	5	11	18	19
Hydrocephalus	17	–	2	1	4	6	–	–	4	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	36	53	32	37	29	34	58	59	65	68	49	25	11	3	1	–
SPECIFIED CAUSES .	36	53	32	37	29	33	58	59	65	68	49	25	11	3	1	–
Zymotic Class . .	11	8	3	4	7	2	4	2	6	5	5	2	2	1	–	–
Uncertain Seat . .	–	4	7	3	2	3	9	7	8	6	1	–	–	–	1	–
Tubercular Class .	17	20	9	8	2	3	1	–	–	–	–	–	–	–	–	–
Brain, etc. . . .	–	4	1	3	3	7	11	12	7	8	4	3	–	–	–	–
Heart, etc. . . .	2	4	1	8	5	6	9	10	4	8	2	–	–	–	–	–
Respiratory Organs .	4	4	3	4	7	3	14	15	19	12	8	6	3	–	–	–
Digestive Organs .	–	3	3	2	1	4	4	4	6	8	2	–	–	–	–	–
Urinary Organs . .	1	2	2	3	1	–	1	1	2	–	1	–	–	–	–	–
Generative Organs .	1	2	2	1	–	2	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	8	11	21	25	14	6	2	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	–	2	1	1	1	–	–	–	2	–	1	–	–	–	–	–
Small-pox . . .	2	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	2	–	1	–	–	2	–	1	2	3	2	2	–	–	–
Dysentery . . .	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
Cholera . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	2	–	1	2	–	1	–	2	1	–	–	–	–	–	–	–
Enteric Fever . .	–	–	–	1	3	1	–	–	2	–	–	–	–	–	–	–
Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria . . .	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	1	1	–	1	–	–	–	–	3	1	–	–	–	–	–
Pyæmia . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy . . .	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Abscess . . .	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	3	1	–	–	–	–	1	–
Fistula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cancer . . .	–	4	6	3	1	3	8	6	2	4	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	17	20	9	8	2	3	1	–	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	–	1	–	1	1	–	–	–	1	2	–	–
Apoplexy	14	–	–	–	–	–	–	–	1	–	1	–	–
Paralysis	39	–	–	–	–	–	–	–	1	–	1	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	21	8	4	3	1	3	1	–	1	–	–	–	–
Brain Disease	17	–	–	1	–	–	–	–	1	2	1	1	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	62	–	–	–	–	–	–	–	–	2	1	–	3
VI. Laryngitis	4	–	–	–	–	–	2	–	1	–	–	–	–
Bronchitis	131	9	7	9	8	5	5	–	2	–	–	2	2
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	1
Pneumonia	26	2	1	1	–	1	–	–	1	1	1	2	1
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	22	–	2	9	9	1	–	1	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	–	–	–	–	–	1	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	–	–	2	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	–	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	5	2	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	11	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	10	–	–	–	–	1	–	1	–	–	–	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	1	–	–	–	1	1	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	1	–	–	–	–	–	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	1	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	4	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	–	1	1	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	3	2	1	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	2	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	2	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1874.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	–	1	–	2	2	1	1	2	–	–	–	–	–	–
Paralysis	–	–	–	1	1	3	6	11	4	6	2	2	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	2	1	1	–	1	–	2	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	2	4	1	8	4	6	8	9	4	8	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	2	3	4	2	9	14	17	9	7	6	3	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	1	–	1	1	4	1	2	2	1	–	–	–	–	–
Asthma	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Ileus	–	1	1	1	–	2	–	1	–	1	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	1	2	1	–	4	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	1	1	5	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	1	–	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1690	169	64	113	125	72	53	36	100	53	63	69	83
Specified Causes	1678	163	62	112	124	72	53	36	98	53	63	69	83
I. Zymotic Class	366	24	17	27	47	35	21	17	49	18	11	13	21
II. Diseases of Uncertain Seat	60	1	1	–	1	1	2	1	4	–	–	1	1
III. Tubercular Class	263	6	7	18	20	16	9	7	12	19	26	27	20
IV. Brain and Nervous System	174	12	2	8	10	3	5	1	10	2	9	5	9
V. Organs of Circulation	83	1	–	–	–	–	–	–	1	–	2	2	6
VI. Respiratory Organs	268	18	13	35	24	14	7	5	13	5	4	4	3
VII. Organs of Digestion	111	18	6	14	13	1	1	1	–	3	3	6	2
VIII. Urinary Organs	24	–	–	–	–	1	–	1	1	–	2	–	–
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	–	4
X. Organs of Locomotion	11	–	–	–	3	–	1	–	–	2	–	1	–
XI. Skin, etc.	5	–	1	1	–	–	–	–	–	–	–	1	–
XII. Malformation	5	4	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	94	77	10	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	24	–	–	–	5	–	2	–	4	2	–	–	2
XV. Age	66	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	–	–	–	–	–	–	–	1	–	–	–
XVII. Violent Deaths	106	2	4	2	1	1	5	3	4	1	6	9	15
I. Small-pox	38	1	3	1	1	1	1	2	3	1	2	5	12
Measles	6	–	–	1	3	1	–	–	1	–	–	–	–
Scarlatina	102	–	1	4	11	25	11	8	31	6	2	–	1
Diphtheria	18	1	–	–	2	2	6	5	2	–	–	–	–
Hooping-cough	11	–	2	3	3	2	1	–	–	–	–	–	–
Croup	19	1	2	3	11	1	–	–	1	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	59	11	7	13	13	–	–	1	–	1	–	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	6	2	–	1	–	1	–	–	2	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	1	–	–	1	–	1	–	3	3	1	1	2
Enteric Fever	33	–	–	–	–	1	–	1	3	7	3	2	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Remittent	2	1	–	–	1	–	–	–	–	–	–	–	–
Metria	13	–	–	–	–	–	–	–	–	–	1	3	1
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	–	–
Erysipelas	7	–	–	–	–	–	–	–	1	–	–	1	–
Pyæmia	4	–	–	–	–	–	–	–	–	–	1	1	1
Syphilis	9	6	2	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	1	–	–	–	–
Dropsy	19	–	–	–	1	1	2	1	2	–	–	1	–
Abscess	10	–	–	–	–	–	–	–	1	–	–	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	37	4	2	5	5	2	2	1	2	6	1	2	–
Tabes Mesenterica	14	1	–	3	3	2	1	–	1	2	–	–	–
Phthisis	171	–	3	1	5	6	1	1	3	11	25	25	20
Hydrocephalus	41	1	2	9	7	6	5	5	6	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	85	71	67	76	66	73	61	56	58	29	29	13	4	2	–	–
Specified Causes	85	71	67	76	66	73	61	56	58	29	29	13	4	2	–	–
Zymotic Class	13	13	12	5	3	4	4	4	1	2	4	1	–	–	–	–
Uncertain Seat	4	4	5	4	6	6	7	4	3	2	1	1	–	–	–	–
Tubercular Class	19	13	9	15	9	5	2	3	–	1	–	–	–	–	–	–
Brain, etc.	5	8	6	16	9	11	9	12	15	4	2	1	–	–	–	–
Heart, etc.	12	5	13	5	4	8	4	5	9	4	2	–	–	–	–	–
Respiratory Organs	6	4	4	11	22	23	14	13	10	6	6	2	2	–	–	–
Digestive Organs	7	7	6	5	4	5	4	1	2	1	1	–	–	–	–	–
Urinary Organs	4	4	–	3	2	3	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Skin	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	2	2	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	10	15	8	13	8	2	2	–	–
Sudden Deaths	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	11	8	7	9	4	5	5	1	2	1	–	–	–	–	–	–
Small-pox	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	–	–	1	2	1	1	2	3	–	–	–	–	–
Dysentery	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	2	–	–	2	–	–	–	–	1	1	–	–	–	–
Enteric Fever	1	5	4	2	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	2	1	2	1	2	–	–	1	–	–	–	–	–	–
Abscess	1	–	1	–	2	–	2	1	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Cancer	1	3	1	2	1	5	3	2	2	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	3	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	13	9	13	9	5	1	3	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	23	–	–	4	3	2	4	1	2	–	2	–	3
Apoplexy	64	–	1	–	1	–	–	–	1	1	3	2	5
Paralysis	32	–	–	–	–	–	–	–	1	–	–	1	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	3	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	20	10	1	2	3	–	1	–	3	–	–	–	–
Brain Disease	25	2	–	2	3	1	–	–	3	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	81	1	–	–	–	–	–	–	1	–	2	2	6
VI. Laryngitis	6	–	1	2	1	–	–	–	–	1	–	–	–
Bronchitis	162	10	9	25	14	7	4	3	7	1	1	–	1
Pleurisy	4	–	–	–	–	–	1	–	–	–	–	1	–
Pneumonia	81	5	3	7	9	7	2	1	6	2	3	3	2
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	15	3	–	1	–	–	–	1	–	1	–	–	–
VII. Teething	24	1	2	11	9	1	–	–	–	–	–	–	–
Quinsey	3	–	1	–	1	–	–	1	–	–	–	–	–
Gastritis	4	1	–	–	–	–	–	–	–	–	–	1	1
Enteritis	24	13	2	3	2	–	1	–	–	–	1	–	–
Peritonitis	23	–	1	–	–	–	–	–	–	3	1	3	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	2	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	1	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	9	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	1	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	1	–	1	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	–	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	1	–
Joint Disease	8	–	–	–	3	–	1	–	–	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	2	–	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	2	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	1	–	3	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	2	1	–	–	–	–	1	–	–	–	–	–
Drowning	32	–	–	1	–	–	2	–	2	–	3	8	3
Fracture and Contusion	41	–	–	–	–	–	–	1	2	1	2	–	10
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	7	–	–	–	–	1	–	–	–	–	1	1	–
Not specified	12	6	2	1	1	–	–	–	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	5	9	4	5	6	9	6	1	1	1	–	–	–	–
Paralysis	1	2	–	4	4	3	1	3	7	3	1	–	–	–	–	–
Delirium Tremens	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	1	2	1	2	1	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	12	5	13	4	4	8	4	5	8	4	2	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	2	6	12	19	9	7	7	5	5	2	2	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	4	1	2	4	7	4	5	2	–	1	1	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	2	–	–	4	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	6	2	1	1	1	–	1	–	1	1	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	4	2	2	2	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	–	2	1	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	3	4	2	3	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	2	3	6	1	3	5	1	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1388	111	51	73	115	74	38	29	77	33	52	65	47
Specified Causes	1376	102	50	73	115	74	38	29	77	32	52	65	47
I. Zymotic Class	316	13	15	22	41	37	22	20	38	14	18	11	10
II. Diseases of Uncertain Seat	57	2	1	–	1	2	–	–	1	–	–	4	1
III. Tubercular Class	239	4	8	10	16	16	6	5	18	8	26	31	22
IV. Brain and Nervous System	135	5	6	5	9	5	1	–	3	1	–	4	1
V. Organs of Circulation	63	–	–	–	–	–	–	–	2	3	2	–	1
VI. Respiratory Organs	218	15	11	17	30	8	6	–	4	1	2	3	4
VII. Organs of Digestion	100	12	3	14	16	4	–	1	4	–	2	7	1
VIII. Urinary Organs	14	–	–	–	–	–	–	–	–	1	–	1	–
IX. Organs of Generation	14	–	–	–	–	1	–	–	–	–	–	3	3
X. Organs of Locomotion	7	–	–	–	–	–	1	1	1	1	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	45	5	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	2	–	1	1	2	–	–	–	–
XV. Age	99	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	50	3	1	1	–	1	1	1	4	3	2	–	4
I. Small-pox	60	6	4	4	1	1	1	3	4	8	12	5	4
Measles	1	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	103	–	1	5	17	20	15	13	27	3	2	–	–
Diphtheria	12	–	–	1	2	2	–	1	3	2	–	–	–
Hooping-cough	26	–	1	4	8	7	4	2	–	–	–	–	–
Croup	22	–	1	5	7	4	2	1	1	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	37	5	7	2	4	2	–	–	–	–	–	–	1
Dysentery	7	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	16	–	–	–	–	–	–	–	3	–	–	4	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	9	–	–	–	–	–	–	–	–	–	1	–	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	12	2	–	1	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	24	–	–	–	–	1	–	–	1	–	–	1	–
Abscess	8	2	–	–	–	–	–	–	–	–	–	3	1
Ulcer	1	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	1	–	1	–	–	–	3	1	–	–	2
Tabes Mesenterica	21	–	3	1	8	–	1	1	2	1	3	–	–
Phthisis	163	–	–	–	2	4	2	1	9	6	23	31	20
Hydrocephalus	44	4	4	9	5	12	3	3	4	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	45	34	54	44	72	64	72	54	82	54	32	13	3	–	–	–
Specified Causes	44	34	54	44	72	64	72	54	82	54	32	13	3	–	–	–
Zymotic Class	3	7	10	6	5	5	5	1	5	4	4	–	–	–	–	–
Uncertain Seat	1	1	3	3	3	9	5	6	11	1	2	–	–	–	–	–
Tubercular Class	18	9	13	5	12	6	2	2	1	1	–	–	–	–	–	–
Brain, etc.	1	4	4	4	10	11	14	13	12	11	8	3	–	–	–	–
Heart, etc.	5	5	1	6	7	10	9	5	5	2	–	–	–	–	–	–
Respiratory Organs	4	5	8	10	18	16	15	16	16	6	2	1	–	–	–	–
Digestive Organs	4	2	9	1	8	3	5	2	2	–	–	–	–	–	–	–
Urinary Organs	3	–	2	3	1	–	1	–	2	–	–	–	–	–	–	–
Generative Organs	1	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	6	27	27	15	9	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	–	2	4	8	3	3	2	1	2	–	–	–	–	–	–
Small-pox	–	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	4	1	1	3	3	3	–	–	–	–	–
Dysentery	–	1	1	–	1	–	1	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	3	2	1	–	1	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	1	1	6	1	5	5	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	2	2	2	1	4	1	6	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	18	9	13	4	11	5	2	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1874.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	40	2	–	3	5	3	–	–	3	1	–	1	1
Paralysis	50	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	2	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	2	6	2	3	2	–	–	–	–	–	–	–
Brain Disease	19	–	–	–	1	–	1	–	–	–	–	1	–
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	59	–	–	–	–	–	–	–	2	3	2	–	1
VI. Laryngitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	159	13	9	15	23	5	4	–	3	–	–	–	2
Pleurisy	2	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	46	2	2	2	7	3	1	–	1	1	1	3	2
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	33	–	2	12	15	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	21	7	–	2	–	–	–	1	1	–	–	1	–
Peritonitis	6	–	1	–	1	–	–	–	–	–	2	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	1	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	2	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	2	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	16	1	–	–	–	–	–	–	–	–	–	4	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	1	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	9	–	–	–	–	–	–	–	–	–	–	3	3
Organs of Generation	2	–	–	–	–	1	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	1	1	–	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	1	–	–	1	1	1	2	1	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	–	–	–	2	–	–	–	2
Fracture and Contusion	15	–	–	–	–	–	–	–	–	–	2	–	1
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	1
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	1	–	–	–
Not specified	12	9	1	–	–	–	–	–	–	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	2	1	4	7	1	2	2	–	–	–	–	–
Paralysis	–	2	2	1	3	5	5	5	10	8	6	3	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	1	4	2	4	–	1	1	–	–	–	–	–	–
Pericarditis	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	5	1	4	6	10	9	5	5	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	4	5	4	15	10	11	13	13	5	2	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	2	4	1	5	2	1	2	1	–	–	–	–	–	–
Asthma	–	–	1	2	2	1	2	2	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	2	1	3	–	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Liver Disease	1	2	2	–	–	2	1	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	3	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	5	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	3	–	2	3	2	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Not specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1254	136	56	78	127	67	50	46	105	31	30	39	48
Specified Causes	1251	135	56	78	127	67	50	45	104	31	30	39	48
I. Zymotic Class	362	18	15	20	48	43	35	40	73	21	7	8	8
II. Diseases of Uncertain Seat	48	2	–	–	1	–	–	1	2	–	–	2	2
III. Tubercular Class	191	10	9	13	29	10	6	–	15	2	13	14	18
IV. Brain and Nervous System	111	8	6	4	7	1	4	–	5	3	1	–	4
V. Organs of Circulation	75	–	–	–	–	–	–	–	2	–	–	3	3
VI. Respiratory Organs	187	16	15	29	32	8	3	3	3	2	–	4	1
VII. Organs of Digestion	64	12	3	7	3	3	1	–	1	1	2	1	–
VIII. Urinary Organs	16	–	–	–	–	–	–	–	–	–	1	2	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	1	6
X. Organs of Locomotion	6	–	–	1	1	1	–	–	1	1	–	–	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	73	66	5	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	4	1	1	–	–	–	1	1	–
XV. Age	39	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	47	3	2	1	2	–	–	1	2	1	4	3	5
I. Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–
Measles	9	–	–	–	4	3	–	2	–	–	–	–	–
Scarlatina	193	3	–	7	25	28	26	29	57	15	2	1	–
Diphtheria	6	–	–	–	–	1	1	–	4	–	–	–	–
Hooping-cough	20	2	4	2	7	3	1	1	–	–	–	–	–
Croup	30	1	2	2	4	5	6	6	4	–	–	–	–
Thrush	2	1	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	40	10	7	7	5	1	1	1	–	1	–	2	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	1	1	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	–	–	–	–	2	2	1	1	2
Enteric Fever	21	–	–	–	–	2	–	1	4	3	2	2	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	
Metria	8	–	–	–	–	–	–	–	–	–	2	–	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	5	1	–	1	1	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	2	–	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	16	1	–	–	–	–	–	1	1	–	–	–	1
Abscess	4	1	–	–	–	–	–	–	–	–	–	2	–
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	20	–	–	–	1	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	1	1	1	7	1	2	–	3	2	–	1	1
Tabes Mesenterica	19	3	2	3	6	3	–	–	2	–	–	–	–
Phthisis	101	1	–	–	–	–	–	–	5	–	13	13	17
Hydrocephalus	51	5	6	9	16	6	4	–	5	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes . .	50	35	36	41	35	46	43	40	51	33	11	12	7	1	–	–
Specified Causes .	50	35	36	41	35	46	43	40	51	33	11	12	7	1	–	–
Zymotic Class . .	8	6	2	5	1	–	–	1	1	1	–	1	–	–	–	–
Uncertain Seat . .	4	1	4	5	6	4	6	4	2	1	–	1	–	–	–	–
Tubercular Class .	16	13	8	7	5	–	1	–	–	2	–	–	–	–	–	–
Brain, etc. . . .	2	2	1	4	5	14	11	6	10	9	2	2	–	–	–	–
Heart, etc. . . .	4	6	7	9	5	9	11	7	8	1	–	–	–	–	–	–
Respiratory Organs .	3	2	2	7	7	8	6	13	14	6	–	2	1	–	–	–
Digestive Organs .	3	2	5	1	3	3	4	4	4	1	–	–	–	–	–	–
Urinary Organs . .	–	1	–	1	–	3	2	–	2	2	–	1	–	–	–	–
Generative Organs .	7	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	8	9	9	4	6	1	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	3	1	5	2	2	1	2	3	2	1	–	1	–	–	–	–
Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–
Dysentery . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	3	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever . .	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria . . .	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis. .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy . . .	2	1	–	1	3	1	2	1	–	1	–	–	–	–	–	–
Abscess . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer . . .	2	–	3	2	2	2	3	1	2	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	16	13	8	7	5	–	1	–	–	2	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	4	–	–	–	1	1	–	–	–
Apoplexy	20	–	1	–	–	–	–	–	1	–	–	–	1
Paralysis	45	–	–	–	–	–	–	–	1	1	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	23	7	5	4	3	–	3	–	1	–	–	–	–
Brain Disease	11	–	–	–	–	1	1	–	1	1	1	–	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	70	–	–	–	–	–	–	–	2	–	–	3	3
VI. Laryngitis	5	–	–	1	2	1	–	–	–	–	–	–	1
Bronchitis	124	13	10	18	25	7	2	1	3	–	–	–	–
Pleurisy	8	–	1	–	–	–	–	–	–	2	–	–	–
Pneumonia	47	2	4	10	5	–	1	2	–	–	–	4	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	8	–	–	6	1	1	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	5	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	4	2	–	–	–	–	–	–	–	–	2	–	–
Peritonitis	5	–	–	–	–	–	–	–	1	1	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	7	2	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	1	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	1	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	5	–	–	1	1	1	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	1	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	2	2	–	–	–	–	–	–	–	1	–	–
Drowning	10	–	–	–	–	–	–	–	–	–	1	–	1
Fracture and Contusion	15	–	–	–	1	–	–	–	2	1	1	1	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	4	–	–	–	–	–	–	–	–	–	1	1	1
Not specified	3	1	–	–	–	–	–	1	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	1	1	5	2	2	2	2	–	–	–	–	–	–
Paralysis	2	–	–	2	3	6	8	4	8	7	2	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–
Pericarditis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	5	5	9	5	8	11	7	8	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	4	3	6	5	11	10	4	–	2	–	–	–	–
Pleurisy	–	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Pneumonia	3	–	2	3	4	1	–	2	2	1	–	–	1	–	–	–
Asthma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	1	–	1	–	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	3	2	–	–	1	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	700	54	16	36	37	36	25	27	61	15	14	21	17
Specified Causes	690	51	14	34	37	36	25	27	61	15	14	21	17
I. Zymotic Class	189	7	5	11	21	20	23	22	43	8	7	3	1
II. Diseases of Uncertain Seat	22	–	–	–	–	–	1	–	–	–	–	–	–
III. Tubercular Class	96	1	1	10	4	5	1	3	6	4	4	10	11
IV. Brain and Nervous System	72	2	–	–	–	2	–	–	2	1	1	–	1
V. Organs of Circulation	53	–	–	–	–	–	–	–	–	–	1	1	–
VI. Respiratory Organs	81	8	6	6	4	7	–	–	3	2	–	2	3
VII. Organs of Digestion	38	3	1	2	4	1	–	–	1	–	–	1	–
VIII. Urinary Organs	13	–	–	–	–	–	–	–	–	–	1	1	–
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	36	30	1	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	4	–	–	1	–	–	–	–	–
XV. Age	56	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	19	–	–	–	–	1	–	1	6	–	–	2	1
I. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	111	–	1	4	15	14	18	17	33	5	3	–	–
Diphtheria	7	–	–	–	–	1	–	–	2	3	1	–	–
Hooping-cough	15	1	1	4	3	2	–	1	3	–	–	–	–
Croup	15	2	–	1	1	2	4	3	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	3	3	1	1	1	1	–	–	–	–	–	–
Dysentery	2	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	–	–	–	–	–	–	–	1	–	–	2	1
Enteric Fever	9	–	–	–	–	–	–	1	2	–	3	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	–	1	–	1	1	–	1	–	1
Tabes Mesenterica	10	1	1	1	2	2	–	–	2	1	–	–	–
Phthisis	65	–	–	1	1	–	–	–	1	3	3	10	10
Hydrocephalus	15	–	–	7	1	2	1	2	2	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1874.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	21	21	20	25	26	32	39	32	40	40	27	12	4	2	–	–
Specified Causes	20	21	20	24	26	31	39	32	40	40	27	12	4	2	–	–
Zymotic Class	–	4	1	2	2	2	2	1	2	–	–	2	–	–	–	–
Uncertain Seat	–	1	3	1	3	4	2	2	2	–	2	–	1	–	–	–
Tubercular Class	7	11	5	3	3	4	1	1	1	–	–	–	–	–	–	–
Brain, etc.	1	3	2	5	3	7	10	6	6	12	6	1	1	–	–	–
Heart, etc.	5	1	2	6	3	8	8	4	6	5	2	1	–	–	–	–
Respiratory Organs	1	–	2	3	5	2	7	7	4	5	3	1	–	–	–	–
Digestive Organs	1	1	3	2	3	2	4	1	7	–	–	1	–	–	–	–
Urinary Organs	–	–	1	–	–	1	1	1	2	4	–	–	1	–	–	–
Generative Organs	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	9	10	12	13	6	1	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	–	–	3	–	1	–	–	2	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	3	1	2	3	1	1	2	–	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	11	5	3	3	4	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	–	–	–	1	1	1	–	1
Apoplexy	19	–	–	–	–	1	–	–	–	–	–	–	–
Paralysis	29	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	1	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	1	–	–	–	1	–	–	1	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	52	–	–	–	–	–	–	–	–	–	1	1	–
VI. Laryngitis	2	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	54	6	5	6	4	4	–	–	–	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	20	2	–	–	–	2	–	–	3	2	–	2	3
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	–	1	3	–	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	2	1	1	1	–	–	–	1	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	1	–	–	3	–	–	–	–
Fracture and Contusion	7	–	–	–	–	–	–	–	2	–	–	2	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	10	3	2	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1874.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	2	2	2	1	2	2	3	1	1	–	–	–
Paralysis	–	–	1	1	–	2	6	5	3	8	3	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	3	–	1	2	–	1	2	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	2	6	3	8	8	4	6	5	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	2	1	4	1	5	5	3	4	3	1	–	–	–	–
Pleurisy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	2	–	1	1	1	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	2	–	1	1	–	–	1	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	2	–	1	1	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not specified	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY.

		DEATHS in 1874.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1874	41°·0	40°·0	44°·1	47°·2	47°·3	55°·7	60°·2	57°·0	53°·9	47°·3	41°·9	31°·5	47°·3
	SCOTLAND	6933	6604	7238	6811	6455	6374	6265	6044	5790	6166	6815	9181	80676
	PRINCIPAL TOWN DISTRICTS .	2668	2464	2728	2636	2569	2465	2526	2418	2305	2537	2882	3920	32118
	LARGE TOWN DISTRICTS . .	883	795	941	868	775	816	760	704	724	725	847	1191	10029
	SMALL TOWN DISTRICTS . .	1578	1499	1612	1431	1405	1404	1393	1387	1298	1338	1466	1932	17743
	MAINLAND-RURAL DISTRICTS .	1632	1675	1774	1673	1525	1516	1395	1377	1319	1402	1450	1859	18597
	INSULAR-RURAL DISTRICTS .	172	171	183	203	181	173	191	158	144	164	170	279	2189
	DIVISIONS.													
1	NORTHERN	142	133	176	166	182	155	171	123	133	150	118	189	1838
2	NORTH-WESTERN . . .	253	230	255	256	240	236	224	205	211	225	248	353	2936
3	NORTH-EASTERN . . .	676	629	717	629	566	577	546	499	534	555	521	727	7176
4	EAST-MIDLAND . . .	1047	1055	1140	1094	1029	1015	1019	1069	994	1056	1098	1374	12990
5	WEST-MIDLAND . . .	509	483	522	482	445	459	471	418	419	444	494	621	5767
6	SOUTH-WESTERN . . .	2991	2840	3091	2946	2851	2790	2687	2636	2468	2672	3166	4346	35484
7	SOUTH-EASTERN . . .	926	850	946	902	869	809	821	786	792	804	875	1197	10577
8	SOUTHERN	389	384	391	336	273	333	326	308	239	260	295	374	3908
	COUNTIES.													
	I. NORTHERN.													
1	Shetland	37	46	52	52	56	33	51	43	25	37	31	57	520
2	Orkney	39	26	25	36	43	46	34	22	32	37	27	38	405
3	Caithness	42	28	59	50	54	49	56	39	49	49	35	57	567
4	Sutherland	24	33	40	28	29	27	30	19	27	27	25	37	346
	II. NORTH-WESTERN.													
5	Ross and Cromarty . . .	112	109	121	112	107	103	104	110	115	141	145	200	1479
6	Inverness	141	121	134	144	133	133	120	95	96	84	103	153	1457
	III. NORTH-EASTERN.													
7	Nairn	19	14	22	12	16	6	14	8	8	13	13	7	152
8	Elgin (or Moray) . . .	70	65	87	73	80	73	58	54	52	58	53	80	803
9	Banff	67	80	90	72	82	79	74	62	81	92	69	90	938
10	Aberdeen	460	426	459	413	356	373	348	329	346	351	346	493	4700
11	Kincardine	60	44	59	59	32	46	52	46	47	41	40	57	583
	IV. EAST-MIDLAND.													
12	Forfar	507	471	559	495	528	512	547	559	522	560	552	675	6487
13	Perth	206	250	224	214	189	183	197	221	195	234	215	277	2605
14	Fife	274	272	301	329	252	275	232	259	243	226	286	354	3303
15	Kinross	13	16	12	11	16	4	11	6	9	10	12	16	136
16	Clackmannan	47	46	44	45	44	41	32	24	25	26	33	52	459
	V. WEST-MIDLAND.													
17	Stirling	191	183	195	178	181	186	196	148	156	195	211	236	2256
18	Dumbarton	158	141	167	124	129	141	119	131	125	107	129	196	1667
19	Argyll	122	119	125	146	100	101	114	113	114	111	114	151	1430
20	Bute	38	40	35	34	35	31	42	26	24	31	40	38	414
	VI. SOUTH-WESTERN.													
21	Renfrew	492	419	456	435	414	411	380	391	359	330	414	595	5096
22	Ayr	474	464	457	408	386	391	348	383	340	384	423	540	4998
23	Lanark	2025	1957	2178	2103	2051	1988	1959	1862	1769	1958	2329	3211	25390
	VII. SOUTH-EASTERN.													
24	Linlithgow	78	65	82	67	59	54	53	51	51	55	50	79	744
25	Edinburgh	691	624	700	710	664	614	607	581	580	609	657	912	7949
26	Haddington	50	57	48	38	67	65	66	71	75	65	73	74	749
27	Berwick	48	57	53	47	34	35	53	46	41	42	49	63	568
28	Peebles	15	17	20	15	17	12	19	13	12	10	17	15	182
29	Selkirk	44	30	43	25	28	29	23	24	33	23	29	54	385
	VIII. SOUTHERN.													
30	Roxburgh	77	73	69	70	53	69	59	78	39	51	46	74	758
31	Dumfries	151	146	178	124	108	124	139	115	108	95	130	164	1582
32	Kirkcudbright	86	73	73	75	62	68	71	65	37	57	59	71	797
33	Wigtown	75	92	71	67	50	72	57	50	55	57	60	65	771

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59*b*	Carnoch	Parts of Contin, Fodderty, and Urray.
71*b*	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Parts of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans
282	Dundee	Dundee, and part of Liff, Benvie ,and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328*b*	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and [Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall, and Kinghorn.
481*b*	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South [Knapdale.
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa,	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
776*b*	Ladhope	Part of Melrose.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddom.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown)
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	* Fortrose.	
130	Drainie	-	*Lossiemouth.
164	Rathven	-	*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251[1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar	-	Stonehaven.
258[1]	Fetteresso	-	Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry	-	Carnoustie.
280	Craig	Montrose.	
282[4]	St Andrews (Dundee)	-	Broughty-Ferry.
310	Monifieth	-	Do.
316	Panbride	-	Carnoustie.
371	Lecropt	-	Bridge of Allan.
374	Logie	Stirling,	Do.
385	Muckhart	-	Dollar.
386 *a*	Muthill	-	Crieff.
389	Rattray	-	Blairgowrie.
400	Abdie	-	Suburban of Newburgh.
405	Auchterderran	-	Lochgelly.
408	Ballingry	-	Do.
427	Elie	-	Suburban of Earlsferry.
436	Kilconquhar	* Earlsferry,	Do.
438	Kilrenny	Anstruther-Easter.	
456	Scoonie	-	*Leven.
459	Wemyss	-	Buckhaven.
466	Clackmannan	-	Alloa.
475	Campsie	-	*Lennoxtown.
478	Dunipace	-	Denny.
488	St Ninians	-	Bannockburn.
493	Bonhill	-	*Alexandria.
494	Cardross	-	*Renton.
500	New or East Kilpatrick	-	*Milngavie.
503	Row	-	*Helensburgh.
523	Kilmore and Kilbride	* Oban.	
559[1]	Abbey	Paisley.	
559[2]	Do. (Landward),	-	Barrhead.
560	Cathcart	-	Busby. Crosshill (Suburban of Glasgow)
562	Eastwood	-	*Pollockshaws and Thornliebank.
564	Greenock, East	Port-Glasgow.	
571	Mearns	-	Busby.
576[1]	Old Ardrossan	-	Saltcoats.
577	Auchinleck	-	Cumnock.
593	Galston	-	Newmilns.
597	Kilmarnock	-	Hurlford.
603	Loudoun	-	Galston and Newmilns.
611	Riccarton	Kilmarnock,	Hurlford.
613	Sorn	-	*Catrine.
615	Stevenston	-	Saltcoats.
621	Avondale	-	*Strathaven.
622[2]	Shettleston	-	Tollcross.
625[1]	Bothwell	-	*Bellshill.
625[2]	Holytown	-	Calderbank.
628	Cambusnethan	-	*Newmains and Wishaw.
639	Dalziel	-	Motherwell.
643	East Kilbride	-	Busby.
646[1]	Govan Church	-	Suburban of Glasgow.
646[2]	Partick	-	Hillhead, Whiteinch, and Suburban of Glasgow.
647	Hamilton	-	Larkhall and Motherwell.
651[2]	New Monkland (Landward)	-	Suburban of Airdrie.
652	Old Monkland	-	
	(1) Western District	-	Bailliestone, and Tollcross.
	(2) Middle District	-	Coatbridge and Rosehall.
	(3) Eastern District	-	Do. do. and Calderbank.
654	Rutherglen	-	Cambuslang.
664	Carriden	-	Bo'ness.
673[2]	Fauldhouse	-	*Crofthead.
689	Inveresk	* Musselburgh.	
691	Lasswade	-	Penicuik.
727	Ayton	-	Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
863	Crossmichael	-	Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton	-	Castle-Douglas.
876	Minnigaff	-	Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame	-	Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour(Aberdeen), . 169
Aberdour(Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy . 326
Abernethy and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, . 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, . 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, . 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, . 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, . 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callender, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campoeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, . 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny(Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy&Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), . 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichity, . 95
Deerness, . 14
Delting, . 6
Denny, . 476
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, . 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, . 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, . 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135

* The actual number of Districts is 1025—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Elie, . . 427
Ellon,. . 192
Enzie,. . 152
Errol,. . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso,. 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glamis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy,. 512
Glenrinnes,. 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna). . 827
Grange, . 156
Grangemouth, 481
Greenlaw, . 743
Greenock, . 564
Guthrie . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood,. 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 128
Inveraray, . 513
Inverarity, 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverkip, . 567
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595
Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Kilearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie,. 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth, . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 776
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnot and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 378
Mains, . 307
Makerston, 797
Manor, . 766
Markinch, . 447
Marnock, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown,. 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765

Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, . 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, 225
New Galloway, 868
Newhills, . 226
Newington, 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer . 228
Oldhamstocks, 714
Old, or West, Kilpatrick 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston . 715
Orphir . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Park, . . 646
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Menteith, 388
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96
Rousay and Egilsay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Mary, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peter, . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, . 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, . 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, . 615
Stewarton, . 616
Stirling, . 490
Stitchell, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr) 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, . 394
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Watten, 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm . 811
Ythan Wells 249

EDINBURGH: PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.